



Council of the
European Union

Brussels, 17 May 2017
(OR. en)

9384/17
ADD 1

DENLEG 44
AGRI 273
SAN 203

COVER NOTE

From:	European Commission
date of receipt:	17 May 2017
To:	General Secretariat of the Council

No. Cion doc.:	D050363/02 - ANNEXES 1 to 2
Subject:	ANNEXES to the COMMISSION REGULATION (EU) .../... amending Annex II to Regulation (EC) No 1333/2008 of the European Parliament and of the Council and the Annex to Commission Regulation (EU) No 231/2012 as regards potassium polyaspartate

Delegations will find attached document D050363/02 - ANNEXES 1 to 2.

Encl.: D050363/02 - ANNEXES 1 to 2



Brussels, **XXX**
SANTE/10058/2017 ANNEX
(POOL/E2/2017/10058/10058-EN
ANNEX.doc) D050363/02
[...](2017) **XXX** draft

ANNEXES 1 to 2

ANNEXES

to the

COMMISSION REGULATION (EU) .../...

amending Annex II to Regulation (EC) No 1333/2008 of the European Parliament and of the Council and the Annex to Commission Regulation (EU) No 231/2012 as regards potassium polyaspartate

ANNEX I

In Part B of Annex II to Regulation (EC) No 1333/2008, in point 3 "Additives other than colours and sweeteners", the following new entry is inserted after the entry for food additive E 452:

"

E 456	Potassium polyaspartate
-------	-------------------------

"

ANNEX II

In the Annex to Regulation (EU) No 231/2012, the following new entry is inserted after the entry for food additive E 452(iv):

"E 456 POTASSIUM POLYASPARTATE	
Synonyms	
Definition	Potassium polyaspartate is the potassium salt of polyaspartic acid, produced from L-aspartic acid and potassium hydroxide. The thermic process transforms the aspartic acid in polysuccinimide that is insoluble. Polysuccinimide is treated with potassium hydroxide allowing the opening of the ring and polymerisation of the units. The last step is the spray drying phase, which results in a light tan powder
CAS number	64723-18-8
Chemical name	L-aspartic acid, homopolymer, potassium salt
Chemical formula	$[C_4H_4NO_3K]_n$
Weight average molecular weight	Approximately 5 300 g/mol
Assay	Not less than 98 % on dry weight basis
Particle size	Not less than 45 µm (not more than 1 % in weight of particles of less than 45 µm)
Description	A light brown odourless powder
Identification	
Solubility	Very soluble in water and slightly soluble in organic solvents
pH	7,5-8,5 (40 % aqueous solution)
Purity	
Degree of substitutions	Not less than 91.5 % on dry weight basis
Loss on drying	Not more than 11 % (105 °C,12 hours)
Potassium hydroxide	Not more than 2 %
Aspartic acid	Not more than 1 %
Other impurities	Not more than 0,1 %
Arsenic	Not more than 2,5 mg/kg
Lead	Not more than 1,5 mg/kg
Mercury	Not more than 0,5 mg/kg
Cadmium	Not more than 0,1 mg/kg

"