





COMMISSION OF THE EUROPEAN COMMUNITIES

Brussels, 16.12.2008  
COM(2008) 861 final  
VOL IV

**ANNEX 5 (ZIMBABWE PART 4)**

**TO INTERIM ECONOMIC PARTNERSHIP AGREEMENT BETWEEN THE  
EASTERN AND SOUTHERN AFRICA STATES, ON THE ONE PART, AND THE  
EUROPEAN COMMUNITY AND ITS MEMBER STATES, ON THE OTHER PART**

**CUSTOMS DUTIES APPLICABLE ON IMPORTS INTO ZIMBABWE OF  
PRODUCTS ORIGINATING IN THE EC**

**Zimbabwe Intermediate Goods Reduction  
Schedule**

**ANNEX 5 (ZIMBABWE PART 4)**

| Tariff Reduction schedule |                                                                                                                                             |                          |           |          |           |      |      |      |      |      |      |      |      |      |      |      |                   |         |  |  |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------|----------|-----------|------|------|------|------|------|------|------|------|------|------|------|-------------------|---------|--|--|
| 6 years                   |                                                                                                                                             | 9 years Reduction Period |           |          |           |      |      |      |      |      |      |      |      |      |      |      |                   |         |  |  |
|                           |                                                                                                                                             | % Tariff Reduction       |           |          |           |      |      |      |      |      |      |      |      |      |      |      |                   |         |  |  |
|                           |                                                                                                                                             | 25%                      |           |          | 50%       |      |      | 75%  |      |      | 100% |      |      |      |      |      |                   |         |  |  |
| Preparatory Period        |                                                                                                                                             | Applied Duty in          |           |          |           |      |      |      |      |      |      |      |      |      |      |      | Import values USD |         |  |  |
| HS2002                    | Product Description                                                                                                                         | Applied MFN Duty 2008    | CET Class | CET Rate | 2008-2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2004 | 2005 | 2006              | Average |  |  |
|                           | Pig fat, free of lean meat, and poultry fat, not rendered or otherwise extracted, fresh, chilled, frozen, salted, in brine, dried or smoked | 40%                      | B         | 10%      |           | 7,5% | 7,5% | 7,5% | 5%   | 5%   | 5%   | 2,5% | 2,5% | 0%   | 48   | 0    | 0                 | 16      |  |  |
| 020900                    | Hams, shoulders and cuts thereof of swine, salted, in brine, dried or smoked, with bone in                                                  | 40%                      | B         | 10%      |           | 7,5% | 7,5% | 7,5% | 5%   | 5%   | 5%   | 2,5% | 2,5% | 0%   |      |      |                   |         |  |  |
| 021011                    | Bellies "streaky" and cuts thereof of swine, salted, in brine, dried or smoked                                                              | 40%                      | B         | 10%      |           | 7,5% | 7,5% | 7,5% | 5%   | 5%   | 5%   | 2,5% | 2,5% | 0%   | 0    | 0    | 0                 | 0       |  |  |
| 021012                    | Bellies "streaky" and cuts thereof of swine, salted, in brine, dried or smoked                                                              | 40%                      | B         | 10%      |           | 7,5% | 7,5% | 7,5% | 5%   | 5%   | 5%   | 2,5% | 2,5% | 0%   | 0    | 0    | 0                 | 0       |  |  |

|        |                                                                                                                                                                                                                              |     |   |     |  |  |      |      |      |      |    |    |    |    |      |      |    |   |    |   |   |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|------|------|------|------|----|----|----|----|------|------|----|---|----|---|---|
| 021019 | Meat of swine, salted, in brine, dried or smoked (excl. hams, shoulders and cuts thereof, with bone in, and bellies and cuts thereof)                                                                                        | 40% | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0  | 0 | 0 |
| 021020 | Meat of bovine animals, salted, in brine, dried or smoked                                                                                                                                                                    | 40% | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 25 |   | 8 |
| 021091 | Meat and edible offal, salted, in brine, dried or smoked, and edible flours and meals of meat or meat offal, of primates                                                                                                     | 40% | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0  | 0 | 0 |
| 021092 | Meat and edible offal, salted, in brine, dried or smoked, and edible flours and meals of meat or meat offal, of whales, dolphins and porpoises "mammals of the order Cetacea" and manatees and dugongs "mammals of the order | 40% | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0  | 0 | 0 |



|        |                                                                                                                                       |      |   |     |  |  |      |      |      |      |    |    |    |      |      |    |   |   |   |   |
|--------|---------------------------------------------------------------------------------------------------------------------------------------|------|---|-----|--|--|------|------|------|------|----|----|----|------|------|----|---|---|---|---|
| 030551 | Dried cod<br>"Gadus morhua,<br>Gadus ogac,<br>Gadus<br>macrocephalus"<br>, whether or not<br>salted, not<br>smoked (excl.<br>fillets) | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030559 | Dried fish,<br>salted, not<br>smoked (excl.<br>cod and other<br>fillets)                                                              | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030561 | Herrings<br>"Clupea<br>harengus,<br>Clupea pallasii",<br>salted or in<br>brine only (excl.<br>fillets)                                | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030562 | Cod "Gadus<br>morhua, Gadus<br>ogac, Gadus<br>macrocephalus"<br>, salted or in<br>brine only (excl.<br>fillets)                       | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030563 | Anchovies<br>"Engraulis<br>spp.", salted or<br>in brine only<br>(excl. fillets)                                                       | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030569 | Fish, salted or<br>in brine only<br>(excl. herrings,<br>cod, anchovies<br>and fillets in<br>general)                                  | Free | B | 10% |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |

|        |                                                                                                                                                                                                                      |      |   |     |  |  |  |      |      |      |      |    |    |    |      |    |   |   |   |   |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|-----|--|--|--|------|------|------|------|----|----|----|------|----|---|---|---|---|
| 030621 | Rock lobster and other sea crawfish<br>"Palinurus spp.,<br>Panulirus spp.<br>and Jasus spp.",<br>whether in shell or not, live, dried, salted or in brine, incl. in shell, cooked by steaming or by boiling in water | Free | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030622 | Lobsters<br>"Homarus spp.",<br>whether in shell or not, live, dried, salted or in brine, incl. lobsters in shell, cooked by steaming or by boiling in water                                                          | Free | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030623 | Shrimps and prawns, whether in shell or not, live, dried, salted or in brine, incl. shrimps and prawns in shell, cooked by steaming or by boiling in water                                                           | Free | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 030624 | Crabs, whether in shell or not, live, dried, salted or in brine, incl.                                                                                                                                               | Free | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 0% | 0 | 0 | 0 | 0 |









|        |                                                                                                                                          |     |   |     |  |  |  |      |      |      |  |    |    |    |      |      |    |   |   |   |   |
|--------|------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|--|------|------|------|--|----|----|----|------|------|----|---|---|---|---|
| 040410 | Whey and modified whey, whether or not concentrated or containing added sugar or other sweetening matter                                 | 5%  | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% |  | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 4 | 1 |
| 040490 | Products consisting of natural milk constituents, whether or not sweetened, n.e.s.                                                       | 10% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% |  | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 3 | 1 |
| 040811 | Dried egg yolks, whether or not sweetened                                                                                                | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% |  | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 040819 | Egg yolks, fresh, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved, whether or not sweetened (excl. dried) | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% |  | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |
| 040891 | Dried birds' eggs, not in shell, whether or not sweetened (excl. egg yolks)                                                              | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% |  | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 | 0 |

|        |                                                                                                                                                                                     |     |   |     |  |  |  |  |      |      |      |    |    |    |      |      |    |   |   |    |   |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|--|--|------|------|------|----|----|----|------|------|----|---|---|----|---|
| 040899 | Birds' eggs, not in shell, fresh, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved, whether or not sweetened (excl. dried)                            | 40% | B | 10% |  |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0  | 0 |
|        | Olives, provisionally preserved, e.g. by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption |     |   |     |  |  |  |  |      |      |      |    |    |    |      |      |    |   |   |    |   |
| 071120 | Capers                                                                                                                                                                              | 40% | B | 10% |  |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 10 | 3 |
|        | provisionally preserved, e.g. by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption         |     |   |     |  |  |  |  |      |      |      |    |    |    |      |      |    |   |   |    |   |
| 071130 |                                                                                                                                                                                     | 40% | B | 10% |  |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 9  | 3 |

|        |                                                                                                                                                                                                                 |     |   |     |  |  |  |      |      |      |    |    |    |      |      |    |   |   |   |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|--|------|------|------|----|----|----|------|------|----|---|---|---|
| 071140 | Cucumbers and gherkins provisionally preserved, e.g. by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption              | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 071151 | Mushrooms of the genus "Agaricus", provisionally preserved, e.g., by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |

|        |                                                                                                                                                                                                                                                                |     |   |     |  |  |  |      |      |      |    |    |    |      |      |    |   |   |   |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|--|------|------|------|----|----|----|------|------|----|---|---|---|
| 071159 | Mushrooms and truffles, provisionally preserved, e.g., by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption (excl. mushrooms of the genus "Agaricus")                 | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
|        |                                                                                                                                                                                                                                                                |     |   |     |  |  |  |      |      |      |    |    |    |      |      |    |   |   |   |
| 071190 | Vegetables and mixtures of vegetables provisionally preserved, e.g. by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions, but unsuitable in that state for immediate consumption (excl. onions, olives, capers, cucumbers and | 40% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |







|        |                                                                                                                                                                                                         |     |   |     |  |      |      |      |      |    |    |    |      |      |    |         |         |   |         |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|------|------|------|------|----|----|----|------|------|----|---------|---------|---|---------|
| 071332 | Dried, shelled small red "Adzuki" beans "Phaseolus or Vigna angularis", whether or not skinned or split                                                                                                 | 10% | B | 10% |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 295.711 | 30.922  | 0 | 108.877 |
| 071333 | Dried, shelled kidney beans "Phaseolus vulgaris", whether or not skinned or split                                                                                                                       | 10% | B | 10% |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 20.647  | 0       | 0 | 6.882   |
| 071339 | Dried, shelled beans "Vigna and Phaseolus", whether or not skinned or split (excl. beans of species "Vigna mungo [L.] Hepper or Vigna radiata [L.] Wilczek", small red "Adzuki" beans and kidney beans) | 10% | B | 10% |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 420.912 | 226.448 | 0 | 215.787 |
| 071340 | Dried, shelled lentils, whether or not skinned or split                                                                                                                                                 | 40% | B | 10% |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0       | 0 | 0       |
| 071350 | Dried, shelled broad beans "Vicia faba var. major" and horse beans "Vicia faba var.                                                                                                                     | 40% | B | 10% |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0       | 0 | 0       |







|        | and meal                                                                                                                                                 |     |   |    | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 120890 | Flours and meal of oil seeds or oleaginous fruit (excl. soya and mustard)                                                                                | 10% | B | 10 | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                                                                                                                                                          |     |   |    |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 150100 | Pig fat, incl. lard, and poultry fat, rendered or otherwise extracted (excl. lard stearin and lard oil)                                                  | 5%  | B | 10 | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                                                                                                                                                          |     |   |    |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 150200 | Fats of bovine animals, sheep or goats (excl. lard stearin, lard oil, oleostearin, oleoil and tallow oil, not emulsified or mixed or otherwise prepared) | 5%  | B | 10 | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                                                                                                                                                          |     |   |    |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 150300 | Lard stearin, lard oil, oleostearin, oleo-oil and tallow oil (excl. emulsified, mixed or otherwise prepared)                                             | 5%  | B | 10 | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                                                                                                                                                          |     |   |    |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 150410 | Fish-liver oils and their fractions, whether or not refined (excl. chemically                                                                            | 5%  | B | 10 | % |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                                                                                                                                                          |     |   |    |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |





|        |                                                                                                                 |     |   |      |  |      |      |      |    |    |    |      |      |    |   |       |     |
|--------|-----------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|----|----|----|------|------|----|---|-------|-----|
| 151411 | Low erucic acid rape or colza oil "fixed oil which has an erucic acid content of < 2%", crude                   | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |
| 151491 | High erucic acid rape or colza oil "fixed oil which has an erucic acid content of >= 2%" and mustard oil, crude | 40% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |
| 151511 | Crude linseed oil                                                                                               | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |
| 151521 | Crude maize oil                                                                                                 | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |
| 151530 | Castor oil and fractions thereof, whether or not refined, but not chemically modified                           | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 1.704 | 568 |
| 151540 | Tung oil and its fractions, whether or not refined, but not chemically modified                                 | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |
| 151550 | Sesame oil and its fractions, whether or not refined, but not chemically modified                               | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0     | 0   |



|        |                                                                                                                                                                                                                                                                |     |   |      |  |      |      |      |    |    |    |      |      |    |        |   |     |       |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|----|----|----|------|------|----|--------|---|-----|-------|
| 151620 | Vegetable fats and oils and their fractions, partly or wholly hydrogenated, inter-esterified, re-esterified or elaidinized, whether or not refined, but not further prepared                                                                                   | 15% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 212    | 0 | 0   | 71    |
| 151800 | Animal or vegetable fats and oils and their fractions, boiled, oxidised, dehydrated, sulphurized, blown, polymerized by heat in vacuum or in inert gas or otherwise chemically modified, inedible mixtures or preparations of animal or vegetable fats or oils | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0      | 0 | 134 | 45    |
| 152000 | Glycerol, crude; glycerol waters and glycerol lyes                                                                                                                                                                                                             | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0      | 0 | 0   | 0     |
| 152110 | Vegetable waxes, whether or not refined or coloured (excl.                                                                                                                                                                                                     | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 27.867 | 0 | 0   | 9.289 |







|        |                                                                                                                                                                                                                                                                  |     |   |      |  |      |      |      |      |    |    |    |      |      |    |         |   |         |        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|------|----|----|----|------|------|----|---------|---|---------|--------|
| 170290 | Sugars in solid form, incl. invert sugar and chemically pure maltose, and sugar and sugar syrup blends containing in the dry state 50% by weight of fructose, not flavoured or coloured, artificial honey, whether or not mixed with natural honey and caramel ( | 20% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 25      | 0 | 0       | 8      |
| 170310 | Cane molasses resulting from the extraction or refining of sugar                                                                                                                                                                                                 | 20% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0       | 0      |
| 170390 | Beet molasses resulting from the extraction or refining of sugar                                                                                                                                                                                                 | 25% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0       | 0      |
| 180200 | Cocoa shells, husks, skins and other cocoa waste                                                                                                                                                                                                                 | 15% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0       | 0      |
| 180310 | Cocoa paste (excl. defatted)                                                                                                                                                                                                                                     | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 106.077 | 0 | 170.470 | 92.183 |
| 180320 | Cocoa paste, wholly or partly defatted                                                                                                                                                                                                                           | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0       | 0      |
| 180400 | Cocoa butter, fat and oil                                                                                                                                                                                                                                        | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 77.958  | 0 | 42      | 26.000 |

|        |                                                                                                                                    |     |   |      |  |      |      |      |    |    |    |      |      |    |         |   |    |        |
|--------|------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|----|----|----|------|------|----|---------|---|----|--------|
| 180500 | Cocoa powder, not containing added sugar or other sweetening matter                                                                | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 124.918 | 0 | 41 | 41.653 |
| 190300 | Tapioca and substitutes therefor prepared from starch, in the form of flakes, grains, pearls, siftings or similar forms            | 15% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0  | 0      |
| 230110 | Flours, meals and pellets, of meat or offal, unfit for human consumption; greaves                                                  | 15% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 17.062  | 0 | 0  | 5.687  |
| 230120 | Flours, meals and pellets of fish or crustaceans, molluscs or other aquatic invertebrates, unfit for human consumption             | 15% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0  | 0      |
| 230400 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of soya-bean oil | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0 | 0  | 0      |

|        |                                                                                                                                      |     |   |      |  |      |      |      |      |    |    |    |      |      |    |   |   |   |
|--------|--------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|------|----|----|----|------|------|----|---|---|---|
| 230500 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of ground-nut oil  | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230610 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of cotton seeds    | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230620 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of linseed         | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230630 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of sunflower seeds | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |

|        |                                                                                                                                                                                                                                                                 |     |   |    |   |  |      |      |      |      |    |    |    |      |      |    |   |   |   |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|----|---|--|------|------|------|------|----|----|----|------|------|----|---|---|---|
| 230641 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of low erucic acid rape or colza seeds "yielding a fixed oil which has an erucic acid content of < 2% and yielding a solid component of gluco | 10% | B | 10 | % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230649 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of high erucic acid rape or colza seeds "yielding a fixed oil which has an erucic acid content of >= 2% and yielding a solid component of glu | 10% | B | 10 | % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |



|        |                                                                                                                                                                    |     |   |      |  |      |      |      |      |    |    |    |      |      |    |   |   |   |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|------|----|----|----|------|------|----|---|---|---|
| 230650 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of coconut or copra                              | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230660 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of palm nuts or kernels                          | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |
| 230670 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of vegetable fats or oils from maize "corn" germ | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0 | 0 | 0 |

|        |                                                                                                                                                                                                                                                                   |     |   |      |  |      |      |      |      |    |    |    |      |      |    |        |   |       |       |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|------|--|------|------|------|------|----|----|----|------|------|----|--------|---|-------|-------|
| 230690 | Oil-cake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of vegetable fats or oils (excl. of cotton seeds, linseed, sunflower seeds, rape or colza seeds, coconut or copra, palm nuts or kernels, maize) | 10% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 1.174  | 0 | 0     | 391   |
| 230700 | Wine lees; argol                                                                                                                                                                                                                                                  | 20% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0      | 0 | 0     | 0     |
| 240391 | Tobacco, "homogenized" or "reconstituted" from finely-chopped tobacco leaves, tobacco refuse or tobacco dust                                                                                                                                                      | 80% | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0      | 0 | 0     | 0     |
| 252020 | Plasters consisting of calcined gypsum or calcium sulphate, whether or not coloured, with or without small quantities of                                                                                                                                          | 5%  | B | 10 % |  | 7,5% | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 11.093 | 0 | 1.095 | 4.063 |















|        |                                                                                                                                                |  |    |   |     |  |  |  |      |      |      |    |    |    |      |      |    |         |        |         |         |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------|--|----|---|-----|--|--|--|------|------|------|----|----|----|------|------|----|---------|--------|---------|---------|
| 281123 | Sulphur dioxide                                                                                                                                |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
|        | Inorganic oxygen compounds of non-metals (excl. diphosphorus pentaoxide, oxides of boron, carbon dioxide, silicon dioxide and sulphur dioxide) |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 1.785  | 8       | 597     |
| 281129 | Chlorides and chloride oxides                                                                                                                  |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 65.329  | 0      | 0       | 21.776  |
|        | Halides and halide oxides of non-metals (excl. chlorides and chloride oxides)                                                                  |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 99      | 0      | 0       | 33      |
| 281310 | Carbon disulphide                                                                                                                              |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
|        | Sulphides of non-metals (excl. carbon disulphide); commercial phosphorus trisulphide                                                           |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
| 281390 | Anhydrous ammonia                                                                                                                              |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
| 281410 | Ammonia in aqueous solution                                                                                                                    |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
| 281420 | Sodium hydroxide "caustic soda" solid                                                                                                          |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 216     | 72      |
| 281511 | Sodium hydroxide "caustic soda" in aqueous solution "soda lye or liquid soda"                                                                  |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 528.008 | 39.022 | 118.509 | 228.513 |
|        | Potassium hydroxide "caustic potash"                                                                                                           |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 3.254   | 0      | 2       | 1.085   |
| 281512 | Peroxides of sodium or potassium                                                                                                               |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 14.756  | 0      | 0       | 4.919   |
| 281530 | Hydroxide and peroxide of magnesium                                                                                                            |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
| 281610 | Oxides, hydroxides and peroxides, of strontium or barium                                                                                       |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 1.947   | 649     |
| 281640 | Zinc oxide; zinc peroxide                                                                                                                      |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 0       | 0      | 0       | 0       |
| 281700 |                                                                                                                                                |  | 5% | B | 10% |  |  |  | 7,5% | 7,5% | 7,5% | 5% | 5% | 5% | 2,5% | 2,5% | 0% | 5.660   | 19.841 | 8       | 8.503   |









|        |                                                                                               |    |   |     |       |       |     |     |     |       |       |     |        |       |       |       |
|--------|-----------------------------------------------------------------------------------------------|----|---|-----|-------|-------|-----|-----|-----|-------|-------|-----|--------|-------|-------|-------|
| 283329 | Sulphates (excl. of sodium, magnesium, aluminium, chromium, nickel, copper, zinc and barium)  | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 183    | 302   | 1.325 | 604   |
| 283330 | Alums                                                                                         | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 283340 | Peroxisulphates "persulphates"                                                                | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 1     | 0     |
| 283410 | Nitrites                                                                                      | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 283421 | Nitrate of potassium                                                                          | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 694    | 0     | 0     | 231   |
| 283429 | Nitrates (excl. of potassium)                                                                 | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 3.086  | 2.418 | 1.485 | 2.330 |
| 283510 | Phosphinates "hypophosphites" and phosphonates "phosphites"                                   | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 19.313 | 0     | 0     | 6.438 |
| 283522 | Mono- or disodium phosphate                                                                   | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 1.739 | 580   |
| 283523 | Phosphate of trisodium                                                                        | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 283524 | Phosphates of potassium                                                                       | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 2.769  | 0     | 0     | 923   |
| 283525 | Calcium hydrogenorthophosphate "dicalcium phosphate"                                          | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 2     | 1     |
| 283526 | Phosphates of calcium (excl. calcium hydrogenorthophosphate "dicalcium phosphate")            | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 283529 | Phosphates (excl. phosphates of monosodium, disodium, trisodium, of potassium and of calcium) | 5% | B | 10% | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 2.262 | 0     | 754   |

|        |                                                                                                                                                                                                                                                   |    |   |     |  |       |      |       |     |    |     |      |      |    |        |       |        |        |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|------|------|----|--------|-------|--------|--------|
| 283531 | Sodium triphosphate "sodium tripolyphosphate", whether or not chemically defined                                                                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283539 | Polyphosphates, whether or not chemically defined (excl. sodium triphosphate "sodium tripolyphosphate")                                                                                                                                           | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 50.866 | 0     | 757    | 17.208 |
| 283610 | Commercial ammonium carbonate and other ammonium carbonates                                                                                                                                                                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283620 | Disodium carbonate                                                                                                                                                                                                                                | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 19.308 | 0     | 10.508 | 9.939  |
| 283630 | Sodium hydrogencarbonate "sodium bicarbonate"                                                                                                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 16.26  | 7     | 68.411 | 51.192 |
| 283640 | Potassium carbonates                                                                                                                                                                                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283650 | Calcium carbonate                                                                                                                                                                                                                                 | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283660 | Barium carbonate                                                                                                                                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283670 | Lead carbonates                                                                                                                                                                                                                                   | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283691 | Lithium carbonates                                                                                                                                                                                                                                | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283692 | Strontium carbonate                                                                                                                                                                                                                               | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 283699 | Carbonates and peroxocarbonates "percarbonates" (excl. commercial ammonium carbonate and other ammonium carbonates, disodium carbonate, sodium hydrogencarbonate "sodium bicarbonate", potassium carbonates, calcium carbonate, barium carbonate) | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 5.099  | 22.75 | 7.114  | 11.657 |





|        |                                                                                                                                                                                          |    |   |     |  |       |      |       |     |    |     |     |      |      |    |        |     |       |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|-----|------|------|----|--------|-----|-------|
| 284020 | Borates (excl. disodium tetraborate "refined borax")                                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284030 | Peroxoborates "perborates"                                                                                                                                                               | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 10.852 | 0   | 3.617 |
| 284110 | Aluminates                                                                                                                                                                               | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284120 | Chromates of zinc or of lead                                                                                                                                                             | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284130 | Sodium dichromate                                                                                                                                                                        | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284150 | Chromates and dichromates; peroxochromates (excl. chromates of zinc or of lead and sodium dichromate)                                                                                    | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284161 | Potassium permanganate                                                                                                                                                                   | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 31    |
| 284169 | Manganites, manganates and permanganates (excl. potassium permanganate)                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284170 | Molybdates                                                                                                                                                                               | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 346 | 115   |
| 284180 | Tungstates "wolframates"                                                                                                                                                                 | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284190 | Salts of oxometallic or peroxometallic acids (excl. aluminates, chromates, dichromates, peroxochromates, manganites, manganates, permanganates, molybdates and tungstates "wolframates") | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |
| 284210 | Double or complex silicates of inorganic acids or peroxyacids, incl. aluminosilicates whether or not chemically defined                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0   | 0     |

|        |                                                                                                                                                                                           |    |   |     |       |      |       |     |    |     |      |      |    |       |   |       |       |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|-------|---|-------|-------|
| 284290 | Salts of inorganic acids or peroxyacids (excl. of oxometallic or peroxometallic acids, double or complex silicates [incl. aluminosilicates whether or not chemically defined] and azides) | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 43    | 0 | 0     | 14    |
| 284310 | Colloidal precious metals                                                                                                                                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 2     | 1     |
| 284321 | Silver nitrate                                                                                                                                                                            | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 5.334 | 0 | 0     | 1.778 |
| 284329 | Silver compounds, inorganic or organic, whether or not chemically defined (excl. silver nitrate)                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 3.601 | 1.200 |
| 284330 | Gold compounds, inorganic or organic, whether or not chemically defined                                                                                                                   | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 284390 | Inorganic or organic compounds of precious metals, whether or not chemically defined (excl. silver and gold); amalgams of precious metals                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 284410 | Natural uranium and its compounds; alloys, dispersions, incl. cermetts, ceramic products and mixtures containing natural uranium or natural uranium compound [Euratom]                    | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |

|        |                                                                                                                                                                                                                                                                |    |   |     |       |      |       |     |    |     |      |      |    |   |     |    |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|---|-----|----|
| 284420 | Uranium enriched in U 235 and its compounds: plutonium and its compounds; alloys, dispersions, incl. cermet, ceramic products and mixtures containing uranium enriched in U 235, plutonium or compounds of these products [Euratom]                            | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0   | 0  |
| 284430 | Uranium depleted in U 235 and its compounds; thorium and its compounds; alloys, dispersions, incl. cermet, ceramic products and mixtures containing uranium depleted in U 235, thorium or compounds of these products                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0   | 0  |
| 284440 | Radioactive elements, isotopes and compounds, and alloys and dispersions, incl. cermet, ceramic products and mixtures, containing these elements, isotopes and compounds; radioactive residues (excl. natural uranium, uranium enriched and depleted in U 235; | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 132 | 44 |
| 284450 | Spent "irradiated" fuel elements "cartridges" of nuclear reactors [Euratom]                                                                                                                                                                                    | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0   | 0  |
| 284510 | Heavy water "deuterium oxide" [Euratom]                                                                                                                                                                                                                        | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0   | 0  |

|        |                                                                                                                                                   |    |   |     |       |       |       |     |     |     |       |       |     |        |     |    |        |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|-------|-------|-----|-----|-----|-------|-------|-----|--------|-----|----|--------|
| 284590 | Nonradioactive isotopes; inorganic or organic compounds of such isotopes, whether or not chemically defined (excl. heavy water "deuterium oxide") | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 284610 | Cerium compounds                                                                                                                                  | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 284690 | Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals (excl. cerium)                    | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 616    | 0   | 0  | 205    |
| 284700 | Hydrogen peroxide, whether or not solidified with urea                                                                                            | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 65.290 | 877 | 0  | 22.055 |
| 284800 | Phosphides, whether or not chemically defined (excl. ferrophosphorus)                                                                             | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 284910 | Carbides of calcium, whether or not chemically defined                                                                                            | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 284920 | Carbides of silicon, whether or not chemically defined                                                                                            | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 284990 | Carbides, whether or not chemically defined (excl. of calcium or silicon)                                                                         | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0  | 0      |
| 285000 | Hydrides, nitrides, azides, silicides and borides, whether or not chemically defined (excl. compounds which are also carbides of heading 2849)    | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 40 | 13     |

|        |                                                                                                                                                                                                                            |     |   |     |  |  |  |       |      |  |       |     |    |  |  |  |      |      |    |       |    |   |       |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|--|--|-------|------|--|-------|-----|----|--|--|--|------|------|----|-------|----|---|-------|
| 285100 | Inorganic compounds, incl. distilled or conductivity water and water of similar purity, n.e.s.; liquid air, whether or not rare gases have been removed; compressed air; amalgams (other than amalgams of precious metals) | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 58    | 87 | 0 | 48    |
| 290110 | Saturated acyclic hydrocarbons                                                                                                                                                                                             | 20% | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290121 | Ethylene                                                                                                                                                                                                                   | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290122 | Propene "propylene"                                                                                                                                                                                                        | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290123 | Butene "butylene" and isomers thereof                                                                                                                                                                                      | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290124 | Buta-1,3-diene and isoprene                                                                                                                                                                                                | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290129 | Hydrocarbons, acyclic, unsaturated (excl. ethylene, propene "propylene", butene "butylene" and isomers thereof and Buta-1,3-diene and isoprene)                                                                            | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290211 | Cyclohexane                                                                                                                                                                                                                | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290219 | Cyclanes, cyclenes and cycloterpenes (excl. cyclohexane)                                                                                                                                                                   | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 3.336 | 0  | 0 | 1.112 |
| 290220 | Benzene                                                                                                                                                                                                                    | 15% | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290230 | Toluene                                                                                                                                                                                                                    | 15% | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290241 | o-Xylene                                                                                                                                                                                                                   | 15% | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |
| 290242 | m-Xylene                                                                                                                                                                                                                   | 5%  | B | 10% |  |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0     | 0  | 0 | 0     |



|        |                                                                                                                                                                                                                                                           |  |    |   |     |  |          |           |          |        |         |        |           |           |    |        |       |     |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----|---|-----|--|----------|-----------|----------|--------|---------|--------|-----------|-----------|----|--------|-------|-----|--------|
| 290321 | Vinyl chloride<br>"chloroethylene"                                                                                                                                                                                                                        |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290322 | Trichloroethylene                                                                                                                                                                                                                                         |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290323 | Tetrachloroethylene<br>"perchloroethylene"                                                                                                                                                                                                                |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 1.767  | 0     | 0   | 589    |
| 290329 | Unsaturated chlorinated<br>derivatives of acyclic<br>hydrocarbons (excl. vinyl<br>chloride "chloroethylene",<br>trichloroethylene and<br>tetrachloroethylene<br>"perchloroethylene")                                                                      |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 276    | 0     | 0   | 92     |
| 290330 | Fluorinated, brominated or<br>iodinated derivatives of<br>acyclic hydrocarbons                                                                                                                                                                            |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 1.773 | 591 | 0      |
| 290341 | Trichlorofluoromethane                                                                                                                                                                                                                                    |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290342 | Dichlorodifluoromethane                                                                                                                                                                                                                                   |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 46.242 | 0     | 0   | 15.414 |
| 290343 | Trichlorotrifluoroethanes                                                                                                                                                                                                                                 |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290344 | Dichlorotetrafluoroethanes<br>and chloropentafluoroethane                                                                                                                                                                                                 |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290345 | Derivatives of acyclic<br>hydrocarbons,<br>perhalogenated only with<br>fluorine and chlorine (excl.<br>trichlorofluoromethane,<br>dichlorodifluoromethane,<br>trichlorotrifluoroethanes,<br>dichlorotetrafluoroethanes<br>and<br>chloropentafluoroethane) |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0      |
| 290346 | Bromochlorodifluoromethan<br>e, bromotrifluoromethane<br>and                                                                                                                                                                                              |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 179    | 0     | 0   | 60     |





|        |                                                                                                                                                                                                             |    |   |     |       |      |       |     |    |     |      |      |    |       |       |       |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|-------|-------|-------|
| 290369 | Halogenated derivatives of aromatic hydrocarbons (excl. chlorobenzene, o-dichlorobenzene and p-dichlorobenzene, dichlorobenzene, hexachlorobenzene and DDT "1,1,1-trichloro-2,2-bis[p-chlorophenyl]ethane") | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |
| 290410 | Derivatives of hydrocarbons containing only sulpho groups, their salts and ethyl esters                                                                                                                     | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 8.109 | 0     | 2.703 |
| 290420 | Derivatives of hydrocarbons containing only nitro or nitroso groups                                                                                                                                         | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |
| 290490 | Sulphonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated (excl. those containing only sulpho, nitro or nitroso groups)                                                   | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 3.826 | 0     | 1.275 |
| 290511 | Methanol "methyl alcohol"                                                                                                                                                                                   | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 3.095 | 0     | 2.311 |
| 290512 | Propan-1-ol "propyl alcohol" and propan-2-ol "isopropyl alcohol"                                                                                                                                            | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 3.338 | 1.448 |
| 290513 | Butan-1-ol "n-butyl alcohol"                                                                                                                                                                                | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |
| 290514 | Butanols (excl. butan-1-ol "n-butyl alcohol")                                                                                                                                                               | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |
| 290515 | Pentanol "amyl alcohol" and isomers thereof                                                                                                                                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |
| 290516 | Octanol "octyl alcohol" and isomers thereof                                                                                                                                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0     | 0     | 0     |

|        |                                                                                                                                                                                                                                                                  |    |   |     |  |  |       |      |       |     |    |  |  |      |      |    |        |       |        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|------|-------|-----|----|--|--|------|------|----|--------|-------|--------|
| 290517 | Dodecan-1-ol "lauryl alcohol", hexadecan-1-ol "cetyl alcohol" and octadecan-1-ol "stearyl alcohol"                                                                                                                                                               | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 0     | 0      |
|        | Saturated monohydric acyclic alcohols (excl. methanol "methyl alcohol", propan-1-ol "propyl alcohol", propan-2-ol "isopropyl alcohol", butanols, pentanol "amyl alcohol" and isomers thereof, octanol "octyl alcohol" and isomers thereof, dodecan-1-ol "lauryl" | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 2.488  | 0     | 0      |
| 290519 |                                                                                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 0     | 829    |
| 290522 | Acyclic terpene alcohols                                                                                                                                                                                                                                         | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 367    | 0     | 0      |
|        | Unsaturated monohydric acyclic alcohols (excl. acyclic terpene alcohols)                                                                                                                                                                                         | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% |        |       |        |
| 290529 |                                                                                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 268    | 0     | 397    |
| 290531 | Ethylene glycol "ethanediol"                                                                                                                                                                                                                                     | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 0     | 5.328  |
| 290532 | Propylene glycol "propane-1,2-diol"                                                                                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 1.307  | 0     | 2.878  |
|        | Diols (excl. ethylene glycol "ethanediol" and propylene glycol "propane-1,2-diol")                                                                                                                                                                               | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 15     | 0     | 0      |
| 290539 |                                                                                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% |        |       |        |
|        | 2-Ethyl-2-"hydroxymethyl" propane-1,3-diol "trimethylolpropane"                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 0     | 0      |
| 290541 |                                                                                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 26.500 | 0     | 10.362 |
| 290542 | Pentaerythritol                                                                                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% |        |       | 12.287 |
| 290543 | Mannitol                                                                                                                                                                                                                                                         | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 0     | 2.353  |
| 290544 | D-glucitol "sorbitol"                                                                                                                                                                                                                                            | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  | 2,5% | 2,5% | 0% | 0      | 77.17 | 0      |
|        |                                                                                                                                                                                                                                                                  |    |   |     |  |  |       |      |       |     |    |  |  |      |      |    |        |       | 25.724 |





|        |                                                                                                                                                                                                                   |    |   |     |       |      |       |     |    |     |      |      |    |        |   |        |        |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|--------|---|--------|--------|
| 290729 | Polyphenols and phenol-alcohols (excl. resorcinol and hydroquinone "quinol" and their salts, and 4,4'-isopropylidenediphenol "bisphenol A, diphenylolpropane" and its salts)                                      | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 20.304 | 6.768  |
| 290810 | Derivatives containing only halogen substituents and their salts, of phenols or phenol-alcohols                                                                                                                   | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 6.538  | 0 | 1.224  | 2.587  |
| 290820 | Sulphonated derivatives, their salts and esters, of phenols or phenol-alcohols                                                                                                                                    | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 1.137  | 0 | 0      | 379    |
| 290890 | Halogenated, sulphonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols (excl. derivatives containing only halogen substituents and their salts or only sulpho groups, their salts and esters) | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 59.819 | 0 | 45     | 19.955 |
| 290911 | Diethyl ether                                                                                                                                                                                                     | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 290919 | Acyclic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. diethyl ether)                                                                                                       | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 4.109  | 0 | 1.738  | 1.949  |
| 290920 | Cyclic, cyclic or cycloterpenic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                                     | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |

|        |                                                                                                                                                                                                           |    |   |     |  |  |       |      |       |     |     |     |      |      |    |       |   |     |     |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|------|-------|-----|-----|-----|------|------|----|-------|---|-----|-----|
| 290930 | Aromatic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                                                    | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 557   | 0 | 572 | 377 |
| 290941 | 2,2'-Oxydiethanol "diethylene glycol, digol"                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 290942 | Monomethyl ethers of ethylene glycol or of diethylene glycol                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 1.856 | 0 | 0   | 619 |
| 290943 | Monobutyl ethers of ethylene glycol or of diethylene glycol                                                                                                                                               | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 290944 | Monoalkylethers of ethylene glycol or of diethylene glycol (excl. monomethyl ethers and monobutyl ethers)                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 290949 | Ether-alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. 2,2'-Oxydiethanol "diethylene glycol, digol" and monoalkylethers of ethylene glycol or of diethylene glycol) | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 290950 | Ether-phenols, ether-alcohol-phenols and their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                               | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 290960 | Alcohol peroxides, ether peroxides, ketone peroxides and their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                               | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |
| 291010 | Oxirane "ethylene oxide"                                                                                                                                                                                  | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0   | 0   |

|        |                                                                                                                                                                                                                                                                             |    |   |     |  |       |      |       |     |    |     |      |      |    |     |   |        |       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|------|------|----|-----|---|--------|-------|
| 291020 | Methyloxirane "propylene oxide"                                                                                                                                                                                                                                             | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 13.394 | 4.465 |
| 291030 | 1-Chloro-2,3-epoxypropane "epichlorohydrin"                                                                                                                                                                                                                                 | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291090 | Epoxides, epoxyalcohols, epoxyphenols and epoxyethers, with a three-membered ring, and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. oxirane "ethylene oxide", methyloxirane "propylene oxide" and 1-Chloro-2,3-epoxypropane "epichlorohydrin") | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291100 | Acetals and hemiacetals, whether or not with other oxygen function, and their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291211 | Methanal "formaldehyde"                                                                                                                                                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291212 | Ethanal "acetaldehyde"                                                                                                                                                                                                                                                      | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291213 | Butanal "butyraldehyde, normal isomer"                                                                                                                                                                                                                                      | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291219 | Acyclic aldehydes, without other oxygen function (excl. methanal "formaldehyde", ethanal "acetaldehyde" and butanal "butyraldehyde, normal isomer")                                                                                                                         | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0      | 0     |
| 291221 | Benzaldehyde                                                                                                                                                                                                                                                                | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 586 | 0 | 651    | 412   |
| 291229 | Cyclic aldehydes, without other oxygen function (excl. benzaldehyde)                                                                                                                                                                                                        | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 257 | 0 | 389    | 215   |
|        |                                                                                                                                                                                                                                                                             |    |   |     |  |       |      |       |     |    |     |      |      |    |     |   |        |       |

|        |                                                                                                                                                                                  |  |    |   |     |  |          |           |          |        |         |        |           |           |    |        |       |     |       |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----|---|-----|--|----------|-----------|----------|--------|---------|--------|-----------|-----------|----|--------|-------|-----|-------|
| 291230 | Aldehyde-alcohols                                                                                                                                                                |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 3   | 1     |
| 291241 | Vanillin "4-hydroxy-3-methoxybenzaldehyde"                                                                                                                                       |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 2.683 | 894 |       |
| 291242 | Ethylvanillin "3-ethoxy-4-hydroxybenzaldehyde"                                                                                                                                   |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 4     | 1   |       |
| 291249 | Aldehyde-ethers, aldehyde-phenols and aldehydes with other oxygen function (excl. ethylvanillin "3-ethoxy-4-hydroxybenzaldehyde" and vanillin "4-hydroxy-3-methoxybenzaldehyde") |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 177    | 0     | 0   | 59    |
| 291250 | Cyclic polymers of aldehydes                                                                                                                                                     |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0     |
| 291260 | Paraformaldehyde                                                                                                                                                                 |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 392   | 131 |       |
| 291300 | Halogenated, sulphonated, nitrated or nitrosated derivatives of cyclic polymers of aldehydes or paraformaldehyde                                                                 |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0     |
| 291411 | Acetone                                                                                                                                                                          |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 21.203 | 0     | 0   | 7.068 |
| 291412 | Butanone "methyl ethyl ketone"                                                                                                                                                   |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0     |
| 291413 | 4-Methylpentan-2-one "methyl isobutyl ketone"                                                                                                                                    |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0     |
| 291419 | Acyclic ketones, without other oxygen function (excl. acetone, butanone "methyl ethyl ketone" and 4-Methylpentan-2-one "Methyl isobutyl ketone")                                 |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 378    | 0     | 530 | 303   |
| 291421 | Camphor                                                                                                                                                                          |  | 5% | B | 10% |  | 7,5<br>% | 7,5%<br>% | 7,5<br>% | 5<br>% | 5%<br>% | 5<br>% | 2,5%<br>% | 2,5%<br>% | 0% | 0      | 0     | 0   | 0     |



|        |                                                                                                                                                          |    |   |     |  |       |      |       |     |    |     |     |      |      |    |        |       |        |        |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|-----|------|------|----|--------|-------|--------|--------|
| 291422 | Cyclohexanone and methylcyclohexanones                                                                                                                   | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 1.724  | 0     | 0      | 575    |
| 291423 | Ionones and methylionones                                                                                                                                | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 417    | 0     | 0      | 139    |
| 291429 | Cyclanic, cyclic or cycloterpenic ketones, without other oxygen function (excl. camphor, cyclohexanone, methylcyclohexanones, ionones and methylionones) | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291431 | Phenylacetone "phenylpropan-2-one"                                                                                                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291439 | Ketones, aromatic, without other oxygen function (excl. phenylacetone [phenylpropan-2-one])                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291440 | Ketone-alcohols and ketone-aldehydes                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291450 | Ketone-phenols and ketones with other oxygen function                                                                                                    | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 182    | 0     | 0      | 61     |
| 291461 | Anthraquinone                                                                                                                                            | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291469 | Quinones (excl. anthraquinone)                                                                                                                           | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291470 | Halogenated, sulphonated, nitrated or nitrosated derivatives of ketones or quinones                                                                      | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291511 | Formic acid                                                                                                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 16.654 | 0     | 0      | 5.551  |
| 291512 | Salts of formic acid                                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 8.233  | 0     | 2.645  | 3.626  |
| 291513 | Esters of formic acid                                                                                                                                    | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0      | 0     | 0      | 0      |
| 291521 | Acetic acid                                                                                                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 58.913 | 2.566 | 20.394 | 27.291 |



|        |                                                                                                                                                                                                                                                                 |    |   |     |       |      |       |     |    |     |     |      |      |    |       |   |       |       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|-----|------|------|----|-------|---|-------|-------|
| 291590 | Saturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. formic and acetic acid, their salts and esters; acetic anhydride, mono-, di- or trichlo | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 1.320 | 0 | 1.522 | 947   |
| 291611 | Acrylic acid and its salts                                                                                                                                                                                                                                      | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 2     | 1     |
| 291612 | Esters of acrylic acid                                                                                                                                                                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 291613 | Methacrylic acid and its salts                                                                                                                                                                                                                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 291614 | Esters of methacrylic acid                                                                                                                                                                                                                                      | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 291615 | Oleic, linoleic or linolenic acids, their salts and esters                                                                                                                                                                                                      | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |
| 291619 | Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and halogenated, sulphonated, nitrated or nitrosated derivatives (excl. acrylic acid and its salts and esters, methacrylic acid and its salts and esters, and oleic | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 4.951 | 0 | 0     | 1.650 |
| 291620 | Cyclanic, cyclenic or cycloterpenic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their halogenated, sulphonated, nitrated or                                                                                                     | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 5 % | 2,5% | 2,5% | 0% | 0     | 0 | 0     | 0     |



|        |                                                                                                                                                                                                                                                                 |    |   |     |       |      |       |     |    |     |      |      |    |     |   |       |       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|-----|---|-------|-------|
| 291719 | Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. oxalic acid, its salts and esters, adipic acid, its salts and esters, azelaic acid, sebacic acid, | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 9.567 | 3.189 |
| 291720 | Cyclanic, cyclenic or cycloterpenic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives                                                                                                                               | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291731 | Dibutyl orthophthalates                                                                                                                                                                                                                                         | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291732 | Diocetyl orthophthalates                                                                                                                                                                                                                                        | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291733 | Dinonyl or didecyl orthophthalates                                                                                                                                                                                                                              | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291734 | Esters of orthophthalic acid (excl. dibutyl, dioctyl, dinonyl or didecyl orthophthalates)                                                                                                                                                                       | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 741 | 0 | 0     | 247   |
| 291735 | Phthalic anhydride                                                                                                                                                                                                                                              | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291736 | Terephthalic acid and its salts                                                                                                                                                                                                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |
| 291737 | Dimethyl terephthalate                                                                                                                                                                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0 | 0     | 0     |

|        |                                                                                                                                                                                                                                                                 |    |   |     |       |       |       |       |     |     |     |       |       |     |        |     |     |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|-------|-------|-------|-----|-----|-----|-------|-------|-----|--------|-----|-----|--------|
| 291739 | Aromatic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. esters of orthophthalic acid, phthalic anhydride, terephthalic acid and its salts and dimethyl t | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0   | 0      |
| 291811 | Lactic acid, its salts and esters                                                                                                                                                                                                                               | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 12.724 | 0   | 0   | 4.241  |
| 291812 | Tartaric acid                                                                                                                                                                                                                                                   | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 649    | 0   | 0   | 216    |
| 291813 | Salts and esters of tartaric acid                                                                                                                                                                                                                               | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0   | 0      |
| 291814 | Citric acid                                                                                                                                                                                                                                                     | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 30.974 | 819 | 265 | 10.686 |
| 291815 | Salts and esters of citric acid                                                                                                                                                                                                                                 | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 253    | 0   | 85  | 113    |
| 291816 | Gluconic acid, its salts and esters                                                                                                                                                                                                                             | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0   | 0   | 0      |
| 291819 | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. lactic acid, tartaric acid, citric acid, gluconic acid, and their salts an | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 12.993 | 0   | 0   | 4.331  |
| 291821 | Salicylic acid and its salts                                                                                                                                                                                                                                    | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 152    | 0   | 0   | 51     |
| 291822 | o-Acetylsalicylic acid, its salts and esters                                                                                                                                                                                                                    | 5% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 6.078  | 0   | 112 | 2.063  |

|        |                                                                                                                                                                                                                                                     |    |   |     |  |       |      |       |     |    |  |  |  |      |      |    |     |   |        |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|--|--|--|------|------|----|-----|---|--------|--------|
| 291823 | Esters of salicylic acid and their salts (excl. o-acetylsalicylic acid, its salts and esters)                                                                                                                                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0   | 0 | 48.557 | 16.186 |
| 291829 | Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their halogenated, sulphonated, nitrosated derivatives (excl. salicylic acid and o-acetylsalicylic acid, and their s | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 0   | 0 | 93     | 31     |
| 291830 | Carboxylic acids with aldehyde or ketone function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their halogenated, sulphonated, nitrated or nitrosated derivatives                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 304 | 0 | 0      | 101    |
| 291890 | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. only with alcohol, phenol, aldehyde or ketone function)        | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 367 | 0 | 0      | 122    |
| 291900 | Phosphoric esters and their salts, incl. lactophosphates; their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                                                        | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% |  |  |  | 2,5% | 2,5% | 0% | 70  | 0 | 0      | 23     |

|        |                                                                                                                                                                                                                                                                 |    |   |     |  |  |       |      |       |     |    |     |      |      |    |     |       |     |     |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|------|-------|-----|----|-----|------|------|----|-----|-------|-----|-----|
| 292010 | Thiophosphoric esters "phosphorothioates" and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives                                                                                                                                   | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0     | 0   |     |
| 292090 | Esters of other inorganic acids of non-metals and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. esters of hydrogen halides, and thiophosphoric esters "phosphorothioates", their salts and their halogenated, sulphona | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 817 | 0     | 272 |     |
| 292111 | Methylamine, dimethylamine or trimethylamine and their salts                                                                                                                                                                                                    | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 56  | 1.057 | 0   | 371 |
| 292112 | Diethylamine and its salts                                                                                                                                                                                                                                      | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0     | 0   |     |
| 292119 | Acyclic monoamines and their derivatives; salts thereof (excl. methylamine, dimethylamine, trimethylamine, diethylamine and their salts)                                                                                                                        | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 124 | 0     | 937 | 354 |
| 292121 | Ethylenediamine and its salts                                                                                                                                                                                                                                   | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0     | 0   | 0   |
| 292122 | Hexamethylenediamine and its salts                                                                                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0     | 0   | 0   |
| 292129 | Acyclic polyamines and their derivatives; salts thereof (excl. ethylenediamine and hexamethylenediamine, and                                                                                                                                                    | 5% | B | 10% |  |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 239 | 0     | 0   | 80  |





|        |                                                                                                                                                                                                                                                                 |    |   |     |       |      |       |     |    |     |      |      |    |     |     |     |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|-----|-----|-----|
| 292149 | Aromatic monoamines and derivatives; salts thereof (excl. aniline, toluidines, diphenylamine, 1-naphthylamine "alpha-naphthylamine", 2-naphthylamine "betanaphthylamine" and their derivatives, and salts thereof, and amfetamine "INN", benzfetamine "INN", de | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0   | 0   |
| 292151 | o-Phenylenediamine, m-phenylenediamine, p-phenylenediamine or diaminotoluenes and their derivatives; salts thereof                                                                                                                                              | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0   | 0   |
| 292159 | Aromatic polyamines and their derivatives; salts thereof (excl. o-phenylenediamine, m-phenylenediamine, p-phenylenediamine or diaminotoluenes and their derivatives, and salts thereof)                                                                         | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 500 | 167 |
| 292211 | Monoethanolamine and its salts                                                                                                                                                                                                                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 321 | 0   | 107 |
| 292212 | Diethanolamine and its salts                                                                                                                                                                                                                                    | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0   | 0   |
| 292213 | Triethanolamine and its salts                                                                                                                                                                                                                                   | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0   | 0   |
| 292214 | Dextropropoxyphene "INN" and its salts                                                                                                                                                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0   | 0   | 0   |

|        |                                                                                                                                                                                                                             |     |   |     |       |      |       |     |    |     |      |      |    |   |   |     |    |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|-------|------|-------|-----|----|-----|------|------|----|---|---|-----|----|
| 292219 | Amino-alcohols, their ethers and esters; salts thereof (other than those containing > one kind of oxygen function and excl. monoethanolamine, diethanolamine, triethanolamine, dextropropoxyphene "INN", and salts thereof) | 5%  | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 184 | 61 |
| 292221 | Aminohydroxynaphthalenes ulphonic acids and their salts                                                                                                                                                                     | 5%  | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 0   | 0  |
| 292222 | Anisidines, dianisidines, phenetidines, and their salts                                                                                                                                                                     | 5%  | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 0   | 0  |
| 292229 | Amino-naphthols and other amino-phenols, their ethers and esters (excl. those containing > one kind of oxygen function; aminohydroxynaphthalenes ulphonic acids, anisidines, dianisidines, phenetidines, and salts thereof) | 5%  | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 0   | 0  |
| 292231 | Amfepramone "INN", methadone "INN" and normethadone "INN", and salts thereof                                                                                                                                                | 10% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 0   | 0  |
| 292239 | Amino-aldehydes, amino-ketones and amino-quinones; salts thereof (excl. those containing > one kind of oxygen function, and amfepramone "INN", methadone "INN" and normethadone "INN", and salts thereof)                   | 10% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0 | 0 | 0   | 0  |

|        |                                                                                                                                                                                                                                                                 |     |   |     |  |       |      |       |     |    |     |      |      |    |        |          |        |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|--|-------|------|-------|-----|----|-----|------|------|----|--------|----------|--------|--------|
| 292241 | Lysine and its esters; salts thereof                                                                                                                                                                                                                            | 5%  | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 207      | 0      | 69     |
| 292242 | Glutamic acid and its salts                                                                                                                                                                                                                                     | 10% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 493      | 0      | 164    |
| 292243 | Anthranilic acid and its salts                                                                                                                                                                                                                                  | 10% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0        | 0      | 0      |
| 292244 | Tilidine "INN" and its salts                                                                                                                                                                                                                                    | 10% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0        | 0      | 0      |
| 292249 | Amino-acids and their esters; salts thereof (excl. those with > one kind of oxygen function, lysine and its esters, and salts thereof, and glutamic acid, anthranilic acid, tilidine "INN", and salts thereof)                                                  | 10% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 462    | 0        | 1      | 155    |
| 292250 | Amino-alcohol-phenols, amino-acid-phenols and other amino-compounds with oxygen function (excl. amino-alcohols, amino-naphthols and other amino-phenols, their ethers and esters and salts thereof, amino-aldehydes, amino-ketones and amino-quinones, and salt | 10% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0        | 0      | 0      |
| 292310 | Choline and its salts                                                                                                                                                                                                                                           | 5%  | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 8.925  | 107.0 42 | 21     | 38.663 |
| 292320 | Lecithins and other phosphoaminolipids, whether or not chemically defined                                                                                                                                                                                       | 5%  | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0        | 2.702  | 901    |
| 292390 | Quaternary ammonium salts and hydroxides (excl. choline and its salts)                                                                                                                                                                                          | 5%  | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 404    | 0        | 31.451 | 10.618 |
| 292411 | Meprobamate "INN"                                                                                                                                                                                                                                               | 5%  | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 18.289 | 21.75 5  | 0      | 13.348 |

|        |                                                                                                                                                                                                                        |    |   |     |       |      |       |     |    |     |      |      |    |        |   |        |        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|--------|---|--------|--------|
| 292419 | Acyclic amides, incl. acyclic carbamates, and their derivatives, and salts thereof (excl. meprobamate "INN")                                                                                                           | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292421 | Ureines and their derivatives; salts thereof                                                                                                                                                                           | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292423 | 2-Acetamidobenzoic acid "N-acetylthranilic acid" and its salts                                                                                                                                                         | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292424 | Ethinamate "INN"                                                                                                                                                                                                       | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292429 | Cyclic amides, incl. cyclic carbamates, and their derivatives; salts thereof (excl. ureines and their derivatives, salts thereof, 2-acetamidobenzoic acid "N-acetylthranilic acid" and its salts and ethinamate "INN") | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 57.754 | 0 | 28.142 | 28.632 |
| 292511 | Saccharin and its salts                                                                                                                                                                                                | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292512 | Glutethimide "INN"                                                                                                                                                                                                     | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292519 | Imides and their derivatives; salts thereof (excl. saccharin, its salts and glutethimide "INN")                                                                                                                        | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 2.838  | 946    |
| 292520 | Imines and their derivatives; salts thereof                                                                                                                                                                            | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 4.255  | 0 | 0      | 1.418  |
| 292610 | Acrylonitrile                                                                                                                                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |
| 292620 | 1-Cyanoguanidine "dicyandiamide"                                                                                                                                                                                       | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0 | 0      | 0      |

|        |                                                                                                                                                                                                                                                                |     |   |     |       |       |       |     |     |     |       |       |     |        |       |        |        |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----|-------|-------|-------|-----|-----|-----|-------|-------|-----|--------|-------|--------|--------|
| 292630 | Fenproporex "INN" and its salts; methadone "INN"-intermediate "4-cyano-2-dimethylamino-4,4-diphenylbutane"                                                                                                                                                     | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 5      | 2      |
| 292690 | Nitrile-function compounds (excl. acrylonitrile, 1-cyanoguanidine "dicyandiamide", fenproporex "INN" and its salts, and methadone "INN"-intermediate "4-cyano-2-dimethylamino-4,4-diphenylbutane")                                                             | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 3.178  | 1.059  |
| 292700 | Diazo-, azo- or azoxy-compounds                                                                                                                                                                                                                                | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 15.451 | 0     | 15.662 | 10.371 |
| 292800 | Organic derivatives of hydrazine or of hydroxylamine                                                                                                                                                                                                           | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 2.991  | 997    |
| 292910 | Isocyanates                                                                                                                                                                                                                                                    | 10% | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 396    | 35.46 | 0      | 11.954 |
| 292990 | Compounds with nitrogen function (excl. amine-function compounds; oxygen-function amino-compounds; quaternary ammonium salts and hydroxides; lecithin and other phosphoaminolipids; carboxamide-function compounds; amide-function compounds of carbonic acid; | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 2.419  | 0     | 0      | 806    |
| 293010 | Dithiocarbonates "xanthates"                                                                                                                                                                                                                                   | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 822   | 0      | 274    |
| 293020 | Thiocarbamates and dithiocarbamates                                                                                                                                                                                                                            | 5%  | B | 10% | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0      | 0      |

|        |                                                                                                                                                                                                                                                  |    |   |     |  |       |      |       |     |    |     |      |      |    |        |        |         |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|------|------|----|--------|--------|---------|
| 293030 | Thiuram mono-, di- or tetrasulphides                                                                                                                                                                                                             | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293040 | Methionine                                                                                                                                                                                                                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 111.2  | 16.715 | 125.496 |
| 293090 | Organo-sulphur compounds (excl. dithiocarbonates "xanthates", thiocarbamates and dithiocarbamates, thiuram mono-, di- or tetrasulphides and methionine)                                                                                          | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 11.365 | 0      | 451     |
| 293100 | Separate chemically defined organo-inorganic compounds, n.e.s.                                                                                                                                                                                   | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293211 | Tetrahydrofuran                                                                                                                                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 6.035  | 0      | 2.012   |
| 293212 | 2-Furaldehyde "furfuraldehyde"                                                                                                                                                                                                                   | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293213 | Furfuryl alcohol and tetrahydrofurfuryl alcohol                                                                                                                                                                                                  | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293219 | Heterocyclic compounds with oxygen hetero-atom[s] only, containing an unfused furan ring, whether or not hydrogenated, in the structure (excl. tetrahydrofuran, 2-furaldehyde "furfuraldehyde", furfuryl alcohol and tetrahydrofurfuryl alcohol) | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293221 | Coumarin, methylcoumarins and ethylcoumarins                                                                                                                                                                                                     | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |
| 293229 | Lactones (excl. coumarin, methylcoumarins and ethylcoumarins)                                                                                                                                                                                    | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 1.616  | 0      | 2.531   |
| 293291 | Isosafrole                                                                                                                                                                                                                                       | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0       |









|        |                                                                                                                                                                                                                                                                 |      |   |     |  |  |       |       |       |     |     |     |       |       |     |        |       |       |       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|-----|--|--|-------|-------|-------|-----|-----|-----|-------|-------|-----|--------|-------|-------|-------|
| 293359 | Heterocyclic compounds with nitrogen hetero-atom[s] only, containing a pyrimidine ring, whether or not hydrogenated, or piperazine ring in the structure (excl. malonylurea "barbituric acid" and its derivatives, allobarbital "INN", amobarbital "INN", barbi | Free | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 13.511 | 0     | 1.997 | 5.169 |
| 293361 | Melamine                                                                                                                                                                                                                                                        | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 5.639 | 0     | 1.880 |
| 293369 | Heterocyclic compounds with nitrogen hetero-atom[s] only, containing an unfused triazine ring, whether or not hydrogenated, in the structure (excl. melamine)                                                                                                   | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 13     | 0     | 51    | 21    |
| 293371 | 6-Hexanelactam "epsilon-caprolactam"                                                                                                                                                                                                                            | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 293372 | Clobazam "INN" and methypylon "INN"                                                                                                                                                                                                                             | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 293379 | Lactams (excl. 6-hexanelactam "epsilon-caprolactam", clobazam "INN" and methypylon "INN")                                                                                                                                                                       | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0     | 0     | 0     |
| 293391 | Alprazolam "INN", camazepam "INN", chlordiazepoxide "INN", clonazepam "INN", clorazepate, delorazepam "INN", diazepam "INN", estazolam "INN", ethyl loflazepate "INN", fludiazepam "INN", flunitrazepam "INN",                                                  | 5%   | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 3.310  | 0     | 0     | 1.103 |



|        |                                                                                                                                                                                                                                                                                                      |      |   |     |  |          |      |          |        |    |        |      |      |    |        |            |        |        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|-----|--|----------|------|----------|--------|----|--------|------|------|----|--------|------------|--------|--------|
| 293491 | Aminorex "INN",<br>brotizolam "INN",<br>clotiazepam "INN",<br>cloxazolam "INN",<br>dextromoramide "INN",<br>haloxazolam "INN",<br>ketazolam "INN", mesocarb<br>"INN", oxazolam "INN",<br>pemoline "INN",<br>phenidimetrazine "INN",<br>phenmetrazine "INN" and<br>sufentanil "INN", and salts<br>the | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 23.278 | 32.01<br>9 | 1.233  | 18.844 |
| 293499 | Nucleic acids and their salts,<br>whether or not chemically<br>defined; heterocyclic<br>compounds (excl. with<br>oxygen only or with<br>nitrogen hetero-atom[s]<br>only, compounds containing<br>in the structure an unfused<br>thiazole ring or a<br>benzothiazole or<br>phenothiazine ring-        | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 14.996 | 11.73<br>5 | 12.041 | 12.924 |
| 293500 | Sulphonamides                                                                                                                                                                                                                                                                                        | Free | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 7.018  | 0          | 31.046 | 12.688 |
| 293610 | Provitamins, unmixed                                                                                                                                                                                                                                                                                 | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 7.135  | 0          | 0      | 2.378  |
| 293621 | Vitamins A and their<br>derivatives, used primarily<br>as vitamins                                                                                                                                                                                                                                   | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 43.303 | 44.35<br>8 | 15.033 | 34.232 |
| 293622 | Vitamin B1 and its<br>derivatives, used primarily<br>as vitamins                                                                                                                                                                                                                                     | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 18.981 | 4.831      | 3.164  | 8.992  |
| 293623 | Vitamin B2 and its<br>derivatives, used primarily<br>as vitamins                                                                                                                                                                                                                                     | 5%   | B | 10% |  | 7,5<br>% | 7,5% | 7,5<br>% | 5<br>% | 5% | 5<br>% | 2,5% | 2,5% | 0% | 16.553 | 11.01<br>1 | 8      | 9.190  |

|        |                                                                                                                                            |    |   |     |       |      |       |     |     |     |      |      |    |         |         |        |        |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|-----|-----|------|------|----|---------|---------|--------|--------|
| 293624 | D-Pantothenic or DL-pantothenic acid "Vitamin B3 or B5" and their derivatives, used primarily as vitamins                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 24.566  | 16.421  | 5      | 13.664 |
| 293625 | Vitamin B6 and its derivatives, used primarily as vitamins                                                                                 | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 7.966   | 1.571   | 802    | 3.446  |
| 293626 | Vitamin B12 and its derivatives, used primarily as vitamins                                                                                | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 8.014   | 30.370  | 2.381  | 13.589 |
| 293627 | Vitamin C and its derivatives, used primarily as vitamins                                                                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 10.747  | 9.018   | 27     | 6.597  |
| 293628 | Vitamin E and its derivatives, used primarily as vitamins                                                                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 89.665  | 28.573  | 12.217 | 43.485 |
| 293629 | Vitamins and their derivatives, used primarily as vitamins, unmixd (excl. vitamins A, B1, B2, B3, B5, B6, B12, C, E and their derivatives) | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 107.360 | 134.865 | 6.849  | 83.025 |
| 293690 | Mixtures of vitamins and provitamins, whether or not in any solvent, and natural concentrates of vitamins                                  | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 14.012  | 2.454   | 2.889  | 6.451  |
| 293711 | Somatropin, its derivatives and structural analogues, used primarily as hormones                                                           | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0       | 0       | 0      | 0      |
| 293712 | Insulin and its salts, used primarily as hormones                                                                                          | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5 % | 5 % | 2,5% | 2,5% | 0% | 0       | 0       | 0      | 0      |

|        |                                                                                                                                                                                                                                                                 |    |   |     |  |  |       |       |       |     |     |     |       |       |     |        |        |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|-------|-------|-----|-----|-----|-------|-------|-----|--------|--------|--------|
| 293719 | Polypeptide hormones, protein hormones and glycoprotein hormones, their derivatives and structural analogues, used primarily as hormones (excl. somatropin, its derivatives and structural analogues, and insulin and its salts)                                | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 0      | 0      | 0      |
|        | Cortisone, hydrocortisone, prednisone "dehydrocortisone" and prednisolone "dehydrohydrocortisone"                                                                                                                                                               |    |   |     |  |  |       |       |       |     |     |     |       |       |     |        |        |        |
| 293721 |                                                                                                                                                                                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % | 92.835 | 43.557 | 56.281 |
| 293722 | Halogenated derivatives of corticosteroidal hormones                                                                                                                                                                                                            | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % |        | 0      | 0      |
| 293723 | Oestrogens and progestogens                                                                                                                                                                                                                                     | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % |        | 0      | 316    |
|        | Steroidal hormones, their derivatives and structural analogues, used primarily as hormones (excl. cortisone, hydrocortisone, prednisone "dehydrocortisone", prednisolone "dehydrohydrocortisone", halogenated derivatives of corticosteroidal hormones, oestrog |    |   |     |  |  |       |       |       |     |     |     |       |       |     |        |        |        |
| 293729 |                                                                                                                                                                                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % |        | 0      | 14     |
| 293731 | Epinephrine                                                                                                                                                                                                                                                     | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % |        | 0      | 0      |
|        | Catecholamine hormones, their derivatives and structural analogues, used primarily as hormones (excl. epinephrine)                                                                                                                                              |    |   |     |  |  |       |       |       |     |     |     |       |       |     |        |        |        |
| 293739 |                                                                                                                                                                                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0 % |        | 0      | 0      |
|        |                                                                                                                                                                                                                                                                 |    |   |     |  |  |       |       |       |     |     |     |       |       |     |        |        | 0      |

|        |                                                                                                                                                                                                                                                                 |    |   |     |  |       |      |       |     |    |     |      |      |    |        |        |               |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|-------|------|-------|-----|----|-----|------|------|----|--------|--------|---------------|
| 293740 | Amino-acid derivatives, used primarily as hormones                                                                                                                                                                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0             |
| 293750 | Prostaglandins, thromboxanes and leukotrienes, their derivatives and structural analogues, used primarily as hormones                                                                                                                                           | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0             |
| 293790 | Hormones, natural or reproduced by synthesis; derivatives and structural analogues thereof, used primarily as hormones (excl. polypeptide hormones, protein hormones, glycoprotein hormones, steroidal hormones, catecholamine hormones, prostaglandins, thromb | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0             |
| 293810 | Rutoside "rutin" and its derivatives                                                                                                                                                                                                                            | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0      | 0             |
| 293890 | Glycosides, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives (excl. rutoside "rutin" and its derivatives)                                                                                                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 240    | 80            |
| 293911 | Concentrates of poppy straw; buprenorphine "INN", codeine, dihydrocodeine "INN", ethylmorphine, etorphine "INN", heroin, hydrocodone "INN", hydromorphone "INN", morphine, nicomorphine "INN", oxycodone "INN", oxymorphone "INN",                              | 5% | B | 10% |  | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 67.454 | 89.856 | 74.601 77.304 |





|        |                                                                                                                                                |    |   |     |  |  |       |       |       |       |     |     |     |       |       |    |       |   |        |       |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|-------|-------|-------|-----|-----|-----|-------|-------|----|-------|---|--------|-------|
| 293949 | Ephedrine and their salts (excl. ephedrine, pseudoephedrine "INN", cathine "INN", and salts thereof)                                           | 5% | B | 10% |  |  |       | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |
| 293951 | Fenetylline "INN" and its salts                                                                                                                | 5% | B | 10% |  |  |       | 7,5 % | 7,5 % | 7,5 % | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |
| 293959 | Theophylline and aminophylline "theophylline-ethylenediamine" and their derivatives, and salts thereof (excl. fenetylline "INN" and its salts) | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 9.612 | 0 | 13.609 | 7.740 |
| 293961 | Ergometrine "INN" and its salts                                                                                                                | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 17     | 6     |
| 293962 | Ergotamine "INN" and its salts                                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |
| 293963 | Lysergic acid and its salts                                                                                                                    | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |
| 293969 | Alkaloids of rye ergot and their derivatives; salts thereof (excl. lysergic acid, ergotamine and ergometrine, and their salts)                 | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |
| 293991 | Cocaine, ecgonine, levometamfetamine, metamfetamine "INN", metamfetamine racemate, and salts, esters and other derivatives thereof             | 5% | B | 10% |  |  | 7,5 % | 7,5 % | 7,5 % | 5 %   | 5 % | 5 % | 5 % | 2,5 % | 2,5 % | 0% | 0     | 0 | 0      | 0     |

|        |                                                                                                                                                                                                                                                                 |    |   |     |  |  |       |      |  |       |     |    |     |      |      |    |        |         |        |        |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|--|--|-------|------|--|-------|-----|----|-----|------|------|----|--------|---------|--------|--------|
| 293999 | Vegetable alkaloids, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives (excl. alkaloids of opium, alkaloids of cinchons, theophylline, aminophylline "theophylline-ethylenediamine" alkaloids of rye ergot and their sa | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 892    | 0       | 408    | 433    |
| 294000 | Sugars, chemically pure (excl. sucrose, lactose, maltose, glucose and fructose); sugar ethers, sugar acetals and sugar esters, and their salts (excl. natural or reproduced by synthesis, provitamins, vitamins, hormones, glycosides, vegetable alkaloids and  | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0       | 0      | 0      |
| 294110 | Penicillins and their derivatives with a penicillanic acid structure; salts thereof                                                                                                                                                                             | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 1.359  | 0       | 40.033 | 13.797 |
| 294120 | Streptomycins and their derivatives; salts thereof                                                                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 12.168 | 0       | 48.173 | 20.114 |
| 294130 | Tetracyclines and their derivatives; salts thereof                                                                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 8.149  | 71.24 6 | 26.523 | 35.306 |
| 294140 | Chloramphenicol and its derivatives; salts thereof                                                                                                                                                                                                              | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 35.137 | 0       | 28.791 | 21.309 |
| 294150 | Erythromycin and its derivatives; salts thereof                                                                                                                                                                                                                 | 5% | B | 10% |  |  | 7,5 % | 7,5% |  | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0      | 0       | 8.873  | 2.958  |

|        |                                                                                                                                                                                                              |    |   |     |       |      |       |     |    |     |      |      |    |         |          |        |        |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|-----|-------|------|-------|-----|----|-----|------|------|----|---------|----------|--------|--------|
| 294190 | Antibiotics (excl. penicillins and their derivatives with a penicillanic acid structure, salts thereof, streptomycins, tetracyclines, chloramphenicol and erythromycin, their derivatives and salts thereof) | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 104.597 | 28.02 0  | 26.049 | 52.889 |
| 294200 | Separate chemically defined organic compounds, n.e.s.                                                                                                                                                        | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 18.840  | 265.4 63 | 6.427  | 96.910 |
| 300110 | Dried glands and other organs for organo-therapeutic uses, whether or not powdered                                                                                                                           | 5% | B | 10% | 7,5 % | 7,5% | 7,5 % | 5 % | 5% | 5 % | 2,5% | 2,5% | 0% | 0       | 0        | 0      | 0      |

.