

Table A 1 - Part I: Summary of numbers of samples, sample origins and results

(sum of samples of national and co-ordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)
(surveillance sampling only, no follow-up enforcement sampling)

Reporting country: Austria
Year of sampling: 2004

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
#		Number of samples	Sample origin						Results							
#		Total number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples on imports from TC	% samples from TC of the total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples
	Sum (certain products of plant origin, incl. fruit, vegetables)	1760	769	43,7	508	28,9	483	27,4	1131	64,3	537	30,5	92	5,2	38	2,2
#	Cereals	24	18	75,0	6	25,0	0	0,0	23	95,8	1	4,2	0	0,0	0	0,0
	Processed products(other than baby food)	73	52	71,2	21	28,8	0	0,0	50	68,5	18	24,7	5	6,8	5	6,8
#	Baby food	55	0	0,0	37	67,3	18	32,7	55	100,0	0	0,0	0	0,0	0	0,0

x: please insert figures here

Table A 1 - Part II: Summary of numbers of samples, sample origins and results

(sum of samples of national and co-ordinated programme)

(pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)

(follow-up enforcement sampling only, no surveillance sampling)

Reporting country: Austria
 Year of sampling: 2004

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
12		Number of samples	Sample origin						Results							
		Total number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples on imports from TC*	% samples from TC of the total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples
13																
14	Sum (certain products of plant origin, incl. fruit, vegetables)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
15	Cereals	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
	Processed products (other than baby food)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
16	Baby food	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!

x: please insert figures here

Table A 2 - Part I-fruit&veg: Summary table of pesticides sought and found
Surveillance sampling only

(fresh and frozen fruit, vegetables) without processed food
(pesticides covered by Directives 76/895, 90/642 and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country: Austria
Year of sampling: 2004

Number of different pesticides* sought:	273
Number of different pesticides* found:	90
% pesticides found from pesticides sought:	33,0

Column 1	Column 2	Column 3	Column 4	Column 5	Fruit and vegetables
					Column 7
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/Kg)**	Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)
2,4,5-T	58		0,0	0,05	1 Maneb-Group
2,4-D	58		0,0	0,02	2 Procymidone
3-Hydroxy-Carb	674		0,0	0,01	3 Cyprodinil
4,4-Dichlorbenz	1217	3	0,2	0,01	4 Fludioxonil
Acephat	1701	3	0,2	0,01;0,02;0,05	5 Chlorpyrifos
Acrinathrin	1038	6	0,6	0,01;0,02	6 Imidacloprid
Alachlor	58		0,0	0,01	7 Iprodione
Aldicarb	698		0,0	0,01	8 Endosulfan
Aldicarbsulfon	674		0,0	0,01	9 Azoxystrobin
Aldicarbsulfoxid	674		0,0	0,01	10 Benomylgroup
Aldrin	1639		0,0	0,01; 0,04	
alpha-HCH	674		0,0	0,01	without processed food
Ametryn	732		0,0	0,01	
Amidosulfuron	58		0,0	0,05	Remark:
Aminocarb	674		0,0	0,02	low number of sample
Atraton	58		0,0	0,01	lead to high
Atrazin-desisop	58		0,0	0,05	percentages
Atrazine	732		0,0	0,01;0,2	
Azaconazole	674		0,0	0,01	
Azinphos-ethyl	1216		0,0	0,01;0,02;0,1	
Azinphos-methy	1760	3	0,2	0,01;0,02;0,1	
Aziprotryn	58		0,0	0,1	
Azoxystrobin	1581	53	3,4	0,01;0,05	
Benalaxyl	1581	1	0,1	0,01;0,03;0,1	
Bendiocarb	674		0,0	0,01	
Benfluralin	58		0,0	0,01	
Benomylgroup	925	30	3,2	0,01;0,1	
Bentazon	58		0,0	0,01	
beta-Cyfluthrin	674		0,0	0,02	
beta-HCH	1523		0,0	0,01	

Bifenthrin	1581	8	0,5	0,01
Binapacryl	980		0,0	0,05;0,1
Bitertanol	732	1	0,1	0,02;0,05
Bromazil	674		0,0	0,05
Bromofenoxim	58		0,0	0,05
Bromophos	1274		0,0	0,01;0,02
Bromophos-ethyl	1760		0,0	0,01;0,02
Bromopropylate	1523	14	0,9	0,01;0,02
Bromoxynil	58		0,0	0,01
Bromoxynil-hept	58		0,0	0,01
Bromoxynil-methyl	674		0,0	0,01
Bupirimat	1581	3	0,2	0,01;0,02;0,1
Buprofezin	1581	2	0,1	0,01;0,05
Butocarboxim	674		0,0	0,01
Butocarboxim-sulfon	674		0,0	0,01
Butocarboxim-sulfon	674		0,0	0,01
Buturon	58		0,0	0,01
Captafol	1038		0,0	0,01;0,03;0,1;0,2
Captan	1581	10	0,6	0,03;0,05;0,1
Carbaryl	1038	7	0,7	0,01;0,1
Carbofuran	1038		0,0	0,01;0,1
Carbophenothic	674		0,0	0,05
Chlorbenside	732		0,0	0,01
Chlorbenzilat	1523		0,0	0,02;0,05
Chlorbromuron	58		0,0	0,05
Chlordane	601		0,0	0,01
Chlordimeform	1038		0,0	0,01;0,05
Chlorfenson	1038		0,0	0,01
Chlorfenvinphos	1760		0,0	0,03
Chlormequat	58		0,0	0,01
Chlorobenzilate	58		0,0	0,01
Chloroneb	58		0,0	0,01
Chlorothalonil	1581	24	1,5	0,01;0,02;0,05
Chlorpropham	1275	12	0,9	0,01;0,05;0,5
Chlorpropylat	1581		0,0	0,01;0,02
Chlorpyrifos	1760	98	5,6	0,01;0,02
Chlorpyrifos-methyl	1760	14	0,8	0,01;0,02
Chlorthalidimeth	674	1	0,1	0,02
Chlorthion	674		0,0	0,02
Chlorthiophos	674		0,0	0,02
Chlortoluron	58		0,0	0,05
Chlozolinat	674		0,0	0,01
Coumaphos	1760		0,0	0,01;0,02;0,05
Cyanazine	732		0,0	0,01;0,03;0,1
Cyfluthrin	1581	5	0,3	0,05;0,1
Cyhalothrin	1523		0,0	0,05
Cypermethrin	1523		0,0	0,05;0,1
Cyprazine	58		0,0	0,05
Cyproconazole	1038	1	0,1	0,05;0,1
Cyprodinil	1038	101	9,7	0,01;0,1
DDT	1760		0,0	0,01
Deltamethrin	1523	10	0,7	0,05;0,1
Demethon-S-methyl	1216	1	0,1	0,02
Demeton	58		0,0	0,01

Desmetryn	58		0,0	0,01
Dialiphos	674		0,0	0,02
Diazinon	1760	6	0,3	0,01;0,02
Dicamba	58		0,0	0,1
Dichlobenil	674		0,0	0,05
Dichlofenthion	674		0,0	0,01
Dichlofluamid	1581	8	0,5	0,01;0,02;0,03
Dichloran	1581	4	0,3	0,01
Dichloroprop	58		0,0	0,05
Dichlorvos	1760	11	0,6	0,01;0,03;0,1
Diclobutrazol	674		0,0	0,05
Dicofol	1581	8	0,5	0,02;0,05
Dicrotophos	674		0,0	0,01
Dieldrin	1581	1	0,1	0,01
Diethofencarb	364		0,0	0,01;0,05
Difencconazole	674	4	0,6	0,05
Dimethoate	1760	13	0,7	0,01;0,02
Dimethomorph	477	2	0,4	0,02
Dinobuton	674		0,0	0,05
Dinoseb	58		0,0	0,01
Dioxacarb	732		0,0	0,01
Dioxathion	542		0,0	0,01;0,02;0,1
Diphenyl	58		0,0	0,4
Diphenylamin	732	7	1,0	0,03;0,5
Disulfoton	1701		0,0	0,02;0,04;0,2
Disulfotonsulfon	674		0,0	0,02
Ditalimfos	674		0,0	0,01
Diuron	732		0,0	0,01
Endosulfan	1760	86	4,9	0,01
Endrin	1581		0,0	0,005;0,01
EPN	674		0,0	0,01
Esfenvalerate	674		0,0	0,02
Ethiofencarb	1004	1	0,1	0,01;0,1
Ethion	1760		0,0	0,01;0,02
Ethoprophos	674		0,0	0,01
Ethoxyquin	364		0,0	0,01;0,1
Etridiazol	674		0,0	0,02
Etrimphos	58		0,0	0,01
Fenamiphos	732		0,0	0,01
Fenarimol	1523	15	1,0	0,01;0,02
Fenazaquin	674	1	0,1	0,02
Fenchlorphos	1272		0,0	0,01;0,02
Fenhexamid	1217	14	1,2	0,01
Fenitrothion	1760	21	1,2	0,01;0,02
Fenoprop (Silber)	543		0,0	0,05
Fenoxycarb	674	13	1,9	0,03
Fenpiclonil	732		0,0	0,01;0,05
Fenpropathrin	1581		0,0	0,01;0,02
Fensulfothion	674		0,0	0,05
Fenthion	1760	1	0,1	0,01;0,02
Fenthionsulfoxid	674	1	0,1	0,02
Fenvalerate	1623	3	0,2	0,05
Fluazifopbutyl	674		0,0	0,08
Flubenzimin	674		0,0	0,2

Flucythrinate	982		0,0	0,02;0,05
Fludioxonil	674	61	9,1	0,1
Flusilazole	982	1	0,1	0,01;0,1
Fluvalinat	306		0,0	0,01
Folpet	1581	12	0,8	0,03;0,08;0,1
Fonofos	674		0,0	0,01
Formothion	674		0,0	0,05
Fuberidazole	58		0,0	0,01
Furalaxyl	674		0,0	0,02
Furathiocarb	1038		0,0	0,01;0,05
HCB	1581	1	0,1	0,01
HCH	58		0,0	0,01
Heptachlor	907		0,0	0,005;0,01
Heptachlorepo	1581		0,0	0,01
Heptachlor-exo-	58		0,0	0,02
Heptenophos	1760		0,0	0,01;0,02;0,05
Imazalil	1582	13	0,8	0,01;0,05;0,1
Imidacloprid	674	36	5,3	0,01
Ioxynil	58		0,0	0,01
Iprodione	1581	83	5,2	0,02;0,04;0,1;0,3
Isobenzan	58		0,0	0,01
Isodrin	732		0,0	0,01
Isofenphos	674		0,0	0,02
Isoproturon	732		0,0	0,01
Kresoxim-methy	1038	18	1,7	0,01;0,02
Lambda-Cyhalo	1038	16	1,5	0,05
Lindane	1581		0,0	0,01
Linuron	732		0,0	0,05
Malaoxon	1216		0,0	0,02;0,03
Malathion	1760	9	0,5	0,01;0,02
Maneb-Group	23	10	43,5	0,2
MCPA	58		0,0	0,02
MCPB	58		0,0	0,05
Mecarbam	1760		0,0	0,01;0,02;0,05
Mecoprop	58		0,0	0,05
Metalaxyl	1523	27	1,8	0,01
Metamitron	674		0,0	0,03;0,05;0,1
Metazachlor	674		0,0	0,1
Methacrifos	543		0,0	0,1
Methamidophos	1760	23	1,3	0,01;0,02;0,03
Methidathion	1760		0,0	0,01;0,02
Methiocarb	698	9	1,3	0,01
Methomyl	674	6	0,9	0,01
Methoprotryn	58		0,0	0,01
Methoxychlor	849		0,0	0,01;0,03
Methyl-pentachl	58		0,0	0,01
Metobromuron	58		0,0	0,01
Metolachlor	732		0,0	0,01
Metoxuron	58		0,0	0,05
Metribuzin	58		0,0	0,01
Metsulfuron-me	58		0,0	0,05
Mevinphos	1760		0,0	0,01;0,02;0,05
Mirex	1275		0,0	0,01
Monocrotophos	1158	1	0,1	0,02;0,05

Monolinuron	58		0,0	0,1
Myclobutanil	1523	24	1,6	0,03;0,05
Naled	58		0,0	0,01
Napropamide	674		0,0	0,05
Neburon	58		0,0	0,01
Nicosulfuron	58		0,0	0,1
Nitrofen	1275		0,0	0,1
Nitrothal-isopro	1038		0,0	0,01;0,02;0,03
Nuarimol	543		0,0	0,02
Omethoate	1760	8	0,5	0,01;0,02;0,05
Orbencarb	58		0,0	0,01
Orthophenylphe	58		0,0	0,4
Oxadixyl	1523	4	0,3	0,01;0,05
Oxamyl	674	1	0,1	0,01
Oxyfluorfen	674		0,0	0,02
Paraoxon	1216		0,0	0,02
Paraoxon-methy	1158		0,0	0,02;0,03
Parathion	1760		0,0	0,01;0,02
Parathion-methy	1760	3	0,2	0,01;0,02
Penconazole	1581	17	1,1	0,01
Pendimethalin	1037		0,0	0,01;0,02
Pentachloranilir	543		0,0	0,05
Permethrin	1523		0,0	0,05
Phenkapton	732		0,0	0,03
Phorate	1216		0,0	0,01
Phosalone	1760	9	0,5	0,02;0,03
Phosmet	1760	3	0,2	0,01;0,02
Phosphamidon	674		0,0	0,05
Pirimicarb	1581	5	0,3	0,01;0,02
Pirimiphos-ethy	67		0,0	0,02
Pirimiphos-mett	1760	12	0,7	0,01
Primisulfuron	58		0,0	0,05
Prochloraz	980		0,0	0,05;0,1
Procymidone	1581	184	11,6	0,01;0,02;0,05
Profenofos	674		0,0	0,04
Promecarb	674		0,0	0,01
Prometryn	58		0,0	0,01
Propachlor	732		0,0	0,01;0,03
Propamocarb	732	11	1,5	0,01
Propanil	674		0,0	0,2
Propargit	477	1	0,2	0,05
Propazine	58		0,0	0,01
Propham	674		0,0	0,05
Propiconazol	1523		0,0	0,01;0,05;0,5
Propoxur	1523	1	0,1	0,01;0,05;0,1
Propyzamide	1580	1	0,1	0,02;0,05
Prothiofos	674		0,0	0,01
Pyrazophos	1701		0,0	0,01;0,02
Pyridaben	543		0,0	0,03
Pyridafenthion	1216		0,0	0,01;0,02
Pyridate	58		0,0	0,01
Pyrifenox	980	1	0,1	0,02;0,03
Pyrimethanil	1581	38	2,4	0,01;0,02;0,05
Pyriproxyfen	674	2	0,3	0,02

Quinalphos	1701	1	0,1	0,01;0,02
Quinomethionat	732		0,0	0,02
Quintozene	1581		0,0	0,005;0,01
Rabenzazol	58		0,0	0,01
Rimsulfuron	58		0,0	0,1
Sebuthylazine	58		0,0	0,01
Secbumeton	58		0,0	0,01
Simazine	732		0,0	0,01
Siulfotep	674		0,0	0,02
Spiroxamin	674	1	0,1	0,02
tau-Fluvalinate	674		0,0	0,03
Tebuconazole	1581	16	1,0	0,02;0,03;0,1
Tecnazene	1639		0,0	0,005;0,01
TEPP	1158		0,0	0,03;0,05
Terbufos	674		0,0	0,02
Terbumeton	58		0,0	0,01
Terbuthylazine	58		0,0	0,01
Terbutryn	58		0,0	0,01;0,1
Tetrachlorvinph	1760		0,0	0,01;0,02
Tetraconazole	1038	8	0,8	0,01
Tetradifon	1523	10	0,7	0,01;0,05;0,1
Tetramethrin	1038		0,0	0,01;0,02
Tetrasul	732		0,0	0,1;0,2
Thiabendazol	1305	8	0,6	0,02
Thifensulfuron-r	58		0,0	0,02
Thiodicarb	698		0,0	0,02
Thiofanox	674		0,0	0,02
Thiomethon	484		0,0	0,02
Tolclophos-met	1760	17	1,0	1;0,02;0,05;0,5
Tolyfluanid	1582	8	0,5	0,03;0,05;0,5
Triadimefon	980	1	0,1	0,01
Triadimenol	1523	1	0,1	0,01;0,02
Triamiphos	674		0,0	0,02
Triasulfuron	58		0,0	0,01
Triazophos	1760		0,0	0,01
Trichlorfon	58		0,0	0,01
Trichloronate	58		0,0	0,1
Triflumizole	674		0,0	0,03
Trifluralin	732	1	0,1	0,01
Triflusulfuron-m	58		0,0	0,1
Vamidothion	58		0,0	0,01
Vinclozolin	1581	6	0,4	0,01

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation

Table A 2 - Part II-cereals: Summary table of pesticides sought and found
Surveillance sampling only

(cereals)
(pesticides covered by Directive 86/362/EEC and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country:	Austria
Year of sampling:	2004
Number of different pesticides* sought:	209
Number of different pesticides* found:	2
% pesticides found from pesticides sought:	1,0

Column 1	Column 2	Column 3	Column 4	Column 5	Cereals	Column 7
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/kg)**		Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)
4.4-Dichlorbenz	12		0,0	0,01		1 Pirimiphos-ethyl
Acephat	24		0,0	0,01;0,02		2 Malathion
Acrinathrin	24		0,0	0,01;0,02		3
Aldicarb	12		0,0	0,01		4
Aldicarbsulfon	12		0,0	0,01		5
Aldicarbsulfoxid	12		0,0	0,01		6
Aldrin	24		0,0	0,01		7
alpha HCH	24		0,0	0,01		8
Ametryn	12		0,0	0,01		9
Aminocarb	12		0,0	0,02		10
Atrazin	12		0,0	0,01;0,1		
Azaconazol	12		0,0	0,01		
Azinphosethyl	24		0,0	0,01;0,02;0,1		
Azinphosmethyl	24		0,0	0,01;0,02;0,1		
Azoxystrobin	24		0,0	0,01;0,05		
Benalaxyl	24		0,0	0,01;0,03;0,1		
Bendiocarb	24		0,0	0,01		
Benomylgroup	13		0,0	0,01;0,1		
beta-Cyfluthrin	12		0,0	0,02		
beta-HCH	24		0,0	0,01		
Bifenthrin	24		0,0	0,01		
Binapacryl	24		0,0	0,05;0,1		
Bitertanol	12		0,0	0,02;0,05		
Bromazil	12		0,0	0,05		
Bromophos	24		0,0	0,01;0,02		
Bromophos-ethyl	24		0,0	0,01;0,02		
Bromoxynil-me-	12		0,0	0,01		
Brompropylat	24		0,0	0,01;0,02		
Bupirimat	24		0,0	0,01;0,02;0,1		
Buprofezin	24		0,0	0,01;0,05		

without processed food

Remark:
low number of sample
lead to high
percentages

Butocarboxim	12		0,0	0,01
Butocarboximsu	12		0,0	0,01
Butocarboximsu	12		0,0	0,01
Captafol	24		0,0	0,01;0,03;0,1;0,2
Captan	24		0,0	0,03;0,05;0,1
Carbaryl	24		0,0	0,01;0,1
Carbofuran	24		0,0	0,01;0,1
Carbophenothio	12		0,0	0,05
Chlorbenside	12		0,0	0,01
Chlorbenzilat	24		0,0	0,02;0,05
Chlordimeform	24		0,0	0,01;0,05
Chlorfenson	24		0,0	0,01
Chlorfenvinphos	12		0,0	0,03
Chlormequat	1		0,0	0,01
Chlorothalonil	24		0,0	0,01;0,02;0,05
Chlorpropham	12		0,0	0,01;0,05;0,5
Chlorpropylat	24		0,0	0,01;0,02
Chlorpyrifos	24		0,0	0,01;0,02
Chlorpyrifos-me	24		0,0	0,01;0,02
Chlorthalldimeth	12		0,0	0,02
Chlorthion	12		0,0	0,02
Chlorthiophos	12		0,0	0,02
Chlozolinat	12		0,0	0,01
Coumaphos	24		0,0	0,01;0,02;0,05
Cyanazine	12		0,0	0,01;0,03;0,1
Cyfluthrin	24		0,0	0,05;0,1
Cypermethrin	24		0,0	0,05;0,1
Cyproconazole	24		0,0	0,05;0,1
Cyprodinil	24		0,0	0,01;0,1
DDT	24		0,0	0,01
Deltamethrin	24		0,0	0,05;0,1
Demeton-S-met	12		0,0	0,02
Dialiphos	12		0,0	0,01
Diazinon	24		0,0	0,01;0,02
Dichlobenil	12		0,0	0,05
Dichlofenthion	12		0,0	0,01
Dichlofluanid	24		0,0	0,01;0,02;0,03
Dichloran	24		0,0	0,01
Dichlorvos	24		0,0	0,01;0,03;0,1
Diclobutrazol	12		0,0	0,05
Dicofol	24		0,0	0,02;0,05
Dicrotophos	12		0,0	0,01
Dieldrin	24		0,0	0,01
Diethofencarb	12		0,0	0,01;0,05
Difenconazole	12		0,0	0,05
Dimethoat	24		0,0	0,01;0,02
Dinobuton	12		0,0	0,05
Dioxacarb	12		0,0	0,01
Dioxathion	12		0,0	0,01;0,02;0,1
Diphenylamin	12		0,0	0,03;0,5
Disulfoton	12		0,0	0,02;0,04;0,2
Disulfotonsulfon	12		0,0	0,02
Ditalimfos	12		0,0	0,01
Diuron	12		0,0	0,01

Endosulfan	24		0,0	0,01
Endrin	24		0,0	0,005;0,01
EPN	12		0,0	0,01
Esfenvalerate	12		0,0	0,02
Ethiofencarb	24		0,0	0,01;0,1
Ethion	24		0,0	0,01;0,02
Ethoprophos	12		0,0	0,01
Ethoxyquin	12		0,0	0,01;0,1
Etrimphos	12		0,0	0,01
Fenamiphos	12		0,0	0,01
Fenarimol	24		0,0	0,01;0,02
Fenazaquin	12		0,0	0,01
Fenchlorphos	24		0,0	0,01;0,02
Fenhexamid	12		0,0	0,01
Fenitrothion	24		0,0	0,01;0,02
Fenoxycarb	12		0,0	0,03
Fenpiclonil	12		0,0	0,01;0,05
Fenpropathrin	24		0,0	0,01
Fensulfothion	12		0,0	0,05
Fenthion	24		0,0	0,01;0,02
Fenthionsulfoxid	12		0,0	0,02
Fenvalerat	24		0,0	0,05
Fluazifopbutyl	12		0,0	0,08
Flubenzimin	12		0,0	0,20
Flucythrinate	24		0,0	0,02;0,05
Fludioxonil	12		0,0	0,10
Flusilazole	12		0,0	0,01;0,1
Fluvalinat	12		0,0	0,01
Folpet	24		0,0	0,03;0,08;0,1
Fonofos	12		0,0	0,01
Formothion	12		0,0	0,05
Furalaxyl	12		0,0	0,02
Furathiocarb	24		0,0	0,01;0,05
HCB	24		0,0	0,01
HCH	12		0,0	0,01
Heptachlor	12		0,0	0,005;0,01
Heptachlorepoxy	24		0,0	0,01
Heptenophos	24		0,0	0,01;0,02;0,05
Imazalil	24		0,0	0,01;0,05;0,1
Imidacloprid	12		0,0	0,010
Iprodion	24		0,0	0,02;0,04;0,1;0,3
Isodrin	12		0,0	0,01
Isofenphos	12		0,0	0,02
Isoproturon	12		0,0	0,01
Kresoximmethyl	24		0,0	0,01;0,02
Lamda-Cyhalothrin	24		0,0	0,05
Lindan	24		0,0	0,01
Linuron	12		0,0	0,05
Malaoxon	24		0,0	0,02;0,03
Malathion	24	1	4,2	0,01;0,02
Manebgroup	13		0,0	0,20
Mecarbam	24		0,0	0,01;0,02;0,05
Mepiquat	1		0,0	0,01
Metalaxyl	24		0,0	0,03;0,05;0,1

Metamitron	12		0,0	0,10
Metazachlor	12		0,0	0,10
Methamidophos	24		0,0	0,01;0,02;0,03
Methidathion	24		0,0	0,01;0,02
Methiocarb	12		0,0	0,01
Methomyl	12		0,0	0,01
Methoxychlor	12		0,0	0,01;0,03
Metolachlor	12		0,0	0,01
Mevinphos	24		0,0	0,01;0,02;0,05
Mirex	12		0,0	0,01
Monocrotophos	24		0,0	0,02;0,05
Myclobutanil	24		0,0	0,03;0,05
Napropamide	12		0,0	0,05
Nitrofen	12		0,0	0,10
Nitrothalisoprop	24		0,0	0,01;0,02;0,03
Omethoate	24		0,0	0,01;0,02;0,05
Oxadixyl	24		0,0	0,01;0,05
Oxamyl	12		0,0	0,01
Oxyfluorfen	12		0,0	0,02
Paraoxon	24		0,0	0,02
Paraoxon-methyl	24		0,0	0,02;0,03
Parathion	24		0,0	0,01;0,02
Parathion-methyl	24		0,0	0,01;0,02
Penconazole	24		0,0	0,01
Pendimethalin	24		0,0	0,01;0,02
Permethrin	24		0,0	0,05
Phenkapton	12		0,0	0,03
Phorate	24		0,0	0,01
Phosalone	24		0,0	0,02;0,03
Phosmet	24		0,0	0,01;0,02
Phosphamidon	12		0,0	0,05
Pirimicarb	24		0,0	0,01;0,02
Pirimiphos-ethyl	12	1	8,3	0,02
Pirimiphos-methyl	24		0,0	0,01
Prochloraz	24		0,0	0,05;0,1
Procymidone	24		0,0	0,01;0,02;0,05
Profenofos	12		0,0	0,04
Promecarb	12		0,0	0,01
Propachlor	12		0,0	0,01;0,03
Propamocarb	13		0,0	0,01
Propanil	12		0,0	0,20
Propham	12		0,0	0,05
Propiconazol	24		0,0	0,01;0,05;0,5
Propoxur	24		0,0	0,01;0,05;0,1
Propyzamide	24		0,0	0,02;0,05
Prothiofos	12		0,0	0,01
Pyrazophos	24		0,0	0,01;0,02
Pyridafenthion	24		0,0	0,01;0,02
Pyridate	24		0,0	0,01
Pyrifenox	24		0,0	0,02;0,03
Pirimethanil	24		0,0	0,01;0,02;0,05
Pyriproxyfen	12		0,0	0,02
Quinalphos	24		0,0	0,01;0,02
Quinomethionat	12		0,0	0,02

Quintozene	24		0,0	0,005;0,01
Simazine	12		0,0	0,01
tau-Fluvalinate	12		0,0	0,03
Tebuconazole	24		0,0	0,02;0,03;0,1
Tecnazene	24		0,0	0,005;0,01
TEPP	24		0,0	0,03;0,05
Terbufos	12		0,0	0,02
Tetrachlorvinph	24		0,0	0,01;0,02
Tetraconazole	24		0,0	0,01
Tetradifon	24		0,0	0,01;0,05;0,1
Tetramethrin	24		0,0	0,01;0,02
Tetrasul	12		0,0	0,1;0,2
Thiabendazol	15		0,0	0,02
Thifensulfuron-r	12		0,0	0,02
Thiodicarb	18		0,0	0,01
Thiofanox	12		0,0	0,01
Thiomethon	12		0,0	0,02
Tolclofos-methy	24		0,0	1;0,02;0,05;0,5
Tolyfluanid	24		0,0	0,03;0,05;0,5
Triadimefon	24		0,0	0,01
Triadimenol	24		0,0	0,01;0,02
Triamiphos	12		0,0	0,02
Triazophos	24		0,0	0,01
Triflumizole	12		0,0	0,03
Trifluralin	12		0,0	0,01
Vinclozolin	42		0,0	0,01
			#DIV/0!	

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:Pome fruit		Food item: Apples	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	12	With residues above MRL (EC+national):	1
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	1

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns.

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	Check
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	12	12																	0		
Aldicarb	12	12																	0		
Azinphos-methyl	12	12																	0		
Azoxystrobin	12	12																	0		
Benomyl group(#)	12	12																	0		
Bromopropylate	12	10		1				1							0,16	1	N		0		
Captan	12	11						1							0,118		xxxxxx		0		
Chlorothalonil	12	12																	0		
Chlorpyriphos	12	8		2	1	1									0,07				0		
Chlorpyriphos-methyl	12	12																	0		
Cypermethrin	12	12																	0		
Cyprodinil	12	12																	0		
Deltamethrin	12	12																	0		
Diazinon	12	12																	0		
Dichlofluanid	12	12																	0		
Dicofol	12	12																	0		
Dimethoate	12	12																	0		
Diphenylamine	6	4						1			1				2,759				0		
Endosulfan	12	11			1										0,023				0		
Fenhexamid	6	6																	0		
Folpet	12	12															xxxxxx		0		
Captan+ Folpet (Sum)	12	11						1							0,118				0		
Imazalil	12	12																	0		
Iprodione	12	12																	0		
Kresoxim-methyl	12	12																	0		
Lambda-cyhalothrin	12	12																	0		
Malathion	12	12																	0		
Maneb-group(##)	11	9					2								0,07				0		
Mecarbam	12	12																	0		
Methamidophos	12	12																	0		
Metalaxyl	12	12																	0		
Methidathion	12	12																	0		
Methiocarb	12	12																	0		
Methomyl	12	12																	0		
Myclobutanil	12	12																	0		
Omethoate	12	12																	0		
Dimethoate+Omethoate (Sum)	12	12																	0		
Oxydemeton-methyl	6	6																	0		
Parathion	12	12																	0		

Permethrin	12	12																		
Phorate	12	12																		
Pirimiphos-methyl	12	12																		
Procymidone	12	12																		
Propyzamide	12	12																		
Spiroxamine	6	6																		
Thiabendazol	12	10						1	1							0,22				
Tolylfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	12																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0
0
0
0

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Tomatoes	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	7	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns.

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	Check
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	12	12																	0		
Aldicarb	12	12																	0		
Azinphos-methyl	12	12																	0		
Azoxystrobin	12	12																	0		
Benomyl group(#)	12	11		1											0,014				0		
Bromopropylate	12	12																	0		
Captan	12	12															xxxxxx		0		
Chlorothalonil	12	12																	0		
Chlorpyriphos	12	12																	0		
Chlorpyriphos-methyl	12	12																	0		
Cypermethrin	12	12																	0		
Cyprodinil	12	12																	0		
Deltamethrin	12	12																	0		
Diazinon	12	12																	0		
Dichlofluanid	12	12																	0		
Dicofol	12	12																	0		
Dimethoate	12	12																	0		
Endosulfan	12	11		1											0,014				0		
Fenhexamid	6	6																	0		
Folpet	12	12															xxxxxx		0		
Captan+ Folpet (Sum)	12	12																	0		
Imazalil	12	12																	0		
Iprodione	12	11			1										0,05				0		
Kresoxim-methyl	12	12																	0		
Lambda-cyhalothrin	12	11			1										0,023				0		
Malathion	12	12																	0		
Maneb-group(##)	12	8			2		2								0,15				0		
Mecarbam	12	12																	0		
Methamidophos	12	12																	0		
Metalaxyl	12	12																	0		
Methidathion	12	12																	0		
Methiocarb	12	12																	0		
Methomyl	12	12																	0		
Myclobutanil	12	12																	0		
Omethoate	12	12																	0		
Dimethoate+Omethoate (Sum)	12	12																	0		
Oxydemeton-methyl	6	6																	0		
Parathion	12	12																	0		
Permethrin	12	12																	0		

Phorate	12	12																	
Pirimiphos-methyl	12	12																	
Procymidone	12	9				1	1		1							0,46			
Propyzamide	12	12																	
Spiroxamine	6	6																	
Thiabendazol	12	12																	
Tolyfluanid	12	12																	
Triazophos	12	12																	
Vinclozolin	12	12																	

0
0
0
0
0
0
0
0
0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Lettuce	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	7	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns.

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	Check
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					
Acephate	12	12																	0	
Aldicarb	12	12																	0	
Azinphos-methyl	12	12																	0	
Azoxystrobin	12	12																	0	
Benomyl group(#)	12	12																	0	
Bromopropylate	12	12																	0	
Captan	12	12															xxxxxx		0	
Chlorothalonil	12	12																	0	
Chlorpyriphos	12	12																	0	
Chlorpyriphos-methyl	12	12																	0	
Cypermethrin	12	12																	0	
Cyprodinil	12	12																	0	
Deltamethrin	12	11				1									0,041				0	
Diazinon	12	12																	0	
Dichlofluanid	12	12																	0	
Dicofol	12	12																	0	
Dimethoate	12	11				1									0,027				0	
Endosulfan	12	12																	0	
Fenhexamid	6	6																	0	
Folpet	12	11							1						0,433		xxxxxx		0	
Captan+ Folpet (Sum)	12	11							1						0,433				0	
Imazalil	12	12																	0	
Iprodione	12	12																	0	
Kresoxim-methyl	12	12																	0	
Lambda-cyhalothrin	12	12																	0	
Malathion	12	12																	0	
Maneb-group(##)	12	9				3									0,05				0	
Mecarbam	12	12																	0	
Methamidophos	12	12																	0	
Metalaxyl	12	11					1								0,054				0	
Methidathion	12	12																	0	
Methiocarb	12	12																	0	
Methomyl	12	12																	0	
Myclobutanil	12	12																	0	
Omethoate	12	11				1									0,035				0	
Dimethoate+Omethoate (Sum)	12	11				1									0,062				0	
Oxydemeton-methyl	6	6																	0	
Parathion	12	12																	0	
Permethrin	12	12																	0	

Phorate	12	12																		
Pirimiphos-methyl	12	12																		
Procymidone	12	11						1								0,15				
Propyzamide	12	11							1							0,3				
Spiroxamine	6	6																		
Thiabendazol	12	12																		
Tolyfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	12																		

0
0
0
0
0
0
0
0
0
0

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Strawberries	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	<u>12</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>4</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>8</u>	With residues above national MRL:	<u>0</u>

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Check

[illegible]

Phorate	12	12																		
Pirimiphos-methyl	12	12																		
Procymidone	6	4					1			1							0,894			
Propyzamide	12	12																		
Spiroxamine	6	6																		
Thiabendazol	12	12																		
Tolyfluanid	6	5								1							1,023			
Triazophos	12	12																		
Vinclozolin	12	12																		

0
0
0
0
0
0
0
0
0

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stem vegetables		Food item: Leek	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	0	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Phorate																				
Pirimiphos-methyl																				
Procymidone																				
Propyzamide																				
Spiroxamine																				
Thiabendazol																				
Tolyfluanid																				
Triazophos																				
Vinclozolin																				

0
0
0
0
0
0
0
0
0

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Processed product		Food item: Orange Juice	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Check

[illegible]

Phorate	11	11																		
Pirimiphos-methyl	11	11																		
Procymidone	11	11																		
Propyzamide	11	11																		
Spiroxamine	6	6																		
Thiabendazol	11	10				1										0,026				
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11																		

0
0
0
0
0
0
0
0
0
0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Head cabbage	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	<u>12</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>11</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Phorate	12	12																		
Pirimiphos-methyl	12	12																		
Procymidone	12	12																		
Propyzamide	12	12																		
Spiroxamine	6	6																		
Thiabendazol	12	12																		
Tolylfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	12																		

0
0
0
0
0
0
0
0
0
0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rye	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Phorate	8	8																		
Pirimiphos-methyl	8	8																		
Procymidone	8	8																		
Propyzamide	8	8																		
Spiroxamine	4	4																		
Thiabendazol	8	8																		
Tolyfluanid	8	8																		
Triazophos	8	8																		
Vinclozolin	8	8																		

0
0
0
0
0
0
0
0
0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Oats	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	5	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

IMPORTANT

Only add information regarding the specified commodity and the listed pesticides and do not change or delete rows or columns

[illegible]

Check

[illegible]

Phorate	5	5																		
Pirimiphos-methyl	5	5																		
Procymidone	5	5																		
Propyzamide	5	5																		
Spiroxamine	2	2																		
Thiabendazol	5	5																		
Tolyfluanid	5	5																		
Triazophos	5	5																		
Vinclozolin	5	5																		

0
0
0
0
0
0
0
0
0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	pome fruit	Food item:	apples
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	93	With residues above MRL (EC+national):	1
Without detectable residues:	35	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	57	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	93	92						1									0,221			
Brompropylat	79	70			2		4	2		1							1			
Captan	93	88						4	1								0,48			
Chlorpyrifos	93	64			5	11	8	5									0,19			
Chlorpyrifos-methyl	93	91				2											0,04			
Cyfluthrin	93	92					1										0,08			
Cyprodinil	93	91				1	1										0,055			
Dichlofluanid	93	90				1	1	1									0,183			
Diphenylamin	38	37					1										0,096			
Endosulfan	93	78			3	8	3	1									0,166			
Fenazaquin	38	36			1		1										0,09	1	0,01	N
Fenoxycarb	38	26			1	3	5	3									0,141			
Folpet	93	89					1	1	2								0,3			
Imazalil	93	92			1												0,012			
Phosalone	93	90				1	2										0,074			
Pirimicarb	93	90			2		1										0,097			
Procymidone	93	92				1											0,05			
Pyrimethanil	93	92				1											0,025			
Thiabendazol	52	51									1						1,293			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	leafy vegetables	Food item:	lettuce
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	93	With residues above MRL (EC+national):	6
Without detectable residues:	43	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	44	With residues above national MRL:	5

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	81	80				1											0,043			
Azoxystrobin	93	92						1									0,113			
Benalaxyl	93	92										1					2,45	1	0,50	E
Benomylgruppe (Summe Ber	82	79						3									0,17			
Chlorpyriphos	93	88			2	3											0,048			
Cyfluthrin	93	90					2		1								0,35			
Cyprodinil	93	89						2	2								0,337			
Deltamethrin	81	79					2										0,091			
Demeton-S-methyl	93	92				1											0,028			
Dichlofluanid	93	92				1											0,03			
Dichloran	81	79			2												0,016			
Dimethoat	93	90		1				2									0,19			
Fenhexamid	41	40											1				5,379			
Fludioxonil	41	37						1	3								0,455			
Folpet	93	90						2	1								0,218			
Imidachloprid	41	38		1		1		1									0,14	1	0,05	N
Iprodione	93	65					4	5	6	2	4	6		1			15	1	10,00	E
Lamda-Cyhalothrin	81	80					1										0,078			
Metalaxyl	81	78				1	2										0,1			
Methomyl	41	39			1	1											0,042			
Omethoat	81	80					1										0,069			
Oxadixyl	81	80								1							0,82	1	0,05	N
Oxydemeton-methyl	41	40						1									0,12	1	0,05	E
Procymidone	93	75				3	3	2	2	3	2	3					3,2			
Propamocarb	53	47						2				2	2				8,116			
Pyrifenox	81	80				1											0,03			
Tolclofos-methyl	93	84			2	3	2		1	1							0,086			
Tolyfluanid	93	91						1			1						1,463	2	0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	peppers
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	91	With residues above MRL (EC+national):	14
Without detectable residues:	48	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	29	With residues above national MRL:	13

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acrinathrin	91	88				2	1										0,09	3	0,01	W (N)	
Azoxystrobin	91	89				1	1										0,08				
Benomylgroup	91	89			1			1									0,13	1	0,10	E	
Brompropylat	76	75				1											0,026				
Chlorpyrifos	91	88					2	1									0,12				
Cypermethrin	76	73						1	2								0,27				
Cyprodinil	91	90					1										0,1				
Dicofol	91	90						1									0,11	1	0,02	E	
Endosulfan	91	76			2	5	5	1	2								0,438				
Ethiofencarb	76	75			1												0,012				
Imidachloprid	40	31				2	1	5	1								0,225	6	0,05	N	
Iprodione	91	85				1	3	2									0,18				
Kresoxim-methyl	91	90				1											0,026				
Malathion	76	75				1											0,03				
Methamidophos	91	90							1								0,318	1	0,01	E	
Methiocarb (Mercaptodimethy	40	37				1		1		1							0,664	2	0,05	N	
Methomyl	40	39			1												0,02				
Myclobutanil	76	75				1											0,034				
Oxamyl	40	39				1											0,031				
Penconazol	91	90				1											0,021				
Pirimicarb	91	90				1											0,031				
Pirimiphos-methyl	91	85				1	2	2		1							0,614				
Procymidone	91	75				2	2	7	4	1							0,73				
Pyrimethanil	91	90					1										0,064				
Pyriproxifen	40	39					1										0,054				
Tebuconazol	91	88			1		1		1								0,34	2	0,05	N	
Tetraconazole	91	90				1											0,034				
Tetradifon	76	75			1												0,011				
Vinclozolin	91	90				1											0,04				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	berries and smal fruit	Food item:	table grapes
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	112	With residues above MRL (EC+national):	9
Without detectable residues:	21	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	82	With residues above national MRL:	6

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	95	94						1									0,11	1	0,02	E
Acrinathrin	112	111					1										0,054	1	0,01	W(N)
Azoxystrobin	112	89		1	1	2	2	10	6	1							0,576			
Benomylgroup	111	105							3	1	2						1,248			
Bifenthrin	112	111				1											0,026			
Chlorpyrifos	112	93			2	2	7	7	1								0,28			
Chlorpyrifos-methyl	112	107				2	3										0,096			
Cyfluthrin	112	111				1											0,05			
Cypermethrin	95	85					3	2	4	1							0,51			
Cyprodinil	112	78			3		4	4	14	5	3	1					3,2	1	2,00	N
Deltamethrin	95	91					3	1									0,11			
Dichlofluanid	112	110				1		1									0,16			
Dicofol	112	110				1					1						1,3			
Dimethoat	112	111		1													0,01			
Endosulfan	112	111				1											0,024			
Fenarimol	95	92			2	1											0,021			
Fenazaquin	48	46			1				1								0,22	1	0,01	W(N)
Fenhexamid	48	45							1	2							0,728			
Fenitrothion	112	99				2	5	3	3								0,242			
Fenvalerat	95	94				1											0,024			
Fludioxonil	48	38					1	2	6	1							0,652			
Imazalil	112	107			2	1	2										0,068	1	0,02	E
Imidachloprid	48	46			2												0,016			
Iprodione	112	98				3			3	3	1	4					3			
Lamda-cyhalothrin	95	86				1	7	1									0,149			
Malathion	112	111				1											0,036			
Metalaxyl	95	80					1	7	7								0,483			
Methamidophos	112	111				1											0,04	1	0,01	E
Methomyl	48	47							1								0,412	1	0,05	E
Myclobutanil	95	91				1	2		1								0,25			
Omethoat	112	111					1										0,06			
Penconazol	112	103			2	1	4	2									0,12			
Procymidone	112	72				3	7	2	6	10	8	4					3,3			
Pirimethanil	112	97		1		1	1	2	4	6							1			
Quinalphos	95	94				1											0,025			
Spiroxamin	48	47				1											0,038			

Tebuconazol	112	110						2									0,14			
Tetraconazole	112	107			1	4											0,05	3	0,01	W (N)
Tolyfluanid	112	110					1	1									0,113			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

98/AB XXIII. GP - Anfragebeantwortung - Anlage 6 elektronisch übermittelt

37 von 168

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Miscellenious fruits	Food item:	pinapples
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

pome fruits

Food item:

apples

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

25

Without detectable residues:

10

With detectable residues at or below MRL or without MRL:

15

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	20	19			1												0,017			
Captan	25	23						1	1								0,422			
Carbaryl	20	17							1	2							0,791			
Chlorpyriphos	25	23					2										0,065			
Cyprodinil	20	19					1										0,061			
Dichlorvos	25	24				1											0,034			
Diphenylamin	20	17						1	1	1							0,566			
Endosulfan	25	24				1											0,026			
Fenoxycarb	20	19				1											0,044			
Phosalone	25	22							3								0,49			
Thiabendazole	25	24						1									0,133			
Tolylfluanide	25	24							1								0,275			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed product</u>	Food item:	<u>applejuice concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed food

Food item:

Aroniaconcentrate

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Fungi	Food item:	cultivated mushrooms
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	10	With residues above MRL (EC+national):	1
Without detectable residues:	8	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	4	2								1		1					4,375	1	1,00	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

98/AB XXIII. GP - Anfragebeantwortung - Anlage 6 elektronisch übermittelt

43 von 168

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

miscellenious fruits

Food item:

bananas

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

3

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>leavy vegetables and fresh herbs</u>	Food item:	<u>basilicum (other herbs)</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>Müsli</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

pome fruits

Food item:

Pears

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

20

Without detectable residues:

14

With detectable residues at or below MRL or without MRL:

5

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azinphosmethyl	20	19							1								0,326			
Carbaryl	11	9					1		1								0,276			
Cyprodinil	11	9						1									0,101			
Dichlorvos	20	19						1									0,189	1	0,10	E
Diphenylamin	10	9									1						1,408			
Fludioxonil	10	9						1									0,128			
Iprodione	20	19							1								0,389			
Phosmet	20	18					1	1									0,174			
Thiabendazole	19	18							1								0,497			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>brassica vegetables</u>	Food item:	<u>Cauliflower</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	10	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassica vegetables	Food item:	Broccoli
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	1	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Procymidone	1	0					1										0,068	1	0,02	E
Vinclozolin	1	0				1											0,026			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>bread</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Malathion	4	2			1			1									0,153			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>berries and small fruit</u>	Food item:	<u>blackberry</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>fruiting vegetables</u>	Food item:	<u>chili (other solanaceae)</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>chocolate-nutcreme</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

brassica vegetables

Food item:

chinese cabbage

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

5

Without detectable residues:

5

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

54 von 168

98/AB XXIII. GP - Anfragebeantwortung - Anlage 6 elektronisch übermittelt

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	cereals	Food item:	spelts
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:		With residues above MRL (EC+national):	
Without detectable residues:		With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:		With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>berries and small fruit</u>	Food item:	<u>strawberries</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	137	With residues above MRL (EC+national):	4
Without detectable residues:	75	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	58	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azoxystrobin	137	117				2	4	1	2		1						1,078			
Bupirimat	137	134					2	1									0,12			
Chlorpyrifos-methyl	137	135				1		1									0,126			
Chlorthalonil	137	124				4	1	2	1	2	3						1,095			
Cyproconazole	83	82						1									0,115	1	0,05	N
Cyprodinil	83	61			2	5	2	5	7	1							0,501			
Dichlofluanid	137	136						1									0,141			
Dichlorvos	137	136						1									0,18			
Endosulfan	137	129				5	3										0,063			
Fenarimol	137	128			4	2	3										0,068			
Fenhexamid	129	128											1				6,35	1	5,00	N
Fludioxonil	75	58				1	2	5	8	1							0,545			
Folpet	137	135						2									0,187			
Iprodione	137	132						1	3		1						1,171			
Kresoximmethyl	83	72			2	3	2	3	1								0,234			
Malathion	137	134					2		1								0,324			
Metalaxyl	137	136				1											0,042			
Methiocarb	75	74						1									0,172			
Myclobutanil	137	125				3	5	1	2		1						1,01	1	0,20	N
Penconazol	137	130				6	1										0,085	1	0,05	E
Procymidone	137	118			1	4	4	3	4	1							0,719			
Pyrimethanil	137	131					1	2		2	1						1,279			
Tolyfluanid	137	135					1		1								0,29			
Triadimefon	83	82							1								0,35			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

legume vegetables

Food item:

beans fresh

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

26

Without detectable residues:

24

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

1

With residues above EC-MRL:

0

With residues above national MRL:

1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Defenoconazole	15	14						1									0,14	1	0,02	N
Endosulfan	26	25			1												0,019			
Procymidone	26	25				1											0,038			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Difencona	0,140
Endosulfar	0,019
Procymido	0,038

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed food

Food item:

fruit juice

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Pirimicarb	2	1				1											0,022			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>food preparation</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>vegetable fruit juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>vegetable juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Cereals

Food item:

cereal

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

0

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Malathion	1	0						1									0,12			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:		Food item:	Spices
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Parathionmethyl	2	1				1											0,04			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>citrus fruit</u>	Food item:	<u>grapefruit</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	1	0								1							1,87			
Thiabendazole	1	0									1						3,027			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	cucumbers
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	50	With residues above MRL (EC+national):	2
Without detectable residues:	46	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dichlorvos	50	49						1									0,17	1	0,10	E
Iprodion	50	49				1											0,04			
Procymidon	50	49					1										0,08			
Pyrrimethanil	50	48					2										0,1	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed food

Food item:

flaked oats

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>berries and small fruits</u>	Food item:	<u>hip</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>berries and small fruit</u>	Food item:	<u>bilberries</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Berries and small fruit	Food item:	raspberries
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Vinclozolin	6	5				1											0,028			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>raspberryconcentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Carbendazim	1	0				1											0,039			
Carbaryl	1	0				1											0,035			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	cereals	Food item:	millet
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>elderberry-concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	root and tuber vegetables	Food item:	ginger
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

berries and small fruit

Food item:

currant

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

3

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (****)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>currant concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	bulb vegetables	Food item:	spring onions
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	1	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Cyprodinil	1	0						1									0,157	1	0,05	N
Difenoconazole	1	0					1										0,058			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>root and tuber vegetables</u>	Food item:	<u>carrots</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	11	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>carrots juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Food item:

potatoes

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

50

Without detectable residues:

36

With detectable residues at or below MRL or without MRL:

14

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpropham	50	38					1	2	2	5		2					2,788			
Dichlorvos	50	48				2											0,045			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

stone fruit

Food item:

cherries

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

9

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

6

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Captan	8	7					1										0,086			
Carbendazim	8	7			1												0,018			
Diazinon	9	8				1											0,042			
Dimethoat	9	6				2	1										0,088			
Omethoat	9	6					1	2									0,119			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>miscellenious fruit</u>	Food item:	<u>Khaki</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

miscellenious fruit

Food item:

Kiwi

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Vinclozolin	2	1											1				5,958			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	brassica vegetables	Food item:	kale
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (****)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Chlorpyrifos	8	7					1									0,088			
Dimethoate	8	7			1											0,014			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>brassica vegetables</u>	Food item:	<u>kohlrabi</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	17	With residues above MRL (EC+national):	0
Without detectable residues:	17	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>choice-quality jam</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dimethoat	6	5				1											0,023			
Vinclozolin	6	5			1												0,012			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>brassica vegetables</u>	Food item:	<u>head cabbage</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	7	With residues above MRL (EC+national):	0
Without detectable residues:	7	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

leavy vegetables

Food item:

lettuce

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

191

Without detectable residues:

168

With detectable residues at or below MRL or without MRL:

18

With residues above MRL (EC+national):

5

With residues above EC-MRL:

3

With residues above national MRL:

2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	191	190				1											0,042			
Chlorpyrifos	191	189						1	1								0,434	2	0,05	E
Chlorthaldimethyl	45	44			1												0,013			
Cyprodinil	45	43					1										0,065			
Dichloran	191	190							1								0,352	1	0,01	N
Dimethoat	191	190					1										0,078			
Dimethomorph	45	44						1									0,132	1	0,05	N
Fludioxonil	45	2					1	1									0,168			
Folpet	191	190											1				5,9	1	2,00	E
Iprodione	191	187							1			1	2				6,978			
Iamda-Cyhalothrin	191	190							1								0,244			
Metalaxyl	191	190						1									0,116			
Oxadixyl	191	189				1	1										0,057			
Pirimiphosmethyl	191	190				1											0,04			
Procymidone	191	182				1		3	1	1							0,512			
Propamocarb	45	42										1	2				8,704			
Tolclophos-methyl	191	185			3	2				1							0,798			
Vinclozolin	191	190				1											0,023			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

98/AB XXIII. GP - Anfragebeantwortung - Anlage 6 elektronisch übermittelt

87 von 168

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>root and tuber vegetables</u>	Food item:	<u>horse radish</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>miscellenious fruits</u>	Food item:	<u>kumquats</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Malathion	1	0							1								0,292			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>fruiting vegetables</u>	Food item:	<u>squashes</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	9	With residues above MRL (EC+national):	0
Without detectable residues:	9	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	oilseed	Food item:	squashes seed
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dieldrin	2	1			1												0,018			
HCB	2	1			1												0,013			
Trifluralin	2	1				1											0,021			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

stem vegetables

Food item:

Leek

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>lemonjuice concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	1
Without detectable residues:	1	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	2	1			1												0,02			
Imazalil	2	1					1										0,14	1	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

miscellenious fruits

Food item:

mangoes

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>miscellenious fruits</u>	Food item:	<u>Maracujas</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	cereals	Food item:	corn
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

stone fruit

Food item:

apricots

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

12

Without detectable residues:

7

With detectable residues at or below MRL or without MRL:

4

With residues above MRL (EC+national):

1

With residues above EC-MRL:

0

With residues above national MRL:

1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	10	8			1	1											0,031			
Dimethoat	12	11					1										0,065			
Fenvalerate	10	8			1	1											0,039			
Omethoat	12	10			2												0,02			
Phosalone	12	11				1											0,048			
Tebuconazole	11	10						1									0,164	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed food

Food item:

apricot pulp

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Carbaryl	2	1				1											0,033			
Benomylgroup	2	1						1									0,101			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>fruiting vegetables</u>	Food item:	<u>aubergines</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Endosulfan	1	0				1											0,049			
Tetradifon	1	0				1											0,042			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed food

Food item:

flour

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

0

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Malathion	1	0				1											0,048			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>fruiting vegetables</u>	Food item:	<u>melons</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	11	10								1							1,464			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	oil seeds	Food item:	poppy seed
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>miscellenious fruits</u>	Food item:	<u>Nashi</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Fenitrothion	2	1					1										0,099			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	tree nuts	Food item:	nuts
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Endosulfan	3	2			1												0,02			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>oils</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	22	With residues above MRL (EC+national):	4
Without detectable residues:	16	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dieldrin	22	21				1											0,03			
Endosulfan	22	20				2											0,036	2	0,01	E
Fenitrothion	22	21				1											0,031			
HCB	22	21				1											0,025			
Malathion	22	20				1	1										0,071	2	0,01	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

citrus fruit

Food item:

oranges

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

15

Without detectable residues:

10

With detectable residues at or below MRL or without MRL:

2

With residues above MRL (EC+national):

3

With residues above EC-MRL:

0

With residues above national MRL:

3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyrifos	15	12					2	1									0,13			
Dichlorbenzophenon	15	12				2	1										0,067	3	0,01	N
Dicofol	15	12					1	1	1								0,23			
Imazalil	15	14						1									0,154			
Propargit	3	2					1										0,091			
Thiabendazol	15	14						1									0,107			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>orange juice concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomylgroup	1	0				1											0,037			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>orange juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	1	0				1											0,021			
Thiabendazole	1	0			1												0,012			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>miscellenious fruits</u>	Food item:	<u>papaya</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	peppers
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	343	With residues above MRL (EC+national):	30
Without detectable residues:	212	With residues above EC-MRL:	18
With detectable residues at or below MRL or without MRL:	101	With residues above national MRL:	12

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acrinathrin	295	294					1										0,065			
Azoxystrobin	343	342					1										0,055			
Bifenthrin	343	341			1	1											0,034			
Benomylgroup	67	66				1											0,033			
Chlorpyrifos	343	337			1			2	1	2							0,98	1	0,50	E
Chlorothalonil	343	339				3			1								0,29			
Cypermethrin	343	334					7			1	1						1,41	2	0,50	E
Cyprodinil	295	283			1	5	5	1									0,142			
Deltamethrin	343	341				1	1										0,073			
Dichlorvos	343	340				3											0,044			
Dicofol	343	341					2										0,08	2	0,02	E
Endosulfan	343	322				5	4	6	3	2	1						1,25	1	1,00	E
Fenarimol	343	340			1	2											0,034			
Fludioxonil	67	48				2	11	6									0,173			
Flusilazole	295	294				1											0,032			
Imidacloprid	67	48		1	4	5	4	3	2								0,245	6	0,05	N
Iprodione	343	337					4	1	1								0,225			
Kresoximmethyl	67	65				2											0,04			
Malathion	343	341				1	1										0,062			
Metalaxyl	343	342						1									0,12	1	0,05	E
Methamidophos	343	331				7		2	3								0,37	13	0,01	E
Methiocarb	67	62					2	1	2								0,467	3	0,05	N
Monocrotophos	295	294					1										0,054	1	0,05	N
Myclobutanil	343	342					1										0,054			
Oxadixyl	343	342					1										0,058			
Pirimicarb	343	342			1												0,019			
Pirimiphosmethyl	343	338				3	1	1									0,14			
Procymidone	343	310			1	7	5	4	16								0,509			
Propamocarb	67	66				1											0,022			
Pyrimethanil	343	334				4	3	1		1							0,643	3	0,05	N
Tebuconazole	343	339			1	1	2										0,057			
Tetraconazole	295	294			1												0,011			
Tetradifon	343	342				1											0,039			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

stone fruit

Food item:

peaches

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

24

Without detectable residues:

18

With detectable residues at or below MRL or without MRL:

5

With residues above MRL (EC+national):

1

With residues above EC-MRL:

0

With residues above national MRL:

1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azinphos-methyl	24	23					1										0,1			
Benomylgroup	9	7				1		1									0,109			
Chlorpyriphosmethyl	24	23					1										0,059			
Cyprodinil	13	12					1										0,076			
Fenitrothion	24	21				1			2								0,454			
Fenthion	24	23			1												0,02			
lamde-Cyhalothrin	24	23						1									0,12			
Parathionmethyl	24	23					1										0,083			
Phosmet	24	23				1											0,023			
Procymidone	24	21						2	1								0,548			
Tebuconazole	24	23					1										0,095	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	stone fruit	Food item:	plums
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	22	With residues above MRL (EC+national):	0
Without detectable residues:	21	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Phosalone	22	21					1										0,091			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>citrus fruit</u>	Food item:	<u>pomelos</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	1	0															2,245			
Thiabendazole	1	0															4,253			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

berries and small fruits

Food item:

cranberry

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

6

Without detectable residues:

6

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

root and tber vegetables

Food item:

radishes

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

22

Without detectable residues:

20

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyriphos	20	19					1										0,057			
Procymidone	20	19				1											0,032	1	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

116 von 168

98/AB XXIII. GP - Anfragebeantwortung - Anlage 6 elektronisch übermittelt

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

stem vegetables

Food item:

Rhubarb

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

cereals

Food item:

rice

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	cereals	Food item:	rye
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>leavy vegetables and fresh herbs</u>	Food item:	<u>chive</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Food item:

celery

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

4

Without detectable residues:

4

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

leavy vegetables and fresh herbs

Food item:

spinach

Reporting country:

Austria

Year of sampling:

2004

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	stem vegetables	Food item:	asparagus
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	13	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Tea	Food item:	tea
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	20	With residues above MRL (EC+national):	0
Without detectable residues:	20	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	Tomatoes
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	92	With residues above MRL (EC+national):	3
Without detectable residues:	78	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azoxystrobin	92	91				1											0,047			
Bifenthrin	92	91			1												0,018			
Chlorothalonil	92	87			1		1	2	1								0,209			
Cyprodinil	33	32							1								0,294			
Dichlofluanid	92	91				1											0,041			
Dichloran	92	91			1												0,019			
Dimethomorph	26	25						1									0,12	1	0,05	N
Fludioxonil	26	25					1										0,07			
Iprodione	92	88					2	2									0,142			
Procymidone	92	85				2	2	2	1								0,256			
Pyrimethanil	92	91							1								0,341	1	0,05	N
Tebuconazole	92	89				2		1									0,167	1	0,01	N
Tetradifon	92	91				1											0,046			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>berries and small fruits</u>	Food item:	<u>grapes</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	59	With residues above MRL (EC+national):	6
Without detectable residues:	22	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	31	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acrinathrin	45	44				1											0,022	1	0,01	N
Azoxystrobin	59	47					5	2	3	1	1						1,222			
Captan	59	58								1							0,674			
Carbaryl	42	41						1									0,158			
Benomylgroup	42	34			4	1		1	2								0,449			
Chlorpyrifos-methyl	59	50			4	3	1		1								0,323			
Cypermethrin	59	57						1	1								0,358			
Cyprodinil	45	31				1	1	4	5	3							0,725			
Deltamethrin	59	58						1									0,116			
Dichlorvos	59	58				1											0,026			
Fenhexamid	59	52				1		3	1	2							0,626			
Fenitrothion	59	55			1	1		1		1							0,765	1	0,50	E
Fludioxonil	42	35					1	1	4	1							0,558			
Folpet	59	58								1							0,563			
Imidacloprid	42	40			1	1											0,033			
Iprodione	59	51				1	1		3	1	1	1					2,391			
lamda-Cyhalothrin	59	56					2	1									0,14			
Malathion	59	58					1										0,066			
Metalaxyl	59	54					2	3									0,131			
Methomyl	42	40								1	1						1,113	2	0,05	E
Myclobutanil	59	54				1	3	1									0,119			
Procymidone	59	50				1			3	3		2					3,26			
Tebuconazole	59	57				1	1										0,061			
Tetraconazole	45	44				1											0,047	1	0,01	N
Tolclophos-methyl	59	58							1								0,41	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>tropical concentrate</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	cereals	Food item:	wheat
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>citrus fruit</u>	Food item:	<u>lemons</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	6	4						1	1								0,464			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>fruiting vegetables</u>	Food item:	<u>zucchini</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	9	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Endosulfan	9	8				1											0,027			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>plumpulp</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed food</u>	Food item:	<u>shugar</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	bulb vegetables	Food item:	onions
Reporting country:	Austria	Year of sampling:	2004
Total number of samples analysed:	5	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imidacloprid	3	2			1												0,011			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

**Table D1: Details of Residues Exceeding EC-MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	EC-MRL (mg/kg)	Follow-up (**)	Sample reference
Acephat	grapes	R	IT	0,11	0,02	A	NV1163804
Benomyl-group	peppers	R	HU	0,13	0,,1	A	NV0795204
Carbendazim	fungi	R	PL	4,38	1,00	A	RI0400604
Chlorpyrifos	peppers	O	TR	0,98	0,5	A	RV1127504
Chlorpyrifos	lettuce	R	AT	0,19	0,05	A	RH0907504
Chlorpyrifos	lettuce	R	AT	0,43	0,05	A	RI0841104
Cypermethrin	peppers	R	E	1,41	0,50	A	RH1041604
Cypermethrin	peppers	O	TR	0,77	0,5	A	RV0629204
Dichlorvos	cucumbers	R	AT	0,17	0,10	A	RH0918704
Dichlorvos	pears	R	CL	0,19	0,10	A	RI0260104
Dicofol	peppers	O	TR	0,06	0,02	A	RV0788104
Dicofol	peppers	O	TR	0,08	0,02	A	RV1355304
Endosulfan	peppers	O	TR	0,52	1	A	RV0371404
Fenitrothion	grapes	R	IT	0,77	0,50	A	RI0627204
Folpet	lettuce	R	AT	5,90	2,00	A	RH1042704
Imazalil	grapes	R	TR	0,07	0,02	A	NI0827104
Imazalil	lemonjuiceco	R	IT	0,14	0,02	A	RI0834704
Iprodione	lettuce	R	IT	15,00	10,00	A	NV0253004
Metalaxyl	peppers	R	TR	0,12	0,05	A	RI0021904
Methamidophos	grapes	R	IT	0,04	0,01	A	NV1163804
Methamidophos	peppers	R	GR	0,32	0,01	A	NI0517204
Methamidophos	peppers	R	TR	0,14	0,01	A	RV0022404
Methamidophos	peppers	R	TR	0,04	0,01	A	RV0023004
Methamidophos	peppers	R	TR	0,04	0,01	A	RV0028904
Methamidophos	peppers	R	TR	0,10	0,01	A	RV0033404
Methamidophos	peppers	O	TR	0,05	0,01	A	RV0264504
Methamidophos	peppers	O	TR	0,11	0,01	A	RV0270804
Methamidophos	peppers	O	TR	0,04	0,01	A	RV0343704
Methamidophos	peppers	O	TR	0,16	0,01	A	RV0485304
Methamidophos	peppers	O	TR	0,30	0,01	A	RV0788104
Methamidophos	peppers	O	TR	0,03	0,01	A	RV0816604
Methamidophos	peppers	O	TR	0,17	0,01	A	RV0903304
Methamidophos	peppers	O	TR	0,03	0,01	A	RV0903404
Methomyl	grapes	R	IT	0,41	0,05	A	NI0806804
Methomyl	grapes	R	IN	0,63	0,05	A	RI0350104
Methomyl	grapes	R	IN	1,11	0,05	A	RI0495704
Oxydemeton-methyl	lettuce	R	AT	0,12	0,05	A	NI0865504

Penconazol	strawberries	R	ES	0,09	0,05	A	RI0039804
Procymidon	broccoli	R	E	0,07	0,02	A	RH0481804
Procymidon	radish	R	AT	0,03	0,02	A	RH0372104

- (*)

Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other
- (**)

e.g.

W:

Warnings have been issued to the holders of the product inspected and sampled

A:

Administrative consequences have followed,

e.g. prohibiting for sale, prosecutions, the levying of penalties or fines

RA

a Rapid Alert has been notified

Others:

Please indicate other actions taken by other abbreviations and related footnotes

**Table D2: Details of Residues Exceeding non-harmonised MRLs, including national MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2004</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	national MRL (mg/kg)	Follow-up (**)	Sample reference
Acrinathrin	grapes	R	IT	0,05	0,01	A	NI0864004
Acrinathrin	grapes	R	RA	0,02	0,01	A	RV0008304
Acrinathrin	peppers	R	ES	0,02	0,01	A	NV0360704
Acrinathrin	peppers	R	ES	0,09	0,01	A	NV0469904
Acrinathrin	peppers	R	ES	0,02	0,01	A	NV1671504
Benalaxyl	lettuce	R	AT	2,45	0,50	A	NI1021104
Brompropylate	apples	R	AT	0,16	0,05	A	CV0462304
Cyproconazol	strawberries	R	ES	0,12	0,05	A	RI0079504
Cyprodinil	grapes	R	IT	3,20	2,00	A	NV1694104
Cyprodinil	spring onions	R	AT	0,16	0,05	A	RI0840104
Dichloran	lettuce	R	AT	0,35	0,01	A	RI0139704
Dichlorbenzophenon	oranges	R	AT	0,02	0,01	A	RH0187104
Dichlorbenzophenon	oranges	R	AT	0,03	0,01	A	RH0191104
Dichlorbenzophenon	oranges	R	AT	0,07	0,01	A	RH0191204
Dicofol	peppers	R	HU	0,11	0,02	A	NV1316604
Difenconazol	beans fresh	R	MA	0,14	0,02	A	RI0149804
Difenoconazole	lettuce	R	AT	0,07	0,02	A	CV0743204
Dimethomorph	lettuce	R	DE	0,13	0,05	A	RI0224804
Dimethomorph	tomatoes	R	ES	0,12	0,05	A	RI0028304
Endosulfan	plant oil	R	?	0,03	0,01	A	RI0754804
Endosulfan	plant oil	R	?	0,04	0,01	A	RI0754904
Fenazaquin	apples	R	AT	0,09	0,01	A	NI0660504
Fenazaquin	grapes	R	ZA	0,22	0,01	A	NI0630204
Fenhexamid	strawberries	R	MA	6,35	5,00	A	RH0175704
Imidachloprid	peppers	R	ES	0,19	0,05	A	NI0109904
Imidachloprid	peppers	R	IL	0,23	0,05	A	NI0129504
Imidachloprid	peppers	R	ES	0,16	0,05	A	NI0857704
Imidachloprid	peppers	R	ES	0,12	0,05	A	NI0872904
Imidachloprid	peppers	R	ES	0,11	0,05	A	NI0873004
Imidachloprid	peppers	R	ES	0,18	0,05	A	NI0914404
Imidachloprid	peppers	R	TR	0,17	0,05	A	RI0007404
Imidachloprid	peppers	R	TR	0,07	0,05	A	RI0012304
Imidachloprid	peppers	R	ES	0,25	0,05	A	RI0149004
Imidachloprid	peppers	R	ES	0,10	0,05	A	RI0178904
Imidachloprid	peppers	R	ES	0,23	0,05	A	RI0184604
Imidachloprid	peppers	R	ES	0,12	0,05	A	RI0902004

Imidacloprid	lettuce	R	ES	0,14	0,05	A	NI0189804
Malathion	plant oil	R	AT	0,07	0,05	A	RI0631704
Malathion	plant oil	R	IT	0,03	0,01	A	RI0746104
Methiocarb (Mercaptodim	peppers	R	GR	0,66	0,05	A	NI0348104
Methiocarb (Mercaptodim	peppers	R	ES	0,16	0,05	A	NI0872904
Methiocarb (Mercaptodim	peppers	R	ES	0,11	0,05	A	RI0083004
Methiocarb (Mercaptodim	peppers	R	ES	0,48	0,05	A	RI0149004
Methiocarb (Mercaptodim	peppers	R	ES	0,46	0,05	A	RI0194004
Monocrotophos	peppers	O	TR	0,10	0,05	A	RV0302104
Myclobutanil	strawberries	R	IT	1,01	0,20	A	RH0482204
Oxadixyl	lettuce	R	IT	0,82	0,05	A	NV0253004
Pyrimethanil	cucumbers	R	AT	0,10	0,05	A	RH0308204
Pyrimethanil	peppers	R	TR	0,64	0,05	A	RI0011404
Pyrimethanil	peppers	R	TR	0,16	0,05	A	RI0014804
Pyrimethanil	peppers	O	TR	0,09	0,05	A	RV0271004
Pyrimethanil	tomatoes	R	ES	0,34	0,05	A	RI0065204
Tebuconazol	apricots	R	FR	0,16	0,05	A	RI0630304
Tebuconazol	peaches	R	IT	0,10	0,05	A	RI0615604
Tebuconazol	peppers	R	ES	0,08	0,05	A	NI0121804
Tebuconazol	peppers	R	ES	0,34	0,05	A	NV0469904
Tebuconazol	tomatoes	R	ES	0,17	0,05	A	RI0063704
Tetraconazol	grapes	R	IT	0,05	0,01	A	NV1163904
Tetraconazol	grapes	R	IT	0,03	0,01	A	NV1316404
Tetraconazol	grapes	R	IT	0,05	0,01	A	RI0998004
Tetraconazole	grapes	R	IT	0,04	0,01	A	NI0859404
Tolclofos-methyl	grapes	R	IT	0,41	0,05	A	RV1351104
Tolyfluanid	lettuce	R	IT	1,46	0,02	A	NI0219604
Tolyfluanid	lettuce	R	BE	0,16	0,02	A	NI0858004

- (*)

Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other
- (**)

e.g.

W:

Warnings have been issued to the holders of the product inspected and sampled

A:

Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines

RA

a Rapid Alert has been notified

Others:

Please indicate other actions taken by other abbreviations and related footnotes

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country:	_____	Year of sampling:	<u>2004</u>
--------------------	-------	-------------------	-------------

[illegible]

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,

RA e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	_____	Year of sampling:	<u>2004</u>
--------------------	-------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

[illegible]

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled

A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines

RA a Rapid Alert has been notified

Others: Please indicate other actions taken by other abbreviations and related footnotes

Table E: Details of Samples with Multiple Residues (>=2) in Single Samples

(Samples of national and co-ordinated programme)

(Fresh and frozen fruit, vegetables and cereals)

(Sum of surveillance and follow-up enforcement sampling)

(Pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)

Reporting country:	Austria	Year of sampling:	2004
Total number of samples with multiple residues (>=2):	363		
Number of samples with 2 pesticide residues:	171	Number of samples with 5 pesticide residues:	32
Number of samples with 3 pesticide residues:	86	Number of samples with 6 pesticide residues:	17
Number of samples with 4 pesticide residues:	46	Number of samples with 7 pesticide residues:	8
		Number of samples with 8 pesticide residues:	
		Number of samples with 9 pesticide residues:	
		Number of samples with more than 9 pesticide residues:	

Food item	Number of compounds	Compound 1 name	Residue level mg/kg	Compound 2 name	Residue level mg/kg	Compound 3 name	Residue level mg/kg	Compound 4 name	Residue level mg/kg	Compound 5 name	Residue level mg/kg	Compound 6 name	Residue level mg/kg	Compound 7 name
apples	2	Carbaryl	0,03	Diphenylamin	0,12									
apples	2	Chlorpyrifos	0,07	Endosulfan	0,02									
apples	2	Brompropylat	0,02	Thiabendazol	0,22									
apples	2	Bifenthrin	0,02	Maneb-Group	0,07									
apples	2	Chlorpyriphosmethy	0,03	Dichlofluanid	0,03									
apples	2	Brompropylat	0,01	Chlorpyriphos	0,02									
apples	2	Diphenylamin	0,10	Thiabendazol	1,29									
apples	2	Captan	0,11	Endosulfan	0,02									
apples	2	Chlorpyriphos	0,03	Fenoxycarb	0,07									
apples	2	Chlorpyriphos	0,02	Folpet	0,25									
apples	2	Endosulfan	0,05	Pirimicarb	0,10									
apples	2	Chlorpyriphos	0,06	Fenazaquin	0,02									
apples	2	Imazalil	0,01	Pyrimethanil	0,03									
apples	2	Chlorpyrifos	0,04	Endosulfan	0,01									
apples	2	Brompropylat	0,02	Chlorpyrifos	0,02									
apples	2	Endosulfan	0,06	Chlorpyrifos	0,03									
apples	2	Brompropylat	1,00	Endosulfan	0,01									
apples	2	Chlorpyrifos	0,05	Endosulfan	0,04									
apples	2	Brompropylat	0,16	Phosalone	0,03									
apples	2	Dichlofluanid	0,08	Folpet	0,09									
apples	2	Chlorpyrifos	0,10	Cyfluthrin	0,08									
apples	2	Chlorpyrifos	0,09	Chlorpyrifos-methyl	0,04									
apples	2	Captan	0,17	Procymidon	0,05									
apples	2	Chlorpyriphos	0,07	Cyprodinil	0,06									
apples	2	Chlorpyriphos	0,06	Endosulfan	0,03									
apples	2	Diphenylamin	0,27	Thiabendazol	0,13									
apples	2	Captan	0,42	Phosalon	0,49									
apples	2	Fenoxycarb	0,04	Phosalon	0,31									
apples	3	Chlorpyriphos	0,02	Diphenylamin		Thiabendazol	0,17							
apples	3	Brompropylat	0,05	Endosulfan	0,04	Fenoxycarb	0,06							
apples	3	Brompropylat	0,18	Endosulfan	0,04	Fenoxycarb	0,05							
apples	3	Brompropylat	0,07	Chlorpyriphos	0,01	Endosulfan	0,02							
apples	3	Chlorpyriphos	0,09	Endosulfan	0,04	Phosalone	0,07							
apples	3	Captan	0,48	Chlorpyrifos	0,19	Endosulfansulfat	0,08							
apples	4	Brompropylat	0,09	Captan	0,15	Chlorpyriphos	0,02	Fenoxycarb	0,04					
apples	4	Chlorpyriphos	0,12	Endosulfan	0,03	Fenazaquin	0,09	Fenoxycarb	0,06					

apples	4	Captan	0,17	Dichlofluanid	0,18	Endosulfan	0,17	Fenoxycarb	0,09					
apricots	2	Fenvalerat und Esf	0,02	Tebuconazol	0,16									
apricots	2	Carbendazim	0,03	Omethoat	0,01									
apricots	4	Carbendazim	0,02	Dimethoat	0,07	Fenthion	0,13	Omethoat	0,02					
apricots-pulp	2	Carbaryl	0,03	Carbendazim	0,10									
aubergines	2	Endosulfan	0,05	Tetradifon	0,04									
beans green	2	Endosulfan	0,02	Procymidon	0,04									
broccoli	2	Vinclozolin	0,03	Procymidone	0,07									
cherries	2	Dimethoat	0,09	Omethoat	0,05									
cherries	3	Carbendazim	0,02	Dimethoat	0,04	Omethoat	0,12							
cucumbers	3	Iprodion	0,04	Procymidon	0,08	Pyrimethanil	0,06							
grapefruit	2	Imazalil	1,87	Thiabendazol	3,03									
grapes	2	Fenazaquin	0,22	Procymidone	1,52									
grapes	2	Malathion	0,04	Spiroxamin	0,04									
grapes	2	Chlorpyriphos	0,10	Imidachloprid	0,01									
grapes	2	Azoxystrobin	0,01	Chlorpyriphos	0,15									
grapes	2	Azoxystrobin	0,03	Cyprodinil	0,02									
grapes	2	Azoxystrobin	0,06	Cyprodinil	0,08									
grapes	2	Procymidone	0,10	Pyrimethanil	0,13									
grapes	2	Azoxystrobin	0,03	Procymidone	0,79									
grapes	2	Dichlofluanid	0,03	Iprodion	0,05									
grapes	2	Fenitrothion	0,07	Procymidon	0,09									
grapes	2	Cypermethrin	0,12	Iprodion	0,30									
grapes	2	Metalaxyl	0,25	Penconazol	0,05									
grapes	2	Fenitrothion	0,07	Procymidon	0,06									
grapes	2	Acephat	0,11	Methamidophos	0,04									
grapes	2	Chlorpyrifos	0,28	Cypermethrin	0,07									
grapes	2	Fenitrothion	0,21	Penconazol	0,01									
grapes	2	Azoxystrobin	0,16	Cyprodinil	1,05									
grapes	2	Dicofol	0,05	Omethoat	0,06									
grapes	2	Cyprodinil	0,62	Metalaxyl	0,16									
grapes	2	Cypermethrin	0,09	Procymidon	0,40									
grapes	2	Endosulfan	0,02	Pyrimethanil	0,58									
grapes	2	Cypermethrin	0,41	Procymidon	2,40									
grapes	2	Cyprodinil	3,20	Metalaxyl	0,19									
grapes	2	Chlorpyrifos	0,08	Procymidon	0,08									
grapes	2	Azoxystrobin	0,22	Iprodion	0,40									
grapes	2	Dichlorvos	0,03	Iprodion	2,39									
grapes	2	Iprodion	1,82	Malathion	0,07									
grapes	2	Carbendazim	0,02	Methomyl	0,63									
grapes	2	Carbendazim	0,11	Imidachloprid	0,02									
grapes	2	Carbendazim	0,01	Methomyl	1,11									
grapes	2	Fenitrothion	0,11	Procymidon	0,03									
grapes	2	Cyprodinil	0,03	Fenhexamid	0,40									
grapes	2	Chlorpyriphosmethy	0,03	Cyprodinil	0,28									
grapes	3	Imazalil	0,06	Lamda-cyhalothrin	0,06	Quinalphos	0,03							
grapes	3	Chlorpyriphos	0,10	Fenarimol	0,02	Procymidone	0,04							
grapes	3	Azoxystrobin	0,12	Cyprodinil	0,44	Procymidone	0,78							
grapes	3	Azoxystrobin	0,16	Cyprodinil	0,65	Pyrimethanil	0,19							
grapes	3	Cyprodinil	0,42	Metalaxyl	0,06	Myclobutanil	0,08							
grapes	3	Cyprodinil	0,44	Metalaxyl	0,26	Pyrimethanil	0,94							
grapes	3	Cyprodinil	0,39	Fenitrothion	0,22	Procymidon	0,72							
grapes	3	Cyprodinil	0,35	Metalaxyl	0,30	Procymidon	0,06							
grapes	3	Azoxystrobin	0,20	Benomylgroup	0,40	Fenitrothion	0,06							

grapes	3	Dichlofluanid	0,16	Metalaxyl	0,11	Pyrimethanil	1,00						
grapes	3	Carbaryl	0,16	Chlorpyriphos	0,32	Iprodion	0,51						
grapes	3	Captan	0,67	Cyprodinil	0,59	Fludioxonil	0,30						
grapes	3	Azoxystrobin	0,06	Cyprodinil	0,06	Procymidon	0,26						
grapes	3	Fenhexamid	0,13	Fenitrothion	0,77	Tebuconazol	0,06						
grapes	3	Azoxystrobin	0,11	Cyprodinil	0,73	Fludioxonil	0,37						
grapes	3	Deltamethrin	0,12	Fenitrothion	0,04	Myclobutanil	0,09						
grapes	3	Cyprodinil	0,25	Fenhexamid	0,13	Fludioxonil	0,28						
grapes	4	Cyprodinil	0,86	Fenitrothion	0,24	Fludioxonil	0,65	Procymidone	0,05				
grapes	4	Azoxystrobin	0,58	Benomylgroup	1,06	Chlorpyriphos	0,18	Fenvalerat	0,02				
grapes	4	Iprodion	2,57	Lamda-cyhalothrin	0,08	Metalaxyl	0,17	Procymidone	1,15				
grapes	4	Cyprodinil	0,22	Dimethoat	0,01	Fludioxonil	0,10	Procymidone	1,22				
grapes	4	Cypermethrin	0,17	Iprodion	0,05	Procymidon	0,54	Tetraconazol	0,03				
grapes	4	Chlorpyrifos-methyl	0,04	Cyprodinil	1,40	Fenitrothion	0,14	Procymidon	1,50				
grapes	4	Cypermethrin	0,51	Deltamethrin	0,11	Iprodion	3,00	Procymidon	0,65				
grapes	4	Azoxystrobin	1,22	Chlorpyriphos	0,04	Chlorpyriphosmethyl	0,01	Pyrimethanil	0,58				
grapes	4	Cyprodinil	0,16	Fenhexamid	0,81	Fludioxonil	0,09	Myclobutanil	0,05				
grapes	4	Azoxystrobin	0,07	Cyprodinil	0,15	Lambda-Cyhalothrin	0,14	Procymidon	2,60				
grapes	4	Fludioxonil	0,29	Folpet	0,56	Metalaxyl	0,13	Tetraconazol	0,05				
grapes	4	Cyprodinil	0,50	Myclobutanil	0,08	Procymidon	0,38	Tolclofos-methyl	0,41				
grapes	5	Azoxystrobin	0,15	Chlorpyriphos	0,01	Fenarimol	0,02	Fenhexamid	0,64	Imidachloprid	0,02		
grapes	5	Chlorpyriphos	0,05	Lamda-cyhalothrin	0,09	Penconazol	0,03	Procymidone	0,47	Pyrimethanil	0,03		
grapes	5	Fenhexamid	0,40	Imazalil	0,03	Lamda-cyhalothrin	0,15	Myclobutanil	0,08	Procymidone	1,31		
grapes	5	Cyprodinil	0,12	Fenazaquin	0,02	Fludioxonil	0,08	Methomyl	0,41	Pyrimethanil	0,06		
grapes	5	Azoxystrobin	0,27	Chlorpyriphos	0,12	Chlorpyriphosmethyl	0,05	Procymidone	0,75	Tetraconazole	0,04		
grapes	5	Azoxystrobin	0,16	Benomylgroup	0,52	Iprodion	0,76	Lamda-cyhalothrin	0,09	Procymidone	0,77		
grapes	5	Acrinathrin	0,05	Cyprodinil	0,24	Fludioxonil	0,18	Metalaxyl	0,15	Procymidone	0,34		
grapes	5	Benomylgroup	0,31	Cypermethrin	0,07	Iprodion	0,51	Procymidone	1,69	Pyrimethanil	0,60		
grapes	5	Azoxystrobin	0,36	Chlorpyriphos	0,04	Cyprodinil	0,49	Fludioxonil	0,30	Metalaxyl	0,29		
grapes	5	Azoxystrobin	0,18	Cyprodinil	0,07	Procymidone	0,25	Pyrimethanil	0,48	Tolyfluanid	0,07		
grapes	5	Azoxystrobin	0,17	Bifenthrin	0,03	Chlorpyriphos	0,05	Fenhexamid	0,73	Tetraconazole	0,02		
grapes	5	Azoxystrobin	0,01	Cyprodinil	0,19	Imazalil	0,01	Procymidone	0,67	Pyrimethanil	0,01		
grapes	5	Benomylgroup	1,25	Chlorpyriphos-methyl	0,10	Cyprodinil	0,06	Imazalil	0,02	Pyrimethanil	0,53		
grapes	5	Azoxystrobin	0,20	Chlorpyriphos	0,02	Chlorpyriphosmethyl	0,08	Cyprodinil	0,26	Fenhexamid	0,03		
grapes	5	Azoxystrobin	0,09	Cyprodinil	0,55	Fludioxonil	0,56	Metalaxyl	0,12	Tebuconazol	0,04		
grapes	5	Acrinathrin	0,02	Chlorpyrifos-methyl	0,03	Cyprodinil	0,47	Iprodion	0,03	Procymidon	0,37		
grapes	6	Azoxystrobin	0,17	Chlorpyriphosmethyl	0,09	Cyprodinil	0,53	Fludioxonil	0,32	Penconazol	0,08	Procymidone	0,32
grapes	6	Azoxystrobin	0,18	Cyprodinil	0,24	Fenitrothion	0,04	Fludioxonil	0,26	Procymidone	0,36	Pyrimethanil	0,48
grapes	6	Chlorpyrifos	0,02	Cypermethrin	0,38	Deltamethrin	0,07	Myclobutanil	0,25	Penconazol	0,12	Procymidon	0,06
grapes	6	Azoxystrobin	0,07	Chlorpyrifos	0,13	Deltamethrin	0,07	Dicofol	1,30	Iprodion	0,50	Procymidon	1,50
grapes	6	Azoxystrobin	0,93	Carbendazim	0,04	Chlorpyriphos	0,02	Fenhexamid	0,67	Imidachloprid	0,03	Iprodion	0,20
grapes	6	Azoxystrobin	0,21	Carbendazim	0,01	Chlorpyriphos	0,08	Lambda-Cyhalothrin	0,03	Myclobutanil	0,04	Procymidon	0,64
grapes	6	Carbendazim	0,29	Cypermethrin	0,36	Cyprodinil	0,17	Fludioxonil	0,13	Metalaxyl	0,12	Procymidon	0,91
grapes	6	Azoxystrobin	0,07	Carbendazim	0,45	Chlorpyriphos	0,01	Lambda-Cyhalothrin	0,06	Myclobutanil	0,12	Procymidon	3,26
grapes	7	Cyprodinil	0,49	Fenitrothion	0,13	Fludioxonil	0,33	Metalaxyl	0,48	Procymidone	0,61	Tebuconazol	0,11
grapes	7	Cypermethrin	0,23	Cyprodinil	0,38	Fludioxonil	0,36	Iprodion	2,62	Lamda-cyhalothrin	0,05	Metalaxyl	0,22
grapes	7	Cyprodinil	0,64	Deltamethrin	0,06	Fludioxonil	0,39	Imazalil	0,07	Lamda-cyhalothrin	0,09	Penconazol	0,06
grapes	7	Azoxystrobin	0,31	Chlorpyrifos	0,15	Fenitrothion	0,12	Metalaxyl	0,21	Penconazol	0,12	Procymidon	3,30
grapes	7	Azoxystrobin	0,24	Benomylgruppe (S)	0,40	Chlorpyrifos	0,10	Cyprodinil	1,50	Iprodion	0,03	Lamda-cyhalothrin	0,09
grapes	7	Azoxystrobin	0,23	Chlorpyriphos	0,02	Chlorpyriphosmethyl	0,01	Cyprodinil	0,14	Fenhexamid	0,20	Fenitrothion	0,02
grapes	8	Azoxystrobin	0,32	Chlorpyriphos	0,05	Chlorpyriphosmethyl	0,07	Cyprodinil	0,24	Fenitrothion	0,08	Metalaxyl	0,17
head cabbage	2	Difenconazole	0,16	Dimethoat	0,04								
lemonjuiceconcentrate	2	Carbendazim	0,02	Imazalil	0,14								
lettuce	2	Propyzamid	0,30	Maneb-Group	0,05								

lettuce	2	Acephat	0,04	Imidachloprid	0,03								
lettuce	2	Dimethoat	0,13	Imidachloprid	0,14								
lettuce	2	Cyfluthrin	0,09	Procymidone	0,73								
lettuce	2	Deltamethrin	0,06	Imidachloprid	0,01								
lettuce	2	Azoxystrobin	0,11	Iprodion	0,24								
lettuce	2	Iprodion	0,25	Tolclofos-methyl	0,01								
lettuce	2	Iprodion	1,10	Tolclofos-methyl	0,05								
lettuce	2	Dichlofluanid	0,03	Iprodion	0,14								
lettuce	2	Chlorpyrifos	0,03	Tolclofos-methyl	0,04								
lettuce	2	Iprodion	2,00	Procymidon	0,22								
lettuce	2	Chlorpyriphos	0,19	Procymidone	0,51								
lettuce	2	Acephat	0,04	Dimethoat	0,08								
lettuce	2	Iprodion	0,49	Procymidon	0,10								
lettuce	2	Chlorthaldimethyl	0,01	Metalaxyl	0,12								
lettuce	2	Cyprodinil	0,07	Fludioxonil	0,17								
lettuce	3	Dimethoat	0,19	Omethoat	0,07	Procymidone	0,13						
lettuce	3	Cyprodinil	0,11	Fludioxonil	0,10	Propamocarb	0,15						
lettuce	3	Cyprodinil	0,15	Dichloran	0,01	Fludioxonil	0,23						
lettuce	3	Iprodion	0,09	Procymidone	0,05	Tolclophosmethyl	0,02						
lettuce	3	Dimethoat	0,01	Folpet	0,22	Iprodion	0,17						
lettuce	3	Demeton-S-methyls	0,03	Iprodion	0,51	Oxydemeton-methyl	0,12						
lettuce	3	Iprodion	15,00	Oxadixyl	0,82	Procymidon	2,30						
lettuce	3	Cyfluthrin	0,06	Cypermethrin	0,06	Tolclofos-methyl	0,28						
lettuce	3	Benomylgroup	0,17	Chlorpyrifos	0,02	Iprodion	0,09						
lettuce	3	Iprodion	5,84	Lambda-Cyhalothrin	0,24	Oxadixyl	0,04						
lettuce	3	Oxadixyl	0,06	Pirimiphosmethyl	0,04	Tolclofosmethyl	0,80						
lettuce	3	Cyprodinil	0,07	Fludioxonil	0,09	Procymidon	0,19						
lettuce	4	Cyprodinil	0,24	Fludioxonil	0,40	Iprodion	2,47	Procymidone	0,11				
lettuce	4	Cyprodinil	0,34	Fludioxonil	0,46	Iprodion	1,85	Procymidone	0,07				
lettuce	4	Benalaxyl	2,45	Chlorpyriphos	0,05	Fenhexamid	5,38	Iprodion	0,11				
lettuce	4	Chlorpyrifos	0,04	Iprodion	0,08	Pyriphenox	0,03	Tolclofos-methyl	0,73				
lettuce	4	Cyfluthrin	0,35	Folpet	0,12	Metalaxyl	0,05	Procymidon	1,90				
lettuce	4	Folpet	0,11	Iprodion	0,18	Metalaxyl	0,10	Procymidon	3,20				
lettuce	4	Dimethomorph	0,13	Iprodion	2,75	Propamocarbhydro	8,70	Vinclozolin	0,02				
lettuce	5	Deltamethrin	0,04	Dimethoat	0,03	Folpet	0,43	Metalaxyl	0,05	Omethoat	0,04		
lettuce	5	Deltamethrin	0,09	Dichloran	0,02	Iprodion	1,58	Procymidone	0,04	Propamocarb	0,11		
lettuce	5	Iprodion	4,72	Procymidone	0,28	Propamocarb	8,12	Tolclophosmethyl	0,09	Tolyfluanid	1,46		
lettuce	5	Iprodion	3,26	Lamda-cyhalothrin	0,08	Methomyl	0,04	Propamocarb	7,63	Tolyfluanid	0,16		
lettuce	5	Iprodion	0,09	Metalaxyl	0,09	Methomyl	0,02	Procymidone	2,05	Propamocarb	2,26		
onion	2	Cyprodinil	0,16	Difenconazol	0,06								
orange juice	2	Carbendazim	0,06	Imazalil	0,10								
orange juice	2	Carbendazim	0,04	Imazalil	0,09								
orange juice	2	Carbendazim	0,02	Imazalil	0,02								
orange juice	3	Carbendazim	0,06	Imazalil	0,03	Thiabendazol	0,03						
orange-juice	2	Imazalil	0,02	Thiabendazol	0,01								
oranges	2	Dicofol	0,07	Dichlorbenzophend	0,02								
oranges	2	Dicofol	0,12	Dichlorbenzophend	0,03								
oranges	3	Dicofol	0,23	Dichlorbenzophend	0,07	Chlorpyriphos	0,06						
oranges	4	Chlorpyriphos	0,07	Imazalil	0,15	Propargit	0,09	Thiabendazol	0,11				
peaches/nectar	2	Fenthion	0,02	Phosmet	0,02								
peaches/nectar	2	Carbendazim	0,04	Procymidon	0,16								
peaches/nectar	2	Fenitrothion	0,03	Procymidon	0,31								
peaches/nectar	3	Carbendazim	0,11	Fenitrothion	0,45	Tebuconazol	0,10						
peaches/nectar	6	Azinphosmethyl	0,10	Chlorpyriphosmethyl	0,06	Cyprodinil	0,08	Fenitrothion	0,25	Parathionmethyl	0,08	Procymidon	0,55

pears	2	Carbaryl	0,08	Thiabendazol	0,50									
pears	3	Diphenylamin	1,41	Iprodion	0,39	Phosmet	0,17							
pears	3	Carbaryl	0,28	Cyprodinil	0,10	Fludioxonil	0,13							
peppers	2	Endosulfan	0,08	Pyrimethanil	0,06									
peppers	2	Pirimiphosmethyl	0,07	Procymidone	0,04									
peppers	2	Oxamyl	0,03	Tetraconazole	0,03									
peppers	2	Cypermethrin	0,22	Pyriproxifen	0,05									
peppers	2	Bifenthrin	0,03	Imidachlopid	0,11									
peppers	2	Endosulfan	0,04	Imidachlopid	0,18									
peppers	2	Iprodion	0,05	Procymidon	0,24									
peppers	2	Iprodion	0,09	Kresoxim-methyl	0,03									
peppers	2	Pirimiphos-methyl	0,19	Procymidon	0,16									
peppers	2	Azoxystrobin	0,08	Iprodion	0,18									
peppers	2	Acrinathrin	0,02	Endosulfan	0,01									
peppers	2	Cypermethrin	0,27	Iprodion	0,11									
peppers	2	Bifenthrin	0,03	Cypermethrin	1,41									
peppers	2	Imidachlopid	0,07	Kresoximmethyl	0,03									
peppers	2	Endosulfan	0,05	Procymidon	0,26									
peppers	2	Procymidon	0,51	Pyrimethanil	0,05									
peppers	2	Endosulfan	0,12	Pirimiphosmethyl	0,02									
peppers	2	Endosulfan	0,03	Procymidon	0,20									
peppers	2	Imidachlopid	0,01	Iprodion	0,08									
peppers	2	Procymidon	0,05	Tetraconazol	0,01									
peppers	2	Endosulfan/-sulfat	0,14	Imidachlopid	0,23									
peppers	2	Imidachlopid	0,12	Procymidon	0,03									
peppers	2	Chlorpyrifos	0,02	Methamidophos	0,14									
peppers	2	Chlorpyrifos	0,04	Methamidophos	0,04									
peppers	2	Chlorpyrifos	0,02	Methamidophos	0,10									
peppers	2	Endosulfan	0,06	Procymidon	0,17									
peppers	2	Chlorpyrifos	0,02	Methamidophos	0,11									
peppers	2	Endosulfan	0,05	Procymidon	0,32									
peppers	2	Endosulfan	1,25	Procymidon	0,42									
peppers	2	Brompropylat	0,03	Procymidon	0,07									
peppers	2	Endosulfan	0,01	Procymidon	0,27									
peppers	2	Chlorpyrifos	0,26	Procymidon	0,05									
peppers	2	Endosulfan	0,19	Procymidon	0,15									
peppers	2	Endosulfan	0,04	Procymidon	0,25									
peppers	2	Diazinon	0,03	Dichlorvos	0,02									
peppers	2	Cypermethrin	0,77	Procymidon	0,08									
peppers	2	Methamidophos	0,03	Procymidon	0,05									
peppers	2	Endosulfan	0,65	Chlorpyrifos	0,82									
peppers	2	Chlorothalonil	0,01	Procymidon	0,20									
peppers	2	Cypermethrin	0,34	Kresoxim-methyl	0,42									
peppers	2	Chlorpyrifos	0,21	Iprodion	0,04									
peppers	2	Azoxystrobin	0,10	Procymidon	0,33									
peppers	3	Endosulfan	0,03	Imidachlopid	0,04	Procymidone	0,05							
peppers	3	Endosulfan	0,02	Pirimiphosmethyl	0,61	Procymidone	0,21							
peppers	3	Bifenthrin	0,05	Methiocarb (Mercap	0,66	Pirimiphosmethyl	0,16							
peppers	3	Endosulfan	0,21	Methamidophos	0,32	Penconazol	0,02							
peppers	3	Endosulfan	0,06	Malathion	0,03	Procymidon	0,20							
peppers	3	Iprodion	0,06	Pirimiphos-methyl	0,08	Procymidon	0,11							
peppers	3	Acrinathrin	0,02	Endosulfan	0,07	Procymidon	0,18							
peppers	3	Endosulfan	0,06	Iprodion	0,10	Procymidon	0,13							
peppers	3	Cyprodinil	0,06	Fludioxonil	0,05	Procymidon	0,35							

peppers	3	Chlorthalonil	0,05	Procymidon	0,06	Pyrimethanil	0,06							
peppers	3	Azoxystrobin	0,06	Chlorthalonil	0,05	Procymidon	0,17							
peppers	3	Chlorthalonil	0,29	Cyprodinil	0,08	Fludioxonil	0,06							
peppers	3	Cyprodinil	0,05	Fludioxonil	0,06	Pyrimethanil	0,64							
peppers	3	Cyprodinil	0,03	Procymidon	0,31	Pyrimethanil	0,04							
peppers	3	Cyprodinil	0,06	Fludioxonil	0,11	Procymidon	0,04							
peppers	3	Fludioxonil	0,11	Imidachlopid	0,01	Procymidon	0,33							
peppers	3	Fludioxonil	0,10	Imidachlopid	0,02	Iprodion	0,23							
peppers	3	Fludioxonil	0,08	Imidachlopid	0,01	Procymidon	0,43							
peppers	3	Cypermethrin	0,05	Fludioxonil	0,03	Procymidon	0,03							
peppers	3	Endosulfan	0,09	Procymidon	0,10	Pyrimethanil	0,02							
peppers	3	Chlorthalonil	0,04	Cyprodinil	0,02	Pirimiphosmethyl	0,05							
peppers	3	Endosulfan	0,09	Malathion	0,04	Procymidon	0,24							
peppers	3	Fludioxonil	0,10	Methiocarb (Merca	0,07	Procymidon	0,12							
peppers	3	Endosulfan	0,43	Procymidon	0,17	Tetradifon	0,04							
peppers	3	Endosulfan	0,09	Parathion-methyl	0,02	Procymidon	0,52							
peppers	3	Chlorothalonil	0,03	Procymidon	0,06	Tetradifon	0,02							
peppers	3	Iprodion	0,12	Procymidon	0,31	Tetradifon	0,05							
peppers	4	Bifenthrin	0,03	Chlorpyriphos	0,06	Endosulfan	0,44	Procymidone	0,21					
peppers	4	Benomylgruppe (St	0,13	Chlorpyrifos	0,12	Endosulfan	0,01	Tetradifon	0,01					
peppers	4	Chlorpyriphos	0,21	Fenarimol	0,02	Kresoximmethyl	0,04	Procymidon	0,26					
peppers	4	Cyprodinil	0,14	Fludioxonil	0,09	Imidachlopid	0,04	Oxadixyl	0,05					
peppers	4	Cyprodinil	0,04	Endosulfan	0,04	Fludioxonil	0,10	Metalaxyl	0,12					
peppers	4	Fludioxonil	0,08	Iprodion	0,07	Myclobutanil	0,05	Procymidon	0,17					
peppers	4	Cyprodinil	0,02	Fludioxonil	0,09	Imidachlopid	0,01	Procymidon	0,34					
peppers	4	Cyprodinil	0,04	Fludioxonil	0,12	Imidachlopid	0,02	Procymidon	0,09					
peppers	4	Bifenthrin	0,02	Iprodion	0,07	Pirimiphosmethyl	0,08	Procymidon	0,04					
peppers	4	Cypermethrin	0,05	Endosulfan	0,15	Procymidon	0,38	Vinclozolin	0,04					
peppers	4	Acrinathrin	0,07	Cypermethrin	0,08	Deltamethrin	0,03	Fludioxonil	0,08					
peppers	4	Endosulfan	0,05	Imidachlopid	0,06	Methiocarb (Merca	0,03	Procymidon	0,03					
peppers	4	Imidachlopid	0,10	Procymidon	0,03	Pyrimethanil	0,06	Tebuconazol	0,06					
peppers	4	Carbendazim	0,03	Endosulfan/-sulfat	0,11	Imidachlopid	0,05	Methiocarb (Merca	0,46					
peppers	5	Acrinathrin	0,09	Cyprodinil	0,10	Procymidon	0,73	Tebuconazol	0,34	Vinclozolin	0,04			
peppers	5	Cyprodinil	0,10	Endosulfan	0,18	Fenarimol	0,02	Fludioxonil	0,17	Imidachlopid	0,02			
peppers	5	Cypermethrin	0,06	Dichlorvos	0,04	Endosulfan	0,08	Pirimiphosmethyl	0,14	Procymidon	0,11			
peppers	5	Chlorpyrifos	0,14	Cypermethrin	0,06	Endosulfan	0,21	Procymidon	0,43	Pyrimethanil	0,09			
peppers	5	Endosulfan	0,42	Fenarimol	0,03	Monocrotophos	0,10	Procymidon	0,25	Tetradifon	0,01			
peppers	5	Endosulfan	0,18	Buprofezin	0,05	Dicofol	0,06	Methamidophos	0,30	Tetradifon	0,20			
peppers	6	Brompropylat	0,03	Endosulfan	0,18	Imidachlopid	0,04	Methiocarb (Merca	0,03	Procymidone	0,14	Tebuconazol	0,08	
peppers	6	Chlorpyriphos	0,07	Endosulfan	0,08	Imidachlopid	0,12	Methiocarb (Merca	0,16	Methomyl	0,02	Pirimiphosmethyl	0,03	
peppers	6	Cyprodinil	0,07	Dichlorvos	0,03	Fludioxonil	0,13	Imidachlopid	0,06	Iprodion	0,06	Pirimiphosmethyl	0,03	
peppers	7	Chlorpyriphos	0,12	Cyprodinil	0,08	Endosulfan	0,21	Fludioxonil	0,10	Procymidon	0,22	Pyrimethanil	0,16	Tetradifon und Tetr
peppers	8	Cypermethrin	0,07	Endosulfan	0,06	Fludioxonil	0,09	Imidachlopid	0,04	Methiocarb (Merca	0,11	Procymidon	0,06	Pyrimethanil
peppers	9	Cypermethrin	0,05	Deltamethrin	0,07	Dichlorvos	0,02	Endosulfan/-sulfat	0,83	Imidachlopid	0,25	Iprodion	0,17	Malathion
plant-oil	2	Dieldrin	0,03	HCB	0,03									
pomeloos	2	Imazalil	2,25	Thiabendazol	4,25									
punpkinseed	2	Dieldrin	0,02	Trifluralin	0,02									
raspberryconce	2	Carbaryl	0,04	Carbendazim	0,04									
strawberries	2	Fenhexamid	0,02	Tolyfluanid	1,02									
strawberries	2	Azoxystrobin	0,12	Cyprodinil	0,09									
strawberries	2	Cyprodinil	0,18	Kresoxim-methyl	0,05									
strawberries	2	Cyprodinil	0,10	Kresoxim-methyl	0,02									
strawberries	2	Chlorpyriphosmeth	0,13	Myclobutanil	0,35									
strawberries	2	Endosulfan	0,06	Pyrimethanil	0,95									

strawberries	2	Azoxystrobin	0,08	Procymidon	0,11								
strawberries	2	Cyprodinil	0,25	Fludioxonil	0,25								
strawberries	2	Fenarimol	0,02	Procymidon	0,07								
strawberries	2	Chlorthalonil	0,05	Cyprodinil	0,01								
strawberries	2	Chlorthalonil	0,09	Procymidon	0,07								
strawberries	2	Endosulfan	0,03	Kresoximmethyl	0,04								
strawberries	2	Cyprodinil	0,29	Fludioxonil	0,27								
strawberries	2	Cyprodinil	0,04	Kresoximmethyl	0,23								
strawberries	2	Cyprodinil	0,02	Endosulfan	0,06								
strawberries	2	Cyprodinil	0,03	Procymidon	0,04								
strawberries	2	Endosulfan	0,04	Pyrimethanil	0,56								
strawberries	2	Myclobutanil	0,06	Procymidon	0,72								
strawberries	3	Cyprodinil	0,03	Procymidone	0,06	Pyrimethanil	0,22						
strawberries	3	Azinphosmethyl	0,06	Myclobutanil	0,06	Procymidone	0,89						
strawberries	3	Endosulfan	0,02	Maneb-Group	0,03								
strawberries	3	Chlorthalonil	1,03	Fenarimol	0,02	Procymidon	0,22						
strawberries	3	Folpet	0,10	Metalaxyl	0,04	Penconazol	0,04						
strawberries	3	Chlorthalonil	0,81	Cyprodinil	0,33	Fludioxonil	0,21						
strawberries	3	Chlorthalonil	0,15	Kresoximmethyl	0,08	Procymidon	0,22						
strawberries	3	Cyprodinil	0,13	Fludioxonil	0,18	Kresoximmethyl	0,02						
strawberries	3	Chlorthalonil	0,04	Malathion	0,32	Triadimefon	0,35						
strawberries	3	Kresoximmethyl	0,10	Penconazol	0,05	Procymidon	0,07						
strawberries	3	Cyprodinil	0,26	Fenarimol	0,07	Fludioxonil	0,22						
strawberries	3	Azoxystrobin	0,08	Cyprodinil	0,05	Fludioxonil	0,11						
strawberries	3	Chlorthalonil	0,40	Malathion	0,07	Methiocarb (Mercap	0,17						
strawberries	3	Cyprodinil	0,26	Endosulfan	0,04	Fludioxonil	0,20						
strawberries	4	Cyprodinil	0,50	Fludioxonil	0,50	Kresoximmethyl	0,02	Penconazol	0,05				
strawberries	4	Azoxystrobin	0,09	Bupirimat	0,09	Endosulfan	0,04	Myclobutanil	0,04				
strawberries	4	Cyprodinil	0,13	Fludioxonil	0,14	Iprodion	0,44	Kresoximmethyl	0,04				
strawberries	4	Azoxystrobin	0,27	Chlorthalonil	1,10	Myclobutanil	0,05	Procymidon	0,12				
strawberries	4	Azoxystrobin	0,08	Cyprodinil	0,08	Fenarimol	0,01	Fludioxonil	0,09				
strawberries	4	Cyprodinil	0,03	Endosulfan	0,03	Fludioxonil	0,03	Procymidon	0,07				
strawberries	4	Cyprodinil	0,18	Fludioxonil	0,16	Procymidon	0,10	Tolyfluanid	0,29				
strawberries	4	Azoxystrobin	0,04	Cyprodinil	0,14	Fludioxonil	0,06	Kresoximmethyl	0,13				
strawberries	5	Chlorthalonil	0,19	Dichlofluanid	0,14	Iprodion	1,17	Myclobutanil	0,09	Procymidon	0,02		
strawberries	5	Azoxystrobin	0,03	Bupirimat	0,09	Myclobutanil	0,04	Penconazol	0,03	Procymidon	0,11		
strawberries	5	Cyprodinil	0,09	Fenarimol	0,09	Fludioxonil	0,12	Iprodion	0,19	Myclobutanil	0,17		
strawberries	5	Chlorpyrifos	0,02	Chlorthalonil	0,69	Folpet	0,19	Penconazol	0,04	Procymidon	0,17		
strawberries	6	Azoxystrobin	0,26	Cyprodinil	0,16	Fludioxonil	0,22	Kresoximmethyl	0,04	Penconazol	0,09	Procymidon	0,39
strawberries	6	Chlorthalonil	1,04	Cyproconazol	0,12	Cyprodinil	0,50	Fludioxonil	0,55	Kresoximmethyl	0,15	Penconazol	0,04
strawberries	6	Chlorthalonil	0,04	Cyprodinil	0,37	Fenarimol	0,04	Fludioxonil	0,42	Procymidon	0,23	Tolyfluanid	0,07
strawberries	6	Endosulfan	0,05	Pyrimethanil	0,12								
strawberries	6	Dichlorvos	0,08	Fenarimol	0,02	Iprodion	0,28	Myclobutanil	0,05	Procymidon	0,03	Pyrimethanil	0,20
tomatoes	2	Carbendazim	0,01	Imazalil	0,00								
tomatoes	2	Lamda-cyhalothrin	0,02	Pyriproxifen	0,02								
tomatoes	2	Procymidon	0,09	Maneb-Group	0,03								
tomatoes	2	Procymidon	0,46	Pyrimethanil	0,08	Maneb-group	0,14						
tomatoes	2	Dimethomorph	0,12	Procymidon	0,04								
tomatoes	2	Chlorthalonil	0,07	Tebuconazol	0,17								
tomatoes	2	Bifenthrin	0,02	Chlorthalonil	0,16								
tomatoes	2	Procymidon	0,04	Tetradifon und Tetr	0,05								
tomatoes	2	Iprodion	0,12	Procymidon	0,11								
tomatoes	3	Endosulfan	0,01	Iprodion	0,05	Procymidon	0,05						
tomatoes	3	Chlorthalonil	0,02	Iprodion	0,09	Procymidon	0,06						

tomatoes	3	Dichlofluanid	0,04	Dichloran	0,02	Procymidon	0,13						
tomatoes	7	Chlorthalonil	0,21	Cyprodinil	0,29	Fludioxonil	0,07	Iprodion	0,14	Procymidon	0,26	Pyrimethanil	0,34
tomato-juice	5	Azoxystrobin	0,49	Bupirimat	0,43	Buprofezin	1,20	Pirimicarb	1,60	Propamocarb-hydro	2,20		Tebuconazol

remark: orange juice: origin of oranges

2
1
0

not mandatory

Residue level mg/kg	Compound 8 name	Residue level mg/kg	Compound 9 name	Residue level mg/kg	Origin (*)	Sample reference
					CL	CI0610804
					AT	CV0361004
					IT	CV0403904
					ZA	CV1068004
					AT	NI0101304
					AT	NI0129604
					AT	NI0201704
					AT	NI0215104
					AT	NI0215404
					AT	NI0256504
					AT	NI0357004
					AT	NI0860704
					AT	NL0534504
					AT	NV0244304
					AT	NV0316004
					AT	NV0462504
					AT	NV0514904
					AT	NV0557904
					AT	NV0663804
					AT	NV1350804
					AT	NV1352604
					AT	NV1352704
					AT	NV1657504
					AT	RI0030804
					?	RI0223104
					CL	RI0358304
					AT	RI0797404
					AT	RI0797604
					CL	CI0342104
					AT	NI0201804
					AT	NI021604
					AT	NI0347804
					AT	NI0864104
					TR	NV1455404
					AT	NI0219404
					AT	NI0660504

					AT	NI0914604
					FR	RI0630304
					HU	RI0834804
					MA	RI0774704
					IT	RI0698604
					TR	RV0543004
					ES	RI0063504
					ES	RH0481804
					CH	RI0665204
					YU	RI0615504
					TR	RV0195804
					IL	RI1023604
					ZA	NI0630204
					GR	NI0775104
					ES	NI0861004
					AT	NL0401004
					IT	NL0434404
					IT	NL0434504
					AT	NL0586004
					AT	NL0592704
					ZA	NV0297004
					ES	NV1047304
					ET	NV1050904
					IT	NV1051304
					ES	NV1053504
					IT	NV1163804
					IT	NV1197404
					IT	NV1197504
					IT	NV1420004
					HU	NV1423904
					IT	NV1424004
					IT	NV1424204
					IT	NV1424304
					TR	NV1534204
					IT	NV1694104
					ES	NV1782604
					ZA	RI0179404
					ZA	RI0260004
					ZA	RI0343504
					IN	RI0350104
					IN	RI0495604
					IN	RI0495704
					ES	RI0627604
					IT	RI0691304
					IT	RI0953604
					TR	NI0961504
					ES	NI1071304
					IT	NL0640604
					IT	NL0710604
					TR	NV1352304
					IT	NV1352404
					TR	NV1377704
					IT	NV1409204
					ES	NV1671404

				IT	NV1780504
				CL	RI0131304
				CL	RI0259704
				ZA	RI0260704
				IT	RI0627204
				IT	RI0741004
				TR	RI0893504
				IT	RI0997904
				IT	NI0815604
				TR	NI0857604
				IT	NI0857804
				TR	NI0872604
				IT	NV1316404
				IT	NV1455204
				TR	NV1455304
				IT	RI0741104
				IT	RI0953704
				TR	RI0972204
				IT	RI0998004
				?	RV13511004
				ES	NI0681604
				ES	NI0774904
				TR	NI0803004
				IT	NI0806804
				IT	NI0859404
				TR	NI0860904
				IT	NI0864004
				TR	NI0865404
				IT	NI0872504
				IT	NI0961404
				IT	NI0962904
				TR	NL0597704
				TR	NL0640704
				IT	RI0992804
				IT	RI0997804
				RA	RV0008304
				IT	NI0872404
				IT	NI0961904
				TR	NV0977604
				TR	NV1319204
				IT	RI0627404
				TR	RI0783404
				TR	RI0864604
				TR	RI0998104
0,01				IT	NI0775004
0,91				TR	NI0803304
0,07				TR	NI0827104
0,48				IT	NV1694004
2,40				TR	NV1782704
0,10				IT	RI0988504
0,13	Tolyfluanid	0,11		IT	NI0858204
				AT	CI0743504
				IT	RI0834704
				AT	CV0678604

				ES	NI0150804
				ES	NI0198904
				AT	NI0219904
				BE	NI0337604
				AT	NI0784304
				IT	NV0280804
				BE	NV0307604
				IT	NV0316104
				AT	NV1046904
				IT	NV1826704
				AT	RH0907504
				ES	RI0177504
				IT	RI0180804
				ES	RI0832604
				IT	RI0907804
				IT	NI0101004
				IT	NI0129704
				IT	NI0189704
				AT	NI0803404
				DE	NI082704
				AT	NI0865504
				IT	NV0253004
				AT	NV1318904
				AT	NV1693804
				FR	RI0044804
				IT	RI0147004
				IT	RI0177404
				IT	NI0101504
				IT	NI0107404
				AT	NI1021104
				AT	NV13502
				AT	NV1596004
				AT	NV1684904
				DE	RI0224805
				AT	CI0743104
				IT	NI0121704
				IT	NI0219604
				BE	NI0858004
				AT	NI1020904
				AT	RI0840104
				AT	CI0749804
				AT	CI0749904
				AT	CI0826304
				?	CI0662604
				AT	RI0969904
				AT	RH0187104
				AT	RH01911004
				AT	RH0191204
				ES	RI0140604
				IT	RI0011504
				IT	RI0630404
				IT	RI0661604
				IT	RI0615604
				IT	RI0661504

					CL	RI0224504
					CL	RI0259104
					IT	RI0832804
					GR	NI0202004
					ES	NI0219804
					ES	NI0275704
					ES	NI0859504
					ES	NI0873004
					ES	NI0914404
					ES	NV0253104
					ES	NV0357804
					ES	NV0360604
					HU	NV1485004
					ES	NV1796004
					ET	NV1796004
					ES	RH1041604
					TR	RI0012304
					TR	RI0017504
					TR	RI00310004
					GR	RI0063904
					ES	RI0065004
					IT	RI0178304
					ES	RI0179604
					ES	RI0184604
					ES	RI0902004
					TR	RV0022404
					TR	RV0023004
					TR	RV0033404
					TR	RV0228204
					TR	RV0270804
					TR	RV0320304
					TR	RV0371404
					TR	RV0383804
					TR	RV0384404
					TR	RV0417004
					TR	RV0485504
					TR	RV0542404
					TR	RV0571804
					TR	RV0629204
					TR	RV0816604
					TR	RV0941704
					TR	RV1657304
					TR	RV1707304
					TR	RV1765204
					TR	RV1810504
					ES	NI0107504
					ES	NI0129804
					GR	NI0348104
					GR	NI0517204
					??	NV0244104
					ES	NV0316404
					ES	NV0360704
					TR	NV0485704
					TR	RI0007104

					TR	RI0007204
					TR	RI0007904
					TR	RI0011304
					TR	RI0011404
					TR	RI0017404
					TR	RI0017604
					TR	RI0026604
					TR	RI0030904
					TR	RI0031204
					ES	RI0063804
					ES	RI0065104
					ES	RI0082304
					ES	RI0083304
					ES	RI0131104
					TR	RV0415504
					TR	RV0470304
					TR	RV0634004
					TR	RV1738604
					GR	NI0236604
					HU	NV0795204
					TR	RI0002004
					TR	RI0011204
					TR	RI0021904
					TR	RI0022004
					TR	RI0026504
					TR	RI0031304
					ES	RI0128604
					ES	RI0133804
					ES	RI0147104
					ES	RI0148604
					ES	RI0178904
					ES	RI0194004
					ES	NV0469904
					TR	RI0031004
					ES	RI0147204
					TR	RV0271004
					TR	RV0302104
					TR	RV0788104
					ES	NI0121804
					ES	NI0872904
					ES	RI0184804
0,01					TR	RI0014804
0,05	Tebuconazol	0,03			ES	RI0083004
0,06	Methiocarb (Mercap	0,48	Procymidon	0,28	ES	RI0149004
					AT	RI0698504
					IL	RI1023504
					?	RI0064604
					?	RI0904204
					AT	CI0536004
					DE	CI0610604
					ES	CV0340004
					ES	CV0340104
					MA	RI0040004
					MA	RI0082804

					?	RI0148304
					ES	RI0148404
					ES	RI0148704
					ES	RI0148804
					ES	RI0169204
					MA	RI0176204
					ES	RI0178804
					ES	RI0184504
					?	RI0318904
					?	RI0319004
					IT	RI0357104
					IT	RI0832904
					IT	CI0343404
					IT	CI0826104
					AT	CV0930104
					MA	RI0039504
					MA	RI0039904
					ES	RI0085804
					MA	RI0149104
					ES	RI0169404
					ES	RI0178504
					MA	RI0185004
					IT	RI0224404
					ES	RI0236504
					ES	RI0337704
					AT	RI0517604
					ES	RI0039704
					ES	RI0169304
					ES	RI0179704
					ES	RI0184704
					ES	RI0234604
					ES	RI0236204
					IT	RI0343704
					ES	RI17630404
					EG	RI0040104
					ES	RI0083204
					IT	RI0147804
					ES	RI0149504
					ES	RI0039804
					ES	RI0079504
					ES	RI0133604
					MA	RI0147704
					?	RI0318704
					NL	CI0342304
					ES	CI087904
					TR	CV0371604
					IT	CV0404004
					ES	RI0028304
					ES	RI0063704
					ES	RI0128504
					MA	RI0259404
					TR	RV0416404
					ES	CV0611004
					IT	RI0133704

					IT	RI0149604
0,05					ES	RI0065204
					?	RV0568904

§ unknown!

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		AUSTRIA
Year:		2004
Commodity:		Apples
Pesticide sought:		Chlorpyriphos
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,02	CV0462404
Single items		
1	0,031	
2	0,014	
3	0,012	
4	0,016	
5	0,005	
6	0,008	
7	0,021	
8	0,007	
9	0,005	
10	0,006	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,031	
Mean (mg/kg)	0,0125	
Factor for the homogeneity of the sample*	2,48	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		AUSTRIA
Year:		2004
Commodity:		apples
Pesticide sought:		Chlorpyriphos
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,02	CI03421
Single items		
1	< 0,010	
2	0,042	
3	0,019	
4	0,034	
5	0,025	
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,042	
Mean (mg/kg)	0,03	
Factor for the homogeneity of the sample*	1,4	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		apples
Pesticide sought:		Diphenylamin
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	2,759	CI03421
Single items		
1	1,522	
2	0,849	
3	2,954	
4	2,251	
5	1,925	
6	2,343	
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	2,954	
Mean (mg/kg)	1,974	
Factor for the homogeneity of the sample*	1,496453901	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		Lettuce
Pesticide sought:		Deltamethrin
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,041	CI0743104
Single items		
1	0,05	
2	0,053	
3	0,046	
4	0,067	
5	< 0,050	
6	< 0,050	
7	0,064	
8	0,06	
9	0,058	
10	0,064	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,067	
Mean (mg/kg)	0,05775	
Factor for the homogeneity of the sample*	1,16017316	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		Lettuce
Pesticide sought:		Folpet
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,433	CI0743104
Single items		
1	0,233	
2	0,16	
3	0,275	
4	0,305	
5	< 0,100	
6	< 0,100	
7	0,195	
8	0,156	
9	0,105	
10	0,092	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,305	
Mean (mg/kg)	0,190125	
Factor for the homogeneity of the sample*	1,604207758	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		Lettuce
Pesticide sought:		Metalaxyl
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,054	CI0743104
Single items		
1	<0,030	
2	< 0,030	
3	<0,030	
4	< 0,030	
5	< 0,030	
6	< 0,030	
7	< 0,030	
8	< 0,030	
9	<0,030	
10	< 0,030	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0	
Mean (mg/kg)	#DIV/0!	
Factor for the homogeneity of the sample*	#DIV/0!	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		lettuce
Pesticide sought:		Dimethoat
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,027	CI0743104
Single items		
1	0,034	
2	0,033	
3	< 0,050	
4	0,057	
5	0,028	
6	0,054	
7	0,044	
8	0,048	
9	0,069	
10	0,094	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,094	
Mean (mg/kg)	0,051222222	
Factor for the homogeneity of the sample*	1,835140998	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		lettuce
Pesticide sought:		Difenoconazole
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,071	CI0743204
Single items		
1	< 0,020	
2	< 0,020	
3	0,079	
4	0,035	
5	0,046	
6	0,037	
7	< 0,020	
8	0,058	
9	0,158	
10	< 0,020	
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,158	
Mean (mg/kg)	0,068833333	
Factor for the homogeneity of the sample*	2,295399516	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country:		Austria
Year:		2004
Commodity:		Head cabbage
Pesticide sought:		Difenoconazole
Samples taken at single producer (yes/no)		yes
	Result (mg/kg)	Sample reference
Composite sample	0,156	CI0743504
Single items		
1	0,299	
2	< 0,020	
3	< 0,020	
4	0,085	
5	0,092	
6	< 0,020	
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,299	
Mean (mg/kg)	0,158666667	
Factor for the homogeneity of the sample*	1,884453782	

*defined as maximum value/mean value of the single items

Table G: Laboratories

Year	2004
Country	Austria

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8
	Workload with regard to the monitoring exercise	Accreditation status			Participation in proficiency tests or interlaboratory tests in 2004	Implementation of EU Quality control procedures [please refer to each element as specified in the table below by giving its number]	
Name of the laboratory/ laboratories carrying out the monitoring exercise	Percentage of monitoring samples analysed	Accreditation achieved (Yes/No) [Please provide accr. certificates]	Date of accreditation	Accreditation body	Which? Scope?	Implemented parts	Not implemented parts
Austrian Agency for Health and Food Safety, Institute for Food Control, Vienna	29,0	yes	01.11.98	BMWA; AKS Hannover	EU proficiency test 06	all (*)	(*) 6 (point 3.7)
Austrian Agency for Health and Food Safety, Institute for Food Control, Innsbruck	39,5	yes	01.11.98	BMWA; AKS Hannover	EU proficiency test 06	all	
Austrian Agency for Health and Food Safety, Institute for Food Control, Linz	3,0	yes	01.11.98	BMWA; AKS Hannover		all	
Regional Institute for Food Control in Vienna	28,5	yes	01.11.98	BMWA	FAPAS		

EU Quality control procedures (ref. Doc.SANCO/10476//2003)

Element number	Content
1	Accreditation
2	Sampling, transport, processing and storage of samples
3	Pesticide standards, calibration, solutions, etc.
4	Extraction and concentration
5	Contamination and interference
6	Analytical calibration and chromatographic integration
7	Analytical methods and analytical performance

8	Proficiency testing and analysis of reference materials
9	Confirmation of results
10	Reporting of results