



XXIII. GP.-NR

4468 IAB

25. Juli 2008

zu 4642 IJ

Frau
Präsidentin des Nationalrates
Mag^a. Barbara Prammer
Parlament
1017 Wien

GZ: BMGFJ-11001/0117-I/A/3/2008

Wien, am 24. Juli 2008

Sehr geehrte Frau Präsidentin!

Ich beantworte die an mich gerichtete schriftliche parlamentarische **Anfrage Nr. 4642/J der Abgeordneten Mag. Johann Maier und GenossInnen** nach den mir vorliegenden Informationen wie folgt:

Einleitend ist festzuhalten, dass in Ergänzung der nachfolgenden Ausführungen der von der AGES zusammengestellte Bericht 2006 an die EU betreffend Pestiziduntersuchungen übermittelt wird, der Bericht für 2007 ist in Ausarbeitung.

Statistische Auswertungen aus dem Bericht (wie sie in diversen Fragestellungen vorliegen) können aus EDV-technischen Gründen nur durch die AGES aus den Rohdaten erfolgen. Sobald die Ergebnisse der Auswertungen durch die AGES vorliegen (frühestens Anfang September 08), erfolgt die Beantwortung der offengebliebenen Fragen 4 – 19, 21, 22.

Frage 1:

Folgende gezielte Aktionen zur Untersuchung von Pestiziden wurden 2007 bundesweit bzw. in einzelnen Bundesländern durchgeführt:

- Nationales Pestizid-Monitoring (Obst und Gemüse)
- EU-Pestizid-Monitoring (Obst und Gemüse)
- Weintrauben (Importkontrolle)
- Kindernährmittel
- „Kleinaktionen“ Petersilie, Fisolen, Champignons, Hirse, und Buchweizen, Amaranth
- Tierarzneimittelrückstands-Monitoring (Eier, Milch, Honig)

Die entsprechenden statistischen Auswertungen für diese Aktionen sind in Ausarbeitung und werden nach deren Fertigstellung zur Verfügung gestellt.

Frage 2:

2006: 2112 (Produkte: Obst und Gemüse, Getreide, verarbeitete Lebensmittel, Baby Food) wurden auf Pestizidrückstände untersucht. Die Probenzahlen sind dem EU-Bericht 2006 entnommen (inkl. verarbeiteter Lebensmittel)

Die Aufschlüsselung der Probenzahlen 2006 nach Herkunft (siehe auch EU-Bericht Tabelle A-1):

Jahr	Österreich	EU (ohne AT)	Drittstaaten
2006	983	991	325

Frage 3:

Details sind dem Bericht an die EU, Tabelle A-2 zu entnehmen.

Bezug nehmend auf die Zulassung ist festzuhalten, dass zwar einerseits auch auf in Österreich nicht zur Anwendung zulässige Wirkstoffe untersucht wurde, aber diese möglicherweise *in anderen Staaten legal angewendet werden dürfen*.

Frage 20:

Grundsätzlich wird angemerkt:

Bezugnehmend auf die Zulassung ist festzuhalten, dass zwar einerseits auch auf in Österreich nicht zur Anwendung zulässige Wirkstoffe untersucht wurde, aber diese möglicherweise in anderen Staaten legal angewendet werden dürfen. Zusätzlich wird darauf hingewiesen, dass Höchstwerte auch für nicht zur Anwendung zugelassene Pflanzenschutzmittelwirkstoffe festgelegt sein können.

Ergab die Analyse eine Überschreitung eines Höchstwertes, so wurde dies in Befund und Gutachten festgehalten und an die zuständige Lebensmittelkontrollbehörde weitergeleitet.

Seit 1. Jänner 2006 hat gemäß LMSVG die Lebensmittelaufsichtsbehörde bei Verstößen entsprechende Maßnahmen in Sinne des § 39 zu setzen. Parallel dazu erfolgt die Anzeige bei der zuständigen Strafbehörde.


Im Bereich meines Ressorts liegen außer bei gesundheitsschädlicher Ware keine einzelnen Berichte zu den konkreten behördlichen Maßnahmen für beanstandete Proben auf.

Wird eine Probe als „nicht sicher“ bzw. „gesundheitsschädlich“ beurteilt, so hat der Unternehmer gemäß seinen Pflichten im Art. 19 EU (VO) 178/2000 die Rückholung der Ware, Information der Geschäftspartner bzw. bei Gesundheitsschädlichkeit Information der Öffentlichkeit zu veranlassen.

Frage 23:

Eine unmittelbare Informationspflicht der Lebensmittelaufsicht bzw. der AGES gegenüber dem Bundesministerium für Gesundheit, Familie und Jugend besteht nur bei als gesundheitsschädlich beurteilten Waren. Eine umgehende Berichtspflicht über getroffene Maßnahmen bei Höchstwertüberschreitungen (ohne Beurteilung als gesundheitsschädlich) ist im LMSVG nicht vorgesehen.

Mit freundlichen Grüßen



Dr. Andrea Kdolsky
Bundesministerin

Beilage

Parl. Anfrage 4642/J

BEILAGE

<p style="text-align: center;">YEAR 2006 REPORT ON THE AUSTRIAN MONITORING OF PESTICIDE RESIDUES IN PLANT PRODUCTS (FRUITS, VEGETABLES AND CEREALS)</p>
--

COUNTRY: AUSTRIA**1. SUMMARY OF RESULTS**

In 2006 a total of 1895 samples of fresh fruits and vegetables were analysed under the co-ordinated program, the national pesticide monitoring program and as routine samples. Beside that other products like cereals (26 samples), processed products (270 samples) and baby food (108 samples) were analyzed.

38,2 % of all samples of fruits and vegetables were from Austria, 46,1 % from the European market and 15,7 % from third countries. For cereals this rates were 73 %, 12 % and 15 % respectively. The rates for processed food were 71,9 %, 22,8 % and 5,6 %. Baby food was predominantly from the European market including Switzerland (100 %).

In 42,3 % of the samples of fruits and vegetables no pesticide-residues could be detected. 50 % of the samples had residues under the harmonized and/or national Maximum Residue Limits (MRL). In sum 92,3 % of these samples were in compliance with the regulations. 7,8 % of the samples of fruits and vegetables contained one or more pesticide(s) above the national or EU-MRL. 2,3 % of the samples were above the harmonized MRL's.

In all analysed samples (2299) including processed food and baby food the percentages were 50,1 %, 43,3 %, 6,6 % and 2 % respectively.

In 819 samples (35,6 %) more than one pesticide was analysed. Up to 19 pesticides were found in some samples. The samples with more than 9 pesticides were in most cases grapes or peppers.

In the samples were analysed up to 315 different pesticides/substances. Totally 293 different pesticides were sought, of which 128 (43,6 %) were found. The most frequently found residues in fruits and vegetables were in the co-ordinated and national programme and routine samples (percentage): Maneb-group, Fludioxinil, Cyprodinil, Procymidone, Fenhexamid, Azoxystrobin, Iprodione, Imidacloprid, Carbendazim (sum) and Chlorpyrifos-ethyl.

2. ORGANISATION OF MONITORING PROGRAMMES AND SAMPLING

The national pesticide monitoring is done according to a nation-wide sampling plan designed by the Institute of Applied Statistics and System Analysis (Joanneum Research, Graz) in co-operation with the Federal Minister of Health and Women. The plan was based on data concerning dietary consumption, production and import of fruits and vegetables and results of former measurements. Furthermore the results of earlier monitoring-programs, the analytical possibilities and the budgetary situation were taken into account, too. The co-ordinated programme of the European Commission was of course also done. Samples of leek haven't been analysed under this programm due to a misunderstanding

The samples were taken by trained officials from the local Food Inspection Service („Lebensmittelaufsicht“).

3. QUALITY ASSURANCE

The analysis of the co-ordinated programme, the national monitoring programme and routine samples also were made by two laboratories for food control (Austrian Agency for Health and Food Safety, Institute for Food Control, Vienna and Institute for Food Control, Innsbruck together with the there located competence-centers for pesticide-analyses). One Laboratory in Vienna (Regional Institute for Food Control in Vienna) and Graz (Austrian Agency for Health and Food Safety, Institute for Food Control, Graz) analysed routine samples.

The analytical methods were adopted from published methods of the Dutch federal laboratories („Analytical Methods for Pesticide Residues in Foodstuffs“, 6th Ed., General Inspectorate for Health Protection, Ministry of Public Health, Welfare and Sport, The Netherlands) and validated in the laboratories. The fruits and vegetables were analysed up to a maximum of 262 pesticides. The methods used were a GC multimethod with ECD-, NPD- and FPD-detection. GC/MS-methods are primarily applied for confirmation purposes of the other GC methods. New in 2006 was the establishment of the methodology of LC/MS.

All laboratories involved in the co-ordinated programme and the national monitoring programme including the routine samples got the accreditation in the year 1998.

4. OTHER INFORMATION

Due to the fact, that there were some commodities for the national programme isolated, of which higher risk for residues was identified in the last years, these specific data are representative for the Austrian market, but the monitoring has to be seen partially as „targeted monitoring“. It was the aim, to reflect to the results of the last years and to choose special commodities of interest for further examination. This type of monitoring is foreseen for the next years.

Furthermore the routine sampling includes special samples, of which European alerts were given, too and thus the number of exceedance is higher than by doing statistical based sampling over all commodities and time of the year.

Table A 1 - Part I: Summary of numbers of samples, sample origins and results
 (sum of samples of national and co-ordinated programme)
 (pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)
 (surveillance sampling only, no follow-up enforcement sampling)

A	B	C										I	J	K	L	M	N	O	P		
		Sample origin		D		E		F		G										H	
	Number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples from imports	% samples from TC of the total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples								
12																					
13																					
14	1895	724	38,2	873	46,1	298	15,7	947	42,3	147	7,8	43	2,3								
15	26	19	73,1	3	11,5	4	15,4	3	88,5	0	0,0	0	0,0								
16	270	194	71,9	61	22,6	15	5,6	46	81,5	4	1,5	2	0,7								
17	108	46	42,8	54	50,0	8	7,4	1	98,1	0	0,0	0	0,0								

x: please insert figures here

Table A 1 - Part II: Summary of numbers of samples, sample origins and results
 (sum of samples of national and co-ordinated programme)
 (pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)
 (follow-up enforcement sampling only, no surveillance sampling)

Reporting country: Austria
 Year of sampling: 2006

A	B	C	D	E	F	G	H	Results								P	
								I	J	K	L	M	N	O			
		Sample origin															
		Number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples on imports from TC	% samples from TC of the total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples	
12																	
13																	
14	x	x	x	#WERT!	x	x	#WERT!	x	x	#WERT!	x	x	x	x	#WERT!	x	#WERT!
15	x	x	#WERT!	#WERT!	x	x	#WERT!	x	x	#WERT!	x	x	x	x	#WERT!	x	#WERT!
16	x	x	#WERT!	#WERT!	x	x	#WERT!	x	x	#WERT!	x	x	x	x	#WERT!	x	#WERT!
17	x	x	#WERT!	#WERT!	x	x	#WERT!	x	x	#WERT!	x	x	x	x	#WERT!	x	#WERT!

x: please insert figures here

Table A 1 - Organic: Summary of numbers of samples and results

(sum of samples of national and co-ordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)

		Austria									
Reporting country:		2006									
Year of sampling:		A	B	C	D	E	F	G	H	I	J
		Number of samples	Results								
		Total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples	
12											
13											
14	Sum (certain products of plant origin, incl. fruit, vegetables)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	
15	Cereals	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	
16	Processed products (other than baby food)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	
17	Baby food	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	
18	TOTAL ORGANIC	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	

x: please insert figures here.

√ Tick

**Table A 2 - Part I-fruit&veg: Summary table of pesticides sought and found
Surveillance sampling only**

(fresh and frozen fruit, vegetables)

(pesticides covered by Directives 76/895, 90/642 and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country:

Austria

Year of sampling:

2006

Number of different pesticides* sought:

293

Number of different pesticides* found:

128

% pesticides found from pesticides sought:

43,8

SRM a single residue method contains less than 10 pesticides
counted according to the residue definition.

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation
SRM - single residue methods, MRM - multi-residue methods.

Fruit and vegetables

Column 1	Column 2	Column 3	Column 4	Column 5
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/Kg)**
1-naphthylacetic acid			#DIV/0!	
2,3,5,6-TCA,			#DIV/0!	
2,3,5-trimethacarb			#DIV/0!	
2,4,5-T			#DIV/0!	
2,4-D			#DIV/0!	
2,4-DB			#DIV/0!	
2,4-dimethylaniline			#DIV/0!	
2,6-dichlorobenzamide			#DIV/0!	
2-chlorethanol, total			#DIV/0!	
3,4,5-trimethacarb			#DIV/0!	
3,4-dichloranilin, total			#DIV/0!	
3-ketocarbofuran			#DIV/0!	
4,4-dibrombenzophenon			#DIV/0!	
4,4-dichlorbenzophenon	520		0,0	
4-CPA			#DIV/0!	
abamectin, sum	1442		0,0	
acephate	1645	1	0,1	
acetamiprid	1645	31	1,9	
acibenzolar			#DIV/0!	
acibenzolar-S-methyl			#DIV/0!	
acionifen	1648		0,0	
acrinathrin	1657	16	1,0	
alachlor			#DIV/0!	
aldicarb, sum	1645		0,0	
aldimorph			#DIV/0!	
aldrin	1895		0,0	
allethrin			#DIV/0!	
allidochlor			#DIV/0!	
alpha-cypermethrin			#DIV/0!	
alphamethrin			#DIV/0!	
ametryn	1642		0,0	
amidithion			#DIV/0!	
amidosulfuron			#DIV/0!	
aminocarb	1647		0,0	
aminotriazol			#DIV/0!	
amitraz, total			#DIV/0!	
anilazine			#DIV/0!	
antraquinone			#DIV/0!	
aspon			#DIV/0!	
asulam			#DIV/0!	
atraton			#DIV/0!	
atrazine	1644		0,0	
azaconazole	1647		0,0	
azamethiphos			#DIV/0!	
azinphos-ethyl	473		0,0	
azinphos-methyl	1895		0,0	
aziprotryne			#DIV/0!	
azocyclotin			#DIV/0!	
azofamide			#DIV/0!	
azoxystrobin	1972	180	9,1	
barban			#DIV/0!	
beflubutamid			#DIV/0!	
benalaxyl	1972		0,0	
benazolin			#DIV/0!	
bendiocarb, sum	1647		0,0	
benfluralin	1157		0,0	
benfuracarb			#DIV/0!	
benodanil			#DIV/0!	
bensulfuron-methyl			#DIV/0!	
bensultap			#DIV/0!	
benzazone			#DIV/0!	
benthiavalcarb			#DIV/0!	
benzoximate			#DIV/0!	
benzoylprop-ethyl			#DIV/0!	
benzthiazuron			#DIV/0!	

MRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)	SRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)
1 maneb group	
2 fludioxonil	
3 cyprodinil	
4 procymidone	
5 fenhexamid	
6 azoxystrobin	
7 iprodione	
8 imidacloprid	
9 carbendazim, sum	
10 chlorpyrifos-ethyl	

beta-cyfluthrin			#DIV/0!
bifenazate			#DIV/0!
bifenox			#DIV/0!
bifenthrin	1975	46	2,3
binapacryl	1655		0,0
bioallethrin			#DIV/0!
biphenyl			#DIV/0!
bitertanol	1644		0,0
boscalid (nicobifen)	1645	30	1,8
brofenprox			#DIV/0!
bromacil	1647		0,0
bromfenvinphos			#DIV/0!
bromfenvinphos-methyl			#DIV/0!
bromide, total			#DIV/0!
bromocyclen			#DIV/0!
bromofenoxim			#DIV/0!
bromophos-ethyl	1769		0,0
bromophos-methyl	1769		0,0
bromopropylate	1769		0,0
bromoxynil			#DIV/0!
bromoxynil-methyl-ether	1647		0,0
bromoxynil-octanoate			#DIV/0!
brompyrazon			#DIV/0!
bromuconazole	1181		0,0
bufencarb			#DIV/0!
bupirimate	1973	5	0,3
buprofenzin	1972	5	0,3
butocarboxim sulfon			#DIV/0!
butocarboxim, sum	1645		0,0
butoxycarboxim	463		0,0
butralin			#DIV/0!
buturon			#DIV/0!
butylate			#DIV/0!
cadusafos			#DIV/0!
captafol	1452	2	0,1
captan	1974	22	1,1
captan/foipet, sum			#DIV/0!
carbanolate			#DIV/0!
carbaryl	1654	6	0,4
carbendazim, sum	1645	100	6,1
carbetamide	1645		0,0
carbofuran, sum	1688		0,0
carbon tetrachloride			#DIV/0!
carbophenothion	1646		0,0
carbosulfan			#DIV/0!
carboxin			#DIV/0!
carfentrazone-ethyl			#DIV/0!
cartap (hydrochloride)			#DIV/0!
cekafix			#DIV/0!
chinomethionat	1648		0,0
chloaniil			#DIV/0!
chlorbenside	1646		0,0
chlorbenside sulfon			#DIV/0!
chlorbromuron			#DIV/0!
chlorbufam			#DIV/0!
chlordane, sum (a-/g-)	466		0,0
chlordane, sum(a-/g-/oxy-)			#DIV/0!
chlordecone			#DIV/0!
chlordene, alpha-			#DIV/0!
chlordene, gamma-			#DIV/0!
chlordimeform	1655		0,0
chlorfenapyr			#DIV/0!
chlorfenethol			#DIV/0!
chlorfenprop-methyl	1157		0,0
chlorfenson	1658		0,0
chlorfenvinphos	1970		0,0
chlorfluazuron			#DIV/0!
chlorfluoreol			#DIV/0!
chlorfluoreol, total			#DIV/0!
chloridazon			#DIV/0!
chlormephos			#DIV/0!
chlormequat	39		0,0
chloroaniline(3-)			#DIV/0!
chlorobenzilate	1658		0,0
chloroneb			#DIV/0!
chlorothalonil	1930	26	1,3
chloroxuron			#DIV/0!
chlorpropham			#DIV/0!
chlorpropylate	1871		0,0
chlorpyrifos-ethyl	1669	112	6,0
chlorpyrifos-methyl	1963	51	2,6
chlorsulfuron			#DIV/0!
chlorthal			#DIV/0!
chlorthal-dimethyl	1646	1	0,1
chlorthiamid			#DIV/0!
chlorthion	1646		0,0
chlorthiophos	1646		0,0
chlortoluron			#DIV/0!
chlozolinate	1646		0,0

cinidon-ethyl	465		0,0
cinosulfuron			#DIV/0!
cis-nonachlor			#DIV/0!
cis-permethrin			#DIV/0!
ciethodim			#DIV/0!
clodinafop-propagyl			#DIV/0!
cloethocarb			#DIV/0!
clofentezine	1645	11	0,7
clomazone	463		0,0
clopyralid			#DIV/0!
cloquintocet-methyl			#DIV/0!
cloquintocet-mexyl			#DIV/0!
clothianidin	1645	8	0,5
copper compounds			#DIV/0!
coumaphos	1970		0,0
crimidine			#DIV/0!
crotoxyfos			#DIV/0!
crufomate			#DIV/0!
cyanazine	462		0,0
cyanofenphos	1157		0,0
cyanophos			#DIV/0!
cyazofamid			#DIV/0!
cycloate			#DIV/0!
cycloxydim			#DIV/0!
cycluron			#DIV/0!
cyflufenamid			#DIV/0!
cyfluthrin, sum	1975	47	2,4
cyhalofop-butyl			#DIV/0!
cyhalothrin	316	1	0,3
cyhexatin, sum			#DIV/0!
cymoxanil			#DIV/0!
cypemethrin, total	1975	50	2,5
cyproconazole	1656	1	0,1
cyprodinil	1973	285	14,4
cyprofuram			#DIV/0!
cyromazine	463		0,0
daled			#DIV/0!
daminozide, sum			#DIV/0!
DDMU			#DIV/0!
DDT, sum	1965		0,0
DEF 6			#DIV/0!
deltamethrin	1976	41	2,1
demeton-O			#DIV/0!
demeton-S-methyl			#DIV/0!
demeton-S-methyl-sulfone	473		0,0
desethylatrazin			#DIV/0!
desisopropylatrazin			#DIV/0!
desmedipham	1645		0,0
desmetryn			#DIV/0!
diafenthiuron			#DIV/0!
dialifos	1647		0,0
diallate			#DIV/0!
diazinon	1971	1	0,1
dicamba			#DIV/0!
dichlofuanid	1973	6	0,3
dichlone			#DIV/0!
dichlorbenil			#DIV/0!
dichlorfenthion	1647		0,0
dichlorprop			#DIV/0!
dichlorvos	1972	8	0,4
diclobutrazol	1648	1	0,1
diclofop-methyl			#DIV/0!
dicloran	1973	15	0,8
dicofol	1768	11	0,6
dicrotophos	1676		0,0
dieldrin, sum	2020	3	0,1
diethyl-ethyl			#DIV/0!
diethofencarb	1453		0,0
difenconazole	1657	5	0,3
difenoxuron			#DIV/0!
diflovidazin			#DIV/0!
diflubenzuron	1645	4	0,2
diflufenican	1182		0,0
dimefox			#DIV/0!
dimefuron	1645		0,0
dimethachlor	1158		0,0
dimethametryn			#DIV/0!
dimethenamid			#DIV/0!
dimethenamid-p			#DIV/0!
dimethipin			#DIV/0!
dimethirimol			#DIV/0!
dimethoate, sum	1655	19	1,1
dimethomorph	1645	51	3,1
dimethylvinphos (E)			#DIV/0!
dimethylvinphos (Z)			#DIV/0!
dimoxystrobin			#DIV/0!
diniconazole	1848	5	0,3
dinitramine			#DIV/0!
dinobuton	465		0,0

dinocap			#DIV/0!
dinoseb, sum			#DIV/0!
dinoterb			#DIV/0!
dioxabenzofos			#DIV/0!
dioxacarb	1645		0,0
dioxathion			#DIV/0!
diphenamid			#DIV/0!
diphenyl sulfone			#DIV/0!
diphenylamine	1651	1	0,1
dipropetryn			#DIV/0!
dipropylisocincomeronat			#DIV/0!
diquat			#DIV/0!
disulfoton, sum	1971		0,0
ditalimfos	1647		0,0
dithianon			#DIV/0!
dithofencarb			#DIV/0!
diuron	1646	1	0,1
DMSA			#DIV/0!
DMST			#DIV/0!
DNOC			#DIV/0!
dodemorph	1621		0,0
dodine	982	8	0,8
edifenphos			#DIV/0!
endosulfan, sum	1972	68	3,4
endosulfanalkohol			#DIV/0!
endrin, sum	2019		0,0
endrin-aldehyd			#DIV/0!
EPN	1645		0,0
epoxiconazole			#DIV/0!
EPTC			#DIV/0!
esfenvalerate	466		0,0
etacelasil			#DIV/0!
etaconazole			#DIV/0!
ethalfuralin			#DIV/0!
ethephon			#DIV/0!
ethidimuron			#DIV/0!
ethiofencarb, sum	1654		0,0
ethion	1974		0,0
ethiprole			#DIV/0!
ethirimol	839		0,0
ethoate-methyl			#DIV/0!
ethofumesate	1645		0,0
ethoprophos	1646		0,0
ethoxyquin	475		0,0
ethylene oxide			#DIV/0!
etofenprox	1645	5	0,3
etoxazole			#DIV/0!
etridiazole	466		0,0
etrimfos	473		0,0
famophos			#DIV/0!
famoxadone	1441	14	1,0
fenamidone			#DIV/0!
fenamiphos, sum	464		0,0
fenarimol	1974	32	1,6
fenazaflo			#DIV/0!
fenazaquin	1645	3	0,2
fenazox			#DIV/0!
fenbuconazole	867	2	0,2
fenbutatin oxide			#DIV/0!
fenchlorazole			#DIV/0!
fenchlorim			#DIV/0!
fenchlorphos, sum	1655		0,0
fenfuram			#DIV/0!
fenhexamid	1961	234	11,9
fenitrothion	1974	25	1,3
fenobucarb			#DIV/0!
fenoprop	318		0,0
fenothiocarb			#DIV/0!
fenoxaprop			#DIV/0!
fenoxaprop-p			#DIV/0!
fenoxycarb	1645	4	0,2
fenpiclonil	1648		0,0
fenpropathrin	1976		0,0
fenpropidin			#DIV/0!
fenpropimorph	1158	1	0,1
fenpyroximate	1331	1	0,1
fenson			#DIV/0!
fensulfothion	1646		0,0
fenthion, sum	1971		0,0
fentin			#DIV/0!
fenuron			#DIV/0!
fenvalerate, total	1978	5	0,3
fenvalerate/esfenvalerate RR&SS			#DIV/0!
fenvalerate/esfenvalerate RS&SR			#DIV/0!
fipronil	1645	3	0,2
fipronil-sulfon			#DIV/0!
flampropisopropyl			#DIV/0!
flamprop-methyl			#DIV/0!
flazasulfuron			#DIV/0!

florasulam			#DIV/0!
fluazifop after hydrolysis			#DIV/0!
fluazifop, total	1645	9	0,5
fluazifop-p-butyl	1645		0,0
fluazinam	486		0,0
fluazolate			#DIV/0!
fluazuron			#DIV/0!
flubenzimine	1647		0,0
fluchloralin	1182		0,0
flucycloxuron			#DIV/0!
flucythrinate	1657	1	0,1
fludioxonil	1657	251	15,1
flufenacet fluthiamid	465		0,0
flufenoxuron	1645	33	2,0
flumethrin			#DIV/0!
flumetralin			#DIV/0!
flumioxazin			#DIV/0!
fluometuron			#DIV/0!
fluorochloridone			#DIV/0!
fluorodifen			#DIV/0!
fluoroglycofen-ethyl			#DIV/0!
fluotrimazole			#DIV/0!
fluquinconazole	466		0,0
flurecol-butyl			#DIV/0!
flurenol			#DIV/0!
flurochloridone			#DIV/0!
fluroxypyr			#DIV/0!
flurprimidol			#DIV/0!
flurtamone			#DIV/0!
flusilazole	1657	6	0,4
flusulfamide			#DIV/0!
flutolanil	1624		0,0
flutriafol	466		0,0
fluvalinate			#DIV/0!
folpet	1973	42	2,1
fonofos	1647		0,0
forchlorfenuron			#DIV/0!
formetanate			#DIV/0!
formothion	1647		0,0
fosmethilan			#DIV/0!
fosthiazate			#DIV/0!
fuberidazole			#DIV/0!
furalaxyl	1648		0,0
furathiocarb	1657		0,0
furmecyclox			#DIV/0!
genite			#DIV/0!
glufosinate-ammonium			#DIV/0!
glyphosate			#DIV/0!
glyphosate-trimesium			#DIV/0!
halacrinat			#DIV/0!
halfenprox			#DIV/0!
halofenozide			#DIV/0!
haloxyfop	1645	2	0,1
haloxyfop methyl ester	463		0,0
haloxyfop-etotyl			#DIV/0!
haloxyfop-R, total			#DIV/0!
HCH, sum (a-/b-/d-/e-)	1647		0,0
heptachlor, sum	838		0,0
heptachloroepoxide	1794	1	0,1
heptenophos	1971	1	0,1
hexachlorobenzene	1971	42	2,1
hexaconazole	1645	8	0,5
hexaflumuron	1645		0,0
hexazinone			#DIV/0!
hexythiazox	1645	10	0,6
hydrocyanic acid			#DIV/0!
hydrogen phosphide			#DIV/0!
hymexazol			#DIV/0!
imazalil	1973	48	2,4
imazamethabenz-methyl			#DIV/0!
imazamox			#DIV/0!
imazapyr			#DIV/0!
imazaquin			#DIV/0!
imazethapyr			#DIV/0!
imazethapyr			#DIV/0!
imibenconazol			#DIV/0!
imidacloprid	1645	132	8,0
indoxacarb	1648	50	3,0
iodofenphos			#DIV/0!
ioxynil			#DIV/0!
ioxynil octanoate			#DIV/0!
iprobefos			#DIV/0!
iprodione	1977	161	8,1
iprovalicarb	1645	15	0,9
isazofos			#DIV/0!
isobenzan	466		0,0
isocarbamid			#DIV/0!
isodrin	466		0,0
isofenphos, sum	1647	20	1,2

isomethiozin			#DIV/0!
isoprocab			#DIV/0!
isopropalin			#DIV/0!
isoprothiolane			#DIV/0!
isoproturon	1645		0,0
isoxaben			#DIV/0!
isoxaflutole			#DIV/0!
isoxathion			#DIV/0!
karbutilate			#DIV/0!
kelevan			#DIV/0!
kresoxim-methyl	1650	13	0,8
lambda-cyhalothrin	1660	77	4,6
lenacil			#DIV/0!
leptophos			#DIV/0!
lindane	1645		0,0
linuron	1646	2	0,1
lufenuron	1645	12	0,7
malathion/malaoxon, sum	1970	18	0,9
maleic hydrazide			#DIV/0!
maneb group	76	12	15,8
MCPA			#DIV/0!
MCPB			#DIV/0!
mecarbam	1972		0,0
mecoprop			#DIV/0!
mefenpyr-diethyl			#DIV/0!
mepanipirim	1648	12	0,7
mephosfolan			#DIV/0!
mepiquat	25		0,0
mepronil	1645	2	0,1
merphos			#DIV/0!
metalaxyl	1973	117	5,9
metalaxyl-M			#DIV/0!
metam (-sodium)			#DIV/0!
metamitron	1645		0,0
metazachlor			#DIV/0!
metconazole			#DIV/0!
methabenzthiazuron			#DIV/0!
methacryfos	316		0,0
methamidophos	1971	10	0,5
methazole			#DIV/0!
methfuroxam			#DIV/0!
methidathion	1971		0,0
methiocarb, sum	1645	42	2,8
methomyl, sum	1645	23	1,4
methoprotryne	1158		0,0
methoxychlor	2020		0,0
methoxyfenozide	1645	73	4,4
methyl isothiocyanate			#DIV/0!
metobromuron	973		0,0
metolachlor	1646		0,0
metolcarb			#DIV/0!
metominostrobin			#DIV/0!
metosulam			#DIV/0!
metoxuron			#DIV/0!
metribuzin			#DIV/0!
metsulfuron-methyl	463		0,0
mevinphos	1971		0,0
milbemectin			#DIV/0!
mirex	1964		0,0
molinate			#DIV/0!
monalide			#DIV/0!
monocrotophos	1655	1	0,1
monolinuron			#DIV/0!
monuron			#DIV/0!
myclobutanil	1973	114	5,8
naled			#DIV/0!
naphthylacetic acid			#DIV/0!
napropamide	978		0,0
neburon	1646		0,0
nicosulfuron	1645		0,0
nicotine			#DIV/0!
nitenpyram			#DIV/0!
nitralin			#DIV/0!
nitrapyrin			#DIV/0!
nitrofen	1964		0,0
nitrotal-isopropyl	1658		0,0
nitrothal			#DIV/0!
norflurazon, sum			#DIV/0!
novaluron			#DIV/0!
nuarimol	1961	1	0,1
ofurace			#DIV/0!
orbencarb			#DIV/0!
oryzalin			#DIV/0!
oxadiargyl			#DIV/0!
oxadiazon	1158		0,0
oxadixyl	1973	4	0,2
oxamyl	1645	8	0,5
oxasulfuron			#DIV/0!
oxycarboxine			#DIV/0!

oxychlordane			#DIV/0!
oxydemeton-methyl, sum	1182		0,0
oxydisulfoton			#DIV/0!
oxyfluorfen	1657		0,0
p,p'-dichlorbenzophenone			#DIV/0!
paclobutrazol	1158		0,0
paraquat			#DIV/0!
parathion-ethyl, sum	1971		0,0
parathion-methyl, sum	1971		0,0
penconazole	1973	41	2,1
pencycuron			#DIV/0!
pendimethalin	1660	4	0,2
pentachloraniline	316		0,0
pentachloranisole			#DIV/0!
pentachlorbenzen			#DIV/0!
pentachlorophenol			#DIV/0!
pentachlorothioanisol			#DIV/0!
pentachlor			#DIV/0!
permethrin	1976		0,0
perthane			#DIV/0!
phenkapton	1182		0,0
phenmedipham	1645		0,0
phenothiazine			#DIV/0!
phenothrin			#DIV/0!
phenthoate			#DIV/0!
phorate, sum	1655		0,0
phosalone	1971	10	0,5
phosethyl-aluminium			#DIV/0!
phosmet	1971		0,0
phosmetoxon			#DIV/0!
phosphamidon			#DIV/0!
phosphine			#DIV/0!
phoxim	483		0,0
picloram			#DIV/0!
picolinafen			#DIV/0!
picoxystrobin	1648		0,0
piperonyl butoxide	1182	8	0,7
pirimicarb, sum	1973	14	0,7
pirimiphos-ethyl	1647		0,0
pirimiphos-methyl	1970	15	0,8
plifenate			#DIV/0!
polychlorinated terpenes			#DIV/0!
potasan			#DIV/0!
prallethrin			#DIV/0!
pretilachlor			#DIV/0!
prochloraz	1657	4	0,2
procymidone	1965	262	13,3
profenofos	1182	2	0,2
profluralin			#DIV/0!
profoxydim clefoxydim			#DIV/0!
prohexadione-calcium			#DIV/0!
promecarb	1645		0,0
prometon			#DIV/0!
prometryn			#DIV/0!
propachlor	1647		0,0
propafos			#DIV/0!
propamocarb	1201	57	4,7
propanil	1647		0,0
propaquizafop			#DIV/0!
propargite	1182	21	1,8
propazine			#DIV/0!
propetamphos			#DIV/0!
propham	1647		0,0
propiconazole	1973		0,0
propoxur	1970		0,0
propyzamide	1976	9	0,5
prosulfocarb	466		0,0
prosulfuron			#DIV/0!
prothioconazole			#DIV/0!
prothiofos	465		0,0
prothoate			#DIV/0!
PTU			#DIV/0!
pymetrozine	1645	11	0,7
pyracarbolid			#DIV/0!
pyraclofos			#DIV/0!
pyraclostrobin	1301	3	0,2
pyraflufen			#DIV/0!
pyraflufen-ethyl			#DIV/0!
pyrazophos	1971		0,0
pyrazoxyfen			#DIV/0!
pyrethrins			#DIV/0!
pyridaben	1961	8	0,4
pyridafenthion	1655		0,0
pyridate, sum			#DIV/0!
pyrifenox	1657		0,0
pyrimethanil	1973	113	5,7
pyriproxyfen	1645	6	0,4
pyroquilon			#DIV/0!
quinalphos	1971	9	0,5

quinclorac			#DIV/0!
quinmerac	1643		0,0
quinoxaline			#DIV/0!
quinoxifen	1971	45	2,3
quintozene	2020		0,0
quizalofop			#DIV/0!
quizalofop-ethyl	1645		0,0
rabenzazole			#DIV/0!
resmethrin			#DIV/0!
rimsulfuron	453		0,0
rotenone			#DIV/0!
S 421			#DIV/0!
sebuthylazine			#DIV/0!
secbumeton			#DIV/0!
sethoxydim			#DIV/0!
silafiuofen			#DIV/0!
silthiopham			#DIV/0!
simazine	1648		0,0
simetryn			#DIV/0!
spinosad	1645	28	1,6
spirodiclofen	485	2	0,4
spiroresifen			#DIV/0!
spiroxamine	1645	7	0,4
sulfallate			#DIV/0!
sulfotep	1647		0,0
sulphur			#DIV/0!
sulprofos			#DIV/0!
tau-fluvalinate	1182		0,0
TBZ			#DIV/0!
TCNB			#DIV/0!
tebuconazole	1963	48	2,4
tebufenozide	1645	8	0,5
tebufenpyrad	1647	28	1,7
tebutam			#DIV/0!
tebuthiuron			#DIV/0!
tecnazene	2020		0,0
teflubenzuron	1645	3	0,2
tefluthrin	1182		0,0
temephos			#DIV/0!
TEPP	1655		0,0
tepraloxymid			#DIV/0!
terbacil			#DIV/0!
terbufos, sum	1647		0,0
terbumeton			#DIV/0!
terbutylazine	1182		0,0
terbutryn			#DIV/0!
terbutylazine, desethyl-			#DIV/0!
tetrachlorvinphos	1971		0,0
tetraconazole	1657	13	0,8
tetradifon	1975	1	0,1
tetrahydrophthalimide			#DIV/0!
tetramethrin	1660	1	0,1
tetrasul	1443		0,0
thiabendazole	1967	17	0,9
thiacloprid	1645	15	0,9
thiamethoxam	1645	20	1,2
thifensulfuron-methyl	463		0,0
thiobencarb			#DIV/0!
thiocyclam			#DIV/0!
thiodicarb	1441		0,0
thiofanox, sum			#DIV/0!
thiometon	473		0,0
thionazin	464		0,0
tiocarbamil			#DIV/0!
tolclofos-methyl	1657	5	0,3
tolyfluanid	1973	85	4,3
tralkoxydim			#DIV/0!
tralomethrin			#DIV/0!
transfluthrin			#DIV/0!
trans-nonachlor			#DIV/0!
trans-permethrin			#DIV/0!
triadimefon/triadimenol, sum	1673	52	3,1
triallate			#DIV/0!
triampipos	1182		0,0
tripenthenol			#DIV/0!
triasulfuron			#DIV/0!
triazamate			#DIV/0!
triazophos	1971		0,0
triazoxide			#DIV/0!
tribenuron-methyl			#DIV/0!
tribromophenol			#DIV/0!
tributylphosphate			#DIV/0!
trichlophenidin			#DIV/0!
trichlorfon			#DIV/0!
trichloronat			#DIV/0!
tricyclpyr			#DIV/0!
tricyclazole			#DIV/0!
tridemorph			#DIV/0!
tridiphane			#DIV/0!

trietazine			#DIV/0!
trifenmorph			#DIV/0!
trifloxystrobin	1648	28	1,7
triflumizole	1648	1	0,1
triflumuron	1645	3	0,2
trifluralin	1182	1	0,1
triflusulfuron-methyl	463		0,0
triforine			#DIV/0!
trimethacarb, sum	978		0,0
trinexapac			#DIV/0!
triticonazole	468		0,0
uniconazole			#DIV/0!
vamidothion, sum			#DIV/0!
vermolate			#DIV/0!
vinclozolin, total	1976	16	0,8
XMC			#DIV/0!
zeta-cypermethrin			#DIV/0!
zoxamide			#DIV/0!
Insert new rows if necessary			#DIV/0!

Table A 2 - Part II-Cereals: Summary table of pesticides sought and found
Surveillance sampling only

(cereals)
 (pesticides covered by Directives 76/895, 90/642 and by the national programmes)
 (sum of samples of national and co-ordinated programme)

Reporting country: Austria
 Year of sampling: 2006

Number of different pesticides* sought:	
Number of different pesticides* found:	
% pesticides found from pesticides sought:	

SRM a single residue method contains less than counted according to the residue definition

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation
 # SRM - single residue methods, MRM - multi-residue methods.

Ce1

Column 1	Column 2	Column 3	Column 4	Column 5
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/Kg)**
1-naphthylacetic acid			#DIV/0!	
2,3,5,6-TCA,			#DIV/0!	
2,3,5-trimethacarb			#DIV/0!	
2,4,5-T			#DIV/0!	
2,4-D			#DIV/0!	
2,4-DB			#DIV/0!	
2,4-dimethylaniline			#DIV/0!	
2,6-dichlorobenzamide			#DIV/0!	
2-chlorethanol, total			#DIV/0!	
3,4,5-trimethacarb			#DIV/0!	
3,4-dichloranilin, total			#DIV/0!	
3-ketocarbofuran			#DIV/0!	
4,4-dibrombenzophenon			#DIV/0!	
4,4-dichlorbenzophenon	26		0,0	
4-CPA			#DIV/0!	
abamectin, sum	26		0,0	
acephate	26		0,0	
acetamiprid	26		0,0	
acibenzolar			#DIV/0!	
acibenzolar-S-methyl			#DIV/0!	
aclonifen	26		0,0	
acrinathrin	26		0,0	
alachlor			#DIV/0!	
aldicarb, sum	26		0,0	
aldimorph			#DIV/0!	
aldrin	26		0,0	
allethrin			#DIV/0!	
allidochlor			#DIV/0!	
alpha-cypermethrin			#DIV/0!	
alphamethrin			#DIV/0!	
ametryn	26		0,0	
amidithion			#DIV/0!	
amidosulfuron			#DIV/0!	
aminocarb	26		0,0	
aminotriazol			#DIV/0!	
amitraz, total			#DIV/0!	
anilazine			#DIV/0!	
antraquinone			#DIV/0!	
aspon			#DIV/0!	
asulam			#DIV/0!	
atraton			#DIV/0!	
atrazine	26		0,0	
azaconazole	26		0,0	
azamethiphos			#DIV/0!	
azinphos-ethyl	26		0,0	
azinphos-methyl	26		0,0	
aziprotryne			#DIV/0!	
azocyclotin			#DIV/0!	
azolamide			#DIV/0!	
azoxystrobin	26		0,0	
barban			#DIV/0!	
beflubutamid			#DIV/0!	
benalaxyl	26		0,0	
benazolin			#DIV/0!	
bendiocarb, sum	26		0,0	
benfluralin	26		0,0	
benfuracarb			#DIV/0!	
benodanil			#DIV/0!	
bensulfuron-methyl			#DIV/0!	
bensultap			#DIV/0!	
bentazone			#DIV/0!	
benthiavalicarb			#DIV/0!	
benzoximate			#DIV/0!	
benzoylprop-ethyl			#DIV/0!	

MRM # Ten most frequently found pesticides (in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples))	
1	chlormequat
2	carbendazim, sum
3	chiropyrifos-methyl
4	prochloraz
5	
6	
7	
8	
9	
10	

benzthiazuron		#DIV/0!	
beta-cyfluthrin		#DIV/0!	
bifenazate		#DIV/0!	
bifenox		#DIV/0!	
bifenthrin	26		0,0
binapacryl	26		0,0
bioallethrin		#DIV/0!	
biphenyl		#DIV/0!	
bitertanol	26		0,0
boscalid (nicobifen)	26		0,0
brofenprox		#DIV/0!	
bromacil	26		0,0
bromfenvinphos		#DIV/0!	
bromfenvinphos-methyl		#DIV/0!	
bromide, total		#DIV/0!	
bromocyclen		#DIV/0!	
bromofenoxim		#DIV/0!	
bromophos-ethyl	26		0,0
bromophos-methyl	26		0,0
bromopropylate	26		0,0
bromoxynil		#DIV/0!	
bromoxynil-methyl-ether	26		0,0
bromoxynil-octanoate		#DIV/0!	
brompyrazon		#DIV/0!	
bromuconazole	26		0,0
bufencarb		#DIV/0!	
bupirimate	26		0,0
buprofenzin	26		0,0
butocarboxim sulfon		#DIV/0!	
butocarboxim, sum	26		0,0
butoxycarboxim	26		0,0
butralin		#DIV/0!	
buturon		#DIV/0!	
butylate		#DIV/0!	
cadusafos		#DIV/0!	
captafol	26		0,0
captan	26		0,0
captan/foipet, sum		#DIV/0!	
carbanolate		#DIV/0!	
carbaryl	26		0,0
carbendazim, sum	26	1	3,8
carbetamide	26		0,0
carbofuran, sum	26		0,0
carbon tetrachloride		#DIV/0!	
carbophenothion	26		0,0
carbosulfan		#DIV/0!	
carboxin		#DIV/0!	
carfentrazon-ethyl		#DIV/0!	
cartap (hydrochloride)		#DIV/0!	
cekafix		#DIV/0!	
chinomethionat	26		0,0
chloanil		#DIV/0!	
chlorbenside	26		0,0
chlorbenside sulfon		#DIV/0!	
chlorbromuron		#DIV/0!	
chlorbufam		#DIV/0!	
chlordan, sum (a-/g-)	26		0,0
chlordan, sum(a-/g-/oxy-)		#DIV/0!	
chlordecone		#DIV/0!	
chlordene, alpha-		#DIV/0!	
chlordene, gamma-		#DIV/0!	
chlordimeform	26		0,0
chlorfenapyr		#DIV/0!	
chlorfenethol		#DIV/0!	
chlorfenprop-methyl	26		0,0
chlorfenson	26		0,0
chlorfenvinphos	26		0,0
chlorfluazuron		#DIV/0!	
chlorfluorenol		#DIV/0!	
chlorfluorenol, total		#DIV/0!	
chloridazon		#DIV/0!	
chlormephos		#DIV/0!	
chlormequat	26	2	7,7
chloroaniline(3-)		#DIV/0!	
chlorobenzilate	26		0,0
chloroneb		#DIV/0!	
chlorothalonil	26		0,0
chloroxuron		#DIV/0!	
chlorpropham		#DIV/0!	
chlorpropylate	26		0,0
chlorpyrifos-ethyl	26	1	3,8
chlorpyrifos-methyl	26		0,0
chlorsulfuron		#DIV/0!	
chlorthal		#DIV/0!	
chlorthal-dimethyl	26		0,0
chlorthiamid		#DIV/0!	
chlorthion	26		0,0
chlorthiophos	26		0,0

chlortoluron		#DIV/0!	
chlozolate	26	0,0	
cinidon-ethyl	26	0,0	
cinosulfuron		#DIV/0!	
cis-nonachlor		#DIV/0!	
cis-permethrin		#DIV/0!	
clethodim		#DIV/0!	
clodinafop-propagyl		#DIV/0!	
cloethocarb		#DIV/0!	
clofentezine	26	0,0	
clomazone	26	0,0	
clopyralid		#DIV/0!	
cloquintocet-methyl		#DIV/0!	
cloquintocet-mexyl		#DIV/0!	
clothianidin	26	0,0	
copper compounds		#DIV/0!	
coumaphos	26	0,0	
crimidine		#DIV/0!	
crotoxyfos		#DIV/0!	
crufomate		#DIV/0!	
cyanazine	26	0,0	
cyanotenphos	26	0,0	
cyanophos		#DIV/0!	
cyazofamid		#DIV/0!	
cycloate		#DIV/0!	
cycloxydim		#DIV/0!	
cycluron		#DIV/0!	
cyflufenamid		#DIV/0!	
cyfluthrin, sum	26	0,0	
cyhalofop-butyl		#DIV/0!	
cyhalothrin	26	0,0	
cyhexatin, sum		#DIV/0!	
cymoxanil		#DIV/0!	
cypermethrin, total	26	0,0	
cyproconazole	26	0,0	
cyprodinil	26	0,0	
cyprofuram		#DIV/0!	
cyromazine	26	0,0	
daled		#DIV/0!	
daminozide, sum		#DIV/0!	
DDMU		#DIV/0!	
DDT, sum	26	0,0	
DEF 6		#DIV/0!	
deltamethrin	26	0,0	
demeton-O		#DIV/0!	
demeton-S-methyl		#DIV/0!	
demeton-S-methyl-sulfone	26	0,0	
desethylatrazin		#DIV/0!	
desisopropylatrazin		#DIV/0!	
desmedipham	26	0,0	
desmetryn		#DIV/0!	
dialfenthion		#DIV/0!	
dialifos	26	0,0	
diallate		#DIV/0!	
diazinon	26	0,0	
dicamba		#DIV/0!	
dichlofluanid	26	0,0	
dichlone		#DIV/0!	
dichlorbenil		#DIV/0!	
dichlorfenthion	26	0,0	
dichlorprop		#DIV/0!	
dichlorvos	26	0,0	
diclobutrazol	26	0,0	
diclofop-methyl		#DIV/0!	
dicloran	26	0,0	
dicofoi	26	0,0	
dicrotophos	26	0,0	
dieldrin, sum	26	0,0	
diethyl-ethyl		#DIV/0!	
diethofencarb	26	0,0	
difenoconazole	26	0,0	
difenoxuron		#DIV/0!	
diflovidazin		#DIV/0!	
diflubenzuron	26	0,0	
diflufenican	26	0,0	
dimetox		#DIV/0!	
dimeturon	26	0,0	
dimethachlor	26	0,0	
dimethametryn		#DIV/0!	
dimethenamid		#DIV/0!	
dimethenamid-p		#DIV/0!	
dimethipin		#DIV/0!	
dimethirimol		#DIV/0!	
dimethoate, sum	26	0,0	
dimethomorph	26	0,0	
dimethylvinphos (E)		#DIV/0!	
dimethylvinphos (Z)		#DIV/0!	
dimoxystrobin		#DIV/0!	

diniconazole	26	0,0
dinitramine		#DIV/0!
dinobuton	26	0,0
dinocap		#DIV/0!
dinoseb, sum		#DIV/0!
dinoterb		#DIV/0!
dioxabenzofos		#DIV/0!
dioxacarb	26	0,0
dioxathion		#DIV/0!
diphenamid		#DIV/0!
diphenyl sulfone		#DIV/0!
diphenylamine	26	0,0
dipropetryn		#DIV/0!
dipropylisocinchomeronat		#DIV/0!
diquat		#DIV/0!
disulfoton, sum	26	0,0
ditalimfos	26	0,0
dithianon		#DIV/0!
dithofencarb		#DIV/0!
diuron	26	0,0
DMSA		#DIV/0!
DMST		#DIV/0!
DNOC		#DIV/0!
dodemorph	26	0,0
dodine	26	0,0
edifenphos		#DIV/0!
endosulfan, sum	26	0,0
endosulfanalkohol		#DIV/0!
endrin, sum	26	0,0
endrin-aldehyd		#DIV/0!
EPN	26	0,0
epoxiconazole		#DIV/0!
EPTC		#DIV/0!
esfenvalerate	26	0,0
etacelasil		#DIV/0!
etaconazole		#DIV/0!
ethalfuralin		#DIV/0!
ethephon		#DIV/0!
ethidimuron		#DIV/0!
ethiofencarb, sum	26	0,0
ethion	26	0,0
ethiprole		#DIV/0!
ethirimol	26	0,0
ethoate-methyl		#DIV/0!
ethofumesate	26	0,0
ethoprophos	26	0,0
ethoxyquin	26	0,0
ethylene oxide		#DIV/0!
etofenprox	26	0,0
etoxazole		#DIV/0!
etridiazole	26	0,0
etrimfos	26	0,0
famophos		#DIV/0!
famoxadone	26	0,0
fenamidone		#DIV/0!
fenamiphos, sum	26	0,0
fenarimol	26	0,0
fenazaflor		#DIV/0!
fenazaquin	26	0,0
fenazox		#DIV/0!
fenbuconazole	26	0,0
fenbutatin oxide		#DIV/0!
fenchlorazole		#DIV/0!
fenchlorim		#DIV/0!
fenchlorphos, sum	26	0,0
fenfuram		#DIV/0!
fenhexamid	26	0,0
fenitrothion	26	0,0
fenobucarb		#DIV/0!
fenoprop	26	0,0
fenothiocarb		#DIV/0!
fenoxaprop		#DIV/0!
fenoxaprop-p		#DIV/0!
fenoxycarb	26	0,0
fenpiclonil	26	0,0
fenpropathrin	26	0,0
fenpropidin		#DIV/0!
fenpropimorph	26	0,0
fenpyroximate	26	0,0
fenson		#DIV/0!
fensulfthion	26	0,0
fenthion, sum	26	0,0
fenitin		#DIV/0!
fenuron		#DIV/0!
fenvalerate, total	26	0,0
fenvalerate/esfenvalerate RR&SS		#DIV/0!
fenvalerate/esfenvalerate RS&SR		#DIV/0!
fenprothion	26	0,0

fipronil-sulfon		#DIV/0!	
flampropisopropyl		#DIV/0!	
flamprop-methyl		#DIV/0!	
flazasulfuron		#DIV/0!	
florasulam		#DIV/0!	
fluazifop after hydrolysis		#DIV/0!	
fluazifop, total	26		0,0
fluazifop-p-butyl	26		0,0
fluazinam	26		0,0
fluazolate		#DIV/0!	
fluazuron		#DIV/0!	
flubenzimine	26		0,0
fluchloralin	26		0,0
flucycloxuron		#DIV/0!	
flucythrinate	26		0,0
fludioxonil	26		0,0
flufenacet fluthiamid	26		0,0
flufenoxuron	26		0,0
fumethrin		#DIV/0!	
fumetralin		#DIV/0!	
fumioxazin		#DIV/0!	
fuometuron		#DIV/0!	
fluorochloridone		#DIV/0!	
fluorodifen		#DIV/0!	
fluoroglycofen-ethyl		#DIV/0!	
fluotrimazole		#DIV/0!	
fluquinconazole	26		0,0
flurecol-butyl		#DIV/0!	
flurenol		#DIV/0!	
flurochloridone		#DIV/0!	
fluroxypyr		#DIV/0!	
flurprimidol		#DIV/0!	
flurtamone		#DIV/0!	
flusilazole	26		0,0
flusulfamide		#DIV/0!	
flutolanil	26		0,0
flutriafol	26		0,0
fluvalinate		#DIV/0!	
folpet	26		0,0
fonofos	26		0,0
forchlorfenuron		#DIV/0!	
formetanate		#DIV/0!	
formothion	26		0,0
fosmethilan		#DIV/0!	
fosthiazate		#DIV/0!	
fuberidazole		#DIV/0!	
furalaxyl	26		0,0
furathiocarb	26		0,0
furmecyclox		#DIV/0!	
genite		#DIV/0!	
glufosinate-ammonium		#DIV/0!	
glyphosate		#DIV/0!	
glyphosate-trimesium		#DIV/0!	
halacrinat		#DIV/0!	
halfenprox		#DIV/0!	
halofenozide		#DIV/0!	
haloxyfop	26		0,0
haloxyfop methyl ester	26		0,0
haloxyfop-etotyI		#DIV/0!	
haloxyfop-R, total		#DIV/0!	
HCH, sum (a-/b-/d-/e-)	26		0,0
heptachlor, sum	26		0,0
heptachloroepoxide	26		0,0
heptenophos	26		0,0
hexachlorobenzene	26		0,0
hexaconazole	26		0,0
hexaflumuron	26		0,0
hexazinone		#DIV/0!	
hexythiazox	26		0,0
hydrocyanic acid		#DIV/0!	
hydrogen phosphide		#DIV/0!	
hymexazol		#DIV/0!	
imazalil	26		0,0
imazamethabenz-methyl		#DIV/0!	
imazamox		#DIV/0!	
imazapyr		#DIV/0!	
imazaquin		#DIV/0!	
imazethapyr		#DIV/0!	
imazethapyr		#DIV/0!	
imibenconazol		#DIV/0!	
imidacloprid	26		0,0
indoxacarb	26		0,0
iodofenphos		#DIV/0!	
ioxynil		#DIV/0!	
ioxynil octanoate		#DIV/0!	
iprobefos		#DIV/0!	
iprodione	26		0,0
iprovalicarb	26		0,0

isazofos		#DIV/0!
isobenzan	26	0,0
isocarbamid		#DIV/0!
isodrin	26	0,0
isofenphos, sum	26	0,0
isomethiozin		#DIV/0!
isoprocarb		#DIV/0!
isopropalin		#DIV/0!
isoprothiolane		#DIV/0!
isoproturon	26	0,0
isoxaben		#DIV/0!
isoxaftutole		#DIV/0!
isoxathion		#DIV/0!
karbutilate		#DIV/0!
kelevan		#DIV/0!
kresoxim-methyl	26	0,0
lambda-cyhalothrin	26	0,0
lenacil		#DIV/0!
leptophos		#DIV/0!
lindane	26	0,0
linuron	26	0,0
lufenuron	26	0,0
malathion/malaoxon, sum	26	0,0
maleic hydrazide		#DIV/0!
maneb group	26	0,0
MCPA		#DIV/0!
MCPB		#DIV/0!
mecarbam	26	0,0
mecoprop		#DIV/0!
mefenpyr-diethyl		#DIV/0!
mepanipyrin	26	0,0
mephosfolan		#DIV/0!
mepiquat	26	0,0
mepronil	26	0,0
merphos		#DIV/0!
metalaxyl	26	0,0
metalaxyl-M		#DIV/0!
metam (-sodium)		#DIV/0!
metamitron	26	0,0
metazachlor		#DIV/0!
metconazole		#DIV/0!
methabenzthiazuron		#DIV/0!
methacnifos	26	0,0
methamidophos	26	0,0
methazole		#DIV/0!
methfuroxam		#DIV/0!
methidathion	26	0,0
methiocarb, sum	26	0,0
methomyl, sum	26	0,0
methoprotryne	26	0,0
methoxychlor	26	0,0
methoxyfenozide	26	0,0
methyl isothiocyanate		#DIV/0!
metobromuron	26	0,0
metolachlor	26	0,0
metolcarb		#DIV/0!
metominostrobin		#DIV/0!
metosulam		#DIV/0!
metoxuron		#DIV/0!
metribuzin		#DIV/0!
metsulfuron-methyl	26	0,0
mevinphos	26	0,0
milbemectin		#DIV/0!
mirex	26	0,0
molinate		#DIV/0!
monalide		#DIV/0!
monocrotophos	26	0,0
monolinuron		#DIV/0!
monuron		#DIV/0!
myclobutanil	26	0,0
naled		#DIV/0!
naphthylacetic acid		#DIV/0!
napropamide	26	0,0
neburon	26	0,0
nicosulfuron	26	0,0
nicotine		#DIV/0!
nitenpyram		#DIV/0!
nitralin		#DIV/0!
nitrapyrin		#DIV/0!
nitrofen	26	0,0
nitrotal-isopropyl	26	0,0
nitrothal		#DIV/0!
norflurazon, sum		#DIV/0!
novaluron		#DIV/0!
nuarimol	26	0,0
ofurace		#DIV/0!
orbencarb		#DIV/0!
oryzalin		#DIV/0!

oxadiargyl			#DIV/0!
oxadiazon	26		0,0
oxadixyl	26		0,0
oxamyl	26		0,0
oxasulfuron			#DIV/0!
oxycarboxine			#DIV/0!
oxychlorane			#DIV/0!
oxydemeton-methyl, sum	26		0,0
oxydisulfoton			#DIV/0!
oxyfluorfen	26		0,0
p,p'-dichlorbenzophenone			#DIV/0!
paclobutrazol	26		0,0
paraquat			#DIV/0!
parathion-ethyl, sum	26		0,0
parathion-methyl, sum	26		0,0
penconazole	26		0,0
pencycuron			#DIV/0!
pendimethalin	26		0,0
pentachloraniline	26		0,0
pentachloranisole			#DIV/0!
pentachlorbenzen			#DIV/0!
pentachlorophenol			#DIV/0!
pentachlorothioanisol			#DIV/0!
pentanochlor			#DIV/0!
permethrin	26		0,0
perthane			#DIV/0!
phenkapton	26		0,0
phenmedipham	26		0,0
phenothiazine			#DIV/0!
phenothrin			#DIV/0!
phenthoate			#DIV/0!
phorate, sum	26		0,0
phosalone	26		0,0
phosethyl-aluminium			#DIV/0!
phosmet	26		0,0
phosmetoxon			#DIV/0!
phosphamidon			#DIV/0!
phosphine			#DIV/0!
phoxim	26		0,0
picloram			#DIV/0!
picolinafen			#DIV/0!
picoxystrobin	26		0,0
piperonyl butoxide	26		0,0
pirimicarb, sum	26		0,0
pirimiphos-ethyl	26		0,0
pirimiphos-methyl	26		0,0
plifenate			#DIV/0!
polychlorinated terpenes			#DIV/0!
potasan			#DIV/0!
prallethrin			#DIV/0!
pretilachlor			#DIV/0!
prochloraz	26	1	3,8
procymidone	26		0,0
profenofos	26		0,0
profluralin			#DIV/0!
profoxydim clefoxydim			#DIV/0!
prohexadione-calcium			#DIV/0!
promecarb	26		0,0
prometon			#DIV/0!
prometryn			#DIV/0!
propachlor	26		0,0
propafos			#DIV/0!
propamocarb	26		0,0
propanil	26		0,0
propaquizafop			#DIV/0!
propargite	26		0,0
propazine			#DIV/0!
propetamphos			#DIV/0!
propham	26		0,0
propiconazole	26		0,0
propoxur	26		0,0
propyzamide	26		0,0
prosulfocarb	26		0,0
prosulfuron			#DIV/0!
prothioconazole			#DIV/0!
prothiofos	26		0,0
prothoate			#DIV/0!
PTU			#DIV/0!
pymetrozine	26		0,0
pyracarbolid			#DIV/0!
pyraclifos			#DIV/0!
pyraclostrobin	26		0,0
pyraflufen			#DIV/0!
pyraflufen-ethyl			#DIV/0!
pyrazophos	26		0,0
pyrazoxyfen			#DIV/0!
pyrethrins			#DIV/0!
pyridaben	26		0,0

pyridafenthion	26	0,0
pyridate, sum		#DIV/0!
pyrifenox	26	0,0
pyrimethanil	26	0,0
pyriproxyfen	26	0,0
pyroquilon		#DIV/0!
quinalphos	26	0,0
quinclorac		#DIV/0!
quinmerac	26	0,0
quinoclamine		#DIV/0!
quinoxifen	26	0,0
quintozene	26	0,0
quizalofop		#DIV/0!
quizalofop-ethyl	26	0,0
rabenzazole		#DIV/0!
resmethrin		#DIV/0!
rimsulfuron	26	0,0
rotenone		#DIV/0!
S 421		#DIV/0!
sebutylazine		#DIV/0!
sebumeton		#DIV/0!
sethoxydim		#DIV/0!
silaflofen		#DIV/0!
sithiopham		#DIV/0!
simazine	26	0,0
simetryn		#DIV/0!
spinosad	26	0,0
spirodiclofen	26	0,0
spiromesifen		#DIV/0!
spiroxamine	26	0,0
sulfallate		#DIV/0!
sulfotep	26	0,0
sulphur		#DIV/0!
sulprofos		#DIV/0!
tau-fluvalinate	26	0,0
TBZ		#DIV/0!
TCNB		#DIV/0!
tebuconazole	26	0,0
tebufenozide	26	0,0
tebufenpyrad	26	0,0
tebutam		#DIV/0!
tebutiuron		#DIV/0!
tecnazene	26	0,0
teflubenzuron	26	0,0
tefluthrin	26	0,0
temephos		#DIV/0!
TEPP	26	0,0
tepraloxymid		#DIV/0!
terbacil		#DIV/0!
terbufos, sum	26	0,0
terbumeton		#DIV/0!
terbutylazine	26	0,0
terbutryn		#DIV/0!
terbutylazine, desethyl-		#DIV/0!
tetrachlorvinphos	26	0,0
tetraconazole	26	0,0
tetradifon	26	0,0
tetrahydrophthalimide		#DIV/0!
tetramethrin	26	0,0
tetrasul	26	0,0
thiabendazole	26	0,0
thiacloprid	26	0,0
thiamethoxam	26	0,0
thifensulfuron-methyl	26	0,0
thiobencarb		#DIV/0!
thiocyclam		#DIV/0!
thiodicarb	26	0,0
thiofanox, sum		#DIV/0!
thiometon	26	0,0
thionazin	26	0,0
tiocarbazil		#DIV/0!
tolclofos-methyl	26	0,0
tolyfluanid	26	0,0
tralkoxydim		#DIV/0!
tralomethrin		#DIV/0!
transfluthrin		#DIV/0!
trans-nonachlor		#DIV/0!
trans-permethrin		#DIV/0!
triadimefon/triadimenol, sum	26	0,0
triallate		#DIV/0!
triampfos	26	0,0
triapenthenol		#DIV/0!
triasulfuron		#DIV/0!
triazamate		#DIV/0!
triazophos	26	0,0
triazoxide		#DIV/0!
tribenuron-methyl		#DIV/0!
tribromophenol		#DIV/0!

tributylphosphate			#DIV/0!
trichlophenidin			#DIV/0!
trichlorfon			#DIV/0!
trichloronat			#DIV/0!
triclopyr			#DIV/0!
tricyclazole			#DIV/0!
tridemorph			#DIV/0!
tridiphane			#DIV/0!
trietazine			#DIV/0!
trifenmorph			#DIV/0!
trifloxystrobin	26		0,0
triflumizole	26		0,0
triflumuron	26		0,0
trifluralin	26		0,0
triflusulfuron-methyl	26		0,0
triforine			#DIV/0!
trimethacarb, sum	26		0,0
trinexapac			#DIV/0!
triticonazole	26		0,0
uniconazole			#DIV/0!
vamidothion, sum			#DIV/0!
vermolate			#DIV/0!
vinclozolin, total	26		0,0
XMC			#DIV/0!
zeta-cypermethrin			#DIV/0!
zoxamide			#DIV/0!
insert new rows if necessary			#DIV/0!

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: **Miscellaneous fruit** Food item: **Bananas**

Reporting country: **Austria** Year of sampling: **2006**

Total number of samples analysed:
 Without detectable residues: **16**
 With detectable residues at or below MRL or without MRL: **5**

With residues above MRL (EC-national): **0**
 With residues above EC-MRL: **0**
 With residues above national MRL: **0**

IMPORTANT
 PLEASE DO NOT CHANGE THE ORDER OF THE PESTICIDES OR CHANGE/INSERT/DELETE ROWS OR COLUMNS
 Only insert information on the specified commodity and the listed pesticides.

Samples with quantifiable residues in cases up to and including (in mg/kg):

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in cases up to and including (in mg/kg)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (**)	Check		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10						20	50-50
Acetolals	15	15																		
Aldicarb	15	15																		
Azinphos-methyl	15	15																		
Azoxystrobin	15	15																		
Benomyl group (B)	15	15																		
Bifenoxin	15	14	1																	
Bromopropylate	15	15																		
Bupirimate	15	15																		
Captaf	15	15																		
Carbaryl	15	15																		
Chlorobutanol	15	15																		
Chlorpropham	15	15																		
Chlorpyrifos	15	15																		
Chlorpyrifos-methyl	15	15																		
Cypermethrin	15	15																		
Cyprodinil	15	15																		
Deltamethrin	15	15																		
Disasoon	15	15																		
Dichlorobaid	15	15																		
Dichloroac	15	15																		
Dicofol	15	15																		
Dimethoate + Omethoate (1)	15	15																		
Diphenylamine	15	15																		
Endosulfan	15	15																		
Fenprothion	15	15																		
Fludoxonil	15	15																		
Folpet	15	15																		
Captaf + Folpet	15	15																		
Imidacloprid	15	10																		
Indoxacarb	15	15																		
Iprodione	15	15																		
Kresoxim-methyl	15	15																		
Lambda-cyhalothrin	15	15																		
Metathion	15	15																		
Metaxifol	15	15																		
Methamidophos	15	15																		
Methidathion	15	15																		
Methidocarb	15	15																		
Methomyl	15	15																		
Mylabuthion	15	15																		
Oxydemeton-methyl	15	15																		
Parathion	15	15																		
Phosalone	15	15																		
Phlometolol	15	15																		
Phosphor-methyl	15	15																		
Procymidone	15	15																		
Propargite	15	15																		
Pyrethrin	15	15																		
Pyrimethanil	15	15																		
Syngol	15	15																		
Thiobenzoxazole	15	11																		
Tolclofos-methyl	15	15																		
Tolylfland	15	15																		
Triadimenol + Triadimenol (2)	15	15																		
Vinclozolin	15	15																		

(*) Benomyl, carbendazim, thiofanate-methyl (sum of residues expressed as carbendazim).
 (**) Sum of difluorcarbamates, expressed as C2.
 (1) Sum of Dimethoate and Omethoate expressed as Dimethoate.
 (2) Sum of Triadimenol and Triadimenol.
 (3) Sum of Triadimenol and Triadimenol.
 (4) Sum of Triadimenol and Triadimenol.
 (5) Sum of Triadimenol and Triadimenol.
 (6) Sum of Triadimenol and Triadimenol.
 (7) The column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg
 (8) E=EC-MRL, N=National MRL, W=without MRL

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in cases (a) to (c) including (in mg/kg) (1)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (2)	Check
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					
Acetophenone	16	16	18															0
Aldicarb	16	16	18															0
Azinphos-methyl	16	16	18															0
Azoxystrobin	16	16	18															0
Benomyl group (B)	16	16	18															0
Bifenoxin	16	16	18															0
Bromocrypsate	16	16	18															0
Bupirimate	16	16	18															0
Carbof	16	16	18															0
Carbofenthiol	16	16	18															0
Chloroprothi	16	16	18															0
Chlorpyrifos	16	16	18															0
Chlorpyrifos-methyl	16	16	18															0
Cypermethrin	16	16	18															0
Cyprodinil	16	16	18															0
Deltamethrin	16	16	18															0
Desazon	16	16	18															0
Dichlorfualid	16	16	18															0
Dichlorvos	16	16	18															0
Dicofol	16	16	18															0
Dimethoate + Omethoate (1)	16	16	18															0
Diphenylamine	16	16	18															0
Endosulfan	16	16	18															0
Fenhexamid	16	16	18															0
Fludioxonil	16	16	18															0
Folpet	16	16	18															0
Captaf + Folpet	16	16	18															0
Imazali	16	16	18															0
Imidacloprid	16	16	18															0
Iprodione	16	16	18															0
Kresoxim-methyl	16	16	18															0
Lambda-cyhalothrin	16	16	18															0
Malathion	16	16	18															0
Maneb group (M)	16	16	18															0
Metalaxyl	16	16	18															0
Methamidophos	16	16	18															0
Methidathion	16	16	18															0
Methidatb	16	16	18															0
Metbomyl	16	16	18															0
Myribacil	16	16	18															0
Oxydemeton-methyl	16	16	18															0
Parathion	16	16	18															0
Phosalone	16	16	18															0
Prinacarb	16	16	18															0
Prinphos-methyl	16	16	18															0
Propargite	16	16	18															0
Pyrethrin	16	16	18															0
Pyrimethanil	16	16	18															0
Spinosamin	16	16	18															0
Thiabendazole	16	16	18															0
Tebuconazole	16	16	18															0
Tolylfluanid	16	16	18															0
Triadimenol + Triadimenol (2)	16	16	18															0
Vinclozolin	16	16	18															0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captaf+Folpet)
 (1) 0 column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (*) EEC-MRL, N=National MRL, W=without MRL
 (B) Benomyl, carbendazim, biophenyl-methyl (sum of residues expressed as carbendazim)
 (M) Sum of Dimethoate and Omethoate expressed as Dimethoate
 (2) Sum of Triadimenol and Triadimenol

IMPORTANT
 PLEASE DO NOT CHANGE THE ORDER OF THE PESTICIDES OR CHANGE/DELETE ROWS OR COLUMNS.
 Only insert information on the specified commodity and the listed pesticides.

Product group: Brassica vegetables
 Food item: Cauliflower
 Reporting country: Austria
 Year of sampling: 2006
 Total number of samples analysed:
 Without detectable residues: 18
 With detectable residues at or below MRL or without MRL: 15
 With residues above MRL (EC-MRL): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Processed products Food item: Orange juice

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 15 1
 Without detectable residues: 10 1
 With detectable residues at or below MRL or without MRL: 4 0

With residues above MRL (EU-national): 1
 With residues above EC-MRL: 1
 With residues above national MRL: 0

IMPORTANT
PLEASE DO NOT CHANGE THE ORDER OF THE PESTICIDES OR CHANGE/DELETE ROWS OR COLUMNS.
Only insert information on the specified commodity and the listed pesticides.

Pesticide	Total number of samples	Number of samples without residues	Samples with quantifiable residues in classes up to and including (in mg/kg)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (*)
			0.01	0.02	0.05	0.1	0.2	0.5	1				
Acetophate	15	15											
Adifos-methyl	15	15											
Azinphos-methyl	15	15											
Acypridin	15	15											
Benomyl group (#)	15	15											
Bifenox	15	15											
Bromopropylate	15	15											
Suprimate	15	15											
Captan	15	15											
Carbaryl	15	15											
Chlorothalonil	15	15											
Chlorpropham	15	15											
Chlorpyrifos	15	15											
Chlorpyrifos-methyl	15	15											
Cypermethrin	15	15											
Cyprodinil	15	15											
Dequalin	15	15											
Diazinon	15	15											
Dichloflumet	15	15											
Dichlorvos	15	15											
Docofol	15	15											
Dimethoate + Omethoate (1)	15	15											
Diphenylamine	15	15											
Endosulfan	15	15											
Fenhexamid	15	15											
Fludioxonil	15	15											
Folpet	15	15											
Captan + Folpet	15	15											
Imazalil	15	15											
Imidacloprid	15	15											
Iprodione	15	15											
Kresoxim-methyl	15	15											
Lambda-cyhalothrin	15	15											
Malathion	15	15											
Maleb group (#)	15	15											
Mesafent	15	15											
Methamidophos	15	15											
Methidathion	15	15											
Methiocarb	15	15											
Methomyl	15	15											
Miprodifenil	15	15											
Oxymetcon-methyl	15	15											
Parathion	15	15											
Phosalone	15	15											
Primicarb	15	15											
Prinprose-methyl	15	15											
Procymidone	15	15											
Propargite	15	15											
Pyrethrin	15	15											
Pyrimethanil	15	15											
Spinetoram	15	15											
Thiabendazole	15	15											
Tolclofos-methyl	15	15											
Tolyfluanid	15	15											
Tridemeton + Triadimenol (2)	15	15											
Vinclozolin	15	15											

(1) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (#) Sum of dithiocarbamates, expressed as CS.
 (*) E-EC-MRL, N-National MRL, W-without MRL.
 (2) Sum of Triadimenol and Triadimenol.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables Food item: Peas (fresh/frozen, without pod) Year of sampling: 2006

Reporting country: Austria

Number of samples analysed: 15
 Without detectable residues: 12
 With detectable residues at or below MRL: 3

With residues above MRL (EC-national): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

IMPORTANT
 PLEASE DO NOT CHANGE THE ORDER OF THE PESTICIDES OR CHANGE/INSERT/DELETE ROWS OR COLUMNS.
 Only insert information on the specified commodity and the listed pesticides.

Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (1)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (2)	Check				
				0.01	0.02	0.05	0.1	0.2	0.5	1						2	5	10	20
Acyprate	15	15																	
Adicarb	15	15																	
Azinphos-methyl	15	15																	
Azoxystrobin	15	15																	
Benzoyl group (R)	15	15																	
Bifenoxin	15	15																	
Bromopropylate	15	15																	
Bupirimate	15	15																	
Captaf	15	14					1												
Carbof	15	15																	
Chlorothalonil	15	15																	
Chlorprothiam	15	15																	
Chlorpyrifos	15	15																	
Chlorpyrifos-methyl	15	15																	
Cypermethrin	15	15																	
Cyprodinil	15	15																	
Deltamethrin	15	15																	
Disazon	15	15																	
Dichlorofluand	15	15																	
Dichlorvos	15	15																	
Dicofol	15	15																	
Dimethoate + Omethoate (1)	15	15																	
Diphenylamine	15	15																	
Endosulfan	15	15																	
Fenitrothion	15	15																	
Fenprothion	15	15																	
Folpet	15	15																	
Captaf + Folpet	15	14					1												
Imazali	15	15																	
Imidacloprid	15	15																	
Iprodione	15	15																	
Kresoxon-methyl	15	15																	
Lambda-cyhalothrin	15	15																	
Malathion	15	15																	
Maneb group (R)	15	15																	
Mepesaf	15	15																	
Methamidophos	15	15																	
Methidathion	15	15																	
Methidat	15	15																	
Methoxy	15	15																	
Micobutazul	15	15																	
Oxydemeton-methyl	15	15																	
Perathion	15	15																	
Phosalone	15	15																	
Prinidab	15	15																	
Triphos-methyl	15	15																	
Procymidone	15	15																	
Propargite	15	15																	
Pyrethris	15	15																	
Pyrimethanil	15	15																	
Spinosamin	15	15																	
Thiabendazole	15	15																	
Tolclofos-methyl	15	15																	
Tolylfluanid	15	15																	
Triademeton + Triademeton (2)	15	15																	
Vinclozolin	15	13																	

notes: do not report MRL here, report MRL in the row (Sum Captaf-Folpet)
 (1) E column 0.02 includes the range from 0.01 to ... mg/kg up to 0.020... mg/kg
 (*) E-EC-MRL, N-National MRL, W-without MRL
 (R) Sum of chlorothalonil, bifenoxin-methyl (sum of residues expressed as carbendazim)
 (R) Sum of ethephon-methyl, expressed as CS;
 (1) Sum of bifenoxin and Omethoate expressed as Dimethoate
 (2) Sum of Triademeton and Triademeton

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers (sweet)		Reporting country: Austria		Year of sampling: 2006		IMPORTANT									
Total number of samples analysed:		15		With residues above MRL (EC-national):		1		PLEASE DO NOT CHANGE THE ORDER OF THE PESTICIDES OR CHANGE/INSERT/DELETE ROWS OR COLUMNS									
Without detectable residues:		4		With residues above EC-MRL:		1		Only insert information on the specified commodity and the listed pesticides.									
With detectable residues at or below MRL or without MRL:		10		With residues above national MRL:		0		Check									
Pesticide	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in cases up to and including (in mg/kg) (1)										Maximum residue level (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (*)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				
Acetate	15	15															
Aldicarb	15	15															
Azinphos-methyl	15	15															
Azoxystrobin	15	15															
Bifenthrin	15	15															
Biofenoxipropylate	15	15															
Bupirimate	15	15															
Captaf	15	15															
Carbaryl	15	15															
Chloromequat	15	15															
Chlorothalonil	15	15															
Chlorpropham	15	15															
Chlorpyrifos	15	15															
Chlorpyrifos-methyl	15	15															
Cyromethrin	15	15															
Cyprodinil	15	15															
Deltamethrin	15	15															
Diazinon	15	15															
Dichlorofluorid	15	15															
Dichlorvos	15	15															
Difolol	15	15															
Dimethoate + Omethoate (1)	15	15															
Diphenylamine	15	15															
Endosulfan	15	15															
Fenhexamid	15	15															
Fludioxonil	15	15															
Folpet	15	15															
Captaf + Folpet	15	15															
Imidacloprid	15	15															
Iprodione	15	15															
Kresoxim-methyl	15	15															
Lambda-cyhalothrin	15	15															
Malathion	15	15															
Metolachlor	15	15															
Metolachlor (H)	15	15															
Metiram	15	15															
Methidathion	15	15															
Methidathion	15	15															
Methiocarb	15	15															
Methomyl	15	15															
Mipodabutil	15	15															
Oxydemeton-methyl	15	15															
Parathion	15	15															
Phosalone	15	15															
Prinacarb	15	15															
Pyrimor-methyl	15	15															
Procymidone	15	15															
Propargite	15	15															
Pyrethrin	15	15															
Pyrimethanil	15	15															
Spinosad	15	15															
Thiabendazole	15	15															
Trietoxycarbonyl-methyl	15	15															
Tolylflusulfid	15	15															
Triadimenol + Triadimenol (2)	15	15															
Vindocarb	15	15															

(*) E-EC-MRL, N-National MRL, W-without MRL
 (1) Sum of Dimethoate and Omethoate expressed as Dimethoate
 (2) Sum of Triadimenol and Triadimenol
 (3) Benomyl, carbendazim, thioflorfen-methyl (sum of residues expressed as carbendazim)
 (4) Sum of dimethoate, expressed as CS₂
 (5) Sum of Dimethoate and Omethoate expressed as Dimethoate
 (6) Sum of Triadimenol and Triadimenol

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	small berries and fruits	Food item:	Strawberries
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	124	With residues above MRL (EC+national):	4
Without detectable residues:	42	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	78	With residues above national MRL:	2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Azoxystrobin	124	105														0.25			
Benomylgroup	124	118		1			7	3	6	3						0.28	2	0.10	E
Boscalid	124	121		1		1	1	2	2	1						0.255	1	0.05	N
Bupirimate	124	123		1												0.013			
Caplan	124	124								1						0.211			
Folpet	124	123									1					0.17			
Chlorothalonil	124	120		2	2											0.09			
Clofentazine	124	119		1	1	2				1						0.345			
Cyprodinil	124	97		1	4	7	10	3	2							0.874			
Diclobutrazol	124	123		1												0.011			
Endosulfansulfat	73	71		1	1											0.025			
Fenatimol	124	115		1	5	2	1									0.1			
Fenhexamid	124	83		6	3	9	10	6	4	1	1					3.4			
Fenitrothion	124	123		1												0.018			
Fluazifop	124	122		1						1						0.141			
Fludioxonil	124	106		1	3	7	5	2								0.488			
Haloxifop	73	72				1										0.097			
Hexaconazole	124	121		3												0.018			
Imidachloprid	124	123				1										0.085			
Indoxacarb	124	123								1						0.303	1	0.02	N
Iprodion	124	116						4	2	1	1					0.517			
Kresoxim-methyl	124	115		2	4	1	1	1								0.237			
Cyhalothrin (Iambdia)	124	122		1	1											0.036			
Lufenuron	124	124														0.024			
Malathion	124	121				3										0.04			
Mepanipyrim	124	122				2										0.04			
Methiocarb (Summe)	124	124														0.013			
Myclobutanil	124	108		1	10	4				1						0.315			
Pirimicarb	124	123				1										0.034			
Procymidone	124	114			2	2	1	3	1	1						1			
Pyraclostrobin	73	71		1	1											0.037			
Pyrimethanil	124	119			3					2						1.261			
Quinoxifen	124	121			2				1							0.101			
Spinosad	124	123		1												0.013			

Spiroclidofen	73	71																		0,035	
Tebufenpyrad	124	123	1							1	1									0,021	
Thiachlopyrid	124	122							1	1										0,138	
Toxyfluantid	124	119								2	2		1							0,781	
Triadimefon (Summe)	46	46																		0,02	
Vinclozolin	124	123														1				0,73	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	miscellaneous fruits		Food item:	Kiwi	
Reporting country:	Austria		Year of sampling:	2006	
Total number of samples analysed:	91		With residues above MRL (EC+national):	2	
Without detectable residues:	52		With residues above EC-MRL:	1	
With detectable residues at or below MRL or without MRL:	37		With residues above national MRL:	1	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50	
Carbaryl	91	90				1											0,03			
Diazinon	91	90		1													0,01			
Etofenprox	91	90			1												0,036	1	0,01	N
Fenhexamid	91	88		1	2	1			2	1	1	1	1	14			7,7			
Fenvalerat	52	51					1										0,081	1	0,02	E
Iprodion	91	77					3	6	3	1							1,393			
Malathion	90	88				1	1										0,082			
Methomyl	91	90		1													0,017			
Procymidone	91	88					1	1	1	1							0,3			
Vinclozolin	91	87				3	1													

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassicaceae vegetables	Food item:	Kohlrabi
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	85	With residues above MRL (EC-national):	4
Without detectable residues:	70	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Bifenthrin	85	84	0.01		1												0,027			
Boscalid	85	84	0.01	1													0,011			
Butoxycarboxim	49	46	0.01	3													0,013			
Chlorpyrifos	84	84	0.01														0,011			
Dichloran	85	82	0.01				1		2								0,473	3	0,01	N
Dicofol	59	58	0.01		1												0,028			
Dimethoate	85	84	0.01	1													0,015			
Erdosulfan	36	34	0.01	2													0,017			
Fluazifop	85	84	0.01				1										0,062			
Haloxypop (Summe)	85	85	0.01														0,017			
Metaxyl	85	84	0.01	1													0,015			
Methomyl	85	84	0.01	1													0,01			
Procymidone	85	83	0.01		2												0,046	1	0,05	E
Propamocarb	36	34	0.01				1										0,256			

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: leafy vegetables **Food item:** lettuce

Reporting country: Austria **Year of sampling:** 2006

Total number of samples analysed: 121 **With residues above MRL (EC-national):** 17

Without detectable residues: 57 **With residues above EC-MRL:** 3

With detectable residues at or below MRL: 47 **With residues above national MRL:** 15

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Acetophate	121	120															0,33	1	E	0,02
Acelamiprid	121	119		1													0,796	1	N	0,05
Acyoxystrobin	121	117			2	1											0,98			
Bifenoxin	121	119		1	1												0,021			
Boscalid	121	118		1	1												0,527	1	N	0,05
Captafol	88	86					2										0,12	2	E	0,02
Folpet	121	109			3	2	4	1	2								1,68			
Chlorpyrifos	121	120		1													0,011			
Clothianidin	121	119		2													0,019			
Cymoxanil	121	120		1													0,034	1	N	0,01
Cypermethrin	121	119		1	1												0,15			
Cyprodinil	121	110		3	1	1	2	2	1	1							1,6			
Deltamethrin	121	110		5	5	1											0,1			
Dichlofuanid	121	120				1											0,16			
Dichloran	121	116		1	2	1	1										0,166	4	N	0,01
Dimethoate	121	119															1,1			
Ornethoate	121	120		1													0,14			
Dimethomorph	121	115		1	1	3	1										0,204	4	N	0,05
Linuron	121	120		1													0,013			
Endosulfan	68	68		1													0,42	1	E	0,05
Etofenprox	121	120		1													0,014			
Fenhexamid	121	119		1													1,2			
Fluazifop	121	120		1													0,02			
Fludioxonil	121	116		1	1												1,4			
Imidachloprid	121	119		1	1	1											0,06			
Indoxacarb	121	116		1	1	2	1										0,41	4	N	0,02
Iprodion	121	93		1	5	4	3	3	5	3	3	1				3				
Iprovalicarb	121	119															0,275			
lambda-Cyhalothrin	121	117		1	2	1											0,089			
Mepronil	121	120		1													0,495			
Metaxyl	121	115		1	2												0,37			
Methamidophos	121	120		1	1												0,048			
Methomyl	121	119															0,77			
Oxadixyl	121	120		1													0,034			

Pendimethalin	121	119																0,039				
Pirithiobarb	121	119								2									0,358			
Procymidone	121	106			7	2	2	1	1	1	1								1,854			
Propamocarb	52	41			1	2	1	1	1	1	1								20,34	1		
Propyzamid	121	120																	0,04			
Pymetrozine	121	120						1											0,056			
Spiriosad	121	119									2								0,57	2	N	0,01
Thiamethoxam	121	117						1	1		1								0,84	2	N	0,05
Toctofosmethyl	120	112						2	3	1	1	1							0,25			
Tolyfluanid	121	119								2									0,043			
Trifluralin	53	52										1							0,013			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding (the MRL)	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Acetamiprid	123	108		8	5	2									0,107			
Azinphos-methyl	123	121		2											0,033	2	0,01	N
Azoxystrobin	123	110		10	3										0,096			
Benomyl-group	123	119		2	1	1									0,057			
Boscalid	123	122		1											0,023			
Chlorpyrifos	123	119		1	1	1	1	2							0,24			
Chlorfthalonil	123	121			1	1									0,148			
Clotianidin	123	122		1											0,017			
Cypermethrin	123	115		5	2	1									0,2			
Cyprodinil	123	121		2											0,043			
Deltamethrin	123	121		2											0,031			
Diazinon	123	122		1											0,015			
Dimethoate	123	122		1											0,017			
Omethoate	123	122		1											0,012			
Diniconazol	123	122		1											0,014			
Endosulfan	123	107		2	6	4	2	2							0,32			
Fenarimol	123	121		1	1										0,038			
Fenhexamid	123	121		2											0,018			
Fludioxonil	123	119		1	2	1	1								0,12			
Hexythiazox	123	122		1											0,011			
Imidachloprid	123	93		2	7	4	13	4							0,4			
Iprodion	123	115		6	1	1									0,184			
Kresoxim-methyl	123	122		1											0,027			
Cyhalothrin (lambda)	123	121		1	1										0,036			
Lufenuron	123	122		1											0,027	1	0,01	N
Metaxyl	123	122		1											0,02			
Methamidophos	123	122		1											0,018			
Methiocarb (Summe)	123	117		3	2	1									0,18	1	0,05	N
Methiocarb-sulfoxid	63	60		1	1	1									0,11			
Methomyl	123	121		1											0,07			
Myclobutanil	123	119		3	1										0,091			
Pirimicarb	123	121		1											0,11			
Pirimiphosmethyl	122	121		3	5	8	5	1							0,05			
Procymidone	123	101													0,2			

Product group: fruiting vegetables peppersFood item: peppersReporting country: AustriaYear of sampling: 2006Total number of samples analysed: 1235Without detectable residues: 650With detectable residues at or below MRL or without MRL: 535

With residues above MRL (EC-national):

5

With residues above EC-MRL:

0

With residues above national MRL:

5

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: berries and small fruits Food item: Grapes

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 118 With residues above MRL (EC+national): 15

Without detectable residues: 20 With residues above EC-MRL: 2

With detectable residues at or below MRL or without MRL: 83 With residues above national MRL: 13

Pesticide (*)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (**)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azinathrin	118	114		3	1											0,021		
Azinphosmethyl	118	117					1									0,053		
Azoxystrobin	118	96			5	11	4	2								0,35		
Carbendazim	118	109		5	2	1	1									0,18		
Bifenthrin	118	110		3	4		1									0,14		
Boscalid	118	115		2		1										0,052		
Bromopropylate	118	117					1									0,11		
Bupirimate	118	117				1										0,057		
Folpet	118	116					1	1								0,219		
Chlorpyrifos	117	101		4	4	6	1	1								0,22		
Chlorpyrifosmethyl	118	110		2	4	2										0,06		
Cyfluthrin	118	106		7	7	4	1									0,13		
Cyfluthrin (beta)	65	61		4												0,048		
Cypermethrin	118	116					1	1								0,182		
Cyprodinil	118	85		1	4	5	15	6	2							1,3		
Deltamethrin	118	107		9	2											0,073		
Dimethomorph	118	108		6	3	1										0,11		
Diniconazol	118	117		1												0,029	1	0,01
Endosulfan (beta)	65	64		1												0,017		N
Endosulfansulfat	65	64		1												0,015		
Ethirimol	1			1												0,018		
Etofenprox	118	117					1									0,152	1	0,01
Famoxadone	103	100		1	1	1										0,2		
Fenarimol	118	114		3	1											0,03		
Fenhexamid	118	96		7	5	3	2	3	2							1,365		
Fenitrothion	118	109		1	3	4		1								0,36		
Fenpyroximate	75	74		1												0,02		
Fludioxonil	118	89		2	3	1			7	9	11	2				0,69		
Flufenoxuron	118	111		1			1									0,46	5	0,01
Flusilazol	118	117		4												0,012		
Imazalil	118	112		2			2									0,084	2	0,02
Imidachlopid	118	116		2	4	8	1									0,195		E
Indoxacarb	118	103		2	4	1										0,15		
Iprodion	118	105		2	1	2	4	3				1				1,8		

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: baby food

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 108 With residues above MRL (EC+national): 0

Without detectable residues: 107 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Pirifimicarb	108	107		1													0.013	

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: pome fruits Food item: apples

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 15 With residues above MRL (EC+national): 0

Without detectable residues: 7 With residues above EC-MRL: 0

With detectable residues at or below MRL: 8 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) MRL (***)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Acetamiprid	15	13		1	1											0,025		
benomyl group	15	13					1									0,303		
captan	15	9					2	3	1							0,26		
Clofentazine	15	14		1												0,013		
Diflubenzuron	15	14			1											0,021		
Dodine	15	11			1	2	1									0,144		
Fenoxycarb	15	12			1	2										0,044		
Flufenoxureon	15	14		1												0,01		
Indoxacarb	15	14			1											0,032		
Methoxyfenozid	15	12		1	1	1										0,055		
Phosalone	15	13				2										0,072		
Pirimicarb	15	13		1	1											0,046		
Tebuconozid	15	13		1	1											0,034		
Tolyfluantid	15	12			1						2					0,165		
Trifloxystrobin	15	14		1												0,012		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: apple pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
benomyl group	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	50	0,008		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: stone fruit Food item: apricots

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 14 With residues above MRL (EC-national): 1

Without detectable residues: 3 With residues above EC-MRL: 1

With detectable residues at or below MRL: 10 With residues above national MRL: 1

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Boscalid	14	12					1										0,122	1	0,05	N
Benomyl-group	14	11		3													0,012			
Captan	14	9						2	2	1							0,527			
Diflubenzuron	14	12				2											0,031			
Indoxacarb	14	13		1													0,017			
lambda-Cyhalothrin	14	13		1													0,014			
Maneb-group	14	11					1	2									0,16			
Pirimicarb	14	13		1													0,028			
Propargite	14	13													1		0,265			
Tebuconazole	14	13		1													0,017			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** apricot jam

Reporting country: Austria **Year of sampling:** 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0
 Without detectable residues: 0 With residues above EC-MRL: 0
 With detectable residues at or below MRL: 1 With residues above national MRL: 0
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
benomyl group	1	0		0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.03		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** apricot pulp
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed:

1

 Without detectable residues:

0

 With detectable residues at or below MRL:

1

 or without MRL:

1

 With residues above MRL (EC+national):

0

 With residues above EC-MRL:

0

 With residues above national MRL:

0

Pesticide (**)	Total number of samples analysed	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Carbaryl	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,013		
				1														

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Fruiting vegetables	Food item:	Aubergines
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	3	With residues above MRL (EC+national):	1
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Cyprodinil	3	2			1												0,04			
Fludioxonil	3	2		1													0,015			
Iprodione	3	2								1							0,053			
Lufenuron	3	2									1						0,059	1	0,01	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: miscellaneous fruits Food item: bananas

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL: 2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	3	2		1													0,022	
Imazalil	3	2				1											0,17	
Thiabendazol	3	1		1		1											0,17	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: basic for minardrink

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) Le column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: legumes beans
Reporting country: Austria **Food item:** beans
Year of sampling: 2006
 Total number of samples analysed: 3 With residues above MRL (EC+national): 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With detectable residues at or below MRL: 1 With residues above national MRL: 0
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50 > 50				
Bifenthrin	3	2	0.01	1																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: _____ Food item: beans fresh

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10
Dimethoat+Omethoat	2	1	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.029	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: biscuits

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	small fruits and berries	Food item:	blackberries
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Chlorthalonil	3	0															0,019		
Iprodione	3	0															0,027		
Vinclozolin	3	0															0,028		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: small fruits and berries Food item: blueberries

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 17 With residues above MRL (EC+national): 1

Without detectable residues: 16 With residues above EC-MRL: 1

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) (***)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50>50	
Benomyl-group	17	16															0,169	1	0,10	E
Fluorothinate	17	16	1														0,011			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: bread

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 11 With residues above MRL (EC+national): 0

Without detectable residues: 11 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Broccoli

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20
Fluazifop	3	2		1												0,025	

0

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables **Food item:** brussel sprouts
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 2 With residues above MRL (EC+national): 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Propamocarb	2	1		1													0,013	

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: cereals **Food item:** buckwheat
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 2 **With residues above MRL (EC-national):** 0
 Without detectable residues: 2 **With residues above EC-MRL:** 0
 With detectable residues at or below MRL: 0 **With residues above national MRL:** 0
 or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Cabbage

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Spices Food item: caraway

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1
 Without detectable residues: 1
 With detectable residues at or below MRL or without MRL: 0

With residues above MRL (EC-national): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)								
				0.01	0.02	0.05	0.1	0.2	0.5				1	2	5	10	20	50	>50	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: oil seeds Food item: Cannabis seed

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: root and tuber vegetables Food item: Carrots

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 6 With residues above MRL (EC+national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e. column 0.02 includes the range from 0.01 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Cauliflower

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 14 With residues above MRL (EC+national): 0

Without detectable residues: 14 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: heavy vegetables and fresh herbs Food item: chives

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20	50

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fungi Food item: champignons

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues, in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Carbendazim	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.013		
Prochloraz	1	0				1										0.032		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	stone fruits	Food item:	cherries
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	16	With residues above MRL (EC-national):	1
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl-group	16	14		1	1											0,019		
Caplan	16	15					1									0,053		
Cypermethrin	16	15					1									0,066		
Cyproconazol	16	15		1												0,016		
Dimethoate + Omethoat	16	11						3	2							0,29		
Dodine	16	14					1									0,061		
Endosulfane	16	15					1									0,011		
Fenatimid	16	15					1									0,014		
Fenhexamid	16	13		1	1	1										0,035		
Imidacloprid	16	15							1							0,058		
Monocrotophos	16	15							1							0,051		
Pyrimethalin	16	15												1		0,24	1	0,05 N#

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: chinese cabbage

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg): (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	cucumber
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	38	With residues above MRL (EC+national):	0
Without detectable residues:	34	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Benomyl-group	38	36		1														0,031	
Bifenthrin	38	37		1														0,018	
Cypermethrin	38	37			1													0,099	
Cyprodinil	38	37			1													0,061	
Dimethomorph	38	37			1													0,03	
Fenhexamid	38	37			1													0,025	
Imidacloprid	38	37		1														0,012	
Metaxyl	38	37					1											0,182	
Oxamyl	38	37		1														0,017	
Penconazol	38	37			1													0,021	
Procymidone	38	37					1											0,07	
Propamocarbhydrochlorid	38	37									1							0,348	
Tetraconazol	38	37					1											0,024	

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Cyprodinil	16	8		2	2	1	1	1	2							0,324		
Dichlorfuanid	16	15			1											0,033		
Dimethoate+Omethoat	16	15				1										0,067	1	0,02
Docline	16	14				1	1									0,084		
Endosulfane	16	11				1	2	1	1							0,23	2	0,05
Esfenvalerate	18	15				1										0,022		
Fenhexamid	18	10				1	1	2	1	2						1,31		
Fenoxycarboxim	16	15				1										0,023		
Fludioxonil	18	8				3	2	1	2							0,46		
Hexythiazox	16	15					1									0,057		
Imidacloprid	16	15				1										0,039		
Kresoxim-methyl	16	13				1	2									0,141		
Maneb-group	16	15				1										0,06		
Methidathion	16	15				1										0,025		
Myclobutanil	16	15			1											0,02		
Omethoat	16	15			1											0,039		
Penconazol	16	15			1											0,015		
Phosalone	18	14						2								0,111		
Tebuconazole	16	12				1	1	3								0,442		
Thiacloprid	16	11		1	1	1	1	1	1							0,668		
Tolyfluanid	16	11		1	1	2	2									0,075		
Trifloxystrobin	16	14				1	1									0,151		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Product group: small fruits and berries Food item: currants

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 16 With residues above MRL (EC+national): 3

Without detectable residues: 4 With residues above EC-MRL: 3

With detectable residues at or below MRL: 9 With residues above national MRL: 0

or without MRL:

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: small fruits and berries Food item: elder

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: heavy vegetables and fresh herbs Food item: fennel

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) (***)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Pendimethalin	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.23		

(*) i.e column 0.02 includes the range from 0.01... mg/kg up to 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: food supplement

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: fruit dessert

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: fruit juice

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 29 With residues above MRL (EC-national): 0

Without detectable residues: 25 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 4 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl group	29	27		2													0,015	
Imazalil	29	25		1	2	1											0,068	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: fruit juice concentrate

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

Pesticide (**) or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) MRL (***)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** fruit sirupe
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 4 With residues above MRL (EC+national): 0
 Without detectable residues: 3 With residues above EC-MRL: 0
 With detectable residues at or below MRL: 1 With residues above national MRL: 0
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5
Bifenthrin	4	3		1										0,011		

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg up to 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	small fruits and berries	Food item:	goose berries
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	7	With residues above MRL (EC-national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	7	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding (the MRL)	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Bupirimat	7	5		1														0,051	
Cyprodinil	7	5					1											0,355	
Dichlofluanid	7	6			1													0,021	
Fenhexamid	7	6									1							1,632	
Fenpropimorph	7	6										1						0,51	
Fludioxonil	7	4					1											0,267	
Kresoxim-methyl	7	4				2												0,22	
Pentconazol	7	5			1													0,043	
Phosalone	7	6				1												0,029	
Pirimicarb	7	6																0,014	
Quinoxifen	7	5																1,012	
Tebuconazol	7	3					2	1										0,663	
Thiacktoprid	7	6			1													0,021	
Tolyfluanid	7	6																0,308	
Trifloxystrobin	7	3					1	2	1									0,35	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	small fruits and berries	Food item:	grapes
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	257	With residues above MRL (EC-national):	51
Without detectable residues:	28	With residues above EC-MRL:	9
With detectable residues at or below MRL or without MRL:	178	With residues above national MRL:	48

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Acetamiprid	257	256		1												0,01			
Acrinathrin	257	251		4	1	1										0,054	3	0,01	N
Azoxystrobin	257	193		1	28	24	7	4								0,29			
Bifenthrin	257	231		1	11	11	2	1								0,113			
Boscalid	257	248		2	2	2	2	1	2							0,265	2	0,01	N
Bromopropylate	257	253		2						1	1					0,54			
Captan	257	253					3			1						0,208			
Carbaryl	257	255		1							1					0,654			
Benomyl-group	257	229		4	4	5	4	4	3	2	1	1				2,914	1	2,00	E
Chlorothalonil	257	256						1								0,114			
Chlorpyrifos	257	202		1	17	15	8	13	1							0,237			
Chlorpyrifos-methyl	257	222		10	19	4	2									0,153			
Chlorothalonil	257	256		1												0,014			
Clofentezine	257	256					1									0,024	1	0,01	N
Cyfluthrin	257	228				11	16	2								0,134			
Cypermethrin	257	244				5	7	1								0,14			
Cyprodinil	257	144		1	3	10	16	21	35	21	3	1				2,6			
Deltamethrin	257	247		1	1	5	3	1								0,121	1	0,10	E
Dichlorfuanid	257	256		1												0,024			
Dichlorvos	257	254		1	2											0,013			
Dicofof	257	249		5	1					2						0,16			
Dimethoat	257	254		1	1	1	1	1								0,113	3	0,02	E
Dimethomorph	257	229		2	15	9	2									0,127			
Diniconazole	257	254		1	1	1										0,021	1	0,01	N
Estenvalerate	257	254		3												0,041			
Ethirimol	257	255		1	1											0,044	2	0,01	N
Famoxadone	257	247		1	2	1	1	1	4	1						0,221			
Fenazacrin	257	254		2	1											0,031	2	0,01	N
Fenhexamid	257	181		1	10	17	15	9	9	11	4					1,6			
Fenitrothion	257	246		5	2	1	3									0,178			
Fludioxonil	257	163		6	18	15	29	23	3							0,761			
Flufenoxuron	257	232		2	4	6	8	5								0,186	21	0,01	N
Flusilazole	257	252		4	1											0,025			
Folpet	257	239					6	3	4	3		2				2,839			

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Guave pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: miscellaneous fruits Food item: hip

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: miscellaneous fruits Food item: Kaki

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Kivi

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20	50

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Kohlrabi

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 6 With residues above MRL (EC+national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Benomyl-group	6	5	0.01															0,126	
Chlorpyrifos	6	5	1															0,012	
Chlorpyrifos-methyl	6	5	1															0,014	

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Kumquats

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Endosulfane	1	0	0.01	1													0.014		
Malathion	1	0			1												0.082		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: leafy vegetables Food item: lamb's lettuce

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1				2	5	10

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: stem vegetables Food item: leek

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Azoxystrobin	196	188					6	1	1							0.13			
Boscalid	196	193					1	1				1				6.768	1	0.05	N
Buprofezin	196	195					1									0.042	1	0.01	N
Benomyl-group	196	194	2													0.007			
Chlorpyrifos	196	194						2								0.072			
Chlorothalimethyl	196	195		1												0.012			
Chlorothalonil	196	195		1												0.013			
Chlorothianidil	196	194		1	1											0.021	1	0.01	N
Cymoxanil	196	192		1	1	1										0.165	1	0.01	N
Cypermethrin	196	192					2	2								0.488			
Cyprodinil	196	188		3				2	1		2					1.942			
Deltamethrin	196	193					1									0.35			
Dichloran	196	192	1				3									0.032	2	0.01	N
Difencozol	196	195					1									0.026			
Dimethoat	196	194		2												0.032			
Dimethomorph	196	191		2	2	1										0.211	1	0.05	N
Endosulfane	196	193		1						2						0.498	2	0.05	E
Fenhexamid	196	181		13												2			
Fludioxonil	196	188		1	1	1	4							1		5.966	1	2.00	N
Folpet	196	184	1		2	3	2	2	1	1						2.63	1	0.10	E
Imidacloprid	196	187	1	3	4	1										0.15			
Indoxacarb	196	194												1		2.139	1	0.02	N
Iprodione	196	172		1	2	7	3	6	1	2	1	1				5.8			
Lambda-Cyhalothrin	196	190		2	2	2										0.065			
Metaxyl	196	188		3	3	1	1									0.123			
Methiocarb (Mercaptodimeth)	196	195	1													0.01			
Methomyl	196	192					1	1	1							1.421			
Ormethoat	196	194		2												0.015			
Oxadixyl	196	195					1									0.021			
Piperonylbutoxid	196	195							1							0.26			
Pirimicarb	196	192		2					1	1						0.551			
Procymidone	196	166		5	11	4	4	1	2	1	2	1	2			5.64	1	5.00	E
Propamocarbhydrochlorid	196	168		2	2	3	1	1	3	7	6	3				6.977			
Propyzamid	196	191		1	2											0.055			

Product group: Leavy vegetablesFood item: lettuceReporting country: AustriaYear of sampling: 2006Total number of samples analysed: 19613Without detectable residues: 45

With detectable residues at or below MRL

113

With residues above national MRL:

10

With residues above MRL (EC-national):

10

With residues above EC-MRL:

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: small fruits and berries Food item: lingon berries

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 6 With residues above MRL (EC+national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: lingon berry pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: oilseed Food item: linseed

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>fruit vegetables</u>	Food item: <u>sweet maize</u>		
Reporting country: <u>Austria</u>	Year of sampling: <u>2006</u>		
Total number of samples analysed: <u>1</u>	With residues above MRL (EC+national):		
Without detectable residues:	With residues above EC-MRL:		
With detectable residues at or below MRL or without MRL:	With residues above national MRL:		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e. column 0.02 includes the range from 0.01 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: maize grit

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: citrus fruits **Food item:** mandarines
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 15 **With residues above MRL (EC-national):** 0
 Without detectable residues: 8 **With residues above EC-MRL:** 0
 With detectable residues at or below MRL: 7 **With residues above national MRL:** 0
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Benomyl-group	15	14	0.01	1														0,099	
Chlorpyrifos	15	9				3	3											0,12	
Dicofol	15	13						1	1									0,89	
Hexythiazox	15	14		1														0,013	
Imazalil	15	9				2	1	1	1	2								2,33	
Malathion	15	11			2	1												0,64	
o-Phenylphenol	15	14						1										0,463	
Pyriproxyfen	15	14						1										0,016	
Thiabendazol	15	13			1	1												0,045	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	miscellaneous fruits	Food item:	mangoes
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	4	With residues above MRL (EC-national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Prochloraz	4	3	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,95		
Thiabendazol	4	3				1										0,107		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: oilseed Food item: melon seed

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg): (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fruiting vegetables Food item: melons

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azoxystrobin	1	0		1													0,033	
Tebufenpyrad	1	0		1													0,027	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** millet mash
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 1 With residues above MRL (EC+national): 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20

(*) i.e column 0.02 includes the range from 0.01 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: cereals Food item: millet

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: vegetables mixed frozen

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Carbendazim	1	0	0.01	1													0,009		
Vinclozolin	1	0	0.01		1												0,035		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: nut fruits Food item: nuts

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** oat flocks
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 1 With residues above MRL (EC+national): 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With detectable residues at or below MRL: 0 With residues above national MRL: 0
 or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: oils

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 165 With residues above MRL (EC+national): 2

Without detectable residues: 138 With residues above EC-MRL: 0

With detectable residues at or below MRL: 25 With residues above national MRL: 2

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Dieldrin	165	155			3	6	1										0,086	1		N
fenthion	165	164					1										0,1			
Hexachlorbenzene	165	143		1	7	8	5			1							0,365	1	0,25	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: onion vegetables Food item: onions

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: citrus fruits Food item: Oranges

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 26 With residues above MRL (EC+national): 0

Without detectable residues: 10 With residues above EC-MRL: 0

With detectable residues at or below MRL: 16 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg). (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl group	26	23	0.01	2	1													
Chlorpyrifos	26	18	1	1	2	5												
Hexaconazol	26	25	1	1														
Imazalil	26	11	1	1	6					2	5	1						
Pirimiphosmethyl	26	25			1													
Prochloraz	26	25									1							
Tebuconazol	26	25	1	1														

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: miscellaneous fruits Food item: papayas

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)	
				0.01	0.02	0.1	0.2	0.5	1	2	5	10	20				50-50
				0.01	0.02	0.1	0.2	0.5	1	2	5	10	20	50-50			

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: leavy vegetables and fresh herbs Food item: parsley leaves

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 4 With residues above MRL (EC+national): 4

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azoxystrobin	4	3	0.01	1												1.981		
Carbaryl	4	3		1												0.014		
Chlorpyrifos	4	1		2												1.019	1	0.05
Chlorpyrifos-methyl	4	3	1													0.01		
Chlorthalonil	4	3			1											0.037		
Cypermethrin	4	2			1											0.062		
Deltamethrin	4	3			1											0.075		
Diazinon	4	3				1										0.391	1	0.02
Dificonazol	4	2		1												0.082		
Fenitrothion	4	3			1											0.068		
Heptenophos	4	3			1											0.081	1	0.01
Linuron	4	3			1											0.029		
Procymidone	4	2			2											0.036	2	0.02
Propyzamid	4	2		1	1											0.024		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: miscellaneous fruits **Food item:** passion fruit
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 2 With residues above MRL (EC+national): 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Store fruits Food item: Peaches/nectarines

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 7 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 5 With residues above national MRL: 0

or without MRL: 5

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20
Azinphosmethyl	7	6					1									0,198	
Caplan	7	6							1							0,223	
Benomyl-group	7	4	1		1	1										0,085	
Chlorpyrifos	7	6		1												0,033	
Cypermethrin	7	6			1											0,029	
Fenitrothion	7	6									1					0,231	
Folpet	7	6									1					0,336	
Phinmcarb	7	6				1										0,039	
Procyimidone	7	5		1	1											0,021	
Tebuconazol	7	6												1		0,374	
Triflumizole	7	6				1										0,047	

(*) Le column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: pear pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: stone fruits Food item: pears

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 13 With residues above MRL (EC+national): 2

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 6 With residues above national MRL: 2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azinphosmethyl	13	9					1	1	2								0.121		
Benomyl-group	13	10		1	1	1											0.062		
Bifenthrin	13	12		1													0.04		
Carbaryl	13	12		1													0.031		
Chloromequat	13	12		1													0.023		
Chlorpyrifos	13	11			2												0.064		
Chlorpyrifos-methyl	13	12		1													0.036		
Cyprodinil	13	11		1	1												0.063		
Fludioxonil	13	12		1													0.028		
Indoxacarb	13	12		1													0.038		
Kresoxim-methyl	13	12		1													0.014		
Proxymidone	13	11			1			1									0.134		
Tebuconazol	13	12			1			1									0.118		
Tebuflufenozid	13	12			1			1									0.077		
Teflubenzuron	13	12		1													0.034	1	0.01
Tolyfluanid	13	11						1	1								0.365		
Triflumuron	13	10					2	1									0.142	1	0.05

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fruiting vegetables **Food item:** Peppers
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 94 With residues above MRL (EC-national): 11
 Without detectable residues: 45 With residues above EC-MRL: 5
 With detectable residues at or below MRL: 38 With residues above national MRL: 7
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Acetamiprid	94	90		1	3										0,036			
Acinifluin	94	93		1											0,023	1	0,01	N
α -Cypermethrin	94	91		2	1										0,067			
Azoxystrobin	94	90		1	2	1									0,073			
Benomyl-Group	94	88		1	3	2									0,09			
Bifenthrin	94	93		1											0,024			
Buprofezin	94	93						1							0,254			
Chlorpyrifos	94	88		1	2			2	1						0,55			
Chlorpyrifos-methyl	94	92		1		1									0,051			
Chlothalonil	94	93		1											0,011			
Cyprodinil	94	86		1	3	2	1	1							0,43			
Deltamethrin	94	91		1	2										0,036			
Diazinon	94	93		1											0,014			
Dichlorvos	94	90		1	1		2								0,079			
Endosulfane	94	76		1	2	7	3	3	2						0,266			
Etofenprox	94	93		1		1									0,023	1	0,01	N
Fipronil	94	92		2											0,018			
Fludioxonil	94	81		4	6	1	1	1							0,23			
Hexythiazox	94	93		1		1									0,042			
Imidacloprid	94	87		1	2	7	9	8							0,329			
Iprodione	94	93								1					0,6			
Kresoxim-methyl	94	93					1								0,077			
Lufenuron	94	91		1	2										0,029	2	0,01	N
Methamidophos	94	89		3	2										0,07	5	0,01	E
Methiocarb (Mercaptodimeth)	94	81		3	5	5									0,099			
Methomyl	94	89		2	2	2	1								0,284	1	0,05	N
Myclobutanil	94	92		1		1									0,079			
Oxamyl	94	92		2											0,046			
Penconazole	94	94													0,054			
Pirimiphosmethyl	94	89		4	1										0,062			
Procymidone	94	79		2	4	5	2	1	1						3,68			
Pyridaben	94	92		1	1										0,03			
Pyrimethanil	94	91		1	2										0,036			
Pyriproxyfen	94	93								1					0,224	1	0,10	N

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: pineapple peaces

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 4 With residues above MRL (EC-national): 1

Without detectable residues: 3 With residues above EC-MRL: 1

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50	
Aldicarb	4	3					1										0,147	1	0,05	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	stone fruit	Food item:	plums
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Captafen	8	7																0,147	
Benomyl-group	8	7	1															0,006	
Endosulfane	8	7		1														0,011	
Fenhexamid	8	7					1											0,08	

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: plums pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Beromyl group	3	1					1	1									0,184	
Endosulfane	3	2		1													0,022	
Tebuconazol	3	2		1													0,026	

(*) i.e column 0,02 includes the range from 0,011 ... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: plums pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) MRL (***)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Benomyl group	3	1					1	1						0.184		
Endosulfane	3	2		1										0.022		
Tebuconazol	3	2		1										0.026		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: oilseed Food item: poppy seed

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	potatoes	Food item:	potatoes
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	15	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding (the MRL)	MRL (mg/kg) MRL (***)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Chlorpropham	15	6		1	1															

(*) i.e. column 0.02 includes the range from 0.01... mg/kg up to 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: oilseed Food item: pumpkin seed

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 49 With residues above MRL (EC+national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 43 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Dieldrin	49	46		1	1	1											0,028	
Hexachlorbenzene	49	7		4	11	22	5										0,072	

(*) i.e. column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	root and tuber vegetables	Food item:	radish
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	29	With residues above MRL (EC+national):	0
Without detectable residues:	21	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	8	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	29	26	0.01	1	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,16	
Procymidone	29	25	1	1	2	1	1	1									0,08	

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: raisins

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	small fruits and berries	Food item:	raspberries
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	23	With residues above MRL (EC-national):	1
Without detectable residues:	8	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Acetamiprid	23	22			1												0,031			
Azoxystrobin	23	21		2													0,035			
Boscalid	23	22		1													0,033			
Benomyl-Group	23	19			1	2	1										0,443	1	0,10	E
Cyprodinil	23	17		1	2	3											0,116			
Dimethoat	23	22		1													0,024			
Dimethoat+Omethoat	23	22		1													0,044	1	0,02	E
Endosulfane	23	22			1												0,075			
Fenhexamid	23	19							1	1	2						4,069			
Fludioxonil	23	18		1	3	1											0,12			
Folpet	23	22									1						1,421			
Kresoxim-methyl	23	22		1													0,041			
Lambda-Cyhalothrin	23	22		1													0,015			
Omethoat	23	22		1													0,019			
Procymidone	23	22			1												0,026			
Vinclozolin	23	20		1	2												0,033			

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: raspberry grit

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 5 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 4 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) (***)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azoxystrobin	5	3	0.01	2												0,045		
Chlorfthalonil	5	4		1												0,019		
Cyprodinil	5	2		1	2											0,093		
Fludioxonil	5	3		2												0,092		
Folpet	5	4				1										0,104		
Iprodione	5	4					1									0,109		
Vinclozolin	5	2		1	2											0,015		

(*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: _____ Food item: _____

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: _____

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Benomyl-Group	2	1																0,116		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals **Food item:** Rice
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: With residues above MRL (EC+national):
 Without detectable residues: With residues above EC-MRL:
 With detectable residues at or below MRL or without MRL: With residues above national MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Leavy vegetables and fresh herbs	Food item:	Rucola
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Rye

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	processed food	Food item:	soybean sprouts
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Benomyl-Group	2	1	0.01	1													0.02		
Prochloraz	2	1	0.02	1													0.039		

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: spices Food item: spices

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 8 With residues above MRL (EC-national): 3

Without detectable residues: 2 With residues above EC-MRL: 3

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Chlorpyrifos	8	5		1	1	1	1									0,057			
Cypermethrin	8	2				1	3	2								0,7	3	0,05	E
Fenitrothion	8	6				1	1									0,121	1	0,02	E
Iprodione	8	7					1									0,116			
Permethrin	8	7					1									0,065			
Pirimiphosmethyl	8	5				1	2									0,045			
Procymidone	8	6				1	1									0,11			
Tebuconazol	8	7					1									0,117	1	0,05	N
Triadimenol	8	6				1	1	1								0,281	1	0,10	E

Insert new rows if necessary

(*) The column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Leafy vegetables Food item: spinach

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: onion vegetables Food item: spring onions

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 5 With residues above MRL (EC+national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Dimethomorph	5	4					1										0,028	
Lambda-Cyhalothrin	5	4		1													0,014	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fruiting vegetables Food item: squash

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5

(*) i.e column 0.02 includes the range from 0.01 ... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: small fruits and berries strawberries
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 109 With residues above MRL (EC+national): 4
 Without detectable residues: 25 With residues above EC-MRL: 2
 With detectable residues at or below MRL: 80 With residues above national MRL: 2
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azinthrin	109	107			1	1										0,085	2	0,01	N
Azoxystrobin	109	92			8	5	1	3								0,488			
Benomyl (Carbendazim)	109	107		1							1					2,451	1	0,10	E
Bifenuthrin	109	108				1										0,075			
Boscalid	109	107		1	1											0,029			
Bupirimat	109	108		1												0,015			
Captan	109	108				1										0,1			
Chlorpyrifos	109	106					1	1	1							0,55			
Chlorthalonil	109	103		2	1	2	1									0,572			
Clofentezine	109	106				2	1									0,188			
Cyprodinil	109	74		7	6	7	8	4	3							0,685			
Deltamethrin	109	108		1												0,01			
Dichlofluanid	109	106		1	1	1										0,073			
Difenoconazol	109	107		2												0,029			
Dimethoat	109	108								1						0,557	1	0,02	E
Maneb-Group	109	108														0,088			
Endosulfane	109	101		1	2	3	1	1								0,154			
Fenarimol	109	103		1	2	3										0,086			
Fenhexamid	109	90		1	1	2	7	2	5	1						0,541			
Fludioxonil	109	87		3	3	6	4	5	1							0,61			
Hexaconazol	109	108		1												0,036			
Hexythiazox	109	108				1										0,071			
Iprodione	109	103		1	2	1	1	1								0,534			
Kresoxim-methyl	109	103		2	2	1	1									0,211			
Lambda-Cyhalothrin	109	107		2												0,017			
Malathion	109	106		1	1											0,06			
Mepanipyrim	109	103		1	2	1	1	1		1						0,542			
Metaxyl	109	105		1	1	1	1	1								0,182			
Methiocarb (Mercaptodimeth)	109	108		1												0,025			
Methomyl	109	108		1												0,011			
Myclobutanil	109	93		3	4	5	3	1								0,42			
Omethoat	109	108		1												0,037	1	0,02	E
Penconazol	109	108		1												0,011			
Phosalone	109	108								1						0,059			

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** sugar
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 4 **With residues above MRL (EC-national):** 0
 Without detectable residues: 4 **With residues above EC-MRL:** 0
 With detectable residues at or below MRL or without MRL: 0 **With residues above national MRL:** 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	fruiting vegetables	Food item:	tomatoes
Reporting country:	Austria	Year of sampling:	2006
Total number of samples analysed:	56	With residues above MRL (EC+national):	3
Without detectable residues:	42	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Acetamidiprid	56	55														0,121	1	0,05	N
Benomyl-group	56	54		1		1										0,021			
Boscalid	56	55									1					0,599	1	0,01	N
Buprofezin	56	54				1	1									0,07			
Chlorpyrifos	56	55				1	1									0,069			
Chlorthalonil	56	54		1						1						0,25			
Clothianidin	56	55				1										0,023			
Cymoxanil	56	55		1												0,012			
Cyprodinil	56	53					2	1								0,14			
Fenhexamid	56	55		1												0,011			
Hexythiazox	56	55				1										0,049			
Imidacloprid	56	55		1												0,022			
Iprodione	56	54							1		1					1			
Iprovalicarb	56	55		1												0,01			
Mepanipyrim	56	55					1									0,051	1	0,01	N
Procymidone	56	50					3	3								0,195			
Pymetrozine	56	55				1										0,049			
Pyrimethanil	56	55				1										0,011			
Pyriproxyfen	56	55				1										0,023			
Tebuconazol	56	55							1							0,085			
Teflubenzuron	56	55		1												0,018			
Thiacloprid	56	54				1	1									0,032			
Thiamethoxam	56	55				1										0,022			
Tolyfluanid	56	54		1												0,511			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: tomatoes pulp

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Fluazifop	1	0	0.01	1											0.039		

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: vegetable juice

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 4 With residues above MRL (EC+national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: cereals Food item: wheat

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed:
 Without detectable residues: 3 With residues above MRL (EC+national): 0
 With detectable residues at or below MRL: 3 With residues above EC-MRL: 0
 or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: wheat flour

Reporting country: Austria Year of sampling: 2006

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fruiting vegetables **Food item:** Zucchini
Reporting country: Austria **Year of sampling:** 2006
 Total number of samples analysed: 5 **With residues above MRL (EC-national):** 0
 Without detectable residues: 1 **With residues above EC-MRL:** 0
 With detectable residues at or below MRL: 4 **With residues above national MRL:** 0
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Endosulfane	5	2	0.01	1	2											0,045		
Imidacloprid	5	2			2	1										0,143		
Procymidone	5	4		1												0,014		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

**Table D1: Details of Residues Exceeding EC-MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2006</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	EC-MRL (mg/kg)	Follow-up (**)	Sample reference
Acephate	Lettuce	R	IT	0,33	0,02	A	NW0192506
Aldicarb	pineapple pie	R	ZA	0,15	0,05	A	RI0140306
Benomyl group	Blueberries	R	FR	0,19	0,10	A	RI0476706
Benomyl-group	Grapes	R	AT	2,91	2,00	A	RI0699606
Benomyl-group	Raspberries	R	HU	0,43	0,10	A	RI0477906
Benomyl-group	Strawberries	R	ES	0,25	0,10	A	NI0221706
Benomyl-group	Strawberries	R	HU	0,28	0,10	A	NV0583206
Benomyl-group	Strawberries	R	EG	2,45	0,10	A	RI0047706
Captafol	Lettuce	R	AT	0,11	0,02	A	NW0335406
Captafol	Lettuce	R	AT	0,12	0,02	A	NW0331606
Captan	Lettuce	R	AT	2,22	2,00	A	RL1032106
Captan	Lettuce	R	AT	2,63	2,00	A	RL1032306
Cypermethrin	spices	R	?	0,11	0,05	A	RI0240006
Cypermethrin	spices	R	?	0,14	0,05	A	RI0240106
Cypermethrin	spices	R	?	0,29	0,05	A	RI0240206
Deitamethrin	Grapes	R	GR	0,12	0,10	A	RI0767806
Dimethoat	Grapes	R	IT	0,03	0,02	A	RI0675906
Dimethoat	Grapes	R	AT	0,09	0,02	A	RI0767006
Dimethoat	Grapes	R	AT	0,11	0,02	A	RI0767106
Dimethoat	Strawberries	R	ES	0,56	0,02	A	RI0217406
Dimethoate+Omethoat	Currants	R	AT	0,07	0,02	A	RI0507806
Dimethoate+Omethoat	raspberries	R	HU	0,04	0,02	A	RI0477907
Endosulfan/-sulfat	Lettuce	R	IT	0,50	0,05	A	RI0179506
Endosulfane	Currants	R	AT	0,11	0,05	A	RI0549206
Endosulfane	Currants	R	AT	0,23	0,05	A	RI0518606
Endosulfane	Lettuce	R	AT	0,32	0,05	A	RL1032506
Endosulfane	Lettuce	R	IT	0,42	0,05	A	NW0217906
Fenarimol	spices	R	?	0,09	0,02	A	RI0240206
Fenvalerate	Kiwi	R	TW	0,09	0,02	A	NV0705106
Imazalil	Grapes	R	TR	0,05	0,02	A	NV1043706
Imazalil	Grapes	R	TR	0,06	0,02	A	RI0768806
Imazalil	Grapes	R	TR	0,08	0,02	A	NI0635906
Imazalil	Grapes	R	TR	0,11	0,02	A	RI0652606
Imazalil	Grapes	R	TR	0,12	0,02	A	RI0681506
Imazalil	Orange juice	R	ES	0,21	0,10	A	EI0357306
Lambda-Cyhalothrin	Grapes	R	TR	0,51	0,20	A	RI0769306
Methamidophos	Pepper	R	ES	0,03	0,01	A	RI0060106
Methamidophos	Pepper	R	ES	0,03	0,01	A	RI0071706
Methamidophos	Pepper	R	ES	0,03	0,01	A	RI0062506
Methamidophos	Pepper	R	ES	0,06	0,01	A	RI0060006
Methamidophos	Pepper	R	ES	0,07	0,01	A	RI0028406
Methiocarb	Pepper	R	ES	0,19	0,05	A	EI0236506
Methomyl	Pepper	R	??	0,26	0,05	A	RI0001306
Omethoat	Grapes	R	AT	0,09	0,01	A	RI0767006
Omethoat	Grapes	R	AT	0,09	0,01	A	RI0767106
Omethoat	Strawberries	R	ES	0,04	0,02	A	RI0217406
Procymidone	Kohlrabi	R	AT	0,05	0,02	A	NV0688906
Procymidone	Lettuce	R	IT	5,33	5,00	A	RI0210806
Thiabendazol	Strawberries	R	ES	0,09	0,05	A	RI0217406
Thiabendazole	Orange juice	R	ES	0,30	0,10	A	EI0357306
Triadimenol	spices	R	?	0,28	0,10	A	RI0240206

Insert new rows if necessary									

- (*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other
- (**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

**Table D2: Details of Residues Exceeding non-harmonised MRLs,
including national MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2006</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	national MRL (mg/kg)	Follow-up (**)	Sample reference
Acetamiprid	Lettuce	R	IT	0,80	0,05	A	NI0224706
Acetamiprid	Tomatoes	R	IT	0,12	0,05	A	RI0437706
Acrinathrin	Grapes	R	IT	0,01	0,01	A	RI0767706
Acrinathrin	Grapes	R	IT	0,02	0,01	A	RI0650806
Acrinathrin	Grapes	R	IT	0,03	0,01	A	RI0680006
Acrinathrin	Grapes	R	IT	0,05	0,01	A	RI0768106
Acrinathrin	Pepper	R	ES	0,02	0,01	A	RI0073506
Acrinathrin	Pepper	R	ES	0,03	0,01	A	NV0192406
Acrinathrin	Pepper	R	ES	0,03	0,01	A	NV1063306
Acrinathrin	Strawberries	R	ES	0,03	0,01	A	RI0325506
Acrinathrin	Strawberries	R	IT	0,10	0,01	A	RI0278906
Boscalid	Apricots	R	HU	0,12	0,05	A	RI0708206
Boscalid	Grapes	R	BR	0,03	0,01	A	RI0038406
Boscalid	Grapes	R	ZA	0,05	0,01	A	RI0154506
Boscalid	Lettuce	R	IT	0,53	0,05	A	NI0853306
Boscalid	Lettuce	R	IT	6,77	0,05	A	RI0865201
Boscalid	Strawberries	R	AT	0,13	0,05	A	NV0583206
Boscalid	Tomatoes	R	PL	0,60	0,01	A	RI0418006
Buprofezin	Lettuce	R	IT	0,04	0,01	A	RI0210806
Chlothianidin	Lettuce	R	IT	0,02	0,02	A	RI0865406
Clofentezine	Grapes	R	IT	0,02	0,02	A	RI0675906
Cymoxanil	Lettuce	R	IT	0,03	0,01	A	NI0224706
Cymoxanil	Lettuce	R	IT	0,04	0,01	A	RI0865306
Cymoxanil	Lettuce	R	IT	0,12	0,01	A	RI0210806
Cymoxanil	Lettuce	R	IT	0,17	0,01	A	RI0230406
Dichloran	Kohlrabi	R	IT	0,08	0,01	A	NV0353706
Dichloran	Kohlrabi	R	IT	0,26	0,01	A	NV0363806
Dichloran	Kohlrabi	R	IT	0,47	0,01	A	NI0166506
Dichloran	Lettuce	R	IT	0,03	0,01	A	RI0230106
Dichloran	Lettuce	R	IT	0,03	0,01	A	NI0224706
Dichloran	Lettuce	R	IT	0,03	0,01	A	NV0339706
Dichloran	Lettuce	R	IT	0,03	0,01	A	RI0169206
Dichloran	Lettuce	R	IT	0,06	0,01	A	NV0285206
Dichloran	Lettuce	R	ES	0,17	0,01	A	NI0239806
Dieldrin	oils	R	AT	0,09		A	RG0481306
Dimethomorph	Lettuce	R	AT	0,05	0,05	A	RI0753606
Dimethomorph	Lettuce	R	IT	0,15	0,05	A	NI0781606
Dimethomorph	Lettuce	R	IT	0,17	0,05	A	NV0390406
Dimethomorph	Lettuce	R	AT	0,20	0,05	A	NI0780806
Dimethomorph	Lettuce	R	IT	0,21	0,05	A	RI0179506
Diniconazol	Grapes	R	GR	0,02	0,01	A	RI0681006
Diniconazol	Grapes	R	GR	0,03	0,01	A	NI0669006
Ethirimol	Grapes	R	TR	0,01	0,01	A	RI0770306
Ethirimol	Grapes	R	IT	0,04	0,01	A	RI0701006
Etofenprox	Grapes	R	IT	0,15	0,01	A	NI0831706
Etofenprox	Kivi	R	IT	0,02	0,01	A	NI0771906
Etofenprox	Pepper	R	ES	0,02	1,01	A	RI0060006
Fenazaquin	Grapes	R	IT	0,01	0,01	A	RI0652406
Fenazaquin	Grapes	R	IT	0,03	0,01	A	RI0680106

Fenbuconazole	Grapes	R	GR	0,05	0,01	A	RI0680706
Fenbuconazole	Grapes	R	GR	0,05	0,01	A	RI0767806
Fenhexamid	Grapes	R	AT	0,26	0,01	A	RI0700906
Fludioxonil	Lettuce	R	IT	5,97	2,00	A	RI0865406
Flufenoxuron	Grapes	R	TR	0,02	0,01	A	RI0699406
Flufenoxuron	Grapes	R	FR	0,02	0,01	A	RI0741706
Flufenoxuron	Grapes	R	IT	0,02	0,01	A	NV0918006
Flufenoxuron	Grapes	R	GR	0,02	0,01	A	RI0741606
Flufenoxuron	Grapes	R	IT	0,02	0,01	A	RI0768306
Flufenoxuron	Grapes	R	TR	0,02	0,01	A	RI0769406
Flufenoxuron	Grapes	R	GR	0,03	0,01	A	RI0680706
Flufenoxuron	Grapes	R	TR	0,03	0,01	A	RI0681506
Flufenoxuron	Grapes	R	TR	0,03	0,01	A	NV0964306
Flufenoxuron	Grapes	R	GR	0,03	0,01	A	RI0767806
Flufenoxuron	Grapes	R	TR	0,04	0,01	A	NV1004006
Flufenoxuron	Grapes	R	GR	0,05	0,01	A	RI0767506
Flufenoxuron	Grapes	R	TR	0,05	0,01	A	RI0678506
Flufenoxuron	Grapes	R	GR	0,06	0,01	A	RI0681406
Flufenoxuron	Grapes	R	TR	0,06	0,01	A	NV0951506
Flufenoxuron	Grapes	R	TR	0,07	0,01	A	RI0651206
Flufenoxuron	Grapes	R	TR	0,07	0,01	A	RI0651806
Flufenoxuron	Grapes	R	TR	0,08	0,01	A	RI0652606
Flufenoxuron	Grapes	R	IT	0,09	0,01	A	RI0701006
Flufenoxuron	Grapes	R	TR	0,10	0,01	A	RI0768906
Flufenoxuron	Grapes	R	TR	0,10	0,01	A	RI0652106
Flufenoxuron	Grapes	R	TR	0,14	0,01	A	RI0769306
Flufenoxuron	Grapes	R	TR	0,18	0,01	A	RI0766906
Flufenoxuron	Grapes	R	TR	0,19	0,01	A	RI0679706
Flufenoxuron	Grapes	R	ES	0,20	0,01	A	RI0766506
Flufenoxuron	Grapes	R	ES	0,46	0,01	A	NV1094506
Hexachlorobenzene	oils	R	AT	0,37	0,25	A	RG0492306
Indoxacarb	Lettuce	R	AT	0,07	0,02	A	NI0492306
Indoxacarb	Lettuce	R	IT	0,13	0,05	A	NI0209206
Indoxacarb	Lettuce	R	IT	0,16	0,02	A	NI0771806
Indoxacarb	Lettuce	R	IT	0,41	0,02	A	NV1108306
Indoxacarb	Lettuce	R	IT	2,14	0,02	A	RI0865306
Indoxacarb	Strawberries	R	NL	0,30	0,02	A	NI0733006
Lufenuron	Aubergines	R	IT	0,06	0,01	A	RI0401206
Lufenuron	Grapes	R	TR	0,01	0,01	A	RI0770306
Lufenuron	Grapes	R	IT	0,04	0,01	A	NI0635806
Lufenuron	Grapes	R	IT	0,09	0,01	A	NV0769206
Lufenuron	Pepper	R	ES	0,02	2,01	A	RI0021306
Lufenuron	Pepper	R	ES	0,03	3,01	A	RI0019106
Lufenuron	Pepper	R	ES	0,03	0,01	A	NV1063306
Mepanipyrim	Tomatoes	R	ES	0,05	0,01	A	RI0047006
Methiocarb	Pepper	R	ES	0,18	0,05	A	NV0335306
Oxamyl	Grapes	R	EG	0,13	0,05	A	NI0484706
Propargite	Grapes	R	TR	0,01	0,01	A	RI0653906
Propargite	Grapes	R	TR	0,02	0,01	A	RI0768906
Propargite	Grapes	R	TR	0,02	0,01	A	RI0770306
Propargite	Grapes	R	TR	0,02	0,01	A	RI0652106
Propargite	Grapes	R	AT	0,03	0,01	A	RI0596306
Propargite	Grapes	R	TR	0,03	0,01	A	RI0699406
Propargite	Grapes	R	AT	0,04	0,01	A	RI0650406
Propargite	Grapes	R	TR	0,05	0,01	A	RI0650306
Propargite	Grapes	R	TR	0,05	0,01	A	RI0611806
Propargite	Grapes	R	TR	0,05	0,01	A	RI0769306
Propargite	Grapes	R	TR	0,06	0,01	A	RI0654406
Propargite	Grapes	R	TR	0,07	0,01	A	RI0681506
Propargite	Grapes	R	TR	0,09	0,01	A	RI0766906
Propargite	Grapes	R	IT	0,17	0,01	A	RI0675906
Propargite	Grapes	R	TR	0,18	0,01	A	RI0652606
Propargite	Grapes	R	TR	0,37	0,01	A	RI0698706
Propargite	Grapes	R	TR	0,38	0,01	A	RI0698606
Propargite	Grapes	R	IT	1,16	0,01	A	RI0680506
Propargite	Pepper	R	HU	0,16	0,01	A	NI0588906
Pyrimethanil	Cherries	R	MK	0,24	0,05	A	RI0477506

Pyrimethanil	Pepper	R	ES	0,15	0,05	A	NV0367006
Pyriproxyfen	Pepper	R	ES	0,22	0,10	A	R0045506
Spinosad	Grapes	R	IN	0,04	0,01	A	NV0541306
Spinosad	Lettuce	R	IT	0,19	0,01	A	RI0230506
Spinosad	Lettuce	R	IT	0,50	0,01	A	RI0865306
Spinosad	Lettuce	R	IT	0,53	0,01	A	NI0771806
Spinosad	Lettuce	R	IT	0,57	0,01	A	NV0192506
Tebuconazol	Grapes	R	AT	0,05	0,01	A	RI0767106
Tebuconazol	spices	R	?	0,12	0,05	A	RI0240206
Teflubenzuron	pears	R	IT	0,03	0,01	A	RI0051906
Tetraconazol	Grapes	R	TR	0,01	0,01	A	RI0772206
Tetraconazol	Grapes	R	TR	0,01	0,01	A	RI0652606
Tetraconazol	Grapes	R	TR	0,02	0,01	A	RI0681506
Tetraconazol	Grapes	R	IT	0,02	0,01	A	RI0618906
Tetraconazol	Grapes	R	IT	0,04	0,01	A	RI0653006
Tetraconazol	Grapes	R	IT	0,04	0,01	A	RI0578606
Tetraconazol	Grapes	R	TR	0,06	0,01	A	RI0699406
Tetraconazole	Grapes	R	IT	0,03	0,01	A	NV0705006
Tetraconazole	Grapes	R	IT	0,04	0,01	A	NV0917806
Tetramethrin	Grapes	R	IT	0,06	0,01	A	RI0698306
Thiamethoxam	Lettuce	R	IT	0,14	0,05	A	RI0865406
Thiamethoxam	Lettuce	R	IT	0,22	0,05	A	NI0209206
Thiamethoxam	Lettuce	R	IT	0,30	0,05	A	RI0865306
Thiamethoxam	Lettuce	R	IT	0,84	0,05	A	NV0313106
Trifloxystrobin	Grapes	R	GR	0,03	0,01	A	RI0767506
Triflumuron	pears	R	IT	0,14	0,05	A	RI0047206
Insert new rows if necessary							

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

Table G: Laboratories

Year	<u>2006</u>
Country	<u>Austria</u>

Column 1	Column 2	Column 3			Column 4	Column 5	Column 6	Column 7	Column 8
	Workload with regard to the monitoring exercise	Accreditation status				Participation in proficiency tests or interlaboratory tests in 2006	Implementation of EU Quality control procedures [please refer to each element as specified in the table below by giving its number]		
Name of the laboratory/ laboratories carrying out the monitoring exercise	Percentage of monitoring samples analysed	Accreditation achieved (Yes/No) [Please provide acc. certificates]	Date of accreditation	Accreditation body	Which? Scope?	Implemented parts	Not implemented parts		
Austrian Agency for Health and Food Safety, Institute for Food Control, CC-RANA, Vienna	22,5	yes	01.11.98	BMWA; AKS Hannover	CRL European Commission Proficiency Test 8 on Pesticide Residues in Fruit and Vegetables 2006; CRL Proficiency Test SRM-1: Pesticide Residues in Apple Juice Homogenate; CRL Proficiency Test 1: Pesticides in Vegetable Oil Test Material; FAPAS 2006	all (*)	(*) 6 (point 3.7)		
Austrian Agency for Health and Food Safety, Institute for Food Control, CC-IBK, Innsbruck	58,3	yes	01.11.98	BMWA; AKS Hannover	EU-Proficiency test PT8, EUPT - SRM01, FAPAS melons, FAPAS Proficiency test 0945	all			
Regional Institute for Food Control in Vienna	13,6	yes	01.11.98	BMWA	FAPAS 1955 ; FAPAS Proficiency Test 1957; FAPAS Proficiency Test 0550				

<i>Austrian Agency for Health and Food Safety, Institute for Food Control, Graz</i>	5,6	yes	01.11.98	<i>BMWA; AKS Hannover</i>	<i>FAPAS Proficiency Test Nr. 0550</i>	<i>all</i>	
<i>Please insert rows if necessary</i>							

EU Quality control procedures (ref. Doc.SANCO/10232/2006)

Element number	Content
1	Accreditation
2	Sampling, transport, processing and storage of samples
3	Pesticide standards, calibration, solutions, etc.
4	Extraction and concentration
5	Contamination and interference
6	Analytical calibration and chromatographic integration
7	Analytical methods and analytical performance
8	Proficiency testing and analysis of reference materials
9	Confirmation of results
10	Reporting of results

Only proficiency tests regarding fruits, vegetables and processed food are mentioned