



26. Juni 2007

zu 691/J

Nationalratskanzlei

Parlament
1017 Wien

Organisationseinheit: BMGFJ - I/A/3 (Innerstaatliche und EU-Koordination der Gesundheitspolitik)
Sachbearbeiter/in: Irene Peischl
E-Mail: irene.peischl@bmgfj.gv.at
Telefon: +43 (1) 71100-4122
Fax:
Geschäftszahl: BMGFJ-11001/0062-I/A/3/2007
Datum: 25.6.2007

Parl. Anfrage 691/J; ergänzende Übermittlung von Beilagen

Sehr geehrte Damen und Herren!

Im Nachhang zu der unter GZ 11001/0062-I/A/3/2007 am 22. Juni 2007 übermittelten Beantwortung der parlamentarischen Anfrage Nr. 691/J werden in der Anlage die durch technische Probleme zunächst unvollständig übermittelten Beilagen nunmehr in vollständiger Form nachgereicht.

Mit freundlichen Grüßen
Irene Peischl

Table A 1 - Part I: Summary of numbers of samples, sample origins and results

(sum of samples of national and co-ordinated programme)
 (pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)
 (surveillance sampling only no follow-up enforcement sampling)

Reporting country: AUSTRIA
 Year of sampling: 2005

A	B	C										I	J	K	L	M	N	O	P			
		Number of samples		Sample origin		D		E		F										G		H
	Total number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples from TC	% samples from TC of the total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples			
12																						
13																						
14	1775	829	46,7	583	32,8	363	20,5	738	41,5	124	7,0	945	51,5	738	41,5	124	7,0	48	2,7			Zu 723 % of total number of samples
15	29	13	44,8	7	24,1	9	31,0	2	6,9	0	0,0	27	93,1	2	6,9	0	0,0	0	0,0			GP - Anfragebeantwortung gesamt
16	125	77	61,6	39	31,2	9	7,2	35	28,0	2	1,6	88	70,4	35	28,0	2	1,6	1	0,8			
17	183	128	69,9	49	26,8	6	3,3	0	0,0	0	0,0	183	100,0	0	0,0	0	0,0	0	0,0			

x: please insert figures here

EUROPEAN COMMISSION - DIRECTORATE-GENERAL FOR FOOD AND VETERINARY AFFAIRS

Table A 1 - Organic: Summary of numbers of samples and results

(sum of samples of national and co-ordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes)

Reporting country: AUSTRIA		Year of sampling: 2005		A	B	C	D	E	F	G	H	I	J
Results		Number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples			
12													
13													
14	Sum (certain products of plant origin, incl. fruit, vegetables)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!		x	#WERT!
15	Cereals	x	x	#WERT!	x	#WERT!	x	#WERT!				x	#WERT!
16	Processed products (other than baby food)	x	x	#WERT!	x	#WERT!	x	#WERT!				x	#WERT!
17	Baby food	x	x	#WERT!	x	#WERT!	x	#WERT!				x	#WERT!
18	TOTAL ORGANIC	x	x	#WERT!	x	#WERT!	x	#WERT!				x	#WERT!

x: please insert figures here.

✓ Tick

Remark: Not all data indicated, if organic sample or not

**Table A 2 - Part I-fruit&veg: Summary table of pesticides sought and found
Surveillance sampling only**

(fresh and frozen fruit, vegetables)

(pesticides covered by Directives 76/895, 90/642 and by the national programmes)

(sum of samples of national and co-ordinated programme)

Reporting country: AUSTRIA
Year of sampling: 2005

Number of different pesticides* sought: 271
Number of different pesticides* found: 121
% pesticides found from pesticides sought: 44,6

Fruit and vegetables

Column 1	Column 2	Column 3	Column 4	Column 5
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/Kg)**
3-Hydroxy-Carb	950	1	0,1	
4,4-Dichlorbenz	965		0,0	
Abamectine	949		0,0	
Acephate	1793	3	0,2	
Acetamiprid	952	28	2,9	
Acionifen	738		0,0	
Acrinathrin	1539	5	0,3	
Aldicarb	991		0,0	
Aldrin	1797		0,0	
Ametryn	965		0,0	
Aminocarb	965		0,0	
Atrazin	950		0,0	
Azaconazol	965		0,0	
Azinphos-ethyl	1529		0,0	
Azinphos-methy	1787	35	2,0	
Azoxystrobin	1528	86	5,6	
Benalaxyl	1786		0,0	
Bendiocarb	965		0,0	
Benomyl-Group	1453	36	2,5	
Bifenthrin	1797	19	1,1	
Binapacryl	1528		0,0	
Bitertanol	965		0,0	
Boscalid	740	4	0,5	
Bromazil	965		0,0	
Bromophos	1540		0,0	
Bromophos-eth	1797		0,0	
Bromopropylate	1797	6	0,3	
Bromoxynil-met	965		0,0	
Bromuconazol	964		0,0	
Bupirimate	1797	1	0,1	
Buprofezin	1527		0,0	
Butocarboxim	950		0,0	
Butoxycarboxim	857		0,0	
Captafol	1528		0,0	
Captan	1786	18	1,0	
Carbaryl	1528	15	1,0	
Carbetamid	738		0,0	
Carbofuran	1528	1	0,1	
Carbophenothic	965		0,0	
Carfentrazone-e	960		0,0	
Chlorbensid	965		0,0	
Chlorbenzilate	1797		0,0	
Chlordan	1222		0,0	
Chlordimeform	1528		0,0	
Chlorfenson	1539		0,0	
Chlorfenvinphos	1787		0,0	

MRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...)	SRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...)
sorted by column 4 (% of samples)	sorted by column 4 (% of samples)
1 Maneb-Group	
2 Procymidone	
3 Chlorpyrifos	
4 Imidachloprid	
5 Cyprodinil	
6 Azoxystrobin	
7 Iprodione	
8 Fludioxonil	
9 Endosulfane	
10 Fenhexamid	

Remark:
Percentage different from absolute maximum number

Chloromequat	708	11	1,6
Chloropropylate	1786		0,0
Chlorothalonil	1797	27	1,5
Chlorpropham	1229	11	0,9
Chlorpyrifos	1797	134	7,5
Chlorpyrifos-me	1797	18	1,0
Chlorthaldimeth	965		0,0
Chlorthion	965		0,0
Chlorthiophos	965		0,0
Chlozolinat	965		0,0
Clofentezin	738	1	0,1
Clothianidin	738		0,0
Coumaphos	1787		0,0
Cyanazine	965		0,0
Cyfluthrin	1539	15	1,0
Cyhalothrin	258		0,0
Cymoxanil	738		0,0
Cypermethrin	1539	43	2,8
Cyproconazole	1528		0,0
Cyprodinil	1528	91	6,0
DDT	1797	6	0,3
Deltamethrin	1539	16	1,0
Demeton-S-me	1427	2	0,1
Desmedipham	950		0,0
Dialiphos	965		0,0
Diallate	964		0,0
Diazinon	1787	11	0,6
Dichlofenthion	965		0,0
Dichlofluamid	1786		0,0
Dichloran	1786	13	0,7
Dichlorbenzoph	258		0,0
Dichlorvos	1797	5	0,3
Diclobutrazol	965		0,0
Dicofol	821	4	0,5
Dicrotophos	965		0,0
Dieldrin	1797	2	0,1
Diethofencarb	563	1	0,2
Difenoconazole	1624	11	0,7
Diflubenzuron	950	8	0,8
Diflufenican	964		0,0
Dimefuron	738		0,0
Dimethoate	1797	22	1,2
Dimethomorph	969	4	0,4
Diniconazol	1031	3	0,3
Dinobuton	965		0,0
Dioxacarb	971		0,0
Dioxathion	564	1	0,2
Diphenyl	5		0,0
Diphenylamin	976	6	0,6
Disulfoton	1529		0,0
Disulfotonsulfur	965		0,0
Ditalimfos	965		0,0
Diuron	950		0,0
Endosulfane	1797	79	4,4
Endrin	1797		0,0
EPN	965		0,0
Ethiofencarb	1575		0,0
Ethiofencarbsul	863		0,0
Ethiofencarbsul	863		0,0
Ethion	1797	1	0,1
Ethofumesate	964		0,0
Ethoprophos	965		0,0
Ethoxyquin	563	1	0,2
Etopenprox	951	6	0,6
Etridiazol	828		0,0
Etrimphos	822		0,0
Fenamiphos	965		0,0
Fenarimol	1797	9	0,5
Fenazaquin	965		0,0
Fenchlorphos	1529		0,0
Fenhexamid	1223	50	4,1
Fenitrothion	1797	14	0,8

Fenoprop(Silve	258		0,0
Fenoxycarb	965	2	0,2
Fenpiclonil	965		0,0
Fenpropathrin	1797		0,0
Fensulfothion	965		0,0
Fenthion	1529	1	0,1
Fenvalerate	1797	4	0,2
Fipronil	738		0,0
Fluazifop	738		0,0
Fluazifopbutyl	965		0,0
Fluazinam	960		0,0
Flubenzimin	965		0,0
Fluchloralin	964		0,0
Flucythrinate	1528		0,0
Fludioxonil	1366	65	4,8
Flufenoxuron	950	14	1,5
Flusilazole	1529	3	0,2
Fluvalinat	574		0,0
Folpet	1786	12	0,7
Fonofos	965		0,0
Formothion	965		0,0
Furalaxyl	965		0,0
Furathiocarb	1528		0,0
Haloxyfop	738	1	0,1
HCH	1797		0,0
Heptachlor	832		0,0
Heptachlorepo	1797		0,0
Heptenophos	1787		0,0
Hexachloroben	1797	10	0,6
Hexaconazol	738	1	0,1
Hexaflumuron	950		0,0
Hexythiazox	738	1	0,1
Imazaili	1797	37	2,1
Imidachlopid	965	71	7,4
Indoxacarb	738	15	2,0
Iprodione	1797	99	5,5
Iprovalicarb	738	4	0,5
Isobenzan	964		0,0
Isodrin	965		0,0
Isofenphos	965		0,0
Isoproturon	944		0,0
Kresoxim-methy	1539	16	1,0
Lambda-Cyhalo	1539	29	1,9
Lindane	1797	3	0,2
Linuron	950	6	0,6
Lufenuron	950	8	0,8
Malaaxon	1529		0,0
Malathion	1797	33	1,8
Maneb-Group	86	13	15,1
Mecarbam	1797		0,0
Mepanipirim	738		0,0
Mepiquat	2		0,0
Mepronil	738	1	0,1
Metalaxyl	1786	11	0,6
Metamitron	971	3	0,3
Metazachlor	965		0,0
Methacrifos	258		0,0
Methamidophos	1797	5	0,3
Methidathion	1787	1	0,1
Methiocarb	1043	25	2,4
Methomyl	965	29	3,0
Methoxychlor	1796		0,0
Methoxyfenozid	948	6	0,6
Metolachlor	965		0,0
Mevinphos	1787		0,0
Mirex	1223		0,0
Monocrotophos	1529		0,0
Myclobutanil	1528	11	0,7
Napropamide	961		0,0
Neburon	950		0,0
Nicosulfuron	950		0,0
Nitrofen	965		0,0

Nitrothal-isopro	1539		0,0
Nuarimol	738		0,0
Omethoate	1797	13	0,7
o-Phenylphenol	651	4	0,6
Oxadixyl	1528	3	0,2
Oxamyl	950	3	0,3
Oxydemeton-m	950	5	0,5
Oxyfluorfen	965		0,0
Parathion	1787	1	0,1
Parathion-meth	1787	1	0,1
Penconazole	1786	29	1,6
Pendimethalin	1528		0,0
Pentachloranilin	258		0,0
Permethrin	1539	2	0,1
Phenkapton	946		0,0
Phenmedipham	950		0,0
Phorat	1529		0,0
Phosalone	1787	6	0,3
Phosmet	1539	13	0,8
Phosphamidon	965		0,0
Picoxystrobin	964		0,0
Piperonylbutoxi	964		0,0
Pirimicarb	1786	5	0,3
Pirimiphos-ethy	965		0,0
Pirimiphos-meth	1787	5	0,3
Prochloraz	1528	2	0,1
Procymidone	1797	168	9,3
Profenofos	965		0,0
Promecarb	950		0,0
Propachlor	965		0,0
Propamocarb-I	967	38	3,9
Propanil	965		0,0
Propargite	964	8	0,8
Propham	965		0,0
Propiconazole	1786		0,0
Propoxur	1792	3	0,2
Propyzamid	1797	5	0,3
Prothiofos	965	1	0,1
Pymetrozine	950	7	0,7
Pyrazophos	1787		0,0
Pyridaben	737		0,0
Pyridafenthion	1529		0,0
Pyrifenox	1528		0,0
Pyrimethanil	1528	44	2,9
Pyriproxifen	966	4	0,4
Quinalphos	1529	4	0,3
Quinmerac	944		0,0
Quinomethiona	965		0,0
Quinoxifen	738	10	1,4
Quintozene	1797		0,0
Quinalofop-ethy	950		0,0
Resmethrin	940		0,0
Simazine	966		0,0
Spinosad	948	8	0,8
Spiroxamin	950	1	0,1
Sulfotep	965		0,0
tau-Fluvalinate	965	1	0,1
Tebuconazole	1528	25	1,6
Tebufenozid	950	5	0,5
Tebufenpyrad	946	10	1,1
Tecnazen	1797		0,0
Tefubenzuron	950	3	0,3
Tefuthrin	936		0,0
TEPP	1504		0,0
Terbufos	965		0,0
Terbutylazin	738		0,0
Tetrachlorvinph	1787		0,0
Tetraconazole	1528	12	0,8
Tetradifon	1539	8	0,5
Tetramethrin	1539		0,0
Thiabendazol	1719	31	1,8
Thiacloprid	950	5	0,5

Thiamethoxam	947	11	1,2
Thiodicarb	904		0,0
Thiofanox	950		0,0
Thiomethon	564		0,0
Thionazin	964		0,0
Tolclofos-methy	1797	12	0,7
Tolyfluanid	1528	30	2,0
Triadimefon	1528		0,0
Triadimenol	563		0,0
Triamiphos	963		0,0
Triazophos	1787	1	0,1
Trifloxystrobin	966	15	1,6
Triflumizole	978		0,0
Triflumuron	951	10	1,1
Trifluralin	965	1	0,1
Vinclozolin	1797	25	1,4

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation
SRM - single residue methods, MRM - multi-residue methods.

(cereals)

(pesticides covered by Directive 86/362/EEC and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country: AUSTRIA
Year of sampling: 2005

Number of different pesticides* sought: 271
Number of different pesticides* found: 3
% pesticides found from pesticides sought: 1,1

Cereals

Column 1	Column 2	Column 3	Column 4	Column 5
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/kg)**
3-Hydroxy-Carb	18		0,0	
4,4Dichlorbenz	18		0,0	
Abamectine	18		0,0	
Acephate	28		0,0	
Acetamiprid	18		0,0	
Aclonifen	18		0,0	
Acrinathrin	23		0,0	
Aldicarb	24		0,0	
Aldrin	28		0,0	
Ametryn	18		0,0	
Aminocarb	18		0,0	
Atrazin	18		0,0	
Azaconazol	13		0,0	
Azinphos-ethyl	28		0,0	
Azinphos-methy	28		0,0	
Azoxystrobin	28	1	3,6	
Benalaxyl	28		0,0	
Bendiocarb	18		0,0	
Benomyl-group	24		0,0	
Bifenthrin	28		0,0	
Binapacryl	28		0,0	
Bitertanol	18		0,0	
Boscalid	18		0,0	
Bromazil	18		0,0	
Bromophos	28		0,0	
Bromophosethy	28		0,0	
Bromopropylate	28		0,0	
Bromoxynil-met	18		0,0	
Bromuconazol	13		0,0	
Bupirimate	28		0,0	
Buprofezin	28		0,0	
Butocarboxim	18		0,0	
Butoxycarboxim	12		0,0	
Captafol	28		0,0	
Captan	28		0,0	
Carbaryl	28		0,0	
Carbetamid	18		0,0	
Carbofuran	28		0,0	
Carbophenothic	18		0,0	
Carfentrazone-e	13		0,0	
Chlorbensid	18		0,0	
Chlorbenzilate	28		0,0	
Chlordan	18		0,0	
Chlordimeform	28		0,0	
Chlorfenson	28		0,0	
Chlorfenvinphos	28		0,0	
Chlormequat	24		0,0	
Chloropropylate	28		0,0	
Chlorothalonil	28		0,0	
Chlorpropham	18		0,0	
Chlorpyrifos	28		0,0	
Chlorpyrifos-me	28		0,0	
Chlorthalidimeth	18		0,0	
Chlorthion	18		0,0	
Chlorthiophos	18		0,0	
Chlzolinat	18		0,0	
Clofentezin	18		0,0	
Clothianidin	18		0,0	
Coumaphos	28		0,0	
Cyanazine	18		0,0	
Cyfluthrin	28		0,0	
Cymoxanil	18		0,0	
Cypermethrin	28	1	3,6	

MRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...)	SRM # Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...)
sorted by column 4 (% of samples)	sorted by column 4 (% of samples)
1 Piperonylbutoxid	
2 Azoxystrobin	
3 Cypermethrin	
4	
5	
6	
7	
8	
9	
10	

Cyproconazole	28	Zu 7236B XXIII. GP	0,0
Cyprodinil	23		0,0
DDT	28		0,0
Deltamethrin	28		0,0
Demethon-S-m	22		0,0
Desmedipham	18		0,0
Dialiphos	18		0,0
Diallate	13		0,0
Diazinon	28		0,0
Dichlobenil	5		0,0
Dichlofenthion	18		0,0
Dichlofuanid	28		0,0
Dichloran	28		0,0
Dichlorvos	28		0,0
Diclobutrazol	18		0,0
Dicofol	15		0,0
Dicrotophos	18		0,0
Dieldrin	28		0,0
Diethofencarb	10		0,0
Difenoconazole	18		0,0
Diflubenzuron	18		0,0
Diflufenican	13		0,0
Dimefuron	18		0,0
Dimethoate	33		0,0
Dimethomorph	18		0,0
Diniconazol	19		0,0
Dinobuton	18		0,0
Dinocap	5		0,0
Dioxacarb	18		0,0
Dioxathion	10		0,0
Diphenylamin	18		0,0
Disulfoton	23		0,0
Ditalimfos	18		0,0
Diuron	18		0,0
Endosulfane	28		0,0
Endrin	28		0,0
EPN	18		0,0
Ethiofencarb	34		0,0
Ethiofencarbsulf	12		0,0
Ethiofencarbsulf	12		0,0
Ethion	28		0,0
Ethofumesate	18		0,0
Ethoprophos	18		0,0
Ethoxyquin	10		0,0
Etofenprox	18		0,0
Etridiazol	12		0,0
Etrimphos	10		0,0
Fenamiphos	18		0,0
Fenarimol	28		0,0
Fenazaquin	13		0,0
Fenchlorphos	28		0,0
Fenhexamid	18		0,0
Fenitrothion	23		0,0
Fenoxycarb	18		0,0
Fenpiclonil	18		0,0
Fenpropathrin	28		0,0
Fensulfothion	18		0,0
Fenthion	28		0,0
Fenvalerat	28		0,0
Fipronil	18		0,0
Fluazifop	18		0,0
Fluazifopbutyl	18		0,0
Fluazinam	13		0,0
Flubenzimin	18		0,0
Fluchloralin	13		0,0
Flucythrinate	28		0,0
Fludioxonil	18		0,0
Flufenoxuron	18		0,0
Flusilazole	28		0,0
Fluvalinat	10		0,0
Folpet	28		0,0
Fonofos	18		0,0
Formothion	18		0,0
Furalaxyl	18		0,0
Furathiocarb	28		0,0
Haloxifop	18		0,0
HCH	28		0,0
Heptachlor	10		0,0
Heptachlorepox	28		0,0
Heptenophos	28		0,0
Hexachlorbenzol	28		0,0
Hexaconazol	18		0,0
Hexaflumuron	18		0,0
Hexythiazox	18		0,0
Imazalil	28		0,0
Imidachloprid	18		0,0
Indoxacarb	18		0,0
Iprodion	28		0,0

Anfragebeantwortung gesamt

Iprovalicarb	18		0,0
Isobenzan	18		0,0
Isodrin	18		0,0
Isufenphos	18		0,0
Isoproturon	18		0,0
Kresoxim-methy	28		0,0
Lambda-Cyhalo	28		0,0
Lindane	28		0,0
Linuron	18		0,0
Lufenuron	18		0,0
Malaaxon	28		0,0
Malathion	28		0,0
Maneb-Group	12		0,0
Mecarbam	28		0,0
Mepanipyrim	18		0,0
Mepronil	18		0,0
Metalaxyl	40		0,0
Metamitron	23		0,0
Metazachlor	18		0,0
Methamidophos	33		0,0
Methidathion	28		0,0
Methiocarb	29		0,0
Methomyl	18		0,0
Methoxychlor	28		0,0
Methoxyfenozid	18		0,0
Metolachlor	18		0,0
Mevinphos	28		0,0
Mirex	18		0,0
Monocrotophos	28		0,0
Myclobutanil	28		0,0
Napropamide	18		0,0
Neburon	18		0,0
Nicosulfuron	18		0,0
Nitrofen	18		0,0
Nitrothalisoprop	28		0,0
Nuarimol	18		0,0
Ormethoat	16		0,0
Ormethoate	17		0,0
Oxadixyl	28		0,0
Oxamyl	18		0,0
Oxydemeton-m	18		0,0
Oxyfluorfen	18		0,0
Parathion	28		0,0
Parathionmethy	18		0,0
Parathion-methy	10		0,0
Penconazole	28		0,0
Pendimethalin	28		0,0
Permethrin	28		0,0
Phenkapton	18		0,0
Phenmedipham	18		0,0
Phorat	28		0,0
Phosalone	28		0,0
Phosmet	28		0,0
Phosphamidon	18		0,0
Picoxystrobin	13		0,0
Piperonylbutoxid	18	3	16,7
Pirimicarb	28		0,0
Pirimiphos-ethyl	18		0,0
Pirimiphos-methy	28		0,0
Prochloraz	28		0,0
Procymidon	10		0,0
Procymidone	30		0,0
Profenofos	18		0,0
Promecarb	18		0,0
Propachlor	18		0,0
Propamocarb-H	18		0,0
Propanil	18		0,0
Propargite	18		0,0
Propham	18		0,0
Propiconazole	28		0,0
Propoxur	28		0,0
Propyzamid	28		0,0
Prothiofos	18		0,0
Pymetrozine	18		0,0
Pyrazophos	28		0,0
Pyridaben	18		0,0
Pyridafenthion	28		0,0
Pyriphenox	28		0,0
Pyrimethanil	28		0,0
Pyriproxifen	12		0,0
Pyriproxyfen	18		0,0
Quinalphos	28		0,0
Quinmerac	18		0,0
Quinomethionat	18		0,0
Quinoxifen	18		0,0
Quintozen	28		0,0
Quizalofop-ethyl	18		0,0
Resmethrin	13		0,0

Simazine	23	0,0
Spinosad	18	0,0
Spiroxamin	18	0,0
Sulfotep	13	0,0
tau-Fluvalinate	18	0,0
Tebuconazole	28	0,0
Tebufenozid	18	0,0
Tebufenpyrad	18	0,0
Tecnazen	28	0,0
Teflubenzuron	18	0,0
Tefluthrin	13	0,0
TEPP	28	0,0
Terbufos	18	0,0
Terbuthylazin	18	0,0
Tetraclorvinph	28	0,0
Tetraconazol	28	0,0
Tetraconazole	12	0,0
Tetradifon	28	0,0
Tetramethrin	28	0,0
Thiabendazol	24	0,0
Thiacloprid	18	0,0
Thiamethoxam	18	0,0
Thiodicarb	18	0,0
Thiofanox	18	0,0
Thiomethon	10	0,0
Thionazin	18	0,0
Tolclofosmethyl	18	0,0
Tolclofos-methy	10	0,0
Tolyfluanid	28	0,0
Triadimefon	28	0,0
Triadimenol	10	0,0
Triamiphos	18	0,0
Triazophos	28	0,0
Trifloxystrobin	18	0,0
Triflumizole	18	0,0
Triflumuron	18	0,0
Trifluralin	18	0,0
Vinclozolin	28	0,0

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation
SRM - single residue methods, MRM - multi-residue methods.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables

Food item: Carrots

Reporting country: AUSTRIA

Year of sampling: 2005

IMPORTANT

Total number of samples analysed: 12

Without detectable residues: 12

With detectable residues at or below MRL or without MRL: 0

With residues above MRL (EC-national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Pesticide (*)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (†)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL (mg/kg)	Source of MRL (**)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20	50-500	
Acetophate	12	12																	0
Adicarb	12	12																	0
Azinphos-methyl	12	12																	0
Azoxystrobin	12	12																	0
Benomyl group(§)	12	12																	0
Bifenoxin	12	12																	0
Bromopropyle	12	12																	0
Bupirimate	12	12																	0
Captaf	12	12																	0
Carbaryl	12	12																	0
Chlorothalonil	12	12																	0
Chlorprophos	12	12																	0
Chlorpyrifos	12	12																	0
Chlorpyrifos-methyl	12	12																	0
Cypermethrin	12	12																	0
Cyprodinil	12	12																	0
Deltamethrin	12	12																	0
Diazinon	12	12																	0
Dichloroquand	12	12																	0
Diflufenican	6	6																	0
Ethionate	12	12																	0
Endosulfan	12	12																	0
Fenhexamid	6	6																	0
Fludioxonil	10	10																	0
Folpet	12	12																	0
Caplan+ Folpet (Sum)	12	12																	0
Imazalil	12	12																	0
Imidacloprid	12	12																	0
Iprodione	12	12																	0
Kresoxim-methyl	12	12																	0
Lambda-cyhalothrin	12	12																	0
Malathion	12	12																	0
Maneb-group(§§)	12	12																	0
Metazoxyl	12	12																	0
Methidathion	12	12																	0
Methiocarb	12	12																	0
Methomyl	12	12																	0
Myclobutanil	12	12																	0
Oxydemeton-methyl	12	12																	0
Parathion	6	6																	0
Phosalone	12	12																	0
Pirimicarb	12	12																	0
Pirimiphos-methyl	12	12																	0
Procymidone	12	12																	0
Propargite	6	6																	0
Pyrethrin	12	12																	0
Pyrimethanil	6	6																	0
Spiromamine	12	12																	0
Thiabendazole	12	12																	0
Tolclofos-methyl	12	12																	0
Tolyfluanid	12	12																	0
Triadimefon	12	12																	0
Vinclozolin	12	12																	0

xxxxx: do not report MRL here, report MRL in the row (Sum Caplan+Folpet)
 (†) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (§) Benomyl, carbendazim, thiofanate-methyl (sum of residues expressed as carbendazim).
 (§§) Sum of dithiocarbamates, expressed as CS.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit
 Reporting country: AUSTRIA
 Food item: Mandarins
 Year of sampling: 2005
 IMPORTANT

Total number of samples analysed: 2
 Without detectable residues: 0
 With detectable residues at or below MRL or without MRL: 2

With residues above MRL (EC-national): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

Pesticide (*)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (†)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL (mg/kg)	Source of MRL (**)	Check		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50-50
Acetophate	2	2																	0
Aldicarb	2	2																	0
Azinphos-methyl	2	2																	0
Azoxystrobin	2	2																	0
Benomyl group(§)	2	1																	0
Bifenthrin	2	2																	0
Bromopropylate	2	2																	0
Supinate	2	2																	0
Captaf	2	2																	0
Carbaryl	2	2																	0
Chlorothalonil	2	2																	0
Chlorpropham	2	2																	0
Chlorpyrifos	2	2																	0
Chlorpyrifos-methyl	2	2																	0
Cypermethrin	2	2																	0
Cyprodinil	2	2																	0
Deltamethrin	2	2																	0
Diazinon	2	2																	0
Dichlorvos	2	2																	0
Dicofol	2	2																	0
Dimethoate	2	2																	0
Endosulfan	2	2																	0
Fenitrothion	2	2																	0
Fludioxonil	2	2																	0
Folpet	2	2																	0
Captaf+ Folpet (Sum)	2	2																	0
Inazalil	2	0																	0
Imidacloprid	2	2																	0
Iprodione	2	2																	0
Kresoxim-methyl	2	2																	0
Lamda-cyhalothrin	2	2																	0
Malathion	2	2																	0
Metazaly	2	2																	0
Methamidophos	2	2																	0
Methidathion	2	2																	0
Methiocarb	2	2																	0
Methomyl	2	2																	0
Myclobutanil	2	2																	0
Oxydemeton-methyl	2	2																	0
Permethrin	2	2																	0
Phosalone	2	2																	0
Phinotarb	2	2																	0
Priniphos-methyl	2	2																	0
Procymidone	2	2																	0
Propargile	2	2																	0
Pyrethrin	2	2																	0
Pyrimethanil	2	2																	0
Siprocimide	2	1																	0
Thiabendazole	2	2																	0
Tolclofos-methyl	2	2																	0
Triphenyltin	2	2																	0
Triadimenol	2	2																	0
Vinclozolin	2	2																	0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captaf+Folpet)
 (*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E-EC-MRL, N=National MRL, W=without MRL
 (†) Benomyl, carbendazim, thiofanate-methyl (sum of residues expressed as carbendazim).
 (§§) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables
 Reporting country: AUSTRIA
 Food item: Spinach (fresh or frozen)
 Year of sampling: 2005
 Total number of samples analysed: 13
 Without detectable residues: 11
 With detectable residues at or below MRL: 1
 With residues above MRL (EC-national): 1
 With residues above EC-MRL: 1
 With residues above national MRL: 0

IMPORTANT

Pesticide (*)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (†)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL (mg/kg)	Source of MRL (**)	Check		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Aspachate	13	13																	0
Aldicarb	13	13																	0
Azinphos-methyl	13	13																	0
Azinrothion	13	13																	0
Azinxylobin	13	13																	0
Benomyl (group)(#)	13	12																	0
Bifenoxin	13	13																	0
Bromopropylate	13	13																	0
Bupirimate	13	13																	0
Captaf	13	13																	0
Carbaryl	13	13																	0
Chlorothalonil	13	13																	0
Chlorpropham	6	6																	0
Chlorpyrifos	13	13																	0
Chlorpyrifos-methyl	13	13																	0
Cypermethrin	13	13																	0
Cyprodinil	13	13																	0
Deltamethrin	13	13																	0
Diazinon	13	13																	0
Dichlorfluamid	13	13																	0
Dicofol	7	7																	0
Dimethoate	13	13																	0
Endosulfan	13	13																	0
Fenhexamid	6	6																	0
Fludioxonil	6	6																	0
Folpet	13	13																	0
Captaf+ Folpet (Sum)	13	13																	0
Imazalil	13	13																	0
Imidacloprid	6	6																	0
Iprodione	13	13																	0
Kresoxim-methyl	13	13																	0
Lambda-cyhalothrin	13	13																	0
Malathion	13	13																	0
Maneb-group(##)	7	6																	0
Metalaxyl	13	13																	0
Methamidophos	13	13																	0
Methidathion	13	13																	0
Methiocarb	13	13																	0
Methomyl	13	13																	0
Myclobutanil	13	13																	0
Oxydemeton-methyl	6	6																	0
Permethrin	13	13																	0
Phosalone	13	13																	0
Phinotcarb	13	13																	0
Pirimiphos-methyl	13	13																	0
Procymidone	13	13																	0
Propargite	6	6																	0
Pyrethrin	13	13																	0
Pyrimethanil	13	13																	0
Spinosamin	6	6																	0
Thiabendazole	13	13																	0
Tolclofos-methyl	13	13																	0
Toylflusand	13	13																	0
Triadimenon	13	13																	0
Vinclozolin	13	13																	0

xxxxxx: do not report MRL here, report MRL in the row (Sum Captaf+Folpet)
 (*) i.e. column 0.02 includes the range from 0.011...mg/kg upto 0.020...mg/kg
 (**) In alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dihydrocarbamates, expressed as CS₂.

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: pome fruits Food item: pears

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 103 With residues above MRL (EC-national): 6

Without detectable residues: 31 With residues above EC-MRL: 1

With detectable residues at or below MRL: 66 With residues above national MRL: 5

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	Analytical uncertainty†	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10						20
Acetamiprid	41	39			2											0,042			
Azinphosmethyl	103	83		1		2	8	2	6	2						0,536		0,50	E
Benomyl group	97	92				1	1	2	1							0,36			
Bifenthrin	103	102			1											0,03			
Captan	103	92			1	1	4	2	2	1			1			2,228			
Carbaryl	103	96			2	2	2	2	1							0,31			
Chlormequat	41	32		4	2	1	2									0,091			
Chlorothalonil	103	101			2											0,047			
Chlorpyrifos	60	57			1	1	1									0,06			
Chlorpyrifos-methyl	60	58			1	1	1									0,11			
Chlorpyrifos	78	71		4	3											0,05			
Chlorpyrifosmethyl	84	82		1			1									0,085			
Cypermethrin	103	98		2	2	1										0,125			
Cyprodinil	103	102			1				1							0,326			
Deltamethrin	103	102		2												0,05			
Diazinon	103	101														0,01			
Dicofol	60	59					1									0,07		0,02	E
Diflubenzuron	41	39			2											0,046			
Dioxathion	60	59		1												0,02			
Diphenylarin	43	38						3	2							0,26			
Endosulfan + Endosulfansulfat	103	99		1	1	1	1	1								0,24			
Ethoxyquin	60	59							1							0,26			
Etofenprox	42	40							2							0,153		0,01	N
Fenitrothion	103	100		1			1	1								0,2			
Fenoxycarb	43	42			1											0,05			
Fenvalerate und Estenvalerat	103	102			1											0,02			
Fludioxonil	88	87								1						0,264			
Flufenoxuron	41	40			1											0,031		0,01	N
Flusilazole	103	102								1						0,248		0,10	N
Folpet	103	102								1						0,11			
Indoxacarb	16	14		1	1											0,014			
Iprodion	103	97								1	1	3	1			1,82			
Kresoxim-methyl	103	101		1	1											0,068			
Lambda-Cyhalothrin	103	102			1											0,05			

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassica vegetables	Food item:	chinese cabbage
Reporting country:	AUSTRIA	Year of sampling:	2005
Total number of samples analysed:	94	With residues above MRL (EC-national):	2
Without detectable residues:	58	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	34	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azoxystrobin	94	92				2										0.05			0
Carbendazim	94	93		1												0.021			0
Chlorpyrifos	94	84		3	2	3	1	1								0.17			0
Difenoconazole	75	70		1	1	2	1	1								0.375			0
Dimethoat	94	91		2	1											0.014			0
Imidachloprid	40	39		1												0.013			0
Iprodion	94	82		1	4	2	2	3								0.43			0
Lambda-Cyhalothrin	94	88		4	2											0.081			0
Lindane	94	93				1										0.08	0.01	E	0
Metamitron	41	38		2	1											0.038			0
Methiocarb	40	38		2												0.018			0
Methomyl	40	38		1	1											0.018			0
Omethoat	94	93		1												0.01			0
Procymidone	94	93				1										0.074	0.02	E	0
Propamocarb-Hydrochlorid	40	39		1												0.01			0
Pyrimetozine	35	34		1												0.015			0
Vinclozolin	94	93				1										0.023			0

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Pulses Food item: Peas

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 98 With residues above MRL (EC-national): 0

Without detectable residues: 78 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 20 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20	50
Azoxystrobin	98	95	0.01	2	1											0,051	0	
Benomyl-group	98	97	1													0,01	0	
Dimethoat	98	97	1													0,022	0	
Ormethoat	98	97	1													0,018	0	
Procymidon	98	94		2	2	3	4	1	1	3						0,25	0	
Vinclozolin	98	85		2	2	3	4	1	1	1						0,216	0	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: leafy vegetables Food item: lettuce

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 103 With residues above MRL (EC-national): 9

Without detectable residues: 48 With residues above EC-MRL: 1

With detectable residues at or below MRL: 46 With residues above national MRL: 8

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Acetamiprid	44	43														0,788	1	0,05	N
Azoxystrobin	103	97				5	1									0,1			
Benomyl-group	103	99		1	1	1	1									0,18			
Chlorpyrifos	103	56		2	1	4										0,045			40
Chlorthalonil	103	102		1												0,01			
Cypermethrin	103	98			2	2	1									0,24			
Cyprodinil	103	98			2	1	1				1					1,087			
DDT(DDT+DDE+DDE)	103	102		1												0,01			
Deltamethrin	103	102			1											0,05			
Dichloran	103	100		1	1	1	1									0,11	3	0,01	N
Dimethoat	103	99		1	1	1										0,29			
Endosulfan	103	100		2	1											0,021			
Fludioxonil	78	75			2	2					1					1,364			
Folpet	103	98				3	1	1								0,886			
Indoxacarb	13	12			1											0,028			
Iprodion	103	81		4	4	5	4	4	3	2						4,6			
Lambda-Cyhalothrin	103	101		2												0,06			
Metaxyl	103	101				2										0,05			
Methamidophos	103	102		1												0,018			
Omethoat	103	100		1	2											0,045			
Oxadixyl	103	102		1	1											0,05			
Oxydemeton-methyl	43	40		1	1	1										0,22	1	0,05	E
Procymidon	103	87		2	2	2	5	2	2	1	1					5,3			
Propamocarb-Hydrochlorid	46	32		2	2	2	2	2	1	1	1					14,866	1	10,00	N
Propoxur	103	102		1												0,025			
Propyzamid	103	102			1											0,053			
Spinosad	43	42							1							0,659	1	0,01	N
Thiacloprid	43	42						1								0,227	1	0,05	N
Thiamethoxam	43	38		1	1	1	1				1					1,316	2	0,05	N
Toctofosmethyl	103	98		1	2	1										0,538			

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: berries and small fruit Food item: grapes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 128 With residues above MRL (EC-national): 16

Without detectable residues: 16 With residues above EC-MRL: 1

With detectable residues at or below MRL: 96 With residues above national MRL: 16

or without MRL: 96

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Acetamethrin	128	125				3										0.03	1	0.01	N
Azinphos-methyl	128	127			1											0.05			
Azoxystrobin	128	91			6	12	12	5	1	1					1.124				
Bifenithrin	128	119			3	1	1	4							0.1				
Boscalid	25	23					1			1					0.303	2	0.01	N	
Bromopropylate	128	127			1										0.039				
Captaf	128	127					1								0.11				
Carbaryl	128	126					1						1		2.7				
Benomyl-Group	128	122			2	2	1			1					0.78				
Chlorpyrifos	128	89			6	6	10	10	5	2					0.44				
Chlorpyrifosmethyl	128	120			1	1	3	2	1						0.169				
Chlorthalonil	128	127			1										0.01				
Cyfluthrin	128	114				7	3	3	1						0.22				
Cypermethrin	128	124			2			1	1						0.365				
Cyprodinil	128	91			1		3	6	14	9	4				1.6				
Deltamethrin	128	121				5	1	1							0.12				
Dichloran	128	127				1									0.03	1	0.01	N	
Dimethoat	128	126			2										0.01				
Dimethomorph	55	52			3										0.043				
Endosulfan	128	127			2			1							0.121				
Fenatimol	128	125				1									0.03				
Fenhexamid	55	45			1				8	1					1.161				
Fenitrothion	128	118			1	3	4	2							0.151				
Fenvalerate	128	127					1								0.073				
Fludioxonil	122	91				2	1	7	10	3	8				1.9				
Flufenoxuron	53	42			3	3	5								0.09	8	0.01	N	
Folpet	128	126							1	1					1				
Hexaconazol	23	22			1										0.021				
Imazalil	128	125			1	1	1								0.092	1	0.02	E	
Imidachloprid	55	54			1										0.01				
Indoxacarb	23	20			1	2									0.02				
Iprodion	128	109				4	2		4	5	4				1.7				
Iprovalicarb	23	21			1	1	1								0.013				
Kresoxim-methyl	128	125				1	1	1							0.13				

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: herb Food item: basil

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5				
Insert new rows if necessary													

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Cauliflower

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 13 With residues above MRL (EC+national): 0

Without detectable residues: 13 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg) MRL (***)	Source of MRL (****)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) In alphabetical order of the English name

(****) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Bulb Vegetables Food item: Spring Onions

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 11 With residues above MRL (EC-national): 0

Without detectable residues: 8 With residues above EC-MRL: 0

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5
Cypermethrin	11	10					1							0,054		
Indacloprid	11	10				1								0,033		
Methiocarb	11	10				1								0,02		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Brussel sprouts

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC-national): 1

Without detectable residues: 2 With residues above EC-MRL: 1

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20	50
Propoxur	3	2											1			1,2	1	0,50	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: leafy vegetables and fresh herbs Food item: Koriander leaves

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Endosulfane	1	0																0,131		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fruiting vegetables Food item: Zucchini

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC+national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: _____ Food item: bean sprouts

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC-national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Oil seeds Food item: Sesame seeds

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Oil Seeds Food item: peanuts

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 8 With residues above MRL (EC-national): 0

Without detectable residues: 7 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20	50	>50				
HCB	8	7	0.01	1																				

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cultivated Mushrooms **Food item:** Champignons
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 1 With residues above MRL (EC-national): 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Citrus fruit Food item: grapefruit

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 4 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	4	3	0.01				1										0.089	
Imazalil	4	0						1				2	1				5.5	
Malathion	4	3						1									0.109	
Thiabendazol	4							2		1	1						1.3	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Citrus fruit Food item: Lemons

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 10 With residues above MRL (EC-national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 4 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Benomyl-group	10	9		1											0,006		
Imazalil	10	7						1	1						2,53		
o-Phenylphenol	10	9								1					0,692		
Thiabendazole	10	8					1								0,337		
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.01 ... mg/kg upto 0.020... mg/kg

(**) In alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Avocado

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Insert new rows if necessary																	

(*) I.e. column 0.02 includes the range from 0.01 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Bananas

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 5 With residues above MRL (EC+national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Azoxystrobin	5	4																0,284		
Insert new rows if necessary																				

(*) i.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Pome Fruit Food item: Pears

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 26 With residues above MRL (EC-national): 3

Without detectable residues: 8 With residues above EC-MRL: 1

With detectable residues at or below MRL: 15 With residues above national MRL: 2

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azinphosmethyl	26	17					3	3								0.817	1	0.50	E
Benomyl-Group	26	24		1					1							0.491			
Carbaryl	26	23		1			1	1								0.208			
Cypermethrin	26	25					1	1								0.172			
Chloromequat	26	24		1			1									0.028			
Chlorpyrifos	26	24		1			1									0.065			
Cyprodinil	26	25					1									0.068			
Diflubenzuron	26	24		1			1									0.036			
Diniconazol	26	25		1			1									0.061	1	0.01	N
Diphenylamin	26	25							1							0.26			
Endosulfane	26	24		1			1									0.078			
Etofenprox	26	25		1												0.02			
Fludioxonil	26	25		1					1							0.113			
Kresoxim-methyl	26	25		1												0.017			
Methomyl	26	25		1			1									0.046			
Parathion	26	25							1							0.102			
Phosmeth	26	25					1		1							0.189			
Procymidone	26	25		1			1									0.069			
Tebuufenozid	26	25							1							0.172			
Teflubenzuron	26	24		1			1									0.023	1	0.01	N
Thiabendazole	26	19		1			1	1	3	1						0.672			
Thiacloprid	26	25		1			1									0.039			
Toylfluamid	26	25								1						0.39			
Triflumuron	26	25					1									0.088			

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: stone fruits Food item: apples

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 21 With residues above MRL (EC-national): 1

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 14 With residues above national MRL: 1

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Acetamiprid	21	18			2		1									0,081		
Azinphos-methyl	21	20				1										0,07		
Captan	21	16				2	2	1								0,32		
Chlorpyrifos	21	19					1	1								0,105		
Clofentezin	21	20														0,019		
Diflubenzuron	21	17		1	1	1										0,071		
Endosulfan	21	20			1											0,015		
Fenoxycarb	21	20			1											0,036		
Fenvalerate	21	20			1											0,025		
Folpet	21	20						1								0,14		
Imidacloprid	21	20			1											0,029		
Methoxyfenozid	21	20					1									0,142		
Phosalon	21	19			1		1									0,125		
Propargit	21	19							1							1,21	1	1,00
Tebufenozid	21	18			2		1									0,052		N
Tolyfluamid	21	20								1						0,394		
Trifloxystrobin	21	20				1										0,026		

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Legume vegetables Food item: Beans

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Insert new rows if necessary																	

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Broccoli

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruit Food item: Bickberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Fenhexamid	3	2		1													0,011	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Chinese cabbage

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20	50
Methiocarb	1	0		0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,016		
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: _____ date: _____

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Root and Tuber Vegetables Food item: Carrots

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 38 With residues above MRL (EC+national): 3

Without detectable residues: 27 With residues above EC-MRL: 1

With detectable residues at or below MRL: 8 With residues above national MRL: 2

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azoxystrobin	38	37					1									0,06		
Chlorpyrifos	38	35				2	1									0,058		
DDT	38	37			1											0,029		
Dichloran	38	36						1	1							0,341	2	0,01 N
Dieldrin	38	37						1	1							0,108	1	0,01 E
Difencanazol	38	34				2	1	1								0,185		
Dimethoat	38	37	1													0,011		
Iprodion	38	37						1								0,154		
Linuron	38	34			2	2										0,038		
Propamocarbhydrochlorid	38	37				1										0,013		
Insert new rows if necessary																		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stone fruit cherries incl. sour cherries
Reporting country: AUSTRIA **Year of sampling:** 2005
Food item: _____
 Total number of samples analysed: 6 With residues above MRL (EC+national): 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 4 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Captaf	6	5																	
Dimethoat	6	4		1															
Procymidone	6	5		1															
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Potatoes Food item: Potatoes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 31 With residues above MRL (EC-national): 0

Without detectable residues: 22 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 9 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Chlorpropham				1													3,461		

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fruiting Vegetables Food item: Cucumber

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 29 With residues above MRL (EC+national): 0

Without detectable residues: 24 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 5 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Beromylgroup	29	28	1														0,008	
Endosulfan	29	27	1	1													0,081	
Procymidone	29	28	1	1													0,088	
Propamocarbhydrochlorid	29	28	1				1										0,42	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica vegetables Food item: Cabbage

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 0

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	>50
Iprodione	2	1					1										0,08		
Propoxur	2	1					1										0,18		
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) In alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Leafy Vegetables Food item: Rucola

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Tea Food item: Tea

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 16 With residues above MRL (EC-national): 3

Without detectable residues: 11 With residues above EC-MRL: 2

With detectable residues at or below MRL: 2 With residues above national MRL: 1

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
a-Cypermethrin	16	15															0,123			
Bifenthrin	16	15								1							0,11			
Chlorpyrifos	16	15					1										0,077			
DDT (DDT + DDE + TDE)	16	15					1										0,058			
Deltamethrin	16	15															0,063			
Ethion	16	15															0,186			
Fenvalerat und Estenvalerat	16	15								1							0,377	1	0,05	E
Lambda-Cyhalothrin	16	15								1							0,274			
Permethrin	16	15								1							0,24	1	0,10	E
tau-Fluvalinat	16	15												1			1,638	1	0,05	N
Triazophos	16	15															0,066			
Insert new rows if necessary																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Leafy vegetables Food item: lamb's lettuce

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Iprodione	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	1,117		
Methiocarb	1	0		1												0,011		
Insert new rows if necessary																		

(*) I.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Accephat	215	213					1	1									0,188		
Acetamidid	215	213		1	1												0,026		
a-Cypermethrin	215	214				1											0,312		
Azoxystrobin	215	213				1	1										0,858		
Benomyl-Group	215	213	1														0,171		
Chlorpyrifos	215	209		3	2		1										0,036	3	0,05
Chlorthalonil	215	214		1													0,041	1	0,01
Cyprodinil	215	205		3	1	1	4										1,237		
DDT	215	214		1													0,017		
Deltamethrin	215	212			2		1										0,627		
Demeton-S-methylsulfon	215	214		1													0,022		
Dichloran	215	211		1	3												0,03	2	0,01
Dichlorvos	215	214				1											0,06		
Dimethoat	215	210		2	2		1										0,221		
Dimethomorph	215	214		1													0,032		
Endosulfan	215	211				2	2										0,721	4	0,05
Fenhexamid	215	211					1		1		3						8,9		
Fludioxonil	215	210				1	2	1			1						2,556		
Folpet	215	214															1,164		
Imidacloprid	215	208		7	1		1										0,147		
Indoxacarb	215	214						1									0,804	1	0,02
Iprodion	215	186			5	12	4	4	3	1							8,778		
Lufenuron	215	214		1													0,023	1	0,01
Mesprosil	215	214		1													0,016		
Metlaxyl	215	214				1											0,159		
Methamidophos	215	213		1	1												0,077		
Methomyl	215	208		1	2	2	1			1							0,498		
Omethoat	215	212		1	1	1											0,032		
Oxadixyl	215	214								1							0,459	1	0,05
Oxydemetonmethyl	215	213		1	1												0,03		
Pirimicarb	215	211		1			1		1								0,071		
Procymidon	215	195		1	6	1	5	2	2	1	1	1					15,263	2	5,00
Propamocarbhydrochlorid	215	201			4		3	2	2	2	1						8,016		
Propyzamid	215	212					1	1	1								0,376		

Product group: Leafy vegetables Food item: lettuce

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 215 With residues above MRL (EC-national): 15

Without detectable residues: 123 With residues above EC-MRL: 10

With detectable residues at or below MRL or without MRL: 77 With residues above national MRL: 8

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruit Food item: Strawberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 81 With residues above MRL (EC-national): 0

Without detectable residues: 35 With residues above EC-MRL: 0

With detectable residues at or below MRL: 46 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)											Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20					50
Azoxystrobin	81	76					1	3				1					0,73		
Benomyl-Group	81	75		2	2	1	1										0,051		
Brompropylat	81	80			1												0,029		
Bupirimat	81	80					1										0,077		
Chlorfthalonil	81	76					1	3			1						0,854		
Cyprodinil	81					6	2	2			2						0,704		
Endosulfane	81	77				3	1										0,089		
Fenarimol	81	79				1	1										0,095		
Fenhexamid	81	66		1	1	4	3	2	3	1							0,728		
Fludioxonil	81	72				3	4	2									0,406		
Iprodion	81	78				1					2						0,806		
Kresoximethyl	81	77				3					1						0,954		
Malathion	81	78				1	1	1									0,119		
Methomyl	81	80				1											0,024		
Myclobutanil	81	77				1			3								0,172		
Pentconazol	81	79		1	1												0,024		
Phoslon	81	80									1						0,231		
Procymidon	81	72				3	2	2	1	1							0,548		
Pyrimethanil	81	76				1	1			2		1					1,138		
Thiacloprid	81	80				1											0,028		
Thiamethoxam	81	80		1													0,018		
Tolyfluanid	81	74				1	3	3									0,165		
Vinclozolin	81	77				1	1	1					1				2,875		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Brassica Vegetables Food item: Kohlrabi

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 8 With residues above MRL (EC-national): 3
 Without detectable residues: 4 With residues above EC-MRL: 1
 With detectable residues at or below MRL: 1 With residues above national MRL: 3
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20
Chlorpyrifos	8	7				1								0,047				
Dichloran	8	6		1			1							0,067	2	0,01	N	
Iambda.Cyhalothrin	8	7		1										0,012				
Metaxyl	8	7				1								0,057	1	0,05	E	
Oxadixyl	8	7				1								0,067				
Procymidone	8	7			1									0,036				
Tolyfluanid	8	7				1								0,058	1	0,02	N	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Spice Food item: Karaway

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 1

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Flusilazole	1	0															0,45	1	0,05	N

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: dogrose

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20	50

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: berries and small fruits Food item: bilberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 8 With residues above MRL (EC-national): 0

Without detectable residues: 8 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruits Food item: Raspberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl-group	6	5		1													0,007	
Procyimidone	6	4					2										0,144	
Pyrimethanil	6	5			1												0,04	
Tolyfluanid	6	5				1											0,062	
Vinclozolin	6	4				2											0,082	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruits Food item: Elder

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows, if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruits Food item: Currants

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 2

Without detectable residues: 2 With residues above EC-MRL: 1

With detectable residues at or below MRL: 2 With residues above national MRL: 1

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Bromopropylate	6	5																	
Chlorpyrifos	6	5																	
Cyprodinil	6	5																	
Endosulfane	6	4																	
Fenhexamid	6	3																	
Fenitrothion	6	5																	
Fludioxonil	6	5																	
Tebuconazole	6	5																	
Tolyfluanid	6	4																	
Trifloxystrobin	6	5																	
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Tree nuts Food item: Chestnut

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Kaki

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed:
 Without detectable residues: 2 With residues above MRL (EC-national): 0
 With detectable residues at or below MRL: 2 With residues above EC-MRL: 0
 or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Kiwi

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20	50	>50				
Insert new rows if necessary																								
(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg																								
(**) in alphabetical order of the English name																								
(***) E=EC-MRL, N=National MRL, W=without MRL																								

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Root and tuber vegetables Food item: Horse radish

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Trifluralin	1	0		0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,039		
Insert new rows if necessary																			

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Citrus fruit Food item: Mandarins

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 9 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 7 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	9	3		1		1											0,38	
Dicofol	9	6									1						0,94	
Endosulfane	9	6					1										0,062	
Imazail	9	4					1					4					1,7	
Lindane	9	8													1		0,02	
Thiabendazole	9	8														1	1,245	

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stem vegetables Food item: Leek

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Propamocarb-hydrochlorid	1	0		1										0,017		
Insert new rows if necessary																

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Citrus fruits Food item: Limes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2
 Without detectable residues: 1
 With detectable residues at or below MRL: 1

With residues above MRL (EC-national): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)								Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2					5	10
Imazalil	2	1									1					1,175	

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Mango

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Thiabendazole	4	3		1										0,03		

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stone fruits Food item: Apricots

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 20 With residues above MRL (EC-national): 2

Without detectable residues: 7 With residues above EC-MRL: 0

With detectable residues at or below MRL: 11 With residues above national MRL: 2

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Acetamiprid	20	19															0,229	1	0,05	N
Benomyl-Group	20	7		4	3	2	2			1							0,972			
Carbaryl	20	17			1	2											0,044			
Chlorothalonil	20	19							1								0,174			
Etofenprox	20	19					1										0,041	1	0,01	N
Fenitrothion	20	19					1										0,046			
Imidacloprid	20	18		1	1												0,015			
Lambda-Cyhalothrin	20	19					1										0,044			
Methoxyfenozid	20	19					1										0,031			
Phosalone	20	19					1										0,044			
Propargit	20	19					1										0,042			

Insert new rows if necessary
 (*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fruiting vegetables Food item: Aubergines

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 7 With residues above MRL (EC-national): 0

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Imidacloprid	2	0		1	1											0,068		
Methomyl	2	1		1												0,021		
Thiamethoxam	2	1		1												0,039		
Insert new rows if necessary																		

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) In alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fruiting vegetables Food item: Melons

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 5 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 1 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Endosulfane	5	4		0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50-50	0,037		
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stone fruits Food item: Peaches/Nectarines

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 13 With residues above MRL (EC-national): 1

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 8 With residues above national MRL: 1

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azinphos-methyl	13	12																	
Benomyl-group	13	6		2	1	3	1			1									
Chlorpyrifos	13	10			1	1	1												
Chlorothalonil	13	12			1														
Cyprodinil	13	11								2									
Etofenprox	13	11			1		1												
Fenitrothion	13	11				1	1												
Imidacloprid	13	12			1														
Procymidone	13	12																	
Tebuconazole	13	12			1						1								
Triflumuron	13	9			1	2	1												
Insert new rows if necessary.																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Tree Nuts Food item: Nuts

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Citrus fruits Food item: Oranges

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 12 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 10 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Carbofuran	12	11															0,154	
Chlorpyrifos	12	9		1	1	1											0,106	
Chlorpyrifos-methyl	12	10		1	1												0,068	
Dicofol	12	11								1							0,46	
Fenitron	12	11							1								0,12	
Imazali	12	2		1	1	1	1	1	6	1							3,766	
Lindane	12	11		1													0,021	
Malathion	12	11		1													0,065	
Methidathion	12	11															0,988	
o-Phenylphenol	12	9															2,44	
Tebufenpyrad	12	11		1													0,037	
Thiabendazole	12	11															1,156	

Insert new rows if necessary
 (*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Miscellaneous fruits Food item: Papaya

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 1

Without detectable residues: 1 With residues above EC-MRL: 1

With detectable residues at or below MRL or without MRL: 2 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Benomyl-Group	4	3		1												0,014			
Imazalil	4	3		1												0,098	1	0,02	E
Prochloraz	4	2					1									1,088			
Thiabendazol	4	3			1											0,042			
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fresh herbs Food item: Parsley

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 1

Without detectable residues: 0 With residues above EC-MRL: 1

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Chlorpyrifos	2	1															0,236	1	0,05	E
Chlorpyrifos-methyl	2	1															0,812	1	0,05	E
Lambda-Cyhalothrin	2	1					1										0,12			
Propamocarbhydrochlorid	2	1															0,856			

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Root and tuber vegetables Food item: Parsley root

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Lifuron	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0,01		
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stone fruit Food item: Plums

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Benomyl-group	6	5				1										0.036	
Chlorpyrifos	6	5			1											0.024	
Fenhexamid	6	5					1									0.057	
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruit Food item: Cranberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 5 With residues above MRL (EC-national): 0

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Root and tuber vegetables Food item: Radishes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 15 With residues above MRL (EC-national): 0

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL: 10 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	15	6	0.01	2	5	2											0,038	
Propamocarb-Hydrochlorid	15	14		1													0,03	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stem vegetables Food item: Rhubarb

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Oil Seed **Food item:** Sunflower Seed
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 2 With residues above MRL (EC+national): 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.1	0.2	0.5	1					2	5	10
Insert new rows if necessary																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Root and tuber vegetables **Food item:** Celeriac
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed:

1

With residues above MRL (EC-national):

0

 Without detectable residues:

1

With residues above EC-MRL:

0

 With detectable residues at or below MRL:

0

With residues above national MRL:

0

 or without MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) I.e. column 0.02 includes the range from 0.011 ... mg/kg upto 0.020 ... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fungi Food item: Shitake

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Benomyl-Group	1	0		1									0.023			
Insert new rows if necessary																

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Stem vegetables Food item: Asparagus

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Chlopyrifos	4	3					1								0,071		
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruit Food item: Gooseberries

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 4

Without detectable residues: 0 With residues above EC-MRL: 4

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	4	3		1												0,018		
Cyprodinil	4	1			1	1	1									0,232		
Endosulfane	4	3			1											0,056		
Fenhexamid	4	1			1	1	1									0,205		
Fludioxonil	4	3					1									0,114		
Kresoxim-methyl	4	2				1	1									0,083		
Procymidone	4	1				1	1		2							0,284	0,02	E
Tebuconazole	4	1					1	2								0,355		
Tolyfluanid	4	3						1								0,132		
Trifloxystrobin	4	2					1	1								0,066	0,02	E
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: fruiting vegetables Food item: Tomatoes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 46 With residues above MRL (EC-national): 0

Without detectable residues: 30 With residues above EC-MRL: 0

With detectable residues at or below MRL: 16 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azoxystrobin	46	45										1					0,224		
Bifenoxin	46	45				1											0,025		
Benomyl-Group	46	42		1	1	1											0,104		
Chlorothalonil	46	43					1				1	1					0,875		
Cyprodinil	46	43						2	1								0,45		
Endosulfane	46	44					1				1						0,311		
Fenhexamid	46	43					2				1						0,546		
Fludioxonil	46	45							1								0,14		
Iprodione	46	45									1						0,274		
Kresoxim-methyl	46	45					1										0,074		
Methomyl	46	45				1											0,042		
Procymidone	46	41			2						3						0,408		
Pyrimethanil	46	44					1					1					0,073		
Pyriproxyfen	46	44							1		1						0,105		
Tebuconazole	46	45					1										0,045		
Tebuconazole	46	45					1										0,025		
Tebuconazole	46	45										1					0,128		
Tolyfluanid	46	45																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Berries and small fruits Food item: grapes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 46 With residues above MRL (EC-national): 6

Without detectable residues: 11 With residues above EC-MRL: 2

With detectable residues at or below MRL: 29 With residues above national MRL: 7

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (**)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Acephate	46	45		1													0.02		
Azoxystrobin	46	42				3	1										0.151		
Benomyl-Group	46	43		1		1	1										0.311		
Bifenthrin	46	45		1													0.02		
Boscalid	46	44				1		1									0.303	2	0.01
Carbofuran	46	45			1												0.032		N
Chlorpyrifos	46	43		2		2		1									0.406		
Chlorpyrifos-methyl	46	44		2		2											0.041		
Cyfluthrin	46	45					1										0.193		
Cypermethrin	46	45				1		1									0.14		
Cyprodinil	46	40				1		2	3								0.9		
Diniconazole	46	45		1													0.021	1	0.01
Fenarimol	46	45		1													0.041		N
Fenhexamid	46	39		1		1		1	4								0.619		
Fenitrothion	46	45				1											0.108		
Fludioxonil	46	41						3	1	1							1.3		
Flufenoxuron	46	44		1		1											0.077	2	0.01
Folpet	46	44				1		1									0.47		N
Imazalil	46	45				1											0.088	1	0.02
Imidacloprid	46	45		1		2	3	1									0.036		E
Indoxacarb	48	40				2	3	1									0.157		
Iprodione	46	44						1	1								0.661		
Iprovalicarb	46	44		1		1											0.037		
Lambda-Cyhalothrin	46	44				1		1									0.557	1	0.20
Lufenuron	46	44		1		1											0.085	2	0.01
Myclobutanil	46	45				1											0.06		N
Penconazole	46	45				1											0.15		
Procymidone	46	36				2	1	4	1	2							1.948		
Propargite	46	45				1											0.103		
Prothiofos	46	45	1														0.01		
Pyrimethanil	46	41				1				2	1	1					1.184		
Quinoxifen	46	42		1	2	1											0.066		
Spitoxamin	46	45				1											0.038		
Tebufenpyrad	46	43		2						1							0.268		

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Fruiting vegetables **Food item:** Peppers
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 248 With residues above MRL (EC-national): 34
 Without detectable residues: 131 With residues above EC-MRL: 14
 With detectable residues at or below MRL: 83 With residues above national MRL: 25
 or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Acetamiprid	248	237		3	4	2	2									0.19	3	0.05	N
Azoxystrobin	248	240		2	2	3				1						0.36			
Benomyl-Group	248	232		4	3	1	1	6	1							0.55	8	0.10	E
Bifenthrin	248	247			1											0.026			
Brompropylat	248	246					2									0.18	1	0.05	E
Chlorpyrifos	248	237		1	2	3	2	3								0.53	1	0.05	E
Chlorpyrifosmethyl	248	247		1												0.015			
Chlorthalonil	248	238			3	2	5									0.18			
Cypermethrin	248	238					2	5	2	1						0.54			
Cyprodinil	248	243		1	2		1	1								0.344			
Diazinon	248	243		1	1	1	2									0.19			
Dichlorvos	248	244		1	1	2	1									0.109			
Diethofencarb	248	247					1									0.16	1	0.05	N
Dimethoate	248	247		1												0.02			
Endosulfane	248	231		1	3	3	4	3	2	1						0.533			
Fenarimol	248	246				1										0.324	1	0.02	E
Fenhexamid	248	247		1												0.018			
Fludioxonil	248	246						1	1							0.282			
Hexythiazox	248	247		1												0.016			
Imidacloprid	248	221		2	5	3	12	5								0.242			
Indoxacarb	248	246		2												0.045	1	0.02	N
Iprodion	248	232		1	3	3	3	5	1							0.68			
Kresoxin-methyl	248	247		1	2											0.07			
Lufenuron	248	245		1	2											0.037	3	0.01	N
Malathion	248	247			1											0.05			
Metaxyl	248	247					1									0.07			
Methamidophos	248	246		2												0.043	2	0.01	E
Methiocarb	248	237		2	2	3	3	1								0.262	5	0.05	N
Methomyl	248	238		1	6	3										0.7	2	0.05	E
Oxamyl	248	245		1				2								0.187	2	0.05	N
Pliniphosmethyl	248	243		3	1						1					1.577			
Procymidon	248	209		2	9	11	14	3								0.72			
Propamocarbhydrochlorid	248	246		2												0.017			
Pyrimethanil	248	245			1	1	1	1	1							0.57	2	0.05	N

Pyriproxifen	248	248													0,063						1	0,01	N
Spinosad	248	246		1	1										0,031						1	0,01	N
Tebuconazol	248	241		1	2		1	3							0,282						4	0,05	N
Tetraconazole	248	243		1	1		1	1							0,21						5	0,01	N
Tetradifon and Tetrasul	248	241		2	3		2								0,091								
Thiacloprid	248	247			1										0,025								
Thiamethoxam	248	246		2											0,013								
Trifloxystrobin	248	245					1	2							0,125						2	0,02	E
Insert new rows if necessary																							

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Spelt

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC-national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)											
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50	>50				
Insert new rows if necessary																								

(*) i.e column 0.02 includes the range from 0.01 to ... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Rice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 2 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Azoxystrobin	6	5		1												0,013		
Cypermethrin	6	5	1													0,048		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Cereals	Food item:	Rye	
Reporting country:	AUSTRIA	Year of sampling:	2005	
Total number of samples analysed:	3	With residues above MRL (EC+national):	0	
Without detectable residues:	3	With residues above EC-MRL:	0	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals **Food item:** Barley
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed:

1

 Without detectable residues:

1

 With detectable residues at or below MRL or without MRL:

0

 With residues above MRL (EC-national):

0

 With residues above EC-MRL:

0

 With residues above national MRL:

0

Pesticides (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Oat

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10
Insert new rows if necessary																	

(*) I.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) In alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Millet

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50	>50			
Insert new rows if necessary																							

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Cereals Food item: Wheat

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: baby food Food item: baby food

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 183 With residues above MRL (EC+national): 0

Without detectable residues: 183 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** sugar
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 2 0
 Without detectable residues: 2 0
 With detectable residues at or below MRL or without MRL: 0 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10	20	50	>50				
				0	2	2	0	0	0	0					0	0	0	0	0	0	0	0	0	0

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: lemon juice concentrate

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Benomyl-Group	2			1	1									0,023		
Inazail	2						2							0,063		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: grape juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Jam

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 7 With residues above MRL (EC+national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Diphenyl	7	6		1													0,02	

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: apple juice concentrate

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 5 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 4 With residues above national MRL: 0

or without MRL: 4

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Acetaminiprid	5	2			3									0,038		
Acophate	5	4		1										0,026		
Benomyl-Group	5	4	1											0,008		

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Apple Juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: pear juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: strawberries frozen

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding (the MRL)	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Procymidone	1	0					1							0,08		
Insert new rows if necessary																
(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg																
(**) in alphabetical order of the English name																
(***) E=EC-MRL, N=National MRL, W=without MRL																

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: _____ Food item: _____

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 8 With residues above MRL (EC-national): 0

Without detectable residues: 8 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: _____

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: bananachips

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: pasta

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL: 2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Chlorpyrifos	6	5		1												0,015		
Piperonylbutoxid	6	4					2									0,092		
Pinimphosmethyl	6	5					1									0,063		
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	processed food	Food item:	processed fruits
Reporting country:	AUSTRIA	Year of sampling:	2005
Total number of samples analysed:		With residues above MRL (EC-national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0
			0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5
Insert new rows if necessary																

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020 ... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** black currant juice
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 3 With residues above MRL (EC-national): 0
 Without detectable residues: 3 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: chili mix

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 2 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl-group	2	1			1												0,026	
Chlorpyrifos	2	0	1				1										0,197	
Profenophos	2	1		1													0,05	
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: spelt (flour, grit, mash)

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: mixed vegetables

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 3 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.1	0.2	0.5	1	2	5	10	20					50
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Processed food Food item: Couscous

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 3 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 2 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (****)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50	>50
Piperonylbutoxid	2	0		0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.017			
Insert new rows, if necessary																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(****) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food **Food item:** spices
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 9
 Without detectable residues: 4
 With detectable residues at or below MRL or without MRL: 3
 With residues above MRL (EC-national): 2
 With residues above EC-MRL: 1
 With residues above national MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Azoxystrobin	8	8					1										0,063		
Chlorpyrifos	9	8	1														0,01		
Cypermethrin	9	8					1										0,74		
Flusilazole	9	1				1											0,631	0,10	N
Haloxyfop	9	8			1												0,023		
Linuron	9	8			1												0,011		
Permethrin	9	8				1			1								0,19		
Procymidone	9	7			1					1							0,409	0,02	E
Tebuconazole	8	8															0,58		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Cereal mash

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Cereals mix

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10
Insert new rows if necessary																	

(*) i.e. column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: oat flakes

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5
Pirimiphos-methyl	1	0					1							0.09		

Insert new rows if necessary
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Bilberrie juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Sources of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20

Insert new rows if necessary
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Raspberry Juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl-Group	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.013		
Dimethoate	1	0	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	0.015		
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Hirsebrot Food item: Millet Mash

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Cherrie Juice concentrate

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC+national): 0

Without detectable residues: 2 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Squash seed (part, roasted)

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 14 With residues above MRL (EC-national): 0

Without detectable residues: 5 With residues above EC-MRL: 0

With detectable residues at or below MRL: 9 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Dieldrin	14	13				1											0,03		
DDT	14	12		2													0,004		
Endosulfan	14	13		1													0,0012		
Hexachlorbenzene	14	5		2	6	1											0,04		

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Maracuja juice concentrate

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50	>50			

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: mixed fruits frozen

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC+national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: fruit juice mixed

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 6 With residues above MRL (EC+national): 0

Without detectable residues: 6 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50	>50			
Insert new rows if necessary																							

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Orange Juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 3 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Imazail	4	1			1	2											0.029		
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Orange juice concentrate

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 2 With residues above MRL (EC-national): 0

Without detectable residues: 1 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20
Benomyl-Group	2	1			1											0,019		
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Peach Juice

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1
 Without detectable residues: 0
 With detectable residues at or below MRL: 1

With residues above MRL (EC-national): 0
 With residues above EC-MRL: 0
 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10					20	50
Benomyl-group	3	2					1										0,041		
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Rye flour

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 4 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 0 With residues above national MRL: 0

or without MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20	50
Pesticide (**)				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Insert new rows if necessary																			

(*) i.e column 0.02 includes the range from 0.01... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Wheat processed (flour etc)

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 5 With residues above MRL (EC-national): 0

Without detectable residues: 4 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL:

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)							Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1					2	5	10
Chloromequat	5	4					1								0,051		

Insert new rows if necessary

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: processed food Food item: Raisins

Reporting country: AUSTRIA Year of sampling: 2005

Total number of samples analysed: 1 With residues above MRL (EC-national): 0

Without detectable residues: 0 With residues above EC-MRL: 0

With detectable residues at or below MRL: 1 With residues above national MRL: 0

or without MRL: 1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)										Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10				20
α-Cypermethrin	1	0							1							0,105	
Bromproprylat	1	0			1											0,069	
Chlorpyrifos	1	0		1												0,022	
Procymidon	1	0						1								0,155	
Insert new rows if necessary																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: Processed food **Food item:** Tomatoe Juice
Reporting country: AUSTRIA **Year of sampling:** 2005
 Total number of samples analysed: 2 With residues above MRL (EC-national): 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With detectable residues at or below MRL or without MRL: 0 With residues above national MRL: 0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)						Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5					1	2	5	10	20
Insert new rows if necessary																		

(*) i.e column 0.02 includes the range from 0.011 ... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table D1: Details of Residues Exceeding EC-MRLs Surveillance sampling

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country: AUSTRIA Year of sampling: 2005

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	EC-MRL (mg/kg)	Follow-up (**)	Sample reference
Benomyl-Group	spinach	R	BE	0,26	0,10	A	CV0424205
Endosulfane	cucumbers	R	ES	0,20	0,05	A	CV1036905
Procymidone	Chinese cabl	R	HU	0,07	0,02	A	NI0363505
Dimethoate	peppers	R	ES	0,09	0,02	A	NI0720405
Methomyl	peppers	R	MA	0,13	0,05	A	NI0720405
Imazalil	grapes	R	TR	0,09	0,02	A	NI0780005
Oxydemeton-methyl	lettuce	R	DE	0,22	0,05	A	NI0813205
Dicofol	pears	R	IT	0,07	0,02	A	NV0247205
Lindane	Chinese cabl	R	AT	0,08	0,01	A	NV0321505
Methamidophos	peppers	R	GR	0,03	0,01	A	RI0068005
Trifloxystrobin	peppers	R	TR	0,10	0,02	A	RI0068105
Benomyl-Group	peppers	R	TR	0,27	0,10	A	RI0068105
Procymidon	lettuce	R	IT	15,26	5,00	A	RI0091605
Endosulfane	lettuce	R	IT	0,37	0,05	A	RI0134205
Methomyl	peppers	R	GR	0,70	0,05	A	RI0195205
Endosulfane	lettuce	R	IT	0,52	0,05	A	RI0206405
Permethrin	tea	R	AT	0,24	0,10	A	RI0258605
Fenavaterat and Esfenvaler	tea	R	JP	0,38	0,05	A	RI0288605
Chlorothalonil	lettuce	R	IT	0,04	0,01	A	RI0289805
Azinphosmethyl	pears	R	IT	0,82	0,50	A	RI0296305
Imazalil	papaya	R	BR	0,10	0,02	A	RI0328805
Methomyl	peppers	R	TR	0,08	0,05	A	RI0340105
Brompropylat	peppers	R	TR	0,14	0,05	A	RI0344605
Methamidophos	peppers	R	TR	0,04	0,01	A	RI0344705
Endosulfane	lettuce	R	AT	0,72	0,05	A	RI0496105
Endosulfane	lettuce	R	AT	0,26	0,05	A	RI0511605
Procymidon	gooseberries	R	AT	0,22	0,02	A	RI0611505
Procymidon	gooseberries	R	AT	0,09	0,02	A	RI0611805
Trifloxystrobin	gooseberries	R	AT	0,07	0,02	A	RI0611905
Trifloxystrobin	black currant	R	AT	0,05	0,02	A	RI0621705
Endosulfane	black currant	R	AT	0,23	0,05	A	RI0637705
Procymidon	gooseberries	R	AT	0,28	0,02	A	RI0637805
Imazalil	grapes	R	TR	0,09	0,02	A	RI0647305
Lambda-Cyhalothrin	grapes	R	TR	0,56	0,20	A	RI0647405
Procymidon	spices	R	AT	0,41	0,02	A	RI0709905
Chlorpyrifos	peppers	R	-	0,22	0,05	A	RI0948605
Fenarimol	peppers	R	-	0,32	0,02	A	RI0948705
Procymidon	lettuce	R	IT	8,26	5,00	A	RI0949505
Chlorpyrifos	parsley	R	AT	0,24	0,05	A	RI0950405
Chlorpyrifosmethyl	parsley	R	AT	0,81	0,05	A	RI0950505
Trifloxystrobin	peppers	R	-	0,13	0,02	A	RI0966705
Dieldrin	carrots	R	??	0,11	0,01	A	RI0974205
Metalaxyl	kohlrabi	R	IT	0,06	0,05	A	RI0975805
Procymidone	cherries	R	AT	0,04	0,02	A	RL0612405
Chlorpyrifos	lettuce	R	??	0,19	0,05	A	RL0676805
Chlorpyrifos	lettuce	R	??	0,53	0,05	A	RL0676905
Chlorpyrifos	lettuce	R	??	0,19	0,05	A	RL0677005
Benomyl-group	peppers	R	TR	0,55	0,10	A	RV0212605
Benomyl-group	peppers	R	TR	0,48	0,10	A	RV0227205
Benomyl-group	peppers	R	TR	0,21	0,10	A	RV0270205
Benomyl-group	peppers	R	TR	0,22	0,10	A	RV0270305

Benomyl-group	peppers	R	TR	0,40	0,10	A	RV0468705
Benomyl-group	peppers	R	TR	0,48	0,10	A	RV0468805
Benomyl-group	peppers	R	TR	0,33	0,10	A	RV0483905
Propoxur	brussel sprout	R	NL	1,20	0,50	A	RV1151505

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
 A: Administrative consequences have followed,
 e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
 RA a Rapid Alert has been notified
 Others: Please indicate other actions taken by other abbreviations and related footnotes

Table D2: Details of Residues Exceeding non-harmonised MRLs, including national MRLs Surveillance sampling

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	<u>AUSTRIA</u>	Year of sampling:	<u>2005</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	national MRL (mg/kg)	Follow-up (**)	Sample reference
Acetamiprid	apricots	R	TR	0,23	0,05	A	RI0554505
Acetamiprid	lettuce	R	IT	0,79	0,05	A	NI0197805
Methiocarb	peppers	R	ES	0,26	0,05	A	RI0059005
Methiocarb	peppers	R	ES	0,16	0,05	A	RI0063406
Methiocarb	peppers	R	GR	0,08	0,05	A	RI0068005
Acrinathrin	grapes	R	IT	0,03	0,01	A	NV0894005
Acrinathrin	peppers	R	ES	0,02	0,01	A	NV1145205
Boscalid	grapes	R	BR	0,10	0,01	A	NV1263905
Boscalid	grapes	R	-	0,10	0,01	A	RI0966105
Boscalid	grapes	R	BR	0,30	0,01	A	NV1272905
Boscalid	grapes	R	-	0,30	0,01	A	RI0974705
Dichloran	carrots	R	IT	0,08	0,01	A	CI0402205
Dichloran	carrots	R	IT	0,16	0,01	A	RI0396405
Dichloran	carrots	R	IT	0,34	0,01	A	RI0347205
Dichloran	grapes	R	CL	0,03	0,01	A	NV0363105
Dichloran	kohlrabi	R	IT	0,01	0,01	A	RI0324005
Dichloran	kohlrabi	R	IT	0,07	0,01	A	RI0289905
Dichloran	lettuce	R	IT	0,03	0,01	A	RI0300605
Dichloran	lettuce	R	IT	0,03	0,01	A	RI0300805
Dichloran	lettuce	R	BE	0,04	0,01	A	NV0449005
Dichloran	lettuce	R	IT	0,07	0,01	A	NV0448705
Dichloran	lettuce	R	IT	0,11	0,01	A	NI0285905
Tebuconazole	peppers	R	ES	0,09	0,05	A	RI0195105
Difenoconazole	dill	R	??	4,84	2,00	A	RL1016005
Difenoconazole	peppers	R	TR	0,05	0,05	A	NI0750605
Diniconazol	grapes	R	TR	0,02	0,01	A	RI0647205
Diniconazol	pears	R	CN	0,06	0,01	A	RI0296505
Ethofenprox	pears	R	IT	0,14	0,01	A	NI0198205
Ethofenprox	pears	R	IT	0,15	0,01	A	NI0198205
Etofenprox	apricots	R	IT	0,04	0,01	A	RI0613305
Etofenprox	peaches	R	IT	0,05	0,01	A	RI0685705
Flufenoxuron	grapes	R	TR	0,04	0,01	A	NI0780005
Flufenoxuron	grapes	R	TR	0,04	0,01	A	NI0759605
Flufenoxuron	grapes	R	TR	0,05	0,01	A	RI0686305
Flufenoxuron	grapes	R	TR	0,05	0,01	A	NI0875505
Flufenoxuron	grapes	R	TR	0,06	0,01	A	NI0758005
Flufenoxuron	grapes	R	TR	0,08	0,01	A	NI0768205
Flufenoxuron	grapes	R	TR	0,08	0,01	A	RI0690005
Flufenoxuron	grapes	R	TR	0,08	0,01	A	NI0759905
Flufenoxuron	grapes	R	TR	0,08	0,01	A	NI0802105
Flufenoxuron	grapes	R	ES	0,09	0,01	A	NI0708105
Flufenoxuron	pears	R	ES	0,03	0,01	A	NI0610205
Flusilazol	caraway	R	CZ	0,45	0,05	A	RV0803105
Flusilazol	spices	R	CZ	0,63	0,10	A	RI0624005
Flusilazol	pears	R	IT	0,25	0,10	A	NI0245105
Indoxacarb	lettuce	R	IT	0,80	0,02	A	RI0846205
Lufenuron	peppers	R	GR	0,04	0,01	A	RI0195205
Lufenuron	grapes	R	TR	0,03	0,01	A	RI0647505

Lufenuron	grapes	R	TR	0,05	0,01	A	NI0759605
Lufenuron	grapes	R	IT	0,09	0,01	A	RI0772705
Lufenuron	lettuce	R	IT	0,02	0,01	A	RI0846305
Lufenuron	peppers	R	ES	0,03	0,01	A	RI0299905
Methiocarb	peppers	R	ES	0,15	0,05	A	RI0300005
Lufenuron	peppers	R	ES	0,03	0,01	A	RI0304905
Methiocarb	peppers	R	ES	0,17	0,05	A	RI0305005
Tebuconazol	peppers	R	ES	0,15	0,05	A	RI0305105
Oxamyl	peppers	R	TR	0,19	0,05	A	RI0339705
Acetamiprid	peppers	R	TR	0,08	0,05	A	RI0339805
Methiocarb	peppers	R	ES	0,19	0,05	A	NI0302805
Acetamiprid	peppers	R	TR	0,19	0,05	A	RI0339905
Methiocarb	peppers	R	ES	0,96	0,05	A	NI0310905
Oxadixyl	lettuce	R	IT	0,46	0,05	A	RI0300905
Spinosad	peppers	R	TR	0,03	0,01	A	RI0340005
Acetamiprid	peppers	R	TR	0,11	0,05	A	RI0344505
Propamocarb	lettuce	R	IT	14,86	10,00	A	NI0245005
Propargit	apples	R	FR	1,21	1,00	A	RI0639305
Tebuconazol	peppers	R	-	0,29	0,05	A	RI0948805
Indoxacarb	peppers	R	-	0,05	0,02	A	RI0966605
Quinalphos	peppers	R	HU	0,11	0,05	A	NV0863305
Spinosad	lettuce	R	IT	0,66	0,01	A	NI0928305
Oxamyl	peppers	R	-	0,17	0,05	A	RI0975505
tau-Fluvalinate	tea	R	AT	1,64	0,05	A	RI0258605
Tetraconazol	peppers	R	TR	0,06	0,01	A	RV0071805
Pyrimethanil	peppers	R	TR	0,12	0,05	A	RV0212505
Diethofencarb	peppers	R	TR	0,16	0,05	A	RV0212605
Pyrimethanil	peppers	R	TR	0,57	0,05	A	RV0212605
Tebuconazole	peppers	R	TR	0,11	0,05	A	NV0495805
Teflubenzuron	pears	R	-	0,02	0,01	A	RI0862205
Teflubenzuron	pears	R	IT	0,18	0,01	A	NI0813505
Tetraconazol	peppers	R	TR	0,05	0,01	A	RV0404205
Tetraconazol	peppers	R	TR	0,18	0,01	A	RV0483905
Tebuconazol	peppers	R	TR	0,23	0,05	A	RV0572005
Tetraconazol	peppers	R	TR	0,21	0,01	A	RV0634705
Tetraconazol	peppers	R	TR	0,02	0,01	A	RV0654205
Tetraconazole	grapes	R	IT	0,03	0,01	A	NV0798005
Tetraconazole	grapes	R	IT	0,04	0,01	A	NV1145105
Tetraconazole	grapes	R	ES	0,04	0,01	A	NI0708105
Tetraconazole	grapes	R	IT	0,06	0,01	A	NV0856705
Tetraconazole	grapes	R	TR	0,11	0,01	A	NV0856605
Thiacloprid	lettuce	R	IT	0,23	0,05	A	NI0302305
Thiamethoxam	lettuce	R	IT	0,13	0,05	A	RI0949605
Thiamethoxam	lettuce	R	IT	0,73	0,05	A	NI0285905
Thiamethoxam	lettuce	R	IT	1,32	0,05	A	NI0301705
Tolclofosmethyl	lettuce	R	AT	4,08	1,00	A	RI0396305
Tolclofosmethyl	lettuce	R	AT	7,85	1,00	A	RI0396205
Tolyfluanid	kohlrabi	R	IT	0,06	0,02	A	RI0975905

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)

(For the calculation of the homogeneity of the sample a value of $0.5 \cdot \text{LCL}$ should be used for negative results of single items)

Reporting country: AUSTRIA		
Year:		2005
Commodity:	Pears	
Pesticide sought:	Chlorpyrifos	
Samples taken at single producer (yes/no)		
	Result (mg/kg)	Sample reference
Composite sample	0,09	CV0894105
Single items	<BG	
1	0,02	
2	0,04	
3	0,04	
4	<BG	
5	0,09	
6	<BG	
7	<BG	
8	0,08	
9	<BG	
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,09	
Mean (mg/kg)	0,054	
Factor for the homogeneity of the sample*	1,66666667	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)

(For the calculation of the homogeneity of the sample a value of $0.5 \cdot \text{LCL}$ should be used for negative results of single items)

Reporting country: AUSTRIA		
Year:		2005
Commodity: Pears		
Pesticide sought: Chlorpyrifos		
Samples taken at single producer (yes/no)		
	Result (mg/kg)	Sample reference
Composite sample	0,07	CV0911605
Single Items	0,07	
1	0,02	
2	0,07	
3	0,05	
4	0,03	
5	0,07	
6	0,03	
7	0,15	
8	0,12	
9	0,12	
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,15	
Mean (mg/kg)	0,073333333	
Factor for the homogeneity of the sample*	2,045454545	

*defined as maximum value/mean value of the single items

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)

(For the calculation of the homogeneity of the sample a value of $0.5 \cdot \text{LCL}$ should be used for negative results of single items)

Reporting country: AUSTRIA		
Year:		2005
Commodity:	Pears	
Pesticide sought:	Phosmet	
Samples taken at single producer (yes/no)		
	Result (mg/kg)	Sample reference
Composite sample	0,05	CV0894105
Single items	0,16	
1	<BG	
2	<BG	
3	0,02	
4	0,06	
5	<BG	
6	0,05	
7	0,12	
8	0,02	
9	0,06	
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0,12	
Mean (mg/kg)	0,055	
Factor for the homogeneity of the sample*	2,181818182	

*defined as maximum value/mean value of the single items

Table G: Laboratories

Year	<u>2005</u>
Country	<u>AUSTRIA</u>

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8
	Workload with regard to the monitoring exercise	Accreditation status			Participation in proficiency tests or interlaboratory tests in 2005	Implementation of EU Quality control procedures [please refer to each element as specified in the table below by giving its number]	
Name of the laboratory/ laboratories carrying out the monitoring exercise	Percentage of monitoring samples analysed	Accreditation achieved (Yes/No) [Please provide acc. certificates]	Date of accreditation	Accreditation body	Which? Scope?	Implemented parts	Not implemented parts
Austrian Agency for Health and Food Safety, Institute for Food Control, Vienna	32,1	yes	01.11.98	BMWA; AKS Hannover	EU proficiency test 06	all (*)	(*) 6 (point 3.7)
Austrian Agency for Health and Food Safety, Institute for Food Control, CC-IBK, Innsbruck	55,7	yes	01.11.98	BMWA; AKS Hannover	EU proficiency test 06	all	
Regional Institute for Food Control in Vienna	12,2	yes	01.11.98	BMWA	FAPAS		
Please insert rows if necessary							

EU Quality control procedures (ref. Doc.SANCO/10476//2003)

Element number	Content
1	Accreditation
2	Sampling, transport, processing and storage of samples
3	Pesticide standards, calibration, solutions, etc.
4	Extraction and concentration
5	Contamination and interference
6	Analytical calibration and chromatographic integration
7	Analytical methods and analytical performance
8	Proficiency testing and analysis of reference materials
9	Confirmation of results
10	Reporting of results