

Table A 1 - Part I: Summary of numbers of samples, sample origins and results

(sum of samples of national and co-ordinated programme)
(pesticides covered by Directives 76/895, 86/362 and 90/642 and by national programmes - baby food covered by Directives 91/321 and 96/5)
(surveillance sampling only, no follow-up enforcement sampling)

Reporting country: Austria
Year of sampling: 2003

12	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
		Number of samples	Sample origin						Results							
13		Total number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples on imports from TC	% samples from TC of the total number of samples	Number of samples without detectable residues	% of total number of samples	Number of samples with residues at or below MRL (national or EC) or for which no MRL is set	% of total number of samples	Number of samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples
14	Sum (certain products of plant origin, incl. fruit, vegetables)	1322	593	44,9	453	34,3	276	20,9	889	67,2	378	28,6	55	4,2	36	2,7
15	Cereals	82	67	81,7	12	14,6	3	3,7	73	89,0	8	9,8	1	1,2	1	1,2
	Processed products(other than baby food)	74	49	59,8	21	25,6	4	4,9	66	80,5	8	9,8	0	0,0	0	0,0
16	Baby food	13	1	7,7	12	92,3	0	0,0	13	100,0	0	0,0	0	0,0	0	0,0

x: please insert figures here

Table A 1 - Part II: Summary of numbers of samples, sample origins and results

(sum of samples of national and co-ordinated programme)

(pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)- baby food covered by Directives 91/321 and 96/5

(follow-up enforcement sampling only, no surveillance sampling)

Reporting country: Austria
 Year of sampling: 2003

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
12		Number of samples	Sample origin						Results							
13		Total number of samples	Number of domestic samples	% domestic samples of total number of samples	Number of samples from other EU MS	% samples from other EU MS of the total number of samples	Number of samples on imports from TC*	% samples from TC of the total number of samples	Number of samples without detectable residues	% of total number of samples	samples with residues at or below MRL (national or EC) or for which no	% of total number of samples	samples with residues exceeding the MRL (national or EC)	% of total number of samples	Number of samples with residues exceeding EC-MRLs	% of total number of samples
14	Sum (certain products of plant origin, incl. fruit, vegetables)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
15	Cereals	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
	Processed products (other than baby food)	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!
16	Baby food	x	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!	x	#WERT!

x: please insert figures here

Table A 2 - Part I-fruit&veg: Summary table of pesticides sought and found
Surveillance sampling only

(fresh and frozen fruit, vegetables)
(pesticides covered by Directives 76/895, 90/642 and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country: Austria
Year of sampling: 2003

Number of different pesticides* sought:	257
Number of different pesticides* found:	85
% pesticides found from pesticides sought:	33,1

Column 1	Column 2	Column 3	Column 4	Column 5	Column 7
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/Kg)**	Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)
2,4,5-T	169		0,0	0,1	1 Maneb-Group
2,4-D	169		0,0	0,0	2 Fludioxonil
4.4-Dichlorbenz	555		0,0	0,0	3 Procymidone
Acephat	1062	4	0,4	0,01;0,02;0,05	4 Cyprodinil
Acrinathrin	958	15	1,6	0,01;0,02	5 Iprodione
Alachlor	201		0,0	0,0	6 Chlorpyrifos
Aldicarb	28		0,0	0,0	7 Azoxystrobin
Aldicarbsulfon	64		0,0	0,0	8 Endosulfan
Aldrin	1322		0,0	0,01; 0,04	9 Methomyl
alpha-HCH	847		0,0	0,0	10 Cypermethrin
Ametryn	724		0,0	0,0	
Amidosulfuron	169		0,0	0,1	
Aminocarb	555		0,0	0,0	
Atraton	338		0,0	0,0	
Atrazin-desisop	169		0,0	0,1	
Atrazine	169		0,0	0,01;0,2	
Azinphos-ethyl	1002		0,0	0,01;0,02;0,1	
Azinphos-methy	1232	4	0,3	0,01;0,02;0,1	
Aziprotryn	169	1	0,6	0,1	
Azoxystrobin	958	42	4,4	0,01;0,05	
Benalaxyl	1230		0,0	0,01;0,03;0,1	
Bendiocarb	555		0,0	0,0	
Benfluralin	169		0,0	0,0	
Benomylgroup	1096	14	1,3	0,01;0,1	
Bentazon	169		0,0	0,0	
beta-Cyfluthrin	555		0,0	0,0	
beta-HCH	678		0,0	0,0	

Remark:
low number of sample
lead to high
percentages

Bifenthrin	958	10	1,0	0,0
Binapacryl	831		0,0	0,05;0,1
Bitertanol	724	2	0,3	0,02;0,05
Bromazil	555		0,0	0,1
Bromofenoxim	169		0,0	0,1
Bromophos	1130		0,0	0,01;0,02
Bromophos-eth	1232		0,0	0,01;0,02
Bromopropylate	1060	9	0,8	0,01;0,02
Bromoxynil	169		0,0	0,0
Bromoxynil-hep	169		0,0	0,0
Bromoxynil-me-	555		0,0	0,0
Bupirimat	1230		0,0	0,01;0,02;0,1
Buprofezin	959	2	0,2	0,01;0,05
Butocarboxim	32		0,0	0,0
Butocarboximsu	32		0,0	0,0
Butocarboximsu	32		0,0	0,0
Buturon	169		0,0	0,0
Captafol	999		0,0	0,01;0,03;0,1;0,2
Captan	1229	10	0,8	0,03;0,05;0,1
Carbaryl	959	4	0,4	0,01;0,1
Carbofuran	959		0,0	0,01;0,1
Carbophenothic	555		0,0	0,1
Chinomethionat	169		0,0	0,0
Chlorbenside	724		0,0	0,0
Chlorbenzilat	1060		0,0	0,02;0,05
Chlorbromuron	169		0,0	0,1
Chlordane	568		0,0	0,0
Chlordimeform	959		0,0	0,01;0,05
Chlorfenson	999		0,0	0,0
Chlorfenvinphos	1191		0,0	0,0
Chlormequat	169		0,0	0,0
Chlorobenzilate	169		0,0	0,0
Chloroneb	169		0,0	0,0
Chlorothalonil	1229	15	1,2	0,01;0,02;0,05
Chlorpropham	954	6	0,6	0,01;0,05;0,5
Chlorpropylat	1188		0,0	0,01;0,02
Chlorpyrifos	1322	61	4,6	0,01;0,02
Chlorpyrifos-me	1232	22	1,8	0,01;0,02
Chlorthaldimeth	555		0,0	0,0
Chlorthion	555		0,0	0,0
Chlorthiophos	555		0,0	0,0
Chlortoluron	169		0,0	0,1
Chlozolinat	555		0,0	0,0
Coumaphos	1232		0,0	0,01;0,02;0,05
Cyanazine	893		0,0	0,01;0,03;0,1
Cyfluthrin	999	2	0,2	0,05;0,1
Cyhalothrin	399		0,0	0,1
Cypermethrin	830	24	2,9	0,05;0,1
Cyprazine	169		0,0	0,1
Cyproconazole	959	3	0,3	0,05;0,1
Cyprodinil	959	67	7,0	0,01;0,1
DDT	674		0,0	0,0

Deltamethrin	830	12	1,4	0,05;0,1
Demethon-S-m	237		0,0	0,0
Demeton	338		0,0	0,0
Desmetryn	169		0,0	0,0
Dialiphos	555	2	0,4	0,0
Diazinon	1231	1	0,1	0,01;0,02
Dicamba	169		0,0	0,1
Dichlobenil	555		0,0	0,1
Dichlofenthion	555		0,0	0,0
Dichlofluanid	1229	19	1,5	0,01;0,02;0,03
Dichloran	1060	8	0,8	0,0
Dichloroprop	169		0,0	0,1
Dichlorvos	1231	2	0,2	0,01;0,03;0,1
Diclobutrazol	555		0,0	0,1
Dicloran	169		0,0	0,0
Dicofol	1229	3	0,2	0,02;0,05
Dicrotophos	555		0,0	0,0
Dieldrin	1229	3	0,2	0,0
Diethofencarb	404	1	0,2	0,01;0,05
Difenconazole	555	3	0,5	0,1
Dimethoate	1231	17	1,4	0,01;0,02
Dinobuton	555		0,0	0,1
Dinoseb	169		0,0	0,0
Dioxacarb	724		0,0	0,0
Dioxathion	446		0,0	0,01;0,02;0,1
Diphenyl	169		0,0	0,4
Diphenylamin	729		0,0	0,03;0,5
Disulfoton	832		0,0	0,02;0,04;0,2
Disulfotonsulfon	555		0,0	0,0
Ditalimfos	555		0,0	0,0
Diuron	169		0,0	0,0
Endosulfan	1322	49	3,7	0,0
Endrin	1229		0,0	0,005;0,01
EPN	555		0,0	0,0
Esfenvalerate	555	2	0,4	0,0
Ethiofencarb	818		0,0	0,01;0,1
Ethion	1191		0,0	0,01;0,02
Ethoprophos	555		0,0	0,0
Ethoxyquin	404		0,0	0,01;0,1
Etrimphos	635		0,0	0,0
Fenamiphos	724		0,0	0,0
Fenarimol	1061	1	0,1	0,01;0,02
Fenchlorphos	1171		0,0	0,01;0,02
Fenitrothion	1191	11	0,9	0,01;0,02
Fenoprop (Silve	230		0,0	0,1
Fenoxycarb	555	3	0,5	0,0
Fenpiclonil	724		0,0	0,01;0,05
Fenpropathrin	1188	3	0,3	0,01;0,02
Fensulfothion	555		0,0	0,1
Fenthion	960	2	0,2	0,01;0,02
Fenthionsulfoxid	555		0,0	0,0
Fenvalerate	1060	4	0,4	0,1

Fluazifopbutyl	555		0,0	0,1
Flubenzimin	555		0,0	0,2
Flucythrinate	789		0,0	0,02;0,05
Fludioxonil	555	43	7,7	0,1
Flusilazole	790		0,0	0,01;0,1
Fluvalinat	234		0,0	0,0
Folpet	1229	8	0,7	0,03;0,08;0,1
Fonofos	555		0,0	0,0
Formothion	555		0,0	0,1
Fuberidazole	169		0,0	0,0
Furalaxyl	555		0,0	0,0
Furathiocarb	959		0,0	0,01;0,05
HCB	1229		0,0	0,0
HCH	551	1	0,2	0,0
Heptachlor	674		0,0	0,005;0,01
Heptachlorepo	1229		0,0	0,0
Heptachlor-exo	169		0,0	0,0
Heptenophos	1231	1	0,1	0,01;0,02;0,05
Imazalil	1234	12	1,0	0,01;0,05;0,1
Ioxynil	169		0,0	0,0
Iprodione	1229	58	4,7	0,02;0,04;0,1;0,3
Isobenzan	169		0,0	0,0
Isodrin	724		0,0	0,0
Isofenphos	555		0,0	0,0
Isoproturon	169		0,0	0,0
Kresoxim-methy	958	1	0,1	0,01;0,02
Lambda-Cyhalo	999	18	1,8	0,1
Lindane	1398	1	0,1	0,0
Linuron	169		0,0	0,1
Malaoxon	961	1	0,1	0,02;0,03
Malathion	1232	9	0,7	0,01;0,02
Maneb-Group	52	7	13,5	0,2
MCPA	169		0,0	0,0
MCPB	169		0,0	0,1
Mecarbam	1232	1	0,1	0,01;0,02;0,05
Mecoprop	169		0,0	0,1
Metalaxyl	1061	11	1,0	0,0
Metamitron	555		0,0	0,03;0,05;0,1
Metazachlor	555		0,0	0,1
Methacrifos	230		0,0	0,1
Methamidophos	1231	2	0,2	0,01;0,02;0,03
Methidathion	1232	3	0,2	0,01;0,02
Methiocarb	615	1	0,2	0,0
Methomyl	32	1	3,1	0,0
Methoprotryn	169		0,0	0,0
Methoprotryne	169		0,0	0,0
Methoxychlor	505		0,0	0,01;0,03
Methyl-pentach	169		0,0	0,0
Metobromuron	169		0,0	0,0
Metolachlor	724		0,0	0,0
Metoxuron	169		0,0	0,1
Metribuzin	169		0,0	0,0

Metsulfuron-me	169		0,0	0,1
Mevinphos	1231		0,0	0,01;0,02;0,05
Mirex	954		0,0	0,0
Monocrotophos	791	2	0,3	0,02;0,05
Monolinuron	169		0,0	0,1
Myclobutanil	790	14	1,8	0,03;0,05
Naled	169		0,0	0,0
Napropamide	555		0,0	0,1
Neburon	169		0,0	0,0
Nicosulfuron	169		0,0	0,1
Nitrofen	724		0,0	0,1
Nitrothal-isopro	999		0,0	0,01;0,02;0,03
Omethoate	1231	14	1,1	0,01;0,02;0,05
Orbencarb	169		0,0	0,0
Orthophenylphe	169		0,0	0,4
Oxadixyl	790	2	0,3	0,01;0,05
Oxamyl	32		0,0	0,0
Oxyfluorfen	555		0,0	0,0
Paraoxon	961		0,0	0,0
Paraoxon-meth	792		0,0	0,02;0,03
Parathion	1232		0,0	0,01;0,02
Parathion-meth	1232	3	0,2	0,01;0,02
Penconazole	1230	13	1,1	0,0
Pendimethalin	959		0,0	0,01;0,02
Pentachloranilir	230		0,0	
Permethrin	884	1	0,1	0,1
Phenkapton	724		0,0	0,0
Phorate	960		0,0	0,0
Phosalone	1232	9	0,7	0,02;0,03
Phosmet	961		0,0	0,01;0,02
Phosphamidon	555		0,0	0,1
Pirimicarb	1230	1	0,1	0,01;0,02
Pirimiphos-ethy	555		0,0	0,0
Pirimiphos-metl	1232	22	1,8	0,0
Primisulfuron	169		0,0	0,1
Prochloraz	790	4	0,5	0,05;0,1
Procymidone	1229	95	7,7	0,01;0,02;0,05
Profenofos	555		0,0	0,0
Promecarb	32		0,0	0,0
Prometryn	169		0,0	0,0
Propachlor	724		0,0	0,01;0,03
Propamocarb	169		0,0	0,0
Propanil	555		0,0	0,2
Propazine	169		0,0	0,0
Propham	555	1	0,2	0,1
Propiconazol	1060	1	0,1	0,01;0,05;0,5
Propoxur	1061	1	0,1	0,01;0,05;0,1
Propyzamide	1230	1	0,1	0,02;0,05
Prothiofos	555		0,0	0,0
Pyrazophos	1063		0,0	0,01;0,02
Pyridafenthion	961		0,0	0,01;0,02
Pyridate	169		0,0	0,0

Pyrifenox	789	2	0,3	0,02;0,03
Pyrimethanil	959	27	2,8	0,01;0,02;0,05
Quinalphos	792	11	1,4	0,01;0,02
Quinomethiona	555		0,0	0,0
Quintozene	1398		0,0	0,005;0,01
Rabenzazol	169		0,0	0,0
Rimsulfuron	169		0,0	0,1
Sebuthylazine	169		0,0	0,0
Secbumeton	169		0,0	0,0
Simazine	724		0,0	0,0
tau-Fluvalinate	555	1	0,2	0,0
Tebuconazole	959	22	2,3	0,02;0,03;0,1
Tecnazene	1398		0,0	0,005;0,01
TEPP	832		0,0	0,03;0,05
Terbufos	555		0,0	0,0
Terbumeton	169		0,0	0,0
Terbuthylazine	338		0,0	0,0
Terbutryn	169		0,0	0,01;0,1
Tetrachlorvinph	1232		0,0	0,01;0,02
Tetraconazole	959	1	0,1	0,0
Tetradifon	830	3	0,4	0,01;0,05;0,1
Tetramethrin	999		0,0	0,01;0,02
Tetrasul	724		0,0	0,1;0,2
Thiabendazol	954	13	1,4	0,0
Thifensulfuron-i	181		0,0	0,0
Thiodicarb	28		0,0	0,0
Thiomethon	267		0,0	0,0
Tolclophos-met	1315	17	1,3	0,01;0,02;0,05;0,5
Tolyfluanid	1082	1	0,1	0,03;0,05;0,5
Triadimefon	901	1	0,1	0,0
Triadimenol	901	3	0,3	0,01;0,02
Triamiphos	582		0,0	0,0
Triasulfuron	181		0,0	0,0
Triazophos	1315		0,0	0,0
Trichlorfon	181		0,0	0,0
Trichloronate	362		0,0	0,1
Triflumizole	582		0,0	0,0
Trifluralin	763		0,0	0,0
Triflusulfuron-m	181		0,0	0,1
Vamidothion	181		0,0	0,0
Vinclozolin	1312	7	0,5	0,0

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legi

**if different for fruit/vegetables and cereals please report separately in the format set out in the text document

Table A 2 - Part II-cereals: Summary table of pesticides sought and found
Surveillance sampling only

(cereals)

(pesticides covered by Directive 86/362/EEC and by the national programmes)
(sum of samples of national and co-ordinated programme)

Reporting country: Austria
Year of sampling: 2003

Number of different pesticides* sought:	245
Number of different pesticides* found:	6
% pesticides found from pesticides sought:	2,45

Column 1	Column 2	Column 3	Column 4	Column 5	Column 7
Pesticide* (listed in alphabetical order of the English name of the pesticide)	Total number of samples analysed for specific pesticide	Number of samples with residues at or above reporting level	% samples with residues at or above reporting level	Reporting level (mg/kg)**	Ten most frequently found pesticides in decreasing order of frequency (1=most frequent, 2=second most frequent,...) sorted by column 4 (% of samples)
2,4,5-T	12		0,0	0,05	1 Pirimiphos-methyl
2,4-D	12		0,0	0,02	2 Chlorpyrifos-methyl
4.4-Dichlorbenz	16		0,0	0,01	3 Deltamethrin
Acephat	70		0,0	0,01;0,02;0,05	4 Benomylgroup
Acrinathrin	42		0,0	0,01;0,02	5 Chlorpyrifos
Alachlor	12		0,0	0,01	6 Malathion
Aldicarb	23		0,0	0,01	7
Aldicarbsulfon	11		0,0	0,01	8
Aldicarbsulfoxid	11		0,0	0,01	9
Aldrin	42		0,0	0,01	10
Aldrin und Dield	12		0,0	0,01; 0,05	
alpha HCH	30		0,0	0,01	
Ametryn	28		0,0	0,01	
Amidosulfuron	12		0,0	0,05	
Aminocarb	16		0,0	0,02	
Atraton	12		0,0	0,01	
Atrazin	24		0,0	0,01;0,1	
Atrazin-desisop	12		0,0	0,05	
Azinphosethyl	77		0,0	0,01;0,02;0,1	
Azinphosmethyl	82		0,0	0,01;0,02;0,1	
Aziprotryn	12		0,0	0,10	
Azoxystrobin	42		0,0	0,01;0,05	
Benalaxyl	42		0,0	0,01;0,03;0,1	
Bendiocarb	16		0,0	0,01	
Benfluralin	12		0,0	0,01	
Benomylgroup	52	1	1,9	0,01;0,1	
Bentazon	12		0,0	0,01	

beta-Cyfluthrin	16		0,0	0,02
beta-HCH	30		0,0	0,01
Bifenthrin	42		0,0	0,01
Binapacryl	30		0,0	0,05;0,1
Bitertanol	28		0,0	0,02;0,05
Bromazil	16		0,0	0,05
Bromofenoxim	12		0,0	0,05
Bromophos	82		0,0	0,01;0,02
Bromophos-eth	82		0,0	0,01;0,02
Bromoxynil	12		0,0	0,01
Bromoxynil-hep	12		0,0	0,01
Bromoxynil-me-	16		0,0	0,01
Brompropylat	30		0,0	0,01;0,02
Bupirimat	42		0,0	0,01;0,02;0,1
Buprofezin	42		0,0	0,01;0,05
Butocarboxim	11		0,0	0,01
Butocarboximsu	11		0,0	0,01
Butocarboximsu	11		0,0	0,01
Buturon	12		0,0	0,01
Captafol	42		0,0	0,01;0,03;0,1;0,2
Captan	42		0,0	0,03;0,05;0,1
Carbaryl	42		0,0	0,01;0,1
Carbofuran	42		0,0	0,01;0,1
Carbophenothic	16		0,0	0,05
Chinomethionat	12		0,0	0,01
Chlorbenside	28		0,0	0,01
Chlorbenzilat	30		0,0	0,02;0,05
Chlorbromuron	12		0,0	0,05
Chlordane	12		0,0	0,01
Chlordimeform	43		0,0	0,01;0,05
Chlorfenson	42		0,0	0,01
Chlorfenvinphos	82		0,0	0,03
Chlormequat	14		0,0	0,01
Chlorobenzilate	12		0,0	0,01
Chloroneb	12		0,0	0,01
Chlorothalonil	42		0,0	0,01;0,02;0,05
Chlorpropham	28		0,0	0,01;0,05;0,5
Chlorpropylat	42		0,0	0,01;0,02
Chlorpyrifos	82	1	1,2	0,01;0,02
Chlorpyrifos-me	82	7	8,5	0,01;0,02
Chlorthalidimeth	16		0,0	0,02
Chlorthion	16		0,0	0,02
Chlorthiophos	16		0,0	0,02
Chlortoluron	12		0,0	0,05
Chlozolinat	16		0,0	0,01
Coumaphos	82		0,0	0,01;0,02;0,05
Cyanazine	40		0,0	0,01;0,03;0,1
Cyfluthrin	42		0,0	0,05;0,1
Cyhalothrin	12		0,0	0,05
Cypermethrin	30		0,0	0,05;0,1
Cyprazine	12		0,0	0,05
Cyproconazole	42		0,0	0,05;0,1

Cyprodinil	42		0,0	0,01;0,1
DDT	42		0,0	0,01
Deltamethrin	30	1	3,3	0,05;0,1
Demeton-S-met	78		0,0	0,02
Desmetryn	12		0,0	0,01
Dialiphos	16		0,0	0,01
Diazinon	82		0,0	0,01;0,02
Dicamba	12		0,0	0,10
Dichlobenil	16		0,0	0,05
Dichlofenthion	16		0,0	0,01
Dichlofluanid	42		0,0	0,01;0,02;0,03
Dichloran	30		0,0	0,01
Dichloroprop	12		0,0	0,05
Dichlorprop-met	12		0,0	0,01
Dichlorvos	82		0,0	0,01;0,03;0,1
Diclobutrazol	16		0,0	0,05
Dicloran	12		0,0	0,01
Dicofol	42		0,0	0,02;0,05
Dicrotophos	16		0,0	0,01
Dieldrin	42		0,0	0,01
Diethofencarb	26		0,0	0,01;0,05
Difenconazole	16		0,0	0,05
Dimethoat	82		0,0	0,01;0,02
Dinobuton	16		0,0	0,05
Dinoseb	12		0,0	0,01
Dioxacarb	28		0,0	0,01
Dioxathion	66		0,0	0,01;0,02;0,1
Diphenyl	12		0,0	0,40
Diphenylamin	28		0,0	0,03;0,5
Disulfoton	70		0,0	0,02;0,04;0,2
Disulfotonsulfon	16		0,0	0,02
Ditalimfos	16		0,0	0,01
Diuron	12		0,0	0,01
Endosulfan	49		0,0	0,01
Endrin	42		0,0	0,005;0,01
EPN	16		0,0	0,01
Esfenvalerate	16		0,0	0,02
Ethiofencarb	42		0,0	0,01;0,1
Ethion	82		0,0	0,01;0,02
Ethoprophos	16		0,0	0,01
Ethoxyquin	26		0,0	0,01;0,1
Etrimphos	66		0,0	0,01
Fenamiphos	28		0,0	0,01
Fenarimol	30		0,0	0,01;0,02
Fenchlorphos	82		0,0	0,01;0,02
Fenitrothion	82		0,0	0,01;0,02
Fenopropathrin	16		0,0	0,01
Fenoxycarb	16		0,0	0,03
Fenpiclonil	28		0,0	0,01;0,05
Fenpropathrin	26		0,0	0,01;0,02
Fensulfothion	16		0,0	0,05
Fenthion	82		0,0	0,01;0,02

Fenthionsulfoxid	16		0,0	0,02
Fenvalerat	30		0,0	0,05
Fluazifopbutyl	16		0,0	0,08
Flubenzimin	16		0,0	0,20
Flucythrinate	30		0,0	0,02;0,05
Fludioxonil	16		0,0	0,10
Flusilazole	30		0,0	0,01;0,1
Fluvalinat	14		0,0	0,01
Folpet	42		0,0	0,03;0,08;0,1
Fonofos	16		0,0	0,01
Formothion	16		0,0	0,05
Fuberidazole	12		0,0	0,01
Furalaxyl	16		0,0	0,02
Furathiocarb	42		0,0	0,01;0,05
HCB	16		0,0	0,01
HCH	12		0,0	0,01
Heptachlor	26		0,0	0,005;0,01
Heptachlorepoxy	42		0,0	0,01
Heptachlor-exo-	12		0,0	0,02
Heptenophos	82		0,0	0,01;0,02;0,05
Hexachlorbenzol	26		0,0	0,005
Imazalil	42		0,0	0,01;0,05;0,1
Ioxynil	12		0,0	0,01
Iprodion	42		0,0	0,02;0,04;0,1;0,3
Isobenzan	12		0,0	0,01
Isodrin	28		0,0	0,01
Isofenphos	16		0,0	0,02
Isoproturon	12		0,0	0,01
Kresoximmethyl	42		0,0	0,01;0,02
Lambda-Cyhalothrin	42		0,0	0,05
Lindan	54		0,0	0,01
Linuron	12		0,0	0,05
Malaoxon	82		0,0	0,02;0,03
Malathion	82	1	1,2	0,01;0,02
Manebgroup	13		0,0	0,20
MCPA	12		0,0	0,02
MCPB	12		0,0	0,05
Mecarbam	82		0,0	0,01;0,02;0,05
Mecoprop	12		0,0	0,05
Mepiquat	2		0,0	0,01
Metalaxyl	30		0,0	0,03;0,05;0,1
Metamitron	16		0,0	0,10
Metazachlor	16		0,0	0,10
Methamidophos	82		0,0	0,01;0,02;0,03
Methidathion	66		0,0	0,01;0,02
Methidation	16		0,0	0,01
Methiocarb	39		0,0	0,01
Methomyl	23		0,0	0,01
Methoprotryn	12		0,0	0,01
Methoprotryne	12		0,0	0,01
Methoxychlor	14		0,0	0,01;0,03
Methyl-pentachlor	12		0,0	0,01

Metobromuron	12		0,0	0,01
Metolachlor	28		0,0	0,01
Metoxuron	12		0,0	0,05
Metribuzin	12		0,0	0,01
Metsulfuron-me	12		0,0	0,05
Mevinphos	82		0,0	0,01;0,02;0,05
Mirex	28		0,0	0,01
Monocrotophos	70		0,0	0,02;0,05
Monolinuron	12		0,0	0,10
Myclobutanil	30		0,0	0,03;0,05
Naled	12		0,0	0,01
Napropamide	16		0,0	0,05
Neburon	12		0,0	0,01
Nicosulfuron	12		0,0	0,10
Nitrofen	34		0,0	0,10
Nitrothalisoprop	42		0,0	0,01;0,02;0,03
Omethoate	82		0,0	0,01;0,02;0,05
Orbencarb	12		0,0	0,01
Orthophenylphe	12		0,0	0,40
Oxadixyl	30		0,0	0,01;0,05
Oxamyl	11		0,0	0,01
Oxyfluorfen	16		0,0	0,02
Paraoxon	82		0,0	0,02
Paraoxon-methy	82		0,0	0,02;0,03
Parathion	82		0,0	0,01;0,02
Parathion-methy	82		0,0	0,01;0,02
Penconazole	42		0,0	0,01
Pendimethalin	42		0,0	0,01;0,02
Permethrin	30		0,0	0,05
Phenkapton	28		0,0	0,03
Phorate	82		0,0	0,01
Phosalone	82		0,0	0,02;0,03
Phosmet	82		0,0	0,01;0,02
Phosphamidon	16		0,0	0,05
Pirimicarb	42		0,0	0,01;0,02
Pirimiphos-ethy	16		0,0	0,02
Pirimiphos-meth	82	9	11,0	0,01
Primisulfuron	12		0,0	0,05
Prochloraz	30		0,0	0,05;0,1
Procymidone	42		0,0	0,01;0,02;0,05
Profenofos	16		0,0	0,04
Promecarb	11		0,0	0,01
Prometryn	12		0,0	0,01
Propachlor	28		0,0	0,01;0,03
Propamocarb	14		0,0	0,01
Propanil	16		0,0	0,20
Propazine	12		0,0	0,01
Propham	16		0,0	0,05
Propiconazol	30		0,0	0,01;0,05;0,5
Propoxur	30		0,0	0,01;0,05;0,1
Propyzamide	42		0,0	0,02;0,05
Prothiofos	16		0,0	0,01

Pyrazophos	70		0,0	0,01;0,02
Pyridafenthion	82		0,0	0,01;0,02
Pyridate	12		0,0	0,01
Pyrifenox	30		0,0	0,02;0,03
Pyrimethanil	42		0,0	0,01;0,02;0,05
Quinalphos	70		0,0	0,01;0,02
Quinomethionat	16		0,0	0,02
Quintozene	54		0,0	0,005;0,01
Rabenzazol	12		0,0	0,01
Rimsulfuron	12		0,0	0,10
Sebuthylazine	12		0,0	0,01
Secbumeton	12		0,0	0,01
Simazine	28		0,0	0,01
tau-Fluvalinate	16		0,0	0,03
Tebuconazole	42		0,0	0,02;0,03;0,1
Tecnazene	54		0,0	0,005;0,01
TEPP	70		0,0	0,03;0,05
Terbufos	16		0,0	0,02
Terbumeton	12		0,0	0,01
Terbuthylazine	24		0,0	0,01
Terbutryn	12		0,0	0,01;0,1
Tetrachlorvinph	82		0,0	0,01;0,02
Tetraconazole	42		0,0	0,01
Tetradifon	30		0,0	0,01;0,05;0,1
Tetramethrin	42		0,0	0,01;0,02
Tetrasul	28		0,0	0,1;0,2
Thiabendazol	28		0,0	0,02
Thifensulfuron-r	12		0,0	0,02
Thiomethon	54		0,0	0,02
Tolclofos-methy	82		0,0	1;0,02;0,05;0,5
Tolyfluanid	42		0,0	0,03;0,05;0,5
Triadimefon	30		0,0	0,01
Triadimenol	30		0,0	0,01;0,02
Triamiphos	16		0,0	0,02
Triasulfuron	12		0,0	0,01
Triazophos	82		0,0	0,01
Trichlorfon	12		0,0	0,01
Trichloronate	24		0,0	0,10
Triflumizole	16		0,0	0,03
Trifluralin	28		0,0	0,01
Triflusulfuron-m	12		0,0	0,10
Vamidothion	12		0,0	0,01
Vinclozolin	42		0,0	0,01

*report pesticides (isomers, metabolites) according to the residue definition in the EU Directives or national legislation

**if different for fruit/vegetables and cereals please report separately in the format set out in the text document

Pirimiphos-methyl	10	10																		
Procymidone	10	10																		
Propyzamide	10	10																		
Thiabendazol	5	5																		
Tolyfluanid	10	10																		
Triazophos	10	10																		
Vinclozolin	10	10																		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	10	10																		
Procymidone	10	8					2										0,1			
Propyzamide	10	10																		
Thiabendazol	5	5																		
Tolyfluanid	10	10																		
Triazophos	10	10																		
Vinclozolin	10	10																		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	12	11				1											0,022	1		organic
Procymidone	12	12																		
Propyzamide	12	12																		
Thiabendazol	6	6																		
Tolyfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	12																		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	11	11																			
Procymidone	11	11																			
Propyzamide	11	11																			
Thiabendazol	5	5																			
Tolyfluanid	11	11																			
Triazophos	11	11																			
Vinclozolin	11	11																			

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	11	11																			
Procymidone	11	11																			
Propyzamide	11	11																			
Thiabendazol	5	5																			
Tolyfluanid	11	11																			
Triazophos	11	11																			
Vinclozolin	11	11																			

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	11	11																		
Procymidone	11	9							1			1					2,1			
Propyzamide	11	11																		
Thiabendazol	5	5																		
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11																		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0
		Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns	

[illegible]

Pirimiphos-methyl	11	11																			
Procymidone	11	11																			
Propyzamide	11	11																			
Thiabendazol	6	6																			
Tolyfluanid	11	11																			
Triazophos	11	11																			
Vinclozolin	11	11																			

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Pirimiphos-methyl	12	12																		
Procymidone	12	12																		
Propyzamide	12	12																		
Thiabendazol	6	6																		
Tolyfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	11							1								0,34			

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

0
0
0
0
0
0
0

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Mushrooms

Food item:

Champignons

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

83

Without detectable residues:

65

With detectable residues at or below MRL or without MRL:

17

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Benomyl Group	82	69			1	1	3	4	3			1					2,188	1	1,00	E
Dimethoate	83	81				1	1										0,06			
Omethoate	83	81				2											0,05			
Prochloraz	58	56					1				1						1,049			
Thiabendazole	39	38						1									0,103			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Root Vegetables

Food item:

Carrots

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

92

Without detectable residues:

71

With detectable residues at or below MRL or without MRL:

19

With residues above MRL (EC+national):

2

With residues above EC-MRL:

1

With residues above national MRL:

2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpropham	43	42				1											0,038			
Chlorpyrifos	92	88				2	1		1								0,24	1	0,10	E
Dichloran	77	75							1	1							0,81	2	0,01	N
Iprodion	92	75				12	5										0,09			
Tolclofos-methyl	92	91						1									0,19	1	0,05	N
Vinclozolin	92	91					1										0,058			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Stone Fruits

Food item:

Cherries

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

81

Without detectable residues:

61

With detectable residues at or below MRL or without MRL:

18

With residues above MRL (EC+national):

2

With residues above EC-MRL:

1

With residues above national MRL:

1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	70	69				1											0,039			
Benomyl-group	66	64				2											0,033			
Bitertanol	35	34				1											0,04			
Chlorpyrifos	81	79				1											0,05			
Cypermethrin	70	69							1								0,42			
Dimethoat	81	73			3	1	3		1								0,352	1		organic
Myclobutanil	54	53					1										0,067	1		organic
Omethoate	81	71			1	7	1	1									0,133	1		organic
Phosalone	81	80						1									0,11			
Tebuconazol	65	64						1									0,117	1	0,05	N
Tolclophosmethyl	81	79				2											0,033			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Fruiting Vegetables</u>	Food item:	<u>Peppers</u>
Reporting country:	<u>Aqustria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	92	With residues above MRL (EC+national):	8
Without detectable residues:	57	With residues above EC-MRL:	5
With detectable residues at or below MRL or without MRL:	27	With residues above national MRL:	7

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	77	76							1								0,39	1	0,02	N
Acrinathrin	81	76			1	3	1										0,07	5	0,01	N
Azoxystrobin	81	79					1	1									0,143			
Benomylgroup	92	91						1									0,2			
Bifenthrin	81	79			1		1										0,08	1	0,05	E
Chlorpyrifos	92	90			1			1									0,17			
Chlorpyrifos-methyl	92	91					1										0,1			
Cypermethrin	77	73				2	1			1							0,63	1	0,50	E
Cyprodinil	81	79				2											0,038			
Deltamethrin	77	75			1	1											0,024			
Diazinon	92	91			1												0,02			
Dimethoat	92	91					1										0,097			
Endosulfan	92	77		1	2	4	3	2	1	2							0,83			
Fenitrothion	81	80			1												0,02			
Fenpropathrin	92	90				2											0,04			
Fludioxonil	28	26				1	1										0,099			
Iprodion	92	89				2			1								0,21			
Malathion	77	73			1	2		1									0,198			
Methamidophos	92	91						1									0,13	1	0,01	E
Permethrin	66	65						1									0,136			
Pirimiphosmethyl	92	81			1	2	4	1	3								0,463			
Procymidon	92	77				2	3	4	5	1							0,612			
Propiconazol	77	76					1										0,08			
Tebuconazol	81	75				4		2									0,127			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Berries and Small Fruits

Food item:

Table-Grapes

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

89

Without detectable residues:

17

With detectable residues at or below MRL or without MRL:

63

With residues above MRL (EC+national):

9

With residues above EC-MRL:

5

With residues above national MRL:

5

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acrinathrin	85	80				4	1										0,054	5	0,01	N
Aziprotryn	14	13						1									0,12			
Azoxystrobin	85	69			1		4	4	5	2							0,73			
Benomylgroup	89	83							1	3	2						1,518			
Bifenthrin	85	82			1		1	1									0,156	1	0,05	E
Brompropylat	71	67							2	1	1						1,521			
Captan	89	88							1								0,374			
Chlorpyrifos	89	45			3	2	2	6	4	1	2						1,9	2	0,50	E
Chlorpyrifos-methyl	89	78			6	2	2	1									0,11			
Cypermethrin	75	70					1	1	2	1							0,812	1	0,50	E
Cyprodinil	85	59						10	10	6							0,94			
Dichlofluanid	89	84						1	4								0,403			
Dicofol	89	88							1								0,29			
Endosulfan	89	88						1									0,158			
Esfenvalerate	33	32					1										0,064			
Fenitrothion	85	81				2			2								0,33			
Fludioxonil	33	23					1	3	3	1	2						1,364			
Folpet	89	87				1		1									0,2			
Iprodion	89	73					2	2	2	5	1	4					5			
lambda-Cyhalothrin	75	68				1	4	2									0,155			
Metalaxyl	75	68					4		3								0,347			
Methamidophos	89	88			1												0,013			
Monocrotophos	71	70					1										0,065			
Myclobutanil	71	66				3	1		1								0,49			
Parathionmethyl	89	88				1											0,039			
Penconazole	89	85				1	3										0,1			
Procymidone	89	66					2		8	7	2	3	1				5,613			
Pyrifenox	71	70				1											0,03			
Pyrimethanil	85	76			2		1	1	4	1							0,83			
Quinalphos	71	66				3		2									0,18	2	0,05	E
Tebuconazol	85	84						1									0,19			
Tetraconazol	85	84				1											0,024			
Tolclofos-methyl	89	88				1											0,043			

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Stone Fruits

Food item:

Plums

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

65

Without detectable residues:

51

With detectable residues at or below MRL or without MRL:

14

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azinphos-methyl	65	63				1		1									0,17			
Benomyl-group	65	63			1			1									0,2			
Chlorpyrifos	65	63				1	1										0,08			
Endosulfan	65	60			3	1	1										0,051			
Fenitrothion	64	63			1												0,02			
Fludioxonil	28	27				1											0,032			
Myclobutanil	54	53					1										0,09			
Omethoat	65	64					1										0,07			
Phosalone	65	64					1										0,09			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Miscellenious fruits

Food item:

Pineapples

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Diazinone	2	1			1												0,017			
Triadimefon	2	1							1								0,315			
Triadimenol	2	1							1								0,254			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Pome Fruits

Food item:

Apples

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

23

Without detectable residues:

10

With detectable residues at or below MRL or without MRL:

12

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Bifenthrin	15	14					1										0,061	1	0,05	E
Bitertanol	13	12							1								0,203			
Captan	23	17					2		1	2	1						1,215			
Carbaryl	23	22						1									0,141			
Chlorpyriphos	23	19				1	1		2								0,26			
Dimethoat	15	14					1										0,08			
Dichlofluanid	23	19				1		2		1							0,65			
Endosulfane	23	20			1		2										0,091			
Fenoxycarb	13	10					2	1									0,132			
Folpet	23	22						1									0,151			
Phosalone	23	18				1		1	1	1		1					2,011			
Propoxur	23	22				1											0,034			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>Apple Juice</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Mushrooms cultivated	Food item:	Austernpilze
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Miscellenious fruits

Food item:

Avocadoes

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

3

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Baby Food
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	13	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Miscelleniuos fruits</u>		Food item: <u>Bananas</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	5	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Pome Fruits

Food item:

Pears

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

5

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

4

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azinphosmethyl	3	1						2									0,189			
Chlorpyriphos	3	1				1		1									0,104			
Dichlofluanid	3	1					1		1								0,205			
Endosulfane	2	1				1											0,025			
Fenitrothion	2	1				1											0,034			
Procymidon	3	1						1		1							0,58			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Pear Juice
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Small Berries and fruits</u>		Food item: <u>Blackberry</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Fenarimol	1					1											0,036	1	0,02	E
Iprodione	1						1										0,089			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Legume vegetables (fresh)

Food item:

Beans

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

6

Without detectable residues:

6

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Processed

Food item:

Bread

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

0
0

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassica vegetables	Food item:	Broccoli
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Funghi</u>	Food item:	<u>Champignons</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Cereals	Food item:	Buckwheat
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:		With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Leave vegeatbles and fresh herbs</u>	Food item:	<u>Chicoree</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Brassica vegetables

Food item:

Chinese cabbage

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

2

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Citrus fruits	Food item:	Clementines
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyriphos	1					1											0,028			
Imazalil	2											2					4,402			
Malathion	1							1									0,172			
Methidathion	1											1					2,338			
Thiabendazol	2								1			1					2,351			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	MISCELLANEOUS	Food item:	Dates
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Berries and small fruits

Food item:

Strawberries

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

100

Without detectable residues:

69

With detectable residues at or below MRL or without MRL:

27

With residues above MRL (EC+national):

4

With residues above EC-MRL:

4

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acrinathrin	53	52				1											0,022			
Azoxystrobin	53	47				1	2	1	2								0,471			
Benomyl-group	60	59						1									0,185	1	0,10	E
Captan	100	98								1	1						1,6			
Chlorothalonil	100	95			1	1		2		1							0,95			
Chlorpyrifosmethyl	100	99					1										0,051			
Chlorpyrifos	100	99				1											0,04			
Cyproconazol	53	51		1		1											0,023			
Cyprodinil	53	46		1		1		3	1	1							0,531			
Dichlofluanid	100	99							1								0,3			
Dicofol	100	99						1									0,14			
Endosulfane	100	94				3	2		1								0,202	3	0,05	E
Fenarimol	88	85			1	1		1									0,129			
Fludixionil	36	29			1	1		3	2								0,487			
Folpet	100	99							1								0,314			
Kresoximmethyl	53	52			1												0,018			
Malathion	100	99				1											0,029			
Myclobutanil	53	50			1		1		1								0,431			
Penconazol	100	99				1											0,022			
Procymidon	100	94				3	3										0,086			
Pyrifenox	41	40							1								0,431			
Pyrimethanil	53	52						1									0,109			
Tolyfluanid	53	52						1									0,18			
Triadimenol	41	40							1								0,251	1	0,10	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>Drink fresh</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:		MISCELLANEOUS		Food item:		Figs	
Reporting country:		Austria		Year of sampling:		2003	
Total number of samples analysed:		4		With residues above MRL (EC+national):		2	
Without detectable residues:		2		With residues above EC-MRL:		2	
With detectable residues at or below MRL or without MRL:		0		With residues above national MRL:		2	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azoxystrobin	4	3					1										0,057	1	0,05	E
Cypermethrin	4	3						1									0,105	1	0,05	E
Difenconazol	4	3							1								0,373	1	0,05	N
Tebuconazol	4	3							1								0,214	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Stem vegetables</u>		Food item: <u>Fennel</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Difenconazol	1							1									0,168			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed

Food item:

mixed fruit juice

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	2	1			1												0,017			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

LEAF VEGETABLES AND FRESH HERBS

Food item:

lamps lettuce

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

2

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

62 von 159

98/AB XXIII. GP - Anfragebeantwortung - Anlage 4 elektronisch übermittelt

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Miscellaneous</u>		Food item: <u>Pomegranate</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Citrus fruits	Food item:	Grapefruits
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Fruiting vegetables</u>	Food item:	<u>Cucumbers</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	25	With residues above MRL (EC+national):	1
Without detectable residues:	21	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Omethoate	22	21						1								0,39	1	0,02	E
Oxadixyl	2	1				1										0,026			
Procymidon	1					1										0,024			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	porridge oats		
Reporting country:	Austria	Year of sampling:	2003		
Total number of samples analysed:	1	With residues above MRL (EC+national):	0		
Without detectable residues:	1	With residues above EC-MRL:	0		
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Oil seeds	Food item:	hemp seed
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Insert new rows if necessary																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Tree nuts

Food item:

Hazel nuts

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Endosulfane	2	1				1											0,044			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	BERRIES AND SMALL FRUITS	Food item:	billberry
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

BERRIES AND SMALL FRUITS

Food item:

Raspberry

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

8

Without detectable residues:

5

With detectable residues at or below MRL or without MRL:

3

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Procymidon	8	7						1									0,176			
Vinclozolin	8	6			1				1								0,309			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed</u>	Food item:	<u>Raspberry Juice conc.</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Insert new rows if necessary																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Cereals	Food item:	Millet
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Berries and small fruits

Food item:

elderberry

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

3

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Food item:

Ginger

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

0

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
HCH	1					1											0,034	1	0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Berries and small fruits</u>		Food item: <u>currant</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	7	With residues above MRL (EC+national):	0
Without detectable residues:	7	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: MISCELLANEOUS		Food item: Kaki fruit	
Reporting country: Austria		Year of sampling: 2003	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	MISCELLANEOUS	Food item:	Karambole
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Chlorpyriphos	1							1								0,13	1	0,05	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

BRASSICA VEGETABLES

Food item:

Cauliflower

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

11

Without detectable residues:

11

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	ROOT AND TUBER VEGETABLES	Food item:	Carrots
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	8	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Processed

Food item:

Carrot Juice

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

80 von 159

98/AB XXIII. GP - Anfragebeantwortung - Anlage 4 elektronisch übermittelt

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Potatoes	Food item:	Potatoes
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	20	With residues above MRL (EC+national):	0
Without detectable residues:	14	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpropham	20	15						1		3	1						1,302		
Propham	20	19			1												0,02		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Ketchup
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Stone fruit

Food item:

Cherries

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

12

Without detectable residues:

8

With detectable residues at or below MRL or without MRL:

4

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Captan	12	11						1									0,178			
Dimethoat	9	6				1	2										0,075			
Omethoat	9	8				1											0,047			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassica vegetables	Food item:	Cabbage
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	11	With residues above MRL (EC+national):	1
Without detectable residues:	10	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Lindan	11	7			1											0,019	1	0,01	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Brassica vegetables	Food item:	Kohlrabi
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	14	With residues above MRL (EC+national):	0
Without detectable residues:	14	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Cabbage Juice
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Jam
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: MISCELLANEOUS		Food item: Kumquats	
Reporting country: Austria		Year of sampling: 2003	
Total number of samples analysed:	3	With residues above MRL (EC+national):	
Without detectable residues:	1	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Malathion	3	1						2									0,119			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Oil Seeds

Food item:

Pumpkin seed

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

13

Without detectable residues:

7

With detectable residues at or below MRL or without MRL:

4

With residues above MRL (EC+national):

2

With residues above EC-MRL:

2

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Dieldrin	13	10			2		1									0,07	1	0,01	organic
Chlorpyriphosmethyl	13	12					1									0,095	1	0,05	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Stem vegetables</u>		Food item: <u>Leek</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Citrus fruits	Food item:	Limes
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	4	3				1											0,022			
Thiabendazol	4	2				2											0,05			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Miscellaneous</u>		Food item: <u>Litchis</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Cereals</u>		Food item: <u>Maize</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Citrus fruits

Food item:

Mandarines

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

0

With detectable residues at or below MRL or without MRL:

2

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyriphos	2						1	1									0,128			
Dicofol	2	1									1						1,08			
Imazalil	2									1	1						1,04			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Miscellaneous	Food item:	Mangoes
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Prochloraz	6	5									1						1,026		
Thiabendazol	6	5						1									0,142		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Stone fruits	Food item:	Apricots
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	23	With residues above MRL (EC+national):	0
Without detectable residues:	19	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Bifenthrin	12	11		1													0,01			
Carbaryl	12	11						1									0,109			
Carbendazim	13	12					1										0,07			
Fenthion	12	11					1										0,078			
Folpet	23	21							2								0,3			
Phosalone	23	22					1										0,059			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Porecessed</u>		Food item: <u>Apricot Juice</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed

Food item:

Flour

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

2

Without detectable residues:

2

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Fruiting Vegetables</u>	Food item:	<u>Melons</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Bifenthrin	3	2			1												0,015			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>mixed vegetables</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Stone fruits

Food item:

Peaches/Nectarines

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

20

Without detectable residues:

16

With detectable residues at or below MRL or without MRL:

3

With residues above MRL (EC+national):

1

With residues above EC-MRL:

0

With residues above national MRL:

1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acrinathrin	2	1						1									0,157		
Carbaryl	8	7				1											0,033		
Chlorpyriphos	20	19					1										0,056		
Cyprodinil	8	6						2									0,13		
Fludixionil	8	7						1									0,171		
Iprodione	20	19								1							0,746		
Procymidone	20	19							1								0,462		
Propargite	1						1										0,08		
Tebuconazol	8	7					1										0,08	1	0,05
																			N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Product group:	<u>processed</u>	Food item:	<u>Fruit-vegetable-juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

[illegible]

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed

Food item:

Olive oil

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

7

Without detectable residues:

6

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Fenthion	7	6							1								0,336			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Citrus fruits

Food item:

Oranges

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

21

Without detectable residues:

12

With detectable residues at or below MRL or without MRL:

8

With residues above MRL (EC+national):

1

With residues above EC-MRL:

1

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Brompropylat	17	16						1									0,138			
Chlorpyriphos	17	14			1	1	1										0,092			
Dichlofluanid	17	15				1	1										0,063			
Dimethoat	17	15				1	1										0,053			
Fenthion	12	11			1												0,02			
Imazalil	21	15						1		2	3						1,578			
Malathion	11	10						1									0,124			
Mecarbam	11	10							1								0,34	1	0,05	E
Methidathion	17	15				1		1									0,119			
Tetradifon	12	10			1	1											0,043			
Thiabendazol	11	6					1	2	1			1					2,569			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>processed</u>	Food item:	<u>Orange Juice</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	7	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	7	2			1	4											0,038			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Fruiting Vegetables	Food item:	Peppers
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	58	With residues above MRL (EC+national):	3
Without detectable residues:	39	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	16	With residues above national MRL:	2

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
a-Cypermethrin	36	33				1	2										0,078			
Azoxystrobin	39	38						1									0,15			
Bifenthrin	39	38				1											0,047			
Buprofezin	39	38			1												0,019			
Chlorpyrifos	58	57					1										0,065			
Chlorthalonil	58	57				1											0,05			
Cypermethrin	37	33					3	1									0,133			
Cyprodinil	39	37				2											0,035			
Deltamethrin	37	34				3											0,034			
Diazinon	58	57					1										0,052			
Endosulfane	58	49				3	4	1	1								0,344			
Fludixionil	36	35			1												0,02			
I-Cyhalothrin	58	57			1												0,017			
Methiocarb	36	35				1											0,022			
Myclobutanil	37	36					1										0,065			
Piperonylbutoxid	36	35					1										0,077	1	0,01	organic
Pirimiphosmethyl	58	50			1	4	2		1								0,264			
Procymidon	58	53					3	1	1								0,232			
Pyrimethanil	39	38				1											0,049			
Tebuconazol	39	32			1	4	2										0,091	2	0,05	N
Triadimenol	37	36						1									0,133			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Miscellaneous	Food item:	Papaya
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorthalonil	2	1					1										0,079			
Endosulfane	2	1			1												0,02			
Prochloraz	2								1	1							0,557			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:LEAF VEGETABLES AND FRESH HERBS

Food item:Parsley

Reporting country:Austria

Year of sampling:2003

Total number of samples analysed:1

Without detectable residues:0

With detectable residues at or below MRL or without MRL:0

With residues above MRL (EC+national):1

With residues above EC-MRL:1

With residues above national MRL:1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dichloran	1				1												0,017	1	0,01	N
Difenconazol	1									1							0,553	1	0,02	N
Penconazol	1								1								0,277	1	0,05	E
Propyzamid	1								1								0,286			
Tolclophosmethyl	1										1						1,402	1	0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Root and tuber vegetables</u>		Food item: <u>Parsley Root</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Processed	Food item:	Peaches Juice
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Rot and Tuber vegetables	Food item:	Radishes
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dimethoat	11	10			1												0,014			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Citrus fruits	Food item:	Pomelos
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Imazalil	1								1								0,411			
Thiabendazol	1									1							0,669			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Fruiting Vegetables</u>		Food item: <u>Aubergines</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Miscellaneous

Food item:

Physalis

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Cereals

Food item:

Rice

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

3

Without detectable residues:

3

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Cereals	Food item:	Rhy
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Root and Tuber Vegetables	Food item:	Red beet
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>Red Beet Juice</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

LEAF VEGETABLES AND FRESH HERBS

Food item:

Rucola

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

1

With detectable residues at or below MRL or without MRL:

0

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Insert new rows if necessary																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

LEAF VEGETABLES AND FRESH HERBS

Food item:

lettuce

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

118

Without detectable residues:

85

With detectable residues at or below MRL or without MRL:

27

With residues above MRL (EC+national):

6

With residues above EC-MRL:

2

With residues above national MRL:

6

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyrifos	118	116			1	1											0,028			
Chlorthalonil	118	117									1						1,981	1	0,01	E
Cyprodinil	118	116				2											0,04			
Deltamethrin	118	115					2		1								0,312			
Dichloran	118	115			1	1			1								0,435	2	0,01	N
Dimethoat	118	117						1									0,111			
Fludixionil	52	50				1	1										0,084			
Folpet	118	117											1				5,221	1	2,00	E
delta- HCH	11	10									1						1,98	1	0,02	N
Heptenophos	118	117			1												0,013			
Iprodione	118	112					1	2		1	1	1					14,05	1	10,00	E
Lambda-Cyhalothrin	55	54				1											0,04			
Metalaxyl	55	53					1	1									0,137			
Omethoat	118	117					1										0,074			
Pirimicarb	118	117						1									0,108			
Procymidon	118	113				1	1	1	2								0,229			
Quinalphos	55	54								1							0,642	1	0,05	E
Tolclophosmethyl	118	106			1	4	2	1	1	1			1	1			19,2	2	1,00	N
Vinclozolin	118	117			1												0,015			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

120 von 159

98/AB XXIII. GP - Anfragebeantwortung - Anlage 4 elektronisch übermittelt

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>Sauerkraut</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Root and tuber vegetables	Food item:	celeriac
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorbromuron	1							1									0,176		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Oil seed</u>		Food item: <u>Sesame seed</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	2	With residues above MRL (EC+national):	0
Without detectable residues:	2	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Miscellaneous

Food item:

Sharon

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

1

Without detectable residues:

0

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Prochloraz	1					1											0,03			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Leavy Vegetables and fresh herbs</u>	Food item:	<u>Spinach</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Lambda-Cyhalothrin	1					1											0,05			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	<u>Fruiting vegetables</u>	Food item:	<u>Tomatoes</u>
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:	49	With residues above MRL (EC+national):	3
Without detectable residues:	35	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Azoxystrobin	22	21				1											0,03			
Brompropylat	45	44							1								0,202			
Buprofezin	22	21				1											0,05			
Chlorpyriphosmethyl	49	48			1												0,013			
Chlorthalonil	49	44				2	2		1								0,212			
Cyproconazol	22	21				1											0,027			
Cyprodinil	22	19					1	2									0,196			
Deltamethrin	18	16				2											0,046			
Dichlofluanid	49	48					1										0,066			
Dichloran	45	44			1												0,019	1	0,01	N
Diethofencarb	7	6				1											0,038			
Endosulfane	49	46				2	1										0,078			
Fenpropathrin	49	48				1											0,029			
Fludixionil	15	14				1											0,047			
Folpet	49	48						1									0,19			
Iprodione	49	48							1								0,228			
l-Cyhalothrin	18	17				1											0,037			
Pirimiphosmethyl	49	47			2												0,016			
Procymidon	49	43				1	1	2	1	1							0,55			
Pyrimethanil	22	20							2								0,32	2	0,05	N
Tau-Fluvalinat	15	14				1											0,023			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>dried fruits</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	13	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Berries and small fruits	Food item:	Grapes
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	72	With residues above MRL (EC+national):	3
Without detectable residues:	23	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	46	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephat	71	69				2											0,03			
Acrinathrin	59	58			1												0,02			
Azoxystrobin	59	47				1	2	3	5	1							0,584			
Brompropylat	52	49							2	1							0,528			
Carbaryl	71	70					1										0,051			
Chlorpyriphos	72	58				5	5	1	3								0,484			
Chlorpyriphosmethyl	72	65		1	1	1	3	1									0,129			
Chlorothalonil	72	71			1												0,018			
Cyfluthrin	59	57						2									0,168			
Cypermethrin	58	55						1	1	1							0,518			
Cyprodinil	59	38				1	2	6	7	4	1						1,333			
Deltamethrin	58	56				1		1									0,104			
Dichlofluanid	72	70				1		1									0,143			
Dichloran	72	71			1												0,017	1	0,01	N
Dimethomorph	52	51							1								0,445			
Endosulfane	72	71					1										0,065			
Esfenvalerat	52	51							1								0,201	1	0,10	E
Fenarimol	71	70			1												0,018			
Fenitrothion	72	68				2		2									0,2			
Fludixionil	52	34				2	2	7	7								0,457			
Folpet	72	71					1										0,089			
Iprodione	72	62					1			5	4						1,988			
I-Cyhalothrin	58	53				2	1	2									0,13			
Metalaxyl	71	69						2									0,169			
Monocrotophos	58	57				1											0,042			
Myclobutanil	58	55					2	1									0,171			
Oxadixyl	58	57				1											0,031			
Parathionmethyl	72	70							2								0,28			
Penconazol	72	65			1	5	1										0,099			
Procymidon	72	48				6	3	8	1	2	4						1,98			
Pirimethanil	59	47					1	3	8								0,453			
Quinalphos	58	54				2	1				1						1,061	1	0,05	E
Tebuconazol	59	55				2	1	1									0,105			

Tetraconazol	52	51				1									0,065			
Vinclozolin	72	70		1			1								0,168			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Tree nuts	Food item:	walnuts
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Cereals

Food item:

Wheat

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

50

Without detectable residues:

42

With detectable residues at or below MRL or without MRL:

8

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Chlorpyrifos-methyl	50	44				5	1										0,06		
Pirimiphos-methyl	50	42			1	1		1		5							0,63		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

processed

Food item:

wheat products (flour etc)

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

7

Without detectable residues:

6

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Chlorpyrifos-methyl	7	6				1											0,03			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: _____		Food item: <u>Winterportulak</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:

Tea

Food item:

Tea

Reporting country:

Austria

Year of sampling:

2003

Total number of samples analysed:

5

Without detectable residues:

4

With detectable residues at or below MRL or without MRL:

1

With residues above MRL (EC+national):

0

With residues above EC-MRL:

0

With residues above national MRL:

0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Dichlorphos	5	3				2											0,046			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Citrus fruits	Food item:	Lemons
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>processed</u>		Food item: <u>Lemon Juice</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	1	With residues above MRL (EC+national):	0
Without detectable residues:	1	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group: <u>Fruiting vegetables</u>		Food item: <u>Zucchini</u>	
Reporting country: <u>Austria</u>		Year of sampling: <u>2003</u>	
Total number of samples analysed:	6	With residues above MRL (EC+national):	0
Without detectable residues:	5	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Procymidon	1						1										0,096			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Stone fruit	Food item:	Plums
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	9	With residues above MRL (EC+national):	0
Without detectable residues:	8	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Piperonylbutoxid	7	6					1										0,071		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

Table C: Notifications of the results of Check sampling (Surveillance Sampling) of the National Programme to the European Commission

Product group:	Bulb vegetables	Food item:	Onions
Reporting country:	Austria	Year of sampling:	2003
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) please fill in only if appropriate

**Table D1: Details of Residues Exceeding EC-MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)

(Fresh and frozen fruit, vegetables and cereals)

(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	EC-MRL (mg/kg)	Follow-up (**)	Sample reference
Azoxystrobin	Figs	R	BR	0,06	0,05	A	RI0079703
Benomylgroup	Champignons	R	PL	2,19	1,00	A	NI0104103
Benomylgroup	Peppers	R	TR	0,20	0,10	A	NV0789603
Benomylgroup	Strawberries	R	?	0,19	0,10	A	RL0140203
Bifenthrin	Apples	R	FR	0,06	0,05	A	RI0436403
Bifenthrin	Grapes	R	E	0,16	0,05	A	NI0712303
Bifenthrin	Peppers	R	E	0,08	0,05	A	NV1441103
Chlorothalonil	Lettuce	R	IT	1,98	0,01	A	RI0122803
Chlorpyrifos	Carrots	R	IT	0,24	0,10	A	NG009203
Chlorpyrifos	Grapes	R	TR	1,53	0,50	A	NI0568103
Chlorpyrifos	Grapes	R	TR	1,90	0,50	A	NV0817703
Chlorpyrifos	Karambole	R	MAL	0,13	0,05	A	RI0079803
Chlorpyrifos-methyl	Grapes	R	TR	1,90	0,50	A	NV0817703
Chlorpyrifos-methyl	Pumpkin seed	R	AT	0,10	0,05	A	RI0557203
Cypermethrin	Figs	R	BR	0,11	0,05	A	RI0075503
Cypermethrin	Grapes	R	TR	0,81	0,50	A	NI0568103
Cypermethrin	Peppers	R	E	0,63	0,50	A	NV1342203
Dieldrin	Pumpkin seed	R	HU	0,07	0,01	A	RI0557603
Dimethoate	Cherries	R	AT	0,35	organic	A	NI0377103
Endosulfane	Strawberries	R	MA	0,10	0,05	A	RV0111903
Endosulfane	Strawberries	R	?	0,20	0,05	A	RL0140203
Endosulfane	Strawberries	R	MA	0,09	0,05	A	RI0183303
Esfenvalerate	Grapes	R	TR	0,20	0,10	A	RI0599603
Fenarimol	Blackberry		H	0,04	0,02	A	RI0184603
Folpet	Lettuce	R	IT	5,22	2,00	A	RI0046703
Iprodione	Lettuce	R	IT	14,05	10,00	A	RI0046704
Lindane	Cabbage	R	AT	0,02	0,01	A	RW1063503
Mecarbam	Oranges	R	E	0,34	0,05	A	RI0024003
Methamidophos	Peppers	R	TR	0,13	0,01	A	NV0321203
Myclobutanil	Cherries	R	AT	0,07	organic	A	NI0377104
Omethoate	Cherries	R	AT	0,13	organic	A	NI0377105
Omethoate	Cucumber	R	AT	0,39	0,02	A	RW051403
Penconzole	Parsley		IT	0,28	0,05	A	RI06198
Piperonylbutoxide	Peppers	R	IL	0,08	0,01 (organic)		RI0206203
Pirimiphos-methyl	Wheat	W	AT	0,02	organic	A	CI0785303

Quinalphos	Grapes	R	TR	0,19	0,05	A	NV13r2003
Quinalphos	Grapes	R	TR	0,16	0,05	A	NI0568103
Quinalphos	Grapes	R	TR	1,06	0,05	A	RI0765703
Quinalphos	Lettuce	R	IT	0,64	0,05	A	RI0046705
Triadimenol	Strawberries	R	ES	0,25	0,10	A	RI0262903

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

**Table D2: Details of Residues Exceeding non-harmonised MRLs,
including national MRLs
Surveillance sampling**

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
--------------------	----------------	-------------------	-------------

Please make one entry in the list for each exceeded MRL. The same samples should have the same sample reference.

Pesticide (in alphabetical order of the English name)	Food item	Point of sampling (*)	Country of origin	Residue in mg/kg	national MRL (mg/kg)	Follow-up (**)	Sample reference
Acephate	Peppers	R	GR	0,39	0,02	A	NG0099403
Acrinathrine	Grapes	R	IT	0,03	0,01	A	NV1227603
Acrinathrine	Grapes	R	IT	0,05	0,01	A	NV1321003
Acrinathrine	Grapes	R	IT	0,03	0,01	A	NV1321203
Acrinathrine	Grapes	R	IT	0,03	0,01	A	NV1342103
Acrinathrine	Grapes	R	IT	0,05	0,01	A	NV1545903
Acrinathrine	Peppers	R	E	0,02	0,01	A	NV0258903
Acrinathrine	Peppers	R	E	0,02	0,01	A	NV0263603
Acrinathrine	Peppers	R	E	0,05	0,01	A	NV0378703
Acrinathrine	Peppers	R	E	0,07	0,01	A	NV1342203
Acrinathrine	Peppers	R	E	0,04	0,01	A	NV1441103
delta-HCH	Lettuce	R	IT	1,98	0,02	A	RW1064003
Dichloran	Carrots	R	IT	0,81	0,01	A	NG0099203
Dichloran	Carrots	R	IT	0,42	0,01	A	NG0117103
Dichloran	Grapes	R	CL	0,02	0,01	A	RI0360803
Dichloran	Lettuce	R	IT	0,44	0,01	A	RI0122803
Dichloran	Lettuce	R	IT	0,05	0,01	A	RI0122903
Dichloran	Parsley		IT	0,02	0,01	A	RI0619803
Dichloran	Tomatoes	R	IT	0,02	0,01	A	RV0184803
Difenconazole	Figs	R	BR	0,37	0,05	A	RI0079703
Difenconazole	Parsley		IT	0,55	0,02	A	RI0619804
HCH	Ingwer	R	IT	0,03	0,02	A	RI0079603
Pyrimethanil	Tomatoes	R	IT	0,32	0,05	A	RV0279003
Pyrimethanil	Tomatoes	R	IT	0,22	0,05	A	RI0075903
Tebuconazole	Cherries	R	IT	0,12	0,05	A	NI0337103
Tebuconazole	Figs	R	BR	0,21	0,05	A	RI0075503
Tebuconazole	Peaches/Nec	R	FR	0,08	0,05	A	RI0436603
Tebuconazole	Peppers	R	E	0,13	0,05	A	NI0092703
Tebuconazole	Peppers	R	E	0,11	0,05	A	NI0093003
Tebuconazole	Peppers	R	E	0,09	0,05	A	RI0029803
Tebuconazole	Peppers	R	E	0,09	0,05	A	RI0030303
Tolclofos-methyl	Carrots	R	IT	0,19	0,05	A	NG0117103
Tolclofos-methyl	Lettuce	R	A	7,15	1,00	A	RW0952003

Tolclofos-methyl	Lettuce	R	A	19,20	1,00	A	RW0953603
Tolclofos-methyl	Parsley		IT	1,40	0,05	A	RI0619805

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**) e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)
(Pesticides covered by Directives 76/895, 86/362 and 90/642)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
--------------------	----------------	-------------------	-------------

[illegible]

(*) Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**)

e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

(Samples of national and co-ordinated programme)
(Fresh and frozen fruit, vegetables and cereals)

Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
--------------------	----------------	-------------------	-------------

[illegible]

Insert new rows if necessary

(*)

Point of sampling in distribution: F = farmgate, R = retail, W = wholesale, O = other

(**)

e.g. W: Warnings have been issued to the holders of the product inspected and sampled
A: Administrative consequences have followed,
e.g. prohibiting for sale, prosecutions, the levying of penalties or fines
RA a Rapid Alert has been notified
Others: Please indicate other actions taken by other abbreviations and related footnotes

Table E: Details of Samples with Multiple Residues (>=2) in Single Samples

(Samples of national and co-ordinated programme)

(Fresh and frozen fruit, vegetables and cereals)

(Sum of surveillance and follow-up enforcement sampling)

(Pesticides covered by Directives 76/895, 86/362 and 90/642 and by the national programmes)

Reporting country:	Austria	Year of sampling:	2003		
Total number of samples with multiple residues (>=2):	189				
Number of samples with 2 pesticide residues:	69	Number of samples with 5 pesticide residues:	16	Number of samples with 8 pesticide res	
Number of samples with 3 pesticide residues:	42	Number of samples with 6 pesticide residues:	14	Etc.	
Number of samples with 4 pesticide residues:	40	Number of samples with 7 pesticide residues:	4		

Food item	Number of compounds	Compound 1 name	Residue level mg/kg	Compound 2 name	Residue level mg/kg	Compound 3 name	Residue level mg/kg	Compound 4 name	Residue level mg/kg	Compound 5 name	Residue level mg/kg	Compound 6 name	Residue level mg/kg
Apples	2	Bifenthrin	0,06	Carbaryl	0,14								
Apricots	4	Bifenthrin	0,01	Carbaryl	0,11	Benomylgroup	0,07	Phosalone	0,06				
Aubergines	2	Endosulfan	0,05	Tetradifon	0,05								
Carrots	2	Chlorpyrifos	0,24	Dichloran	0,81								
Carrots	2	Dichloran	0,42	Tolclofos-methy	0,19								
Carrots	2	Iprodion	0,06	Vinclozolin	0,06								
Champignons	2	Dimethoat	0,03	Omethoat	0,05								
Champignons	2	Dimethoat	0,06	Omethoat	0,03								
Cherries	2	Tebuconazol	0,12	Tolclophosmetf	0,03								
Cherries	2	Dimethoat	0,02	Omethoat	0,04								
Cherries	2	Dimethoat	0,02	Omethoat	0,03								
Cherries	2	Dimethoat	0,02	Omethoat	0,03								
Cherries	2	Dimethoat	0,08	Omethoat	0,05								
Cherries	3	Dimethoat	0,35	Myclobutanil	0,07	Omethoat	0,13						
Cherries	3	Dimethoat	0,05	Omethoat	0,06	Phosalone	0,11						
Clementines	3	Imazalil	2,34	Methidathion	2,34	Thiabendazol	2,35						
Clementines	4	Chlorpyriphos	0,03	Imazalil	4,40	Malathion	0,17	Thiabendazol	0,39				
Grapes	2	Penconazol	0,09	Tolclophosmetf	0,04								
Grapes	2	Azoxystrobin	0,09	Iprodion	0,66								
Grapes	2	Myclobutanil	0,03	Procymidone	0,41								
Grapes	2	Chlorpyriphos	0,04	Tetraconazole	0,02								
Grapes	2	Chlorpyriphos	0,01	Fludioxonil	0,09								
Grapes	2	Cyprodinil	0,37	Fludioxonil	0,23								
Grapes	2	Azoxystrobin	0,17	Procymidone	0,59								
Grapes	2	Azoxystrobin	0,01	Procymidone	1,08								
Grapes	2	Chlorpyrifos	0,07	Folpet	0,04								
Grapes	2	Chlorpyrifos	0,02	Dicofol	0,29								
Grapes	2	Chlorpyrifos-m	0,02	Metalaxyl	0,06								
Grapes	2	Methamidopho	0,01	Procymidon	0,45								
Grapes	2	Acrinathrin	0,03	Procymidon	0,63								
Grapes	2	Chlorpyrifos-m	0,04	Dichlofluanid	0,13								
Grapes	2	Cyprodinil	0,38	Fenitrothion	0,33								
Grapes	2	Iprodion	3,70	Lamda-cyhalotf	0,09								
Grapes	2	Fenitrothion	0,19	Iprodion	0,83								
Grapes	2	Fenitrothion	0,20	Iprodion	0,73								

Grapes	2	Acephat	0,03	Chlorpyriphos	0,38								
Grapes	2	Dimethomorph	0,45	Procymidon	0,15								
Grapes	2	Acephat	0,03	Azoxystrobin	0,09								
Grapes	2	Cyprodinil	0,24	Fludixionil	0,09								
Grapes	2	Iprodione	0,56	Procymidon	0,06								
Grapes	2	Cyprodinil	0,64	Fludixionil	0,25								
Grapes	2	Chlorpyriphos	0,03	Procymidon	0,05								
Grapes	3	Captan	0,37	Cyprodinil	0,24	Fludioxonil	0,24						
Grapes	3	Metalaxyl	0,09	Penconazol	0,10	Procymidone	0,53						
Grapes	3	Chlorpyriphos	0,18	Metalaxyl	0,35	Procymidone	0,06						
Grapes	3	Cyprodinil	0,45	Fludioxonil	0,11	Procymidone	0,49						
Grapes	3	Azoxystrobin	0,33	Cyprodinil	0,12	Dichlofluanid	0,40						
Grapes	3	Azoxystrobin	0,18	Chlorpyriphos	0,12	Procymidone	0,86						
Grapes	3	Aziprotryn	0,12	Benomylgroup	0,51	Chlorpyriphos	0,02						
Grapes	3	Azoxystrobin	0,09	Chlorpyriphos-m	0,02	Cyprodinil	0,13						
Grapes	3	Azoxystrobin	0,21	Chlorpyriphos-m	0,01	Cyprodinil	0,13						
Grapes	3	Azoxystrobin	0,07	Cyprodinil	0,12	Pyrimethanil	0,01						
Grapes	3	Azoxystrobin	0,13	Chlorpyrifos	0,57	Chlorpyrifos-m	0,11						
Grapes	3	Chlorpyrifos-m	0,02	Cyprodinil	0,29	Procymidon	0,24						
Grapes	3	Brompropylat	0,65	Iprodion	0,16	Procymidon	0,23						
Grapes	3	Acrinathrin	0,05	Chlorpyrifos-m	0,02	Cyprodinil	0,70						
Grapes	3	Azoxystrobin	0,08	Dichlofluanid	0,05	Tebuconazol	0,06						
Grapes	3	Azoxystrobin	0,16	Iprodion	1,80	Procymidon	0,43						
Grapes	3	Chlorpyrifos	0,10	Lamda-cyhalot	0,13	Procymidon	1,70						
Grapes	3	Brompropylat	0,53	Parathionmethy	0,28	Penconazol	0,10						
Grapes	4	Bifenthrin	0,06	Cyprodinil	0,35	Dichlofluanid	0,33	Fenitrothion	0,29				
Grapes	4	Chlorpyriphosn	0,06	Cyprodinil	0,94	Fludioxonil	1,36	Pyrimethanil	0,41				
Grapes	4	Cyprodinil	0,85	Fludioxonil	1,19	Lamda-cyhalot	0,16	Monocrotophos	0,07				
Grapes	4	Chlorpyriphos-t	0,08	Cyprodinil	0,15	Penconazole	0,10	Pyrimethanil	0,01				
Grapes	4	Cyprodinil	0,11	Iprodion	0,11	Procymidone	0,40	Pyrimethanil	0,07				
Grapes	4	Acrinathrin	0,03	Azoxystrobin	0,73	Cyprodinil	0,14	Procymidon	1,00				
Grapes	4	Chlorpyrifos	0,17	Dichlofluanid	0,22	Iprodion	1,00	Pyrifenox	0,03				
Grapes	4	Azoxystrobin	0,32	Chlorpyrifos	0,30	Fenitrothion	0,05	Procymidon	0,49				
Grapes	4	Azoxystrobin	0,30	Chlorpyrifos-m	0,13	Cyprodinil	1,00	Pyrimethanil	0,50				
Grapes	4	Acrinathrin	0,02	Cyprodinil	0,33	Fenitrothion	0,04	Myclobutanil	0,07				
Grapes	4	Chlorpyriphos	0,05	Chlorpyriphosn	0,01	Procymidon	0,14	Pyrimethanil	0,25				
Grapes	4	Carbaryl	0,05	Cyprodinil	0,21	Fludixionil	0,14	Procymidon	0,31				
Grapes	4	Azoxystrobin	0,15	Cyprodinil	0,10	Fludixionil	0,04	Procymidon	0,04				
Grapes	4	Chlorpyriphos	0,04	Procymidon	1,98	Tebuconazol	0,11	Tetraconazol	0,07				
Grapes	4	Cyprodinil	0,40	Fludixionil	0,16	Penconazol	0,03	Procymidon	0,17				
Grapes	4	Azoxystrobin	0,45	Fenarimol	0,02	Iprodione	0,54	Procymidon	0,18				
Grapes	5	Chlorpyrifos	0,22	Cyprodinil	0,58	Endosulfan	0,16	Iprodion	0,51	Pyrimethanil	0,83		
Grapes	5	Acrinathrin	0,05	Azoxystrobin	0,55	Cyprodinil	0,17	Dichlofluanid	0,27	Procymidon	0,69		
Grapes	5	Benomylgroup	1,40	Cypermethrin	0,14	Cyprodinil	0,23	Iprodion	0,73	Quinalphos	0,04		
Grapes	5	Azoxystrobin	0,20	Brompropylat	0,37	Cyprodinil	0,08	Fludixionil	0,03	Pyrimethanil	0,11		
Grapes	5	Endosulfane	0,07	Fenitrothion	0,03	Iprodione	1,31	Penconazol	0,02	Procymidon	0,16		
Grapes	5	Chlorpyriphos	0,04	Chlorthalonil	0,02	Cyprodinil	0,14	Fludixionil	0,16	Myclobutanil	0,08		
Grapes	5	Azoxystrobin	0,19	Brompropylat	0,42	Cyprodinil	0,11	Fludixionil	0,09	Pirimethanil	0,10		
Grapes	5	Chlorpyriphosn	0,09	Cyprodinil	0,34	Fludixionil	0,22	Pirimethanil	0,27	Procymidon	0,89		
Grapes	5	Iprodione	0,05	I-Cyhalothrin	0,13	Pirimethanil	0,10	Procymidon	1,03	Quinalphos	0,04		
Grapes	5	Azoxystrobin	0,21	Chlorpyriphosn	0,08	Cyprodinil	0,78	Dichlofluanid	0,14	Fludixionil	0,37		
Grapes	5	Cyfluthrin	0,17	Cyprodinil	1,33	Fludixionil	0,46	Pirimethanil	0,33	Tebuconazol	0,10		

Grapes	6	Azoxystrobin	0,38	Brompropylat	1,52	Cyprodinil	0,30	Fludioxonil	0,18	Metalaxyl	0,07	Pyrimethanil	0,36
Grapes	6	Azoxystrobin	0,17	Brompropylat	0,21	Cyprodinil	0,17	Fludioxonil	0,12	Metalaxyl	0,06	Pyrimethanil	0,11
Grapes	6	Azoxystrobin	0,07	Chlorpyriphos-n	0,01	Cyprodinil	0,43	Penconazole	0,04	Procymidone	0,56	Pyrimethanil	0,38
Grapes	6	Chlorpyrifos	0,07	Cypermethrin	0,08	Iprodion	5,00	Lamda-cyhalot	0,06	Procymidon	3,30	Quinalphos	0,18
Grapes	6	Benomylgroup	0,30	Cypermethrin	0,24	Iprodion	1,60	Lamda-cyhalot	0,06	Procymidon	2,50	Quinalphos	0,03
Grapes	6	Azoxystrobin	0,25	Chlorpyriphos-n	0,13	Cyprodinil	0,50	Fludixionil	0,27	Pyrimethanil	0,44	Tebuconazol	0,05
Grapes	6	Azoxystrobin	0,08	Chlorpyriphos	0,10	Metalaxyl	0,17	Penconazol	0,02	Procymidon	0,18	Pyrimethanil	0,27
Grapes	6	Azoxystrobin	0,17	Chlorpyriphos	0,10	Cyprodinil	0,05	Parathionmethy	0,20	Penconazol	0,02	Pyrimethanil	0,28
Grapes	6	Azoxystrobin	0,27	Chlorpyriphos-n	0,04	Cyfluthrin	0,11	Cyprodinil	0,48	Fludixionil	0,35	Procymidon	0,03
Grapes	7	Benomylgruppe	1,90	Cypermethrin	0,09	Cyprodinil	0,28	Iprodion	4,40	Lamda-Cyhalot	0,14	Procymidon	2,10
Grapes	7	Azoxystrobin	0,58	Chlorpyriphos-n	0,01	Cyprodinil	0,15	Dichlofluamid	0,05	Fludixionil	0,17	Procymidon	0,03
Grapes	7	Chlorpyriphos-n	0,06	Cyprodinil	0,12	Fludixionil	0,15	Folpet	0,09	Metalaxyl	0,11	Oxadixyl	0,03
Grapes	8	Chlorpyriphos	1,53 0,16	Cypermethrin	0,81	Cyprodinil	0,53	Fludioxonil	0,71	Lamda-cyhalot	0,05	Myclobutanil	0,49
Grapes	8	Chlorpyriphos	0,464 1,063	Cyprodinil	0,35	Esfenvalerate	0,06	Fludioxonil	0,30	Lamda-cyhalot	0,11	Myclobutanil	0,05
Grapes	8	Acrinathrin Py	0,028 0,3	Azoxystrobin	0,43	Chlorpyrifos	0,03	Chlorpyrifos-m	0,03	Cyprodinil	0,13	Fenitrothion	0,03
Grapes	8	Benomylgroup	0,65 0,05	Cypermethrin	0,45	Cyprodinil	0,71	Folpet	0,20	Iprodion	2,90	Lamda-cyhalot	0,06
Lettuce	2	delta- HCH	1,98	Procymidon	0,17								
Lettuce	2	Chlorthalonil	1,98	Dichloran	0,44								
Lettuce	2	Dichloran	0,05	Heptenophos	0,01								
Lettuce	2	Dimethoat	0,11	Omethoat	0,07								
Lettuce	2	Cyprodinil	0,04	Fludixionil	0,08								
Lettuce	4	Deltamethrin	0,31	Folpet	5,22	Iprodione	14,05	Quinalphos	0,64				
Lettuce	4	Deltamethrin	0,10	Dichloran	0,01	Iprodione	3,08	Metalaxyl	0,14				
Mandarines	3	Chlorpyriphos	0,09	Imazalil	1,04	Thiabendazol	1,25						
Mandarines	4	Chlorpyriphos	0,13	Dicofol	1,08	Imazalil	0,99	Thiabendazol	0,12				
Oranges	2	Imazalil	1,07	Thiabendazol	0,10								
Oranges	3	Dichlofluamid	0,06	Dimethoat	0,05	Methidathion	0,12						
Oranges	3	Brompropylat	0,14	Imazalil	1,58	Thiabendazol	2,57						
Oranges	4	Fenthion	0,02	Imazalil	0,77	Methidathion	0,05	Tetradifon	0,01				
Oranges	5	Chlorpyriphos	0,09	Dimethoat	0,05	Imazalil	0,54	Tetradifon	0,04	Thiabendazol	0,06		
Oranges	5	Chlorpyriphos	0,04	Dichlofluamid	0,04	Imazalil	1,36	Malathion	0,12	Mecarbam	0,34		
Parsley	5	Dichloran	0,02	Difenconazol	0,55	Penconazol	0,28	Propyzamid	0,29	Tolclophosmet	1,40		
Peaches/Nectarines	2	Cyprodinil	0,13	Procymidon	0,46								
Peaches/Nectarines	6	Acrinathrin	0,16	Chlorpyriphos	0,06	Cyprodinil	0,12	Fludixionil	0,17	Iprodione	0,75	Tebuconazol	0,08
Pears	4	Azinphosmethy	0,19	Dichlofluamid	0,21	Fenitrothion	0,03	Procymidon	0,14				
Pears	4	Azinphosmethy	0,16	Chlorpyriphos	0,10	Dichlofluamid	0,06	Procymidon	0,58				
Peppers	2	Endosulfan	0,04	Tebuconazol	0,05								
Peppers	2	Malathion	0,20	Pirimiphosmet	0,46								
Peppers	2	Pirimiphos-met	0,01	Procymidone	0,03								
Peppers	2	Acrinathrin	0,02	Endosulfan	0,01								
Peppers	2	Endosulfan	0,65	Benomylgroup	0,20								
Peppers	2	Pirimiphosmet	0,03	Procymidon	0,23								
Peppers	2	Deltamethrin	0,03	Procymidon	0,05								
Peppers	2	a-Cypermethrin	0,06	Tebuconazol	0,01								
Peppers	2	Pyrimethanil	0,05	Tebuconazol	0,04								
Peppers	2	Cypermethrin	0,10	Endosulfane	0,05								
Peppers	3	Pirimiphosmet	0,08	Procymidone	0,07	Tebuconazol	0,05						
Peppers	3	Endosulfan	0,22	Pirimiphosmet	0,04	Tebuconazol	0,04						
Peppers	3	Endosulfan	0,01	Pirimiphosmet	0,08	Tebuconazol	0,03						
Peppers	3	Acephat	0,39	Endosulfan	0,11	Procymidon	0,21						
Peppers	3	Endosulfan	0,06	Malathion	0,03	Procymidon	0,31						
Peppers	3	Iprodion	0,03	Pirimiphos-met	0,05	Procymidon	0,08						

Peppers	3	Fenpropathrin	0,04	Iprodion	0,21	Propiconazol	0,08						
Peppers	3	Endosulfan	0,07	Pirimiphos-met	0,20	Procymidon	0,23						
Peppers	3	Chlorpyrifos	0,07	Endosulfane	0,06	Pirimiphosmetf	0,03						
Peppers	3	Cypermethrin	0,13	Endosulfane	0,10	Pirimiphosmetf	0,08						
Peppers	4	Acrinathrin	0,02	Endosulfan	0,03	Cypermethrin	0,08	Procymidon	0,16				
Peppers	4	Endosulfan	0,33	Diazinon	0,02	Methamidopho	0,13	Procymidon	0,45				
Peppers	4	Chlorpyrifos-m	0,10	Endosulfan	0,04	Fenitrothion	0,02	Procymidon	0,19				
Peppers	4	Acrinathrin	0,04	Endosulfan	0,12	Bifenthrin	0,08	Pirimiphos-met	0,07				
Peppers	4	Cyprodinil	0,03	Fludixionil	0,02	Pirimiphosmetf	0,04	Tebuconazol	0,09				
Peppers	4	Buprofezin	0,02	Chlorthalonil	0,05	Pirimiphosmetf	0,03	Tebuconazol	0,05				
Peppers	4	a-Cypermethrin	0,03	Endosulfane	0,09	Procymidon	0,09	Tebuconazol	0,05				
Peppers	4	Deltamethrin	0,03	Endosulfane	0,04	Procymidon	0,14	Tebuconazol	0,04				
Peppers	4	Bifenthrin	0,05	Cypermethrin	0,08	Endosulfane	0,06	Pirimiphosmetf	0,02				
Peppers	4	Cypermethrin	0,10	Endosulfane	0,12	Methiocarb	0,02	Pirimiphosmetf	0,10				
Peppers	5	Acrinathrin	0,07	Endosulfan	0,05	Chlorpyrifos	0,17	Cypermethrin	0,63	Malathion	0,02		
Peppers	5	a-Cypermethrin	0,08	Cyprodinil	0,04	Deltamethrin	0,03	Tebuconazol	0,09	Triadimenol	0,13		
Peppers	6	Cypermethrin	0,02	Cyprodinil	0,04	Deltamethrin	0,02	Fludioxonil	0,05	Malathion	0,03	Tebuconazol	0,13
Peppers	6	Acrinathrin	0,05	Endosulfan	0,01	Bifenthrin	0,02	Iprodion	0,03	Pirimiphos-met	0,21	Procymidon	0,37
Peppers	6	Acrinathrin	0,15	Bifenthrin	0,01	Chlorthalonil	0,04	Lamda-Cyhalot	0,10	Procymidon	0,10	Maneb-group	0,32
Peppers	7	Cypermethrin	0,03	Cyprodinil	0,04	Deltamethrin	0,02	Fenopropathrin	0,03	Fludioxonil	0,10	Pirimiphosmetf	0,14
Plums	2	Chlorpyrifos	0,04	Endosulfan	0,02								
Plums	2	Azinphos-meth	0,17	Phosalone	0,09								
Strawberries	2	Captan	1,60	Chlorpyrifos	0,04								
Strawberries	2	Cyprodinil	0,19	Fludixionil	0,16								
Strawberries	2	Cypodinil	0,11	Fludixionil	0,18								
Strawberries	2	Cyprodinil	0,01	Fludixionil	0,04								
Strawberries	3	Captan	0,54	Myclobutanil	0,43	Pyrifenox	0,43						
Strawberries	3	Fenarimol	0,13	Fludixionil	0,02	Myclobutanil	0,01						
Strawberries	3	Azoxystrobin	0,32	Chlorthalonil	0,95	Malathion	0,03						
Strawberries	3	Azoxystrobin	0,13	Cyprodinil	0,10	Fludixionil	0,10						
Strawberries	3	Azoxystrobin	0,09	Chlorpyrifosn	0,05	Procymidon	0,08						
Strawberries	3	Cyprodinil	0,53	Fludixionil	0,49	Triadimenol	0,25						
Strawberries	4	Chlorothalonil	0,02	Dichlofluanid	0,30	Dicofol	0,14	Endosulfan	0,10				
Strawberries	4	Benomylgroup	0,19	Endosulfan	0,20	Procymidone	0,04	Pyrimethanil	0,11				
Tomatoes	2	Chlorthalonil	0,03	Pirimiphosmetf	0,02								
Tomatoes	2	Brompropylat	0,20	Endosulfane	0,02								
Tomatoes	3	Chlorothalonil	0,07	Dichloran	0,02	Procymidon	0,55						
Tomatoes	3	Endosulfane	0,05	Pirimiphosmetf	0,02	Procymidon	0,03						
Tomatoes	4	Chlorothalonil	0,02	Folpet	0,19	Procymidon	0,08	Pyrimethanil	0,32				
Tomatoes	4	Chlorothalonil	0,21	Cyproconazol	0,03	Cyprodinil	0,20	Deltamethrin	0,05				
Tomatoes	4	Buprofezin	0,05	Deltamethrin	0,03	Endosulfane	0,08	Fenpropathrin	0,03				
Tomatoes	4	Chlorpyrifosn	0,01	Cyprodinil	0,17	Fludixionil	0,05	l-Cyhalothrin	0,04				
Tomatoes	6	Azoxystrobin	0,03	Cyprodinil	0,06	Dichlofluanid	0,07	Iprodione	0,23	Procymidon	0,31	Pyrimethanil	0,22
Wheat	2	Chlorpyrifos-m	0,06	Pirimiphos-met	0,02								
Wheat	2	Chlorpyrifos-m	0,03	Pirimiphos-met	0,56								
Wheat	2	Chlorpyrifos-m	0,05	Pirimiphos-met	0,55								
Wheat	2	Chlorpyrifos-m	0,03	Pirimiphos-met	0,63								
Wheat	2	Chlorpyrifos-m	0,05	Pirimiphos-met	0,58								
Wheat	2	Chlorpyrifos-m	0,03	Pirimiphos-met	0,59								
Zucchini	2	Endosulfane	0,05	Procymidon	0,10								

(*) please use ISO code of the country

sidues:

4

Compound 7 name	Residue level mg/kg	Origin (*)	Sample reference
		FR	RI0436403
		IT	RI0112103
		TR	EV1548603
		IT	NG009203
		IT	NG0117103
		AT	NV033103
		HU	NI0318403
		HU	NV1367403
		IT	NI0377103
		IT	NV0705503
		IT	NV0749003
		IT	NV0802703
		AT	NV0912503
		AT	NI0346403
		AT	NV0817403
		ES	RI0024903
		ES	RI0023603
		IT	NI0371803
		MA	NI0374303
		ES	NI0568003
		IT	NI0577503
		TR	NI0674003
		IT	NI0712203
		AT	NL0476103
		AT	NL0564403
		IT	NG0289903
		AUS	NV0802803
		IT	NV1175603
		IT	NV1226603
		IT	NV1321203
		IT	NV1441003
		IT	NV144703
		BR	NV1520103
		IT	RV1107703
		IT	RV1107803

		ES	RI0030003
		IT	RI0386503
		IT	RI0455503
		IT	RI0557003
		IT	RI0558403
		IT	RI0560003
		ES	RI0560103
		RCH	NI0161903
		AT	NI0401803
		IT	NI0577703
		IT	NI0673903
		IT	NI0733503
		AT	NL0476203
		AT	NL0587503
		AT	NL0593903
		AT	NL0594103
		IT	NL0632603
		IT	NV1227503
		IT	NV1268503
		IT	NV1281803
		IT	NV1545903
		IT	EI0437803
		ZA	EV0248603
		TR	RV1191504
		IT	RI0433603
		IT	NI0567903
		IT	NI0673803
		TR	NI0746803
		IT	NL0593903
		TR	NL0594203
		IT	NV1227603
		IT	NV1347203
		ES	NV1347303
		IT	EV1355303
		IT	RV1204603
		IT	RI0491003
		IT	RI0556803
		IT	RI0559103
		IT	RI0579103
		IT	RI0631003
		ES	RI0785503
		IT	NV1157903
		IT	NV1321003
		TR	NV1321103
		IT	RI0558003
		IT	RI0558203
		IT	RI0558303
		IT	RI0560903
		IT	RI0561003
		IT	RI0561103
		IT	RI0618103
		IT	RI0791103

		IT	NI0733703
		IT	NI0746703
		AT	NL0591903
		TR	NV1342003
		TR	NV1380903
		IT	RI0557903
		IT	RI0559003
		IT	RI0560303
		IT	RI0560703
Quinalphos	0,27	TR	EV1404503
Tebuconazol	0,04	IT	RI0491203
Pirimethanil	0,37	IT	RI0560803
Procymidone	5,61	TR	NI0568103
Parathionmethy	0,04	TR	NI0733603
Procymidon	0,50	IT	NV1342103
Procymidon	3,00	TR	NV1342303
		AT	RW1064003
		IT	RI0122803
		IT	RI0122903
		DE	RI0386703
		IT	RI0619703
		IT	RI0046703
		IT	RI0108503
		ES	RI0579203
		ES	RI0025003
		IT	RI0023703
		GR	RI0023903
		ES	RI0024803
		ES	RV0125503
		IT	RI0023803
		ES	RI0024003
		IT	RI0619803
		IT	RI0436503
		FR	RI0436603
		IT	RI0785603
		IT	RI0787703
		ES	NI0170203
		ES	NI0674203
		SV	NL0176603
		ES	NV0258903
		TR	NV0789603
		ES	RI0079903
		ES	RI0117603
		ES	RI0117803
		ES	RI0170303
		ES	RI0558903
		ES	NI0161603
		ES	NI06747003
		ES	NI0771103
		GR	NG0099403
		ES	NV0263503
		ES	NV0264803

		HU	NV1305203
		ES	RV0311303
		ES	RI0607803
		ES	RI0617803
		ES	NV0263603
		TR	NV0321203
		ES	NV0399803
		ES	NV1441103
		ES	RI0029803
		ES	RI0070703
		ES	RI0108803
		ES	RI0168803
		ES	RI0558103
		ES	RI0613803
		ES	NV1342203
		ES	RI0030303
		ES	NI0092703
		ES	NV0378703
		ES	EV0248803
Tebuconazol	0,11	ES	NI0093003
		AT	NI0577903
		IT	NV1216903
		ES	RV0319803
		ES	RI0157603
		ES	RI0183503
		ES	RI0183603
		ES	RI0098903
		ES	RI0162103
		ES	RI0183403
		ES	RI0183803
		ES	RI0261503
		ES	RI0262903
		MA	RV0111903
			RL0140203
		ES	RI0030403
		ES	RI0607903
		IT	RV0184803
		ES	RI0117503
		IT	RV0279003
		ES	RI0029903
		ES	RI0030703
		ES	RI0613703
		IT	RI0075903
		AT	RV0746203
		AT	RV0781603
		AT	RV0781703
		AT	RV0781803
		AT	RV0781903
		AT	RV0782003
		ES	RI0545803

Table F: Details of the Homogeneity Exercise

(Please copy this table as often as needed)
(For the calculation of the homogeneity of the sample a value of 0.5*LCL should be used for negative results of single items)

Reporting country: Austria Year: 2003 Commodity: Pesticide sought: Samples taken at single producer (yes/no)		
	Result (mg/kg)	Sample reference
Composite sample		
Single items		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
*insert more rows if necessary		
Maximum value (mg/kg)	0	
Mean (mg/kg)	#DIV/0!	
Factor for the homogeneity of the sample*	#DIV/0!	

*defined as maximum value/mean value of the single items

Table G: Laboratories

Year	<u>2003</u>
Country	<u>Austria</u>

[illegible]

Please insert rows if necessary							

EU Quality control procedures (ref. SANCO 3103/2000)

Element number	Content
1	Accreditation
2	Sampling, transport, processing and storage of samples
3	Pesticide standards, calibration, solutions, etc.
4	Extraction and concentration
5	Contamination and interference
6	Analytical calibration and chromatographic integration
7	Analytical methods and analytical performance
8	Proficiency testing and analysis of reference materials
9	Confirmation of results
10	Reporting of results