



**COUNCIL OF
THE EUROPEAN UNION**

Brussels, 14 November 2011

**Interinstitutional File:
2012/0302 (NLE)**

**16089/1/12
REV 1 (en)**

TDC 17

PROPOSAL

from:	Commission services
dated:	13 November 2012
No Cion doc.:	COM(2012) 639 final
Subject:	Proposal for a Council Regulation amending Regulation (EU) No 1344/2011 suspending the autonomous Common Customs Tariff duties on certain agricultural, fishery and industrial products

Delegations will find attached a proposal from the Commission, submitted under a covering letter from Mr Jordi AYET PUIGARNAU, Director, to Mr Uwe CORSEPIUS, Secretary-General of the Council of the European Union.

Encl.: COM(2012) 639 final



Brussels, 9.11.2012
COM(2012) 639 final

2012/0302 (NLE)

Proposal for a

COUNCIL REGULATION

**amending Regulation (EU) No 1344/2011 suspending the autonomous Common Customs
Tariff duties on certain agricultural, fishery and industrial products**

EXPLANATORY MEMORANDUM

1. CONTEXT OF THE PROPOSAL

The Commission, assisted by the Economic Tariff Questions Group (ETQG), has reviewed all requests for temporary suspension of autonomous Common Customs Tariff duties forwarded by the Member States. This proposal concerns a number of agricultural and industrial products. The suspension requests were examined in the light of the criteria set out in the Communication from the Commission concerning autonomous tariff suspensions and quotas (OJ C 363, 13.12.2011, p. 6). Following this review, the Commission considers that the suspension of duties is justified for the products listed in Annex I of this proposal. Also, Annex I lists i) products for which the wording of their description had to be changed, ii) products for which a new CN or TARIC code became necessary, with their new description and/or CN – TARIC code or iii) products which were reviewed and for which a new date for mandatory review was set.

Products for which suspension is no longer in the Union's economic interests have to be withdrawn. Accordingly, Annex II lists the products removed from the Annex to Regulation (EU) No 1344/2011 and products for which the wording of their description had to be changed, or products for which a new CN or TARIC code became necessary, which are replaced by new description and/or codes in Annex I.

The proposal is in line with the trade, enterprise, development and external relations policies. Particularly, this proposal is not at the expense of countries enjoying a preferential trading agreement with the EU (e.g. GSP, ACP regime, candidate countries and potential candidates).

2. RESULTS OF CONSULTATIONS WITH THE INTERESTED PARTIES AND IMPACT ASSESSMENTS

The Economic Tariff Questions Group, in which the competent authorities of all Member State are represented, was consulted. All listed suspensions correspond to agreements or compromises reached in the discussions of the group.

There was no mention of potentially serious risks with irreversible consequences.

This proposal will follow an inter-service consultation procedure and will be published after its adoption by the Council.

3. LEGAL ELEMENTS OF THE PROPOSAL

The legal basis of this regulation proposal is Article 31 of the Treaty on the Functioning of the European Union.

By virtue of Article 31 of the Treaty on the Functioning of the European Union autonomous tariff suspensions and quotas are approved by the Council acting by qualified majority on the basis of a Commission proposal, therefore a regulation is the appropriate instrument.

The proposal falls under the exclusive competence of the Union.

The proposal complies with the principle of proportionality as this set of measures is in line with the principles set out to simplify the procedures for the operators engaged in foreign trade and in accordance with the Commission communication concerning autonomous tariff suspensions and quotas (2011/C 363/02).

4. BUDGETARY IMPLICATION

Uncollected customs duties of a total amount of approximately 60,5 Mio €/year. The effect on the traditional own resources of the budget is -45,4 Mio €/year (75% x 60,5 Mio €/year).

Proposal for a

COUNCIL REGULATION

amending Regulation (EU) No 1344/2011 suspending the autonomous Common Customs Tariff duties on certain agricultural, fishery and industrial products

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) It is in the interest of the Union to suspend totally the autonomous Common Customs Tariff duties on a certain number of new products currently not listed in the Annex to Council Regulation (EU) No 1344/2011¹.
- (2) As it is no longer in the interest of the Union to maintain the suspension of autonomous Common Customs Tariff duties for 39 of the products which are currently listed in the Annex to Regulation (EU) No 1344/2011, those products should be deleted.
- (3) It is necessary to modify the product description of 56 suspensions in the Annex to Regulation (EU) No 1344/2011 in order to take account of technical product developments and economic trends on the market and also linguistic adaptations. Moreover, TARIC codes for two products should be changed. In addition, for three products double classification is considered necessary whereas for two products multiple classification is no longer necessary.
- (4) Those suspensions for which technical modifications are necessary should be deleted from the list of suspensions in the Annex to Regulation (EU) No 1344/2011 and should be reinserted in that list with new product descriptions, or new CN or TARIC codes.
- (5) A number of products were reviewed by the Commission in accordance with Article 2(2) and (3) of Regulation (EU) No 1344/2011. It is in the interest of the Union to provide for a new mandatory review of those products. The reviewed suspensions should therefore be deleted from the list of suspensions in the Annex to Regulation (EU) No 1344/2011 and reinserted in that list with new time limits for a mandatory review.

¹ OJ L 349, 31.12.2011, p. 1.

- (6) In view of their temporary nature, the suspensions listed in Annex I should be reviewed systematically, at the latest five years after their application or renewal. Moreover, closure of certain suspensions should be warranted at any time, as a result of a proposal of the Commission on the basis of a review carried out on initiative of the Commission or on request of one or more Member States if the suspensions are no longer in the Union's interest to be maintained or due to technical product developments, to changed circumstances or to economic trends on the market.
- (7) Since the suspensions laid down in this Regulation have to take effect on 1 January 2013, this Regulation should apply from that date and should enter into force immediately upon its publication in the *Official Journal of the European Union*,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EU) No 1344/2011 is amended as follows:

- (1) The rows for the products listed in Annex I to this Regulation are inserted.
- (2) The rows for the products for which the CN and TARIC codes are set out in Annex II to this Regulation are deleted.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2013.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

ANNEX I

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2008 60 19 ex 2008 60 39	30 30	Sweet cherries containing added spirit, whether or not with a sugar content of 9 % by weight, of a diameter of not more than 19,9 mm, with stone, for use in chocolate products ⁽¹⁾	10 % ⁽²⁾	30.06.2013
ex 2008 93 91	20	Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries ⁽³⁾	0 %	31.12.2017
ex 2008 99 49 ex 2008 99 99	70 11	Blanched vine leaves of the genus <i>Karakishmish</i> , in brine containing: — 14 % or more but not more than 16 % (± 2 %) of salt, — 0,2 % or more but not more than 0,3 % ($\pm 0,1$ %) of citric acid, and — 0,03 % or more but not more than 0,05 % ($\pm 0,01$ %) of sodium benzoate for use in the manufacture of stuffed vine leaves with rice ⁽¹⁾	0 %	31.12.2017
ex 2009 49 30	91	Pineapple juice, other than in powder form: — with a Brix value of more than 20 but not more than 67, — a value of more than €30 per 100 kg net weight, — containing added sugars used in the manufacture of products of food or drink industry ⁽¹⁾	0 %	31.12.2014
ex 2805 19 90	10	Lithium metal of a purity by weight of 99,7 % or more (CAS RN 7439-93-2)	0 %	31.12.2017
ex 2805 30 90 ex 2805 30 90 ex 2805 30 90	40 50 60	Rare earth metals, scandium and yttrium of a purity by weight of 98,5 % or more	0 %	31.12.2015
ex 2816 40 00	10	Barium hydroxide (CAS RN 17194-00-2)	0 %	31.12.2017
ex 2823 00 00	10	Titanium dioxide (CAS RN 13463-67-7): — of a purity by weight of 99,9 % or more, — with an average grain-size of 1,2 μm or more but not more than 1,8 μm — with a specific surface of 5,0 m^2/g or more, but not more than 7,5 m^2/g	0 %	31.12.2017
ex 2823 00 00	20	Titanium dioxide (CAS RN 13463-67-7) with a purity by weight of 99,7 % or more and containing by weight: — not more than 0,005 % of potassium and sodium combined (expressed as elemental sodium and elemental potassium), — not more than 0,01 % of phosphorus (expressed as elemental phosphorus), for use in the metallurgy ⁽¹⁾	0 %	31.12.2017
ex 2825 10 00	10	Hydroxylammonium chloride (CAS RN 5470-11-1)	0 %	31.12.2017
ex 2825 60 00	10	Zirconium dioxide (CAS RN 1314-23-4)	0 %	31.12.2017
ex 2835 10 00	10	Sodium hypophosphite monohydrate (CAS RN 10039-56-2)	0 %	31.12.2017
ex 2837 20 00	20	Ammonium iron (III) hexacyanoferrate (II) (CAS RN 25869-00-5)	0 %	31.12.2017
ex 2839 19 00	10	Disodium disilicate (CAS RN 13870-28-5)	0 %	31.12.2017
ex 2841 80 00	10	Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5)	0 %	31.12.2017
ex 2841 90 85	10	Lithium cobalt(III) oxide with a cobalt content of at least 59 % (CAS RN 12190-79-3)	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2850 00 20	30	Titanium nitride with a particle size of not more than 250 nm (CAS RN 25583-20-4)	0 %	31.12.2017
ex 2904 90 95	40	4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)	0 %	31.12.2017
ex 2905 19 00	70	Titanium tetrabutanolate (CAS RN 5593-70-4)	0 %	31.12.2017
ex 2905 19 00	80	Titanium tetraisopropoxide (CAS RN 546-68-9)	0 %	31.12.2017
ex 2908 99 00	40	4,5-Dihydroxynaphthalene-2,7-disulphonic acid (CAS RN 148-25-4)	0 %	31.12.2017
ex 2912 49 00	20	4-Hydroxybenzaldehyde (CAS RN 123-08-0)	0 %	31.12.2017
ex 2914 19 90	20	Heptan-2-one (CAS RN 110-43-0)	0 %	31.12.2017
ex 2914 19 90	30	3-Methylbutanone (CAS RN 563-80-4)	0 %	31.12.2017
ex 2914 19 90	40	Pentan-2-one (CAS RN 107-87-9)	0 %	31.12.2017
ex 2914 39 00	30	Benzophenone (CAS RN 119-61-9)	0 %	31.12.2017
ex 2914 39 00	70	Benzil (CAS RN 134-81-6)	0 %	31.12.2017
ex 2914 39 00	80	4'-Methylacetophenone (CAS RN 122-00-9)	0 %	31.12.2017
ex 2914 50 00	60	2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)	0 %	31.12.2017
ex 2914 50 00	70	16 α ,17 α -Epoxy-3 β -hydroxypregn-5-en-20-one (CAS RN 974-23-2)	0 %	31.12.2017
ex 2915 90 70	75	2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)	0 %	31.12.2017
ex 2916 12 00	60	Octadecyl acrylate (CAS RN 4813-57-4)	0 %	31.12.2017
ex 2916 39 90	55	4- <i>tert</i> -Butylbenzoic acid (CAS RN 98-73-7)	0 %	31.12.2017
ex 2916 39 90	75	<i>m</i> -Toluic acid (CAS RN 99-04-7)	0 %	31.12.2017
ex 2916 39 90	85	(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)	0 %	31.12.2017
ex 2917 19 10	20	Diethyl malonate (CAS RN 105-53-3)	0 %	31.12.2017
ex 2918 29 00	70	Pentaerythritol tetrakis(3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8)	0 %	31.12.2017
ex 2918 29 00	80	Butyl 3,5-bis(1,1-dimethylethylene)-4-hydroxybenzenepropanoate (CAS RN 52449-44-2)	0 %	31.12.2017
ex 2920 19 00	10	Fenitrothion (ISO) (CAS RN 122-14-5)	0 %	31.12.2013
ex 2921 19 60	10	2-(<i>N,N</i> -Diethylamino)ethyl chloride hydrochloride (CAS RN 869-24-9)	0 %	31.12.2017
ex 2921 30 99	30	1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)	0 %	31.12.2015
ex 2921 42 00	86	2,5-Dichloroaniline of a purity by weight of 99,5 % or more (CAS RN 95-82-9)	0 %	31.12.2017
ex 2921 42 00	87	<i>N</i> -Methylaniline (CAS RN 100-61-8)	0 %	31.12.2017
ex 2921 42 00	88	3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2921 43 00	80	6-Chloro- α,α,α -trifluoro-m-toluidine (CAS RN 121-50-6)	0 %	31.12.2017
ex 2921 49 00	85	4-Isopropylaniline (CAS RN 99-88-7)	0 %	31.12.2017
ex 2921 59 90	30	3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)	0 %	31.12.2017
ex 2921 59 90	60	(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-8)	0 %	31.12.2017
ex 2922 49 85	20	3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)	0 %	31.12.2017
ex 2922 49 85	60	Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)	0 %	31.12.2017
ex 2924 19 00	80	Tetrabutylurea (CAS RN 4559-86-8)	0 %	31.12.2017
ex 2924 29 98	51	Methyl 2-amino-4-[[2,5-dichlorophenyl]amino]carbonyl]benzoate (CAS RN 59673-82-4)	0 %	31.12.2017
ex 2924 29 98	53	4-Amino-N-[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)	0 %	31.12.2017
ex 2924 29 98	86	Anthranilamide of a purity by weight of 99,5 % or more (CAS RN 88-68-6)	0 %	31.12.2017
ex 2925 19 95	20	4,5,6,7-Tetrahydroisindole-1,3-dione (CAS RN 4720-86-9)	0 %	31.12.2017
ex 2925 19 95	30	<i>N,N'</i> -(<i>m</i> -Phenylene)dimaleimide (CAS RN 3006-93-7)	0 %	31.12.2017
ex 2926 90 95	18	Methyl cyanoacetate (CAS RN 105-34-0)	0 %	31.12.2017
ex 2927 00 00	80	4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid (CAS RN 51867-77-7)	0 %	31.12.2017
ex 2928 00 90	75	Metaflumizone (ISO) (CAS RN 139968-49-3)	0 %	31.12.2016
ex 2928 00 90	80	Cyflufenamid (ISO) (CAS RN 180409-60-3)	0 %	31.12.2013
ex 2928 00 90	85	Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)	0 %	31.12.2016
ex 2930 20 00	10	Prosulfocarb (ISO) (CAS RN 52888-80-9)	0 %	31.12.2017
ex 2930 90 99	66	Diphenyl sulphide (CAS RN 139-66-2)	0 %	31.12.2017
ex 2930 90 99	67	3-Bromomethyl-2-chloro-4-(methylsulphonyl)-benzoic acid (CAS RN 120100-05-2)	0 %	31.12.2013
ex 2930 90 99	68	Clethodim (ISO) (CAS RN 99129-21-2)	0 %	31.12.2017
ex 2930 90 99	71	Triphenylsulphonium chloride (CAS RN 4270-70-6)	0 %	31.12.2013
ex 2930 90 99	83	Methyl- <i>p</i> -tolyl sulphone (CAS RN 3185-99-7)	0 %	31.12.2017
ex 2931 90 90	14	Sodium diisobutylidithiophosphinate (CAS RN 13360-78-6) in an aqueous solution	0 %	31.12.2017
ex 2932 20 90	20	Ethyl 6'-(diethylamino)-3-oxo-3 <i>H</i> -spiro[2-benzofuran-1,9'-xanthene]-2'-carboxylate (CAS RN 154306-60-2)	0 %	31.12.2017
ex 2932 20 90	40	(<i>S</i>)-(-)- α -Amino- γ -butyrolactonehydrobromide (CAS RN 15295-77-9)	0 %	31.12.2017
ex 2933 19 90	40	Edaravone (INN) (CAS RN 89-25-8)	0 %	31.12.2013
ex 2933 19 90	80	3-(4,5-Dihydro-3-methyl-5-oxo-1 <i>H</i> -pyrazol-1-yl)benzenesulphonic acid (CAS RN 119-17-5)	0 %	31.12.2017
ex 2933 29 90	40	Triflumizole (ISO) (CAS RN 68694-11-1)	0 %	31.12.2013

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2933 39 99	12	2,3-Dichloropyridine (CAS RN 2402-77-9)	0 %	31.12.2017
ex 2933 39 99	18	6-Chloro-3-nitropyridin-2-ylamine (CAS RN 27048-04-0)	0 %	31.12.2017
ex 2933 39 99	55	Pyriproxyfen (ISO) of a purity by weight of 97 % or more (CAS RN 95737-68-1)	0 %	31.12.2014
ex 2933 59 95	77	3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)	0 %	31.12.2017
ex 2933 69 80	55	Terbutryn (ISO) (CAS RN 886-50-0)	0 %	31.12.2015
ex 2933 79 00	30	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	0 %	31.12.2017
ex 2933 99 80	18	4,4'-[(9-Butyl-9H-carbazol-3-yl)methylene]bis[N-methyl-N-phenylaniline] (CAS RN 67707-04-4)	0 %	31.12.2017
ex 2933 99 80	22	(2S)-2-Benzyl-N,N-dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)	0 %	31.12.2017
ex 2933 99 80	24	1,3-Dihydro-5,6-diamino-2H-benzimidazol-2-one (CAS RN 55621-49-3)	0 %	31.12.2017
ex 2933 99 80	28	N-(2,3-Dihydro-2-oxo-1H-benzimidazol-5-yl)-3-hydroxynaphthalene-2-carboxamide (CAS RN 26848-40-8)	0 %	31.12.2017
ex 2933 99 80	50	Metconazole (ISO) (CAS RN 125116-23-6)	3.2 %	31.12.2013
ex 2933 99 80	89	Carbendazim (ISO) (CAS RN 10605-21-7)	0 %	31.12.2013
ex 2934 10 00	15	4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)	0 %	31.12.2017
ex 2934 10 00	25	(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)	0 %	31.12.2017
ex 2934 10 00	35	(2-Isopropylthiazol-4-yl)-N-methylmethanamine dihydrochloride (CAS RN 1185167-55-8)	0 %	31.12.2017
ex 2934 20 80	40	1,2-Benzisothiazol-3(2H)-one (Benzisothiazolinone (BIT)) (CAS RN 2634-33-5)	0 %	31.12.2017
ex 2934 30 90	10	2-Methylthiophenothiazine (CAS RN 7643-08-5)	0 %	31.12.2017
ex 2934 99 90	12	Morpholino phosphorodiamidate oligomers (morpholino oligonucleotides) intended for genetic research ⁽¹⁾	0 %	31.12.2017
ex 2934 99 90	14	Ethyl N-[[1-methyl-2-({[4-(5-oxo-4,5-dihydro-1,2,4-oxadiazol-3-yl)phenyl]amino}methyl)-1H-benzimidazol-5-yl]carbonyl]-N-pyridin-2-yl-b-alaninate (CAS RN 872728-84-2)	0 %	31.12.2017
ex 2934 99 90	15	Carboxin (ISO) (CAS RN 5234-68-4)	0 %	31.12.2013
ex 2934 99 90	18	3,3-bis(2-Methyl-1-octyl-1H-indol-3-yl)phthalide (CAS RN 50292-95-0)	0 %	31.12.2017
ex 2934 99 90	22	7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(2-methyl-1-octyl-1H-indol-3-yl) furo[3,4-b]pyridin-5(7H)-one (CAS RN 87563-89-1)	0 %	31.12.2017
ex 2934 99 90	23	Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2)	0 %	31.12.2016
ex 2934 99 90	74	2-Isopropylthioxanthone (CAS RN 5495-84-1)	0 %	31.12.2017
ex 2934 99 90	83	Flumioxazin (ISO) of a purity by weight of 96 % or more (CAS RN 103361-09-7)	0 %	31.12.2014
ex 2934 99 90	84	Etiozazole (ISO) of a purity by weight of 94,8 % or more (CAS RN 153233-91-1)	0 %	31.12.2014

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2942 00 00	10	<i>N,N</i> -Dimethyloctylamine – boron trichloride (1:1) (CAS RN 34762-90-8)	0 %	31.12.2017
ex 3102 50 90	10	Natural sodium nitrate (CAS RN 7631-99-4)	0 %	31.12.2017
ex 3204 11 00	70	Dye C.I. Disperse Red 343	0 %	31.12.2017
ex 3204 13 00	20	(2,2'-(3,3'-Dioxidobiphenyl-4,4'-diyl diazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper(II) acetate lactate (CAS RN 159604-94-1)	0 %	31.12.2017
ex 3204 15 00	10	Dye C.I. Vat Orange 7 (C.I. Pigment Orange 43)	0 %	31.12.2017
ex 3204 17 00	30	Dye C.I. Pigment Yellow 97	0 %	31.12.2017
ex 3204 17 00	80	Dye C.I. Pigment Red 207	0 %	31.12.2017
ex 3204 17 00	85	Dye C.I. Pigment Blue 61	0 %	31.12.2017
ex 3204 17 00	88	Dye C.I. Pigment Violet 3	0 %	31.12.2017
ex 3204 19 00	84	Dye C.I. Solvent Blue 67	0 %	31.12.2017
ex 3204 19 00	85	Dye C.I. Solvent Red HPR	0 %	31.12.2017
ex 3208 90 19 ex 3208 90 91	25 20	Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight	0 %	31.12.2017
ex 3208 90 19	75	Acenaphthalene copolymer in ethyl lactate solution	0 %	31.12.2017
ex 3402 13 00	20	Surfactant containing 1,4-dimethyl-1,4- <i>bis</i> (2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated	0 %	31.12.2017
ex 3802 90 00	11	Soda flux calcinated diatomaceous earth, acid washed, for use as filter aid in the manufacture of pharmaceutical and/or biochemical products	0 %	31.12.2017
ex 3808 91 90	10	Indoxacarb (ISO) and its (<i>R</i>) isomer, fixed on a support of silicon dioxide	0 %	31.12.2013
ex 3808 91 90	50	<i>Spodoptera exigua</i> nuclear polyhedrosis virus (SeNPV) in an aqueous glycerol suspension	0 %	31.12.2013
ex 3808 91 90	60	Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)	0 %	31.12.2017
ex 3808 92 90	10	Fungicide in the form of a powder, containing by weight 65 % or more but not more than 75 % of hymexazole (ISO), not put up for retail sale	0 %	31.12.2013
ex 3808 93 15	10	Preparation based on a concentrate containing by weight 45 % or more but not more than 55 % of the active herbicidal ingredient Penoxsulam as an aqueous suspension	0 %	31.12.2017
ex 3811 21 00	30	Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 21 00	40	Additives for lubricating oils, containing mineral oils, based on a mixture of dodecylphenol sulphide calcium salts (CAS RN 68784-26-9), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 21 00	50	Additives for lubricating oils, — based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), — containing mineral oils, used as a concentrated additive for the manufacture of engine oils through a	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3811 21 00	60	blending process Additives for lubricating oils, containing mineral oils, — based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25 % or more but not more than 35 %, — with a total base number (TBN) of 280 or more but not more than 320, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 21 00	70	Additives for lubricating oils, — containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), — containing mineral oils, — with a chlorine content by weight of 0,05 % or more but not more than 0,25 %, — with a total base number (TBN) of more than 20, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 29 00	10	Additives for lubricating oils, consisting of reaction products of diphenylamine with branched nonene (CAS RN 36878-20-3 and CAS RN 27177-41-9), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 29 00	20	Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 29 00	30	Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 29 00	40	Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,05 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 29 00	50	Additives for lubricating oils, consisting of a mixture of <i>N,N</i> -dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	31.12.2017
ex 3811 90 00	30	Solution of a (dimethylamino)methyl-derivative of polyisobutylene phenol, containing by weight 10 % or more but not more than 19,9 % petroleum naphtha	0 %	31.12.2017
ex 3811 90 00	40	Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 20 % or more but not more than 29,9 % 2-ethylhexanol	0 %	31.12.2017
ex 3815 90 90	16	Initiator based on dimethylaminopropyl urea	0 %	31.12.2017
ex 3815 90 90	18	Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1 <i>H</i> -1,4,7-triazonine-1-yl- <i>kN</i> ¹ , <i>kN</i> ⁴ , <i>kN</i> ⁷)ethane-di- μ -oxo- μ -(ethanoato- <i>kO</i> , <i>kO'</i>)-, di[chloride(1-)], used to accelerate chemical oxidation or bleaching (CAS RN 1217890-37-3)	0 %	31.12.2017
ex 3815 90 90	85	Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins (1)	0 %	31.12.2017
ex 3815 90 90	89	Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile (1)	0 %	31.12.2016

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3824 90 97	33	Preparation, containing: — trioctylphosphine oxide (CAS RN 78-50-2), — dioctylhexylphosphine oxide (CAS RN 31160-66-4), — octyldihexylphosphine oxide (CAS RN 31160-64-2) and — trihexylphosphine oxide (CAS RN 9084-48-8)	0 %	31.12.2016
ex 3824 90 97	35	Mixture of: — 3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide (CAS RN 50292-95-0) and — ethyl-6'-(diethylamino)-3-oxo-spiro-[isobenzofuran-1(3H),9'-[9H]xanthene]-2'-carboxylate (CAS RN 154306-60-2)	0 %	31.12.2017
ex 3824 90 97	36	Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)	0 %	31.12.2017
ex 3824 90 97	37	Liquid crystal mixture for use in the manufacture of displays ⁽¹⁾	0 %	31.12.2017
ex 3824 90 97	38	Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses ⁽¹⁾	0 %	31.12.2017
ex 3824 90 97	41	Preparation, consisting of: — dipropylene glycol — tripropylene glycol — tetrapropylene glycol and — pentapropylene glycol	0 %	31.12.2017
ex 3824 90 97	43	Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators	0 %	31.12.2017
ex 3824 90 97	44	Mixture of phytosterols, not in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters ⁽¹⁾	0 %	31.12.2017
ex 3824 90 97	70	Paste containing by weight 75 % or more, but not more than 85 % of copper, and also containing inorganic oxides, ethyl cellulose and a solvent	0 %	31.12.2017
ex 3824 90 97	78	Mixture of phytosterols derived from wood and wood based oils (tall oil), in the form of powder with a particle size not more than 300 µm, containing by weight: — 60 % or more, but not more than 80 % of sitosterols, — not more than 15 % of campesterols, — not more than 5 % of stigmasterols, — not more than 15 % of betasitostanols	0 %	31.12.2017
ex 3903 90 90 ex 3911 90 99	35 43	Copolymer of α -methylstyrene and styrene, having a softening point of more than 113 °C	0 %	31.12.2013
ex 3903 90 90	86	Mixture containing by weight: — 45 % or more but not more than 65 % of polymers of styrene — 35 % or more but not more than 45 % of poly(phenylene ether) — not more than 10 % of other additives and with one or more of the following special colour effects: — metallic or pearlescent with a visual angular metamerism caused by at least 0,3 % flake-based pigment — fluorescent, as characterized by emitting light during absorption of ultraviolet radiation — bright white, as characterized by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIE Lab colour scale	0 %	31.12.2013

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3904 69 80	85	Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder, whether or not with fillers	0 %	31.12.2017
ex 3907 30 00	60	Polyglycerol polyglycidyl ether resin (CAS RN 105521-63-9)	0 %	31.12.2017
ex 3907 60 80	50	Flexible packages (for oxygen sensitive polymers) manufactured from a laminate of: — not more than 75 µm of polyethylene, — not more than 50 µm of polyamide, — not more than 15 µm of polyethylene terephthalate and — not more than 9 µm of aluminium with a tensile strength of more than 70 N/15 mm and oxygen transmission rate of less than 0,1 cm ³ /m ² /24 hrs at 0,1 MPa	0 %	31.12.2017
ex 3907 99 90	25	Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol	0 %	31.12.2017
ex 3907 99 90	60	Copolymer of terephthalic acid and isophthalic acid with bisphenol A	0 %	31.12.2017
ex 3908 90 00	60	Copolymer consisting of: — hexanedioic acid — 12-aminododecanoic acid — hexahydro-2H-azepin-2-one, and — 1,6-hexanediamine	0 %	31.12.2017
ex 3909 40 00	20	Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices (1)	0 %	31.12.2015
ex 3909 40 00	30	Mixture of: — alkylphenol - formaldehyde resin, whether or not brominated, and — zinc oxide	0 %	31.12.2017
ex 3910 00 00	50	Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum	0 %	31.12.2017
ex 3911 90 19	30	Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide	0 %	31.12.2017
ex 3911 90 99	53	Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503442-46-4)	0 %	31.12.2017
ex 3911 90 99	57	Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)	0 %	31.12.2017
ex 3919 10 80 ex 3919 90 00	43 26	Ethylene vinyl acetate film: — of a thickness of 100 µm or more, — coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester liner	0 %	31.12.2014
ex 3919 10 80 ex 3919 90 00	45 45	Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm	0 %	31.12.2017
ex 3919 10 80 ex 3919 90 00	55 53	Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3919 10 80 ex 3919 90 00	85 28	Poly(vinyl chloride) or polyethylene or any other polyolefine film: — of a thickness of 65 µm or more, — coated on one side with an acrylic UV-sensitive adhesive and a polyester liner	0 %	31.12.2014
ex 3919 90 00	25	Film consisting of a multi-layer construction of poly(ethylene terephthalate) and copolymer of butylacrylate and methylmethacrylate, coated on one side with an acrylic abrasion resistant coating incorporating nanoparticles of antimony tin oxide and carbon black, and on the other side with an acrylic pressure sensitive adhesive and a silicone-coated poly(ethylene terephthalate) protective liner	0 %	31.12.2017
ex 3919 90 00 ex 9001 20 00	47 40	Polariser film, in rolls, consisting of a multilayered polyvinyl alcohol film, supported on either side by a triacetyl cellulose film, with a pressure sensitive adhesive and release film on one side	0 %	31.12.2017
ex 3920 10 40	30	Co-extruded seven to nine layered film predominately of copolymers of ethylene or functionalized polymers of ethylene, consisting of: — a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, — covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm	0 %	31.12.2017
ex 3920 20 29 ex 3920 20 80	55 93	Co-extruded seven to nine layered film predominately of copolymers of propylene, consisting of: — a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, — covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm	0 %	31.12.2017
ex 3920 20 29	94	Co-extruded trilayer film, — each layer containing a mixture of polypropylene and polyethylene, — containing not more than 3 % by weight of other polymers, — whether or not containing titanium dioxide in the core layer, — of an overall thickness of not more than 70 µm	0 %	31.12.2016
ex 3920 51 00	40	Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PRF-25690)	0 %	31.12.2013
ex 3920 62 19 ex 3920 62 19	41 43	Poly(ethylene terephthalate) film, of a thickness of 18µm or more but not more than 25µm, having: — a shrinkage of 3,4 (± 0,1) % in the machine direction (as determined by the ASTM D 1204 method at 190°C for 20 min) and — a shrinkage of 0,3 (± 0,2) % in the transverse direction (as determined by the ASTM D 1204 method at 190°C for 20 min)	0 %	31.12.2013
ex 3920 62 19 ex 3920 62 19	80 82	Poly(ethylene terephthalate) film of a thickness of not more than 20 µm, coated on both sides with a gas barrier layer consisting of a polymeric matrix in which silica has been dispersed and of a thickness of not more than 2 µm	0 %	31.12.2017
ex 3920 79 90	10	Cellulose acetyl butyrate film, whether or not combined with a polycarbonate layer, of a thickness of not more than 0,81 mm containing a micro-louvre with a typical viewing angle of 30 degrees measured on each side of the surface normal	0 %	31.12.2013
ex 3920 92 00	30	Polyamide film of a thickness of not more than 20 µm, coated on both sides with a gas barrier layer which consists of a polymeric matrix in which silica has been dispersed and of a thickness of not more than 2 µm	0 %	31.12.2013

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 5407 10 00	10	Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis (phenyleneamine)	0 %	31.12.2017
ex 5603 11 10 ex 5603 11 90	20 20	Nonwovens, not weighing more than 20 g/m ² , containing spunbonded and meltblown filaments put together in a sandwich way with the two outer layers containing fine endless filaments (not less than 10 µm but not more than 20 µm in diameter) and the inner layer containing super-fine endless filaments (not less than 1 µm but not more than 5 µm in diameter), for the manufacture of napkins and napkin liners for babies and similar sanitary napkins (1)	0 %	31.12.2017
ex 5603 12 90	50	Non-woven: — weighing 30 g/m ² or more, but not more than 60 g/m ² , — containing fibres of polypropylene or of polypropylene and polyethylene, — whether or not printed, with: — on one side, 65 % of the total surface area having circular bobbles of 4mm in diameter, consisting of anchored, elevated un-bonded curly fibres, suitable for the engagement of extruded hook materials, and the remaining 35 % of the surface area being bonded, — and on other side a smooth untextured surface, for use in the manufacture of napkins and napkin liners for babies and similar sanitary articles (1)	0 %	31.12.2017
ex 5603 12 90 ex 5603 13 90 ex 5603 92 90 ex 5603 93 90	70 70 40 10	Non-wovens of polypropylene, — with a melt blown layer, laminated on each side with spunbonded filaments of polypropylene, — with a weight of not more than 150 g/m ² , — in the piece or simply cut into squares or rectangles, and — not impregnated	0 %	31.12.2013
ex 5603 92 90 ex 5603 94 90	70 40	Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene	0 %	31.12.2013
ex 5603 92 90 ex 5603 93 90	80 50	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: — a weight of 25 g/m ² or more but not more than 150 g/m ² , — in the piece or simply cut into squares or rectangles, — not impregnated, — with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products (1)	0 %	31.12.2016
ex 6909 19 00	15	Ceramic ring with rectangular transversal section having an external diameter of 19 mm or more (+ 0,00 mm/- 0,10 mm) but not more than 29 mm (+ 0,00 mm/- 0,20 mm), an internal diameter of 10 mm or more (+ 0,00 mm/- 0,20 mm) but not more than 19 mm (+ 0,00 mm/- 0,30 mm), a thickness variable from 2 mm (± 0,10 mm) to 3,70 mm (± 0,20 mm) and heat resistance 240 °C or more, containing by weight: — 90 % (± 1,5 %) of aluminium oxide — 7 % (± 1 %) of titanium oxide	0 %	31.12.2017
ex 7005 10 30	10	Float glass: — of a thickness of 4,0 mm or more but not more than 4,2 mm, — with a light transmission of 91 % or more measured using a D-type light source, — coated on one surface with a fluorine doped tin dioxide reflective layer	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 7019 12 00 ex 7019 12 00	05 25	Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)	0 %	31.12.2013
ex 7019 19 10	15	Yarn of 33 tex or a multiple of 33 tex (± 13 %) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)	0 %	31.12.2017
ex 7326 90 98	40	TV pedestal stand with metal upper part for fixation and stabilization of TV cabinet case/body	0 %	31.12.2016
ex 7601 20 20 ex 7601 20 80	10 10	Sheets and billets of secondary aluminium alloy containing lithium	0 %	31.12.2017
ex 7604 29 10 ex 7606 12 99	10 20	Sheets and bars of aluminium-lithium alloys	0 %	31.12.2015
ex 7606 12 92 ex 7607 11 90	20 20	Aluminium and magnesium alloy strip: — in rolls, — of a thickness of 0,14 mm or more but not more than 0,40 mm, — a width of 12,5 mm or more but not more than 359 mm, — a tensile strength of 285 N/mm ² or more, and — an elongation at break of 1 % or more, and containing by weight: — 93,3 % or more of aluminium, — 2,2 % or more but not more than 5 % of magnesium, and — not more than 1,8 % of other elements	0 %	31.12.2017
ex 7607 11 90	30	Laminated aluminium foil with: — 99 % or more of aluminium, — a silica and water glass free hydrophilic coating, — a total thickness of not more than 0,120 mm, — a tensile strength of 100 N/mm ² or more (as determined by test method ASTM E8), and — an elongation at break of 1 % or more	0 %	30.06.2013
ex 7607 20 90	10	Aluminium laminated film of a total thickness of not more than 0,123 mm, comprising of a layer of aluminium of a thickness of not more than 0,040 mm, polyamide and polypropylene base films, and a protective coating against corrosion by hydrofluoric acid, for use in the manufacture of lithium polymer batteries ⁽¹⁾	0 %	31.12.2017
ex 8102 10 00	10	Molybdenum powder with — a purity by weight of 99 % or more and — a particle size of 1,0 µm or more, but not more than 5,0 µm	0 %	31.12.2017
ex 8108 90 30	20	Bars, rods and wire of alloy of titanium and aluminium, containing by weight 1 % or more but not more than 2 % of aluminium, for use in the manufacture of silencers and exhaust pipes of subheadings 8708 92 or 8714 10 00 ⁽¹⁾	0 %	31.12.2017
ex 8108 90 50	30	Alloy of titanium and silicon, containing by weight 0,15 % or more but not more than 0,60 % of silicon, in sheets or rolls, for use in the manufacture of: — exhaust systems for internal combustion engines or — tubes and pipes of subheading 8108 90 60 ⁽¹⁾	0 %	31.12.2017
ex 8108 90 50	40	Titanium-alloy sheets for the manufacture of structural parts of aircrafts ⁽¹⁾	0 %	31.12.2017
ex 8108 90 50	50	Plates, sheets, strips and foils of an alloy of titanium, copper and niobium, containing by weight 0,8 % or more but not more than 1,2 % of copper and 0,4 % or more but not more than 0,6 % of niobium	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8108 90 50	85	Plates, sheets, strip and foil of non-alloyed titanium	0 %	31.12.2017
ex 8113 00 90	10	Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits	0 %	31.12.2017
ex 8207 30 10	10	Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts of motor vehicles (1)	0 %	31.12.2017
ex 8407 33 00	10	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of:	0 %	31.12.2017
ex 8407 90 80	10	— self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90,		
ex 8407 90 90	10	— tractors of subheading 8701 90 11, whose main function is that of a lawn mower, — four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or — snowploughs and snow blowers of subheading 8430 20 (1)		
ex 8408 90 43	30	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having:	0 %	31.12.2017
ex 8408 90 45	20	— a capacity of not more than 3850 cm ³ , and		
ex 8408 90 47	30	— a rated output of 15 kW or more but not more than 55 kW, for use in the manufacture of vehicles of heading 8427 (1)		
ex 8411 99 00	30	Wheel-shaped gas turbine component with blades, of a kind used in turbochargers: — of a precision-cast nickel based alloy complying with standard DIN G-NiCr13Al16MoNb or DIN NiCo10W10Cr9AlTi or AMS AISI:686, — with a heat-resistance of not more than 1 100 °C; — with a diameter of 30 mm or more, but not more than 80 mm; — with a height of 30 mm or more, but not more than 50 mm	0 %	31.12.2017
ex 8481 80 69	60	Four-way reversing valve for refrigerants, consisting of: — a solenoid pilot valve — a brass valve body including valve slider and copper connections with a working pressure up to 4,5 MPa	0 %	31.12.2017
ex 8483 30 38	30	Cylindrical bearing housing: — of precision-cast grey cast iron complying with standard DIN EN 1561, — with oil chambers, — without bearings, — with a diameter of 60 mm or more, but not more than 180 mm, — with a height of 60 mm or more, but not more than 120 mm, — whether or not with water chambers and connectors	0 %	31.12.2017
ex 8501 31 00	70	DC motors, brushless, with: — an external diameter of 80 mm or more, but not more than 100 mm, — a supply voltage of 12 V, — an output at 20 °C of 300 W or more, but not more than 550 W, — a torque 20 °C of 2,90 Nm or more, but not more than 5,30 Nm, — a rated speed at 20 °C of 600 rpm or more, but not more than 1 200 rpm, — equipped with the rotor angle position sensor of resolver type or Hall effect type, of the kind used in power steering systems for cars	0 %	31.12.2017
ex 8501 33 00	30	Electric drive for motor vehicles, with an output of not more than 315 kW, with:	0 %	31.12.2016
ex 8501 40 80	50	— an AC or DC motor whether or not with transmission,		
ex 8501 53 50	10	— power electronics		

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8501 62 00	30	Fuel cell system — consisting of at least phosphoric acid fuel cells, — in a housing with integrated water management and gas treatment, — for permanent, stationary energy supply	0 %	31.12.2017
ex 8504 31 80	20	Transformer for use in the manufacture of inverters in LCD modules (1)	0 %	31.12.2017
ex 8504 31 80	40	Electrical transformers: — with a capacity of 1 kVA or less — without plugs or cables, for internal use in the manufacture of set top boxes and TVs (1)	0 %	31.12.2017
ex 8504 40 82	40	Printed circuit board equipped with a bridge rectifier circuit and other active and passive components — with two output connectors — with two input connectors which are available and useable in parallel — able to switch between bright and dimmed operation mode — with an input voltage of 40V (+ 25 % -15 %) or 42 V (+ 25 % -15 %) in bright operation mode, with an input voltage of 30 V (± 4 V) in dimmed operation mode, or — with an input voltage of 230V (+20 % -15 %) in bright operation mode, with an input voltage of 160 V (± 15 %) in dimmed operation mode, or — with an input voltage of 120V (15 % -35 %) in bright operation mode, with an input voltage of 60 V (± 20 %) in dimmed operation mode — with an input current reaching 80 % of its nominal value within 20 ms — with an input frequency of 45 Hz or more, but not more than 65 Hz for 42V and 230V, and 45-70Hz for 120V versions — with an maximum inrush current overshoot of not more than 250 % of the input current — with a period of the inrush current overshoot of not more than 100ms — with an input current undershoot of not less than 50 % of the input current — with a period of the inrush current undershoot of not more than 20ms — with a presettable output current — with an output current reaching 90 % of its nominal pre-set value within 50 ms — with an output current reaching zero within 30 ms after removal of the input voltage — with an defined failure status in case of no-load or too-high load (end-of-life function)	0 %	30.06.2013
ex 8504 40 82	50	Transformer in a housing with — a rated power of not more than 30 W — an input voltage of 90 V or more, but not more than 305 V — an input frequency of 47 Hz or more, but not more than 63 Hz — a constant current output of 350 mA or more, but not more than 1.050 mA — an inrush current of not more than 10 A — an operating temperature range of -20 °C or more, but not more than +65 °C, suitable for driving LEDs	0 %	31.12.2017
ex 8504 50 95	50	Solenoid coil with — a power consumption of not more than 6 W, — an insulation resistance of more than 100 M ohms, and — an insert hole of 11,4 mm or more, but not more than 11,8 mm	0 %	31.12.2017
ex 8505 11 00	33	Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rounded rectangle with measurements of not more than 15mm × 10 mm × 2 mm, or in the shape of a disc with a diameter of not more than 90mm, whether or not containing a hole in the centre	0 %	31.12.2013
ex 8505 11 00	50	Bars specifically shaped, intended to become permanent magnets after magnetization, containing neodymium, iron and boron, with dimensions: — a length of 15 mm or more but not more than 52 mm, — a width of 5 mm or more but not more than 42 mm,	0 %	31.12.2017

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
		of a kind to be used in the manufacture of electric servomotors for industrial automation		
ex 8505 11 00	60	Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with — a diameter of not more than 45 mm, — a height of not more than 45 mm, of a kind used in the manufacture of permanent magnets after magnetisation	0 %	31.12.2017
ex 8507 60 00	40	Batteries of ion-lithium electric accumulators rechargeable with: — a length of 1 203 mm or more, but not more than 1 297 mm, — a width of 282 mm or more, but not more than 772 mm, — a height of 792 mm or more, but not more than 839 mm, — a weight of 260 kg or more, but not more than 293 kg, — power of 22 kWh or 26 kWh, and — constituted of 24 or 48 modules	0 %	31.12.2017
ex 8507 60 00	50	Modules for the assembly of batteries of ion lithium electric accumulators with: — a length of 298 mm or more, but not more than 408 mm, — a width of 33,5 mm or more, but not more than 209 mm, — a height of 138 mm or more, but not more than 228 mm, — a weight of 3,6 kg or more, but not more than 17 kg, and — a power of 485 kWh or more, but not more than 2 158 kWh	0 %	31.12.2017
ex 8507 60 00	55	Lithium-ion accumulator in cylindrical form, with: — a base similar to an ellipse squeezed in the middle, — a length of 49 mm or more (not including terminals), — a width of 33,5 mm or more, — a thickness of 9,9 mm or more, — a rated capacity of 1,75 Ah or more, and — a rated voltage of 3,7 V, for the manufacture of rechargeable batteries (1)	0 %	31.12.2017
ex 8507 60 00	57	Lithium-ion accumulator, cuboid in shape, with: — some of the corners rounded off, — a length of 76 mm or more (not including terminals), — a width of 54,5 mm or more, — a thickness of 5,2 mm or more, — a rated capacity of 3 100 mAh or more, and — a rated voltage of 3,7 V, for the manufacture of rechargeable batteries (1)	0 %	31.12.2017
ex 8507 90 80	70	Cut plate of nickel-plated copper foil, with: — a width of 70 mm (± 5 mm), — a thickness of 0,4 mm ($\pm 0,2$ mm), — a length of not more than 55 mm, for use in the manufacture of lithium-ion electric vehicle batteries (1)	0 %	31.12.2016
ex 8518 29 95	30	Loudspeakers of: — an impedance of 4 Ohm or more, but not more than 16 Ohm, — a nominal power of 2 W or more, but not more than 20 W, — with or without plastic bracket, and — with or without electric cable fitted with connectors, of a kind used for TV sets and video monitors manufacture	0 %	31.12.2017
ex 8522 90 80	96	Hard disk drive, for incorporation in products of heading 8521 (1)	0 %	31.12.2017
ex 8528 59 40	20	Liquid crystal display colour video monitor having a DC input voltage of 7 V or more but not more than 30 V, with a diagonal measurement of the screen of 33,2 cm or less, — either without housing, with back cover and mounting frame,	0 %	31.12.2013

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8529 90 65	75	— or with a housing specially designed for mounting, suitable for the incorporation into goods of Chapters 84 to 90 and 94 Modules comprising at least semiconductor chips for: — the generation of driving signals for pixel addressing, or — driving addressing pixels	0 %	31.12.2017
ex 8529 90 92	47	Area image sensors ("progressive scan" Interline CCD-Sensor or CMOS-Sensor) for digital video cameras in the form of analogue or digital, monolithic integrated circuit with pixels of not more than $12\text{ }\mu\text{m} \times 12\text{ }\mu\text{m}$ in monochromic version with microlenses applied to each individual pixel (microlens array) or in polychromic version with a colour filter, whether or not with a lenslet (micro lens) array with one lenslet mounted on each individual pixel	0 %	31.12.2014
ex 8529 90 92	50	Colour LCD display panel for LCD monitors of heading 8528: — with a diagonal measurement of the screen of 14,48 cm or more but not more than 31,24 cm, — with backlight, micro-controller, — with a CAN (Controller area network)-controller with LVDS (Low-voltage differential signalling) interface and CAN/power supply socket or with an APIX (Automotive Pixel Link) controller with APIX interface, — in a housing with or without a heat sink at the back of the housing, — without a signal-processing module, for use in the manufacture of vehicles of chapter 87 (1)	0 %	31.12.2015
ex 8536 69 90	81	Pitch connector for use in the manufacture of LCD television reception apparatus (1)	0 %	31.12.2017
ex 8536 69 90	87	D-subminiature (D-sub) type connectors, built into a plastic or metal housing, with 15 pins in 3 rows, for use in the manufacture of products falling within headings 8521 and 8528 (1)	0 %	31.12.2016
ex 8536 69 90	88	Secure Digital (SD), CompactFlash, "Smart Card" and 64-pin PC-card female connectors, of a kind used for soldering on printed circuit boards, for connecting electrical apparatus and circuits and switching or protecting electrical circuits with a voltage of not more than 1 000 V	0 %	31.12.2017
ex 8537 10 91	30	Data processing and evaluation vehicle dashboard control module, operating through the CAN - bus protocol, containing at least: — microprocessor relays, — a stepper motor, — Electrically Erasable Programmable Read-Only (EEPROM) memory, and — other passive components (such as connectors, diodes, voltage stabilizer, resistors, capacitors, transistors), with a voltage of 13,5 V	0 %	31.12.2017
ex 8543 90 00	40	Part of an electrolysis device, consisting of a pan of nickel equipped with a wire mesh of nickel, fixed via ribs of nickel, and a pan of titanium equipped with a wire mesh of titanium, fixed via ribs of titanium, of which both pans are fixed together back to back	0 %	31.12.2017
ex 8544 20 00 ex 8544 42 90 ex 8544 49 93 ex 8544 49 95	10 20 20 10	PET/PVC insulated flexible cable with: — a voltage of not more than 60 V, — a current of not more than 1 A — a heat resistance of not more than 105 °C, — individual wires of a thickness of not more than 0,1 mm ($\pm 0,01\text{ mm}$) and a width of not more than 0,8 mm ($\pm 0,03\text{ mm}$), — a distance between conductors of not more than 0,5 mm and — a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm	0 %	31.12.2013

CN code	TAR IC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8544 42 90	10	Data transmission cable capable of a bit rate transmission of 600 Mbit/s or more, with: — a voltage of 1,25 V ($\pm 0,25$ V) — connectors fitted at one or both ends, at least one of which contains pins with a pitch of 1 mm, — outer screening shielding, used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits	0 %	31.12.2013
ex 8548 90 90	50	Filters with a ferromagnetic core, used to suppress high frequency noise in electronic circuits, for the manufacture of TV sets and monitors of heading 8528 ⁽¹⁾	0 %	31.12.2017
ex 8704 23 91	20	Motor chassis with a self-ignition capacity of at least 8 000 cm ³ , fitted with a cabin on either 3, 4 or 5 wheels having a wheelbase of at least 480 cm, not containing working machinery, to be built into special purpose motor vehicles with a width of at least 300 cm ⁽¹⁾	0 %	31.12.2017
ex 9001 20 00	10	Material consisting of a polarising film, whether or not on rolls, supported on one or both sides by transparent material, whether or not with an adhesive layer, covered on one side or on both sides with a release film	0 %	31.12.2017
ex 9001 90 00	75	Front filter comprising glass panels with special printing and film coating, for use in the manufacture of plasma display modules ⁽¹⁾	0 %	31.12.2017
ex 9002 11 00	20	Lenses — measuring not more than 80 mm x 55 mm x 50 mm, — with a resolution of 160 lines/mm or better, and — with a zoom ratio of 18 times, of a kind used for the production of visualizers or live image cameras	0 %	31.12.2017
ex 9002 11 00	30	Lenses — measuring not more than 180 mm x 100 mm x 100 mm at a maximum focal length of more than 200 mm, — with a resolution of 130 lines/mm or better, and — with a zoom ratio of 18 times of a kind used for the production of visualizers or live image cameras	0 %	31.12.2017
ex 9002 11 00	40	Lenses — measuring not more than 125 mm x 65 mm x 65 mm, — with a resolution of 125 lines/mm or better, and — with a zoom ratio of 16 times of a kind used for the production of visualizers or live image cameras	0 %	31.12.2017
ex 9002 11 00	70	Lenses — measuring not more than 180 mm×100 mm×100 mm at a maximum focal length of more than 200 mm, — with an etendue of 7 steradian mm ² or better, and — with a zoom ratio of 16 times of a kind used for the production of visualizers or live image cameras	0 %	31.12.2017
ex 9032 89 00	40	Digital valve controller for controlling liquids and gases	0 %	31.12.2017
ex 9405 40 39	30	Electric light assembly containing: — printed circuit boards and — Light Emitting Diodes (LED) for the manufacture of backlight units for flat TV sets ⁽¹⁾	0 %	30.06.2013

⁽¹⁾ Suspension of duties is subject to Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 (OJ L 253 11.10.1993, p. 1).

⁽²⁾ The specific additional duty is applicable.

⁽³⁾ A surveillance of imports of goods covered by this tariff suspension shall be established in accordance with the procedure laid down in Article 308d of the Commission Regulation (EEC) No 2454/93.

ANNEX II

CN code	TARIC
ex 2008 60 19	30
ex 2008 60 39	30
ex 2008 93 91	20
ex 2009 49 30	91
ex 2710 12 25	10
ex 2805 30 90	30
ex 2823 00 00	10
ex 2835 10 00	10
ex 2839 19 00	10
ex 2841 80 00	10
ex 2841 90 85	10
ex 2850 00 20	30
ex 2904 10 00	40
ex 2914 19 90	20
ex 2914 19 90	30
ex 2914 19 90	40
ex 2914 39 00	30
ex 2914 39 00	40
ex 2914 50 00	60
ex 2914 50 00	70
ex 2916 39 90	55
ex 2917 39 95	40
ex 2918 23 00	10
ex 2920 19 00	10
ex 2921 30 99	20
ex 2921 30 99	30
ex 2921 59 90	30
ex 2922 49 85	60
ex 2924 29 98	35
ex 2924 29 98	86

CN code	TARIC
ex 2928 00 90	75
ex 2928 00 90	80
ex 2928 00 90	85
ex 2930 20 00	10
ex 2930 90 99	66
ex 2930 90 99	67
ex 2930 90 99	68
ex 2930 90 99	69
ex 2930 90 99	71
ex 2930 90 99	82
ex 2930 90 99	83
ex 2932 99 00	60
ex 2933 19 90	40
ex 2933 29 90	40
ex 2933 39 99	55
ex 2933 69 80	35
ex 2933 69 80	55
ex 2933 79 00	30
ex 2933 99 80	50
ex 2933 99 80	73
ex 2933 99 80	89
ex 2934 20 80	40
ex 2934 99 90	15
ex 2934 99 90	23
ex 2934 99 90	74
ex 2934 99 90	78
ex 2934 99 90	83
ex 2934 99 90	84
ex 3204 15 00	10
ex 3204 17 00	30
ex 3204 17 00	75

CN code	TARIC
ex 3208 90 19	75
ex 3208 90 91	10
ex 3402 13 00	20
ex 3808 91 90	10
ex 3808 91 90	50
ex 3808 92 90	10
ex 3808 93 15	10
ex 3808 93 27	20
ex 3815 19 90	41
ex 3815 90 90	16
ex 3815 90 90	85
ex 3815 90 90	89
ex 3824 90 97	33
ex 3824 90 97	36
ex 3824 90 97	37
ex 3824 90 97	38
ex 3824 90 97	44
ex 3824 90 97	47
ex 3824 90 97	70
ex 3824 90 97	78
ex 3901 10 10	10
ex 3901 20 90	30
ex 3903 90 90	35
ex 3903 90 90	86
ex 3906 10 00	10
ex 3907 99 90	60
ex 3909 40 00	20
ex 3910 00 00	50
ex 3911 90 19	30
ex 3919 10 80	45
ex 3919 10 80	55

CN code	TARIC
ex 3919 90 00	25
ex 3919 90 00	26
ex 3919 90 00	28
ex 3919 90 00	45
ex 3919 90 00	47
ex 3919 90 00	53
ex 3919 90 00	55
ex 3920 20 29	94
ex 3920 51 00	10
ex 3920 51 00	40
ex 3920 62 19	41
ex 3920 62 19	43
ex 3920 62 19	80
ex 3920 62 19	82
ex 3920 79 90	10
ex 3920 92 00	30
ex 5407 10 00	10
ex 5603 11 10	20
ex 5603 11 90	20
ex 5603 12 90	50
ex 5603 12 90	70
ex 5603 13 90	70
ex 5603 92 90	40
ex 5603 92 90	70
ex 5603 92 90	80
ex 5603 93 90	10
ex 5603 93 90	50
ex 5603 94 90	40
ex 7005 10 25	10
ex 7005 10 30	10
ex 7006 00 90	60

CN code	TARIC
ex 7007 19 20	20
ex 7326 90 98	40
ex 7410 22 00	10
ex 7601 20 99	10
ex 7604 29 10	10
ex 7606 12 92	20
ex 7606 12 99	20
ex 7607 11 90	20
ex 7607 11 90	30
ex 7607 20 90	10
ex 8108 90 30	20
ex 8108 90 50	30
ex 8108 90 50	40
ex 8108 90 50	50
ex 8113 00 90	10
ex 8407 31 00	10
ex 8407 33 00	10
ex 8407 90 80	10
ex 8407 90 90	10
ex 8412 21 80	50
ex 8419 89 98	30
ex 8419 89 98	40
ex 8462 21 80	10
ex 8477 59 80	10
ex 8501 33 00	30
ex 8501 40 80	50
ex 8501 53 50	10
ex 8504 31 80	20
ex 8504 40 82	40
ex 8505 11 00	33
ex 8507 90 80	70

CN code	TARIC
ex 8522 90 80	96
ex 8528 59 40	20
ex 8529 90 49	10
ex 8529 90 65	75
ex 8529 90 65	80
ex 8529 90 92	46
ex 8529 90 92	47
ex 8529 90 92	50
ex 8529 90 92	60
ex 8536 69 90	81
ex 8536 69 90	87
ex 8540 91 00	95
ex 8543 90 00	40
ex 8544 42 90	10
ex 8544 49 93	20
ex 8704 23 91	20
ex 9001 20 00	10
ex 9001 20 00	40
ex 9001 90 00	75
ex 9032 10 89	20
ex 9032 89 00	40
ex 9405 40 39	30

LEGISLATIVE FINANCIAL STATEMENT

1. NAME OF THE PROPOSAL:

Proposal for a Council Regulation amending Regulation (EU) No 1344/2011 suspending the autonomous Common Customs Tariff duties on certain agricultural, fishery and industrial products

2. BUDGET LINES:

Chapter and Article: Chapter 12, Article 120

Amount budgeted for the year 2013: **18 631 800 000 € (DB 2013)**

3. FINANCIAL IMPACT:

☐ Proposal has no financial implications

X Proposal has no financial impact on expenditure but has a financial impact on revenue – the effect is as follows:

(€ million to one decimal place)

Budget line	Revenue ²	12 month period, starting dd/mm/aaaa	[Year: 2013]
Article 120	<i>Impact on own resources</i>	01/1/2013	- 45,4

(€ million to one decimal place)

Situation following action	
	[2014 – 2017]
Article 120	- 45,4 / year

4. ANTI-FRAUD MEASURES

Checks on the end-use of some of the products covered by this Council Regulation will be carried out in accordance with Articles 291 to 300 of Commission Regulation (EEC) No 2454/93.

² Regarding traditional own resources (agricultural duties, sugar levies, customs duties) the amounts indicated must be net amounts, i.e. gross amounts after deduction of 25 % of collection costs

5. OTHER REMARKS

This proposal contains the amendments which must be made to the Annex to the existing Regulation in order to take account of the following:

1. new requests for suspension which have been presented and accepted;
2. technical product developments and economic trends on the market resulting in the lifting of certain existing suspensions.

Addition

This Annex, in addition to the amendments resulting from description, code changes or prolongations, contains 89 new products. The uncollected duties corresponding to these suspensions, calculated on the basis of requesting Member State projections for the period 2013 to 2017, amount to 34 MEUR/year.

On the basis of the existing statistics for preceding years, it would appear, however, necessary to increase this amount by an average factor, estimated at 1,8 to take account of imports into other Member States using the same suspensions. This means a uncollected duties loss of revenue of some 61,2 MEUR /year.

Withdrawal:

38 products have been withdrawn from this Annex reflecting the reintroduction of customs duties. This represents an increase of MEUR 0,7 in resources, as estimated on the basis of 2012 statistics.

Estimated cost of this operation

On the basis of the above, the impact on the loss of revenue resulting from this Regulation may be estimated at $61,2 - 0,7 = 60,5$ MEUR (gross amount, including collection costs) $\times 0,75 = 45,7$ MEUR/year for the period 01.01.2013 - 31.12.2017.