



Council of the  
European Union

Brussels, 9 December 2016  
(OR. en)

---

---

**Interinstitutional File:  
2016 / 0388 (NLE)**

---

---

14596/16  
ADD 1

UD 244

**PROPOSAL**

---

|                  |  |
|------------------|--|
| From:            | Secretary-General of the European Commission,<br>signed by Mr Jordi AYET PUIGARNAU, Director   |
| date of receipt: | 9 December 2016  |
| To:              | Mr Jeppe TRANHOLM-MIKKELSEN, Secretary-General of the Council of<br>the European Union   |
| No. Cion doc.:   | COM(2016) 784 final ANNEX 1  |
| Subject:         | ANNEX to the Proposal for a Council Regulation amending Regulation<br>(EU) No 1388/2013 opening and providing for the management of<br>autonomous tariff quotas of the Union for certain agricultural and industrial<br>products |

---

Delegations will find attached document COM(2016) 784 final ANNEX 1.

---

Encl.: COM(2016) 784 final ANNEX 1



Brussels, 9.12.2016  
COM(2016) 784 final

ANNEX 1

**ANNEX**

**to the**

**Proposal for a Council Regulation**

**amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products**

## ANNEX

### ”ANNEX

| Order number | CN code  | TARIC  | Description  | Quota period  | Quota volume  | Quota duty (%) |
|--------------|--|--|--|---------------|---------------|----------------|
| 09.2637      | ex 0710 40 00<br>ex 2005 80 00   | 20<br>30   | Corn cobs ( <i>Zea Mays Saccharata</i> ) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking<br>(1)(2)(3)       | 1.1. - 31.12. | 550 tonnes    | 0 %            |
| 09.2849      | ex 0710 80 69  | 10   | Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals<br>(1)(2)  | 1.1.-31.12.   | 700 tonnes    | 0 %            |
| 09.2664      | ex 2008 60 39  | 30   | Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products<br>(2)   | 1.1. - 31.12. | 1 000 tonnes  | 10 %           |
| 09.2913      | ex 2401 10 35<br>ex 2401 10 70<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 20 35<br>ex 2401 20 70<br>ex 2401 20 95<br>ex 2401 20 95<br>ex 2401 20 95 | 91<br>10<br>11<br>21<br>91<br>91<br>10<br>11<br>21<br>91 | Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00<br>(2) | 1.1.-31.12.   | 6 000 tonnes  | 0 %            |
| 09.2928      | ex 2811 22 00  | 40   | Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide  | 1.1. - 31.12. | 1 700 tonnes  | 0 %            |
| 09.2703      | ex 2825 30 00  | 10   | Vanadium oxides and hydroxides exclusively for use in alloys   | 1.1. – 31.12. | 20 000 tonnes | 0 %            |
| 09.2806      | ex 2825 90 40  | 30   | Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)   | 1.1.-31.12.   | 12 000 tonnes | 0 %            |
| 09.2929      | 2903 22 00   |  | Trichloroethylene (CAS RN 79-01-6)   | 1.1. - 31.12. | 10 000 tonnes | 0 %            |
| 09.2837      | ex 2903 79 30  | 20   | Bromochloromethane (CAS RN 74-97-5)  | 1.1.-31.12.   | 600 tonnes    | 0 %            |
| *09.2933     | ex 2903 99 80  | 30   | 1,3-Dichlorobenzene (CAS RN 541-73-1)  | 1.1.-31.12.   | 2 600 tonnes  | 0 %            |
| *09.2700     | ex 2905 12 00  | 10   | Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)  | 1.1. - 31.12. | 12 000 tonnes | 0 %            |
| 09.2830      | ex 2906 19 00  | 40   | Cyclopropylmethanol (CAS RN 2516-33-8)   | 1.1. - 31.12. | 20 tonnes     | 0 %            |
| 09.2851      | ex 2907 12 00  | 10   | O-Cresol having a purity of not less than 98,5 % by weight   | 1.1.-31.12.   | 20 000        | 0 %            |

| Order number | CN code       | TARIC | Description   | Quota period      | Quota volume         | Quota duty (%) |
|--------------|---------------|-------|---|-------------------|----------------------|----------------|
| *09.2704     | ex 2909 49 80 | 20    | (CAS RN 95-48-7)<br>2,2,2',2'-tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)   | 1.1. - 31.12.     | tonnes<br>200 tonnes | 0 %            |
| 09.2624      | 2912 42 00    |       | Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)  | 1.1.-31.12.       | 950 tonnes           | 0 %            |
| 09.2683      | ex 2914 19 90 | 50    | Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form <sup>(2)</sup>  | 1.1. - 31.12.     | 150 tonnes           | 0 %            |
| 09.2852      | ex 2914 29 00 | 60    | Cyclopropyl methyl ketone (CAS RN 765-43-5)   | 1.1. - 31.12.     | 300 tonnes           | 0 %            |
| *09.2691     | ex 2914 79 00 | 45    | 1-(1-Chlorocyclopropyl)ethanone (CAS RN 63141-09-3)   | 1.1. - 31.12.     | 800 tonnes           | 0 %            |
| *09.2692     | ex 2914 79 00 | 55    | 2-Chloro-1-(1-chlorocyclopropyl)ethanone (CAS RN 120983-72-4)   | 1.1. - 31.12.     | 2 400 tonnes         | 0 %            |
| 09.2638      | ex 2915 21 00 | 10    | Acetic acid of a purity by weight of 99 % or more (CAS RN 64-19-7)  | 1.1.-31.12.       | 1 000 000 tonnes     | 0 %            |
| 09.2972      | 2915 24 00    |       | Acetic anhydride (CAS RN 108-24-7)  | 1.1. - 31.12.     | 50 000 tonnes        | 0 %            |
| *09.2679     | 2915 32 00    |       | Vinyl acetate (CAS RN 108-05-4)   | 1.1. - 31.12.     | 350 000 tonnes       | 0 %            |
| 09.2665      | ex 2916 19 95 | 30    | Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)   | 1.1. - 31.12.     | 8 250 tonnes         | 0 %            |
| *09.2684     | ex 2916 39 90 | 28    | 2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)   | 1.1. - 31.12.2017 | 250 tonnes           | 0 %            |
| 09.2769      | ex 2917 13 90 | 10    | Dimethyl sebacate (CAS RN 106-79-6)   | 1.1. - 31.12.     | 1 000 tonnes         | 0 %            |
| 09.2680      | ex 2917 19 80 | 25    | n-Dodecenylsuccinic acid anhydride (CAS RN 19780-11-1) with:<br>— a Gardner colour index level of not more than 1,<br>— a transmission at 500nm of 98 % or more for a 10 % solution by weight in toluene<br>for use in the manufacture of automotive coatings <sup>(2)</sup>  | 1.1. - 31.12.     | 80 tonnes            | 0 %            |
| 09.2634      | ex 2917 19 80 | 40    | Dodecanedioic acid, of a purity by weight of more than 98,5 % (CAS RN 693-23-2)   | 1.1. - 31.12.     | 4 600 tonnes         | 0 %            |
| 09.2808      | ex 2918 22 00 | 10    | <i>o</i> -Acetylsalicylic acid (CAS RN 50-78-2)   | 1.1.-31.12.       | 120 tonnes           | 0 %            |
| *09.2646     | ex 2918 29 00 | 75    | Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with<br>— a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight and<br>— a melting point of 49 °C or more, but not more than 54 °C,<br>for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) | 1.1. - 31.12.     | 380 tonnes           | 0 %            |

| Order number | CN code       | TARIC | Description   | Quota period  | Quota volume  | Quota duty (%) |
|--------------|---------------|-------|---|---------------|---------------|----------------|
| *09.2647     | ex 2918 29 00 | 80    | (2)<br>Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8)<br>— with a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and<br>— a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates)<br>(2) | 1.1. - 31.12. | 80 tonnes     | 0 %            |
| 09.2975      | ex 2918 30 00 | 10    | Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)   | 1.1.-31.12.   | 1 000 tonnes  | 0 %            |
| *09.2688     | ex 2920 29 00 | 70    | Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)   | 1.1. - 31.12. | 6 000 tonnes  | 0 %            |
| 09.2648      | ex 2920 90 10 | 70    | Dimethyl Sulphate (CAS RN 77-78-1)  | 1.1. - 31.12. | 12 000 tonnes | 0 %            |
| 09.2649      | ex 2921 29 00 | 60    | Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)   | 1.1. - 31.12. | 1 700 tonnes  | 0 %            |
| 09.2682      | ex 2921 41 00 | 10    | Aniline with a purity by weight of 99 % or more (CAS RN 62-53-3)  | 1.1. - 31.12. | 50 000 tonnes | 0 %            |
| 09.2602      | ex 2921 51 19 | 10    | o-Phenylenediamine (CAS RN 95-54-5)   | 1.1.-31.12.   | 1 800 tonnes  | 0 %            |
| *09.2854     | ex 2924 19 00 | 85    | 3-Iodoprop-2-ynyl N-butylcarbamate (CAS RN 55406-53-6)  | 1.1. - 31.12. | 250 tonnes    | 0 %            |
| *09.2977     | 2926 10 00    |       | Acrylonitrile (CAS RN 107-13-1)   | 1.1. - 31.12. | 17 500 tonnes | 0 %            |
| *09.2856     | ex 2926 90 70 | 84    | 2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9)  | 1.1. - 31.12. | 900 tonnes    | 0 %            |
| 09.2838      | ex 2927 00 00 | 85    | C,C'-Azodi(formamide) (CAS RN 123-77-3) with:<br>— a pH of 6,5 or more but not more than 7,5, and<br>— a semicarbazide (CAS RN 57-56-7) content of not more than 1 500 mg/kg as determined by liquid chromatography mass spectrometry (LC-MS),<br>— decomposition temperature range of 195 °C - 205 °C,<br>— specific gravity 1,64 - 1,66, and<br>— combustion heat 215 - 220 Kcal/mol  | 1.1. - 31.12. | 100 tonnes    | 0 %            |
| *09.2708     | ex 2928 00 90 | 15    | Monomethylhydrazine (CAS 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 (± 5) %  | 1.1. - 31.12. | 900 tonnes    | 0 %            |
| 09.2685      | ex 2929 90 00 | 30    | Nitroguanidine (CAS RN 556-88-7)  | 1.1. - 31.12. | 6 500 tonnes  | 0 %            |
| *09.2693     | ex 2930 90 98 | 28    | Flubendiamide (ISO) (CAS RN 272451-65-7)  | 1.1. - 31.12. | 200 tonnes    | 0 %            |
| 09.2955      | ex 2932 19 00 | 60    | Flurtamone (ISO) (CAS RN 96525-23-4)  | 1.1.-31.12.   | 300 tonnes    | 0 %            |
| 09.2696      | ex 2932 20 90 | 25    | Decan-5-olide (CAS RN 705-86-2)   | 1.1. - 31.12. | 4 860 kg      | 0 %            |

| Order number | CN code       | TARIC | Description  | Quota period  | Quota volume  | Quota duty (%) |
|--------------|---------------|-------|--|---------------|---------------|----------------|
| 09.2697      | ex 2932 20 90 | 30    | Dodecan-5-olide (CAS RN 713-95-1)  | 1.1. - 31.12. | 4 160 kg      | 0 %            |
| 09.2812      | ex 2932 20 90 | 77    | Hexan-6-olide (CAS RN 502-44-3)  | 1.1.-31.12.   | 4 000 tonnes  | 0 %            |
| 09.2858      | 2932 93 00    |       | Piperonal (CAS RN 120-57-0)  | 1.1. - 31.12. | 220 tonnes    | 0 %            |
| 09.2673      | ex 2933 39 99 | 43    | 2,2,6,6-tetramethylpiperidin-4-ol (CAS RN 2403-88-5)   | 1.1. - 31.12. | 1 000 tonnes  | 0 %            |
| 09.2674      | ex 2933 39 99 | 44    | Chlorpyrifos (ISO) (CAS RN 2921-88-2)  | 1.1. - 31.12. | 9 000 tonnes  | 0 %            |
| 09.2860      | ex 2933 69 80 | 30    | 1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)  | 1.1. - 31.12. | 400 tonnes    | 0 %            |
| 09.2658      | ex 2933 99 80 | 73    | 5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)   | 1.1. - 31.12. | 200 tonnes    | 0 %            |
| *09.2675     | ex 2935 90 90 | 79    | 4-[[2-Methoxybenzoyl]amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)  | 1.1. - 31.12. | 1 000 tonnes  | 0 %            |
| *09.2710     | ex 2935 90 90 | 91    | 2,4,4-Trimethylpentan-2-aminium (3R,5S,E)-7-(4-(4-fluorophenyl)-6-isopropyl-2-(N-methylmethylsulfonamido)pyrimidin-5-yl)-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7) | 1.1. - 31.12. | 5 000 kg      | 0 %            |
| 09.2945      | ex 2940 00 00 | 20    | D-Xylose (CAS RN 58-86-6)  | 1.1.-31.12.   | 400 tonnes    | 0 %            |
| 09.2686      | ex 3204 11 00 | 75    | Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight           | 1.1. - 31.12. | 2 500 kg      | 0 %            |
| 09.2676      | ex 3204 17 00 | 14    | Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) and preparations based thereon with a colourant C.I. Pigment Red 48:2 content of 60 % or more by weight               | 1.1. - 31.12. | 50 tonnes     | 0 %            |
| 09.2698      | ex 3204 17 00 | 30    | Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight                     | 1.1. - 31.12. | 150 tonnes    | 0 %            |
| *09.2712     | ex 3204 17 00 | 47    | Colourant C.I. Pigment Yellow 180 (CAS RN 77804-81-0) and preparations based thereon with a colourant C.I. Pigment Yellow 180 content of 80 % or more by weight          | 1.1. - 31.12. | 100 tonnes    | 0 %            |
| *09.2714     | ex 3204 17 00 | 49    | Colourant C.I. Pigment Red 2 (CAS RN 6041-94-7) and preparations based thereon with a colourant C.I. Pigment Red 2 content of 80 % or more by weight                     | 1.1. - 31.12. | 379 tonnes    | 0 %            |
| 09.2666      | ex 3204 17 00 | 55    | Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight                | 1.1. - 31.12. | 40 tonnes     | 0 %            |
| 09.2659      | ex 3802 90 00 | 19    | Soda flux calcinated diatomaceous earth  | 1.1. - 31.12. | 35 000 tonnes | 0 %            |
| 09.2908      | ex 3804 00 00 | 10    | Sodium lignosulphonate   | 1.1.-31.12.   | 40 000 tonnes | 0 %            |

| Order number | CN code       | TARIC | Description  | Quota period  | Quota volume   | Quota duty (%) |
|--------------|---------------|-------|--|---------------|----------------|----------------|
| 09.2889      | 3805 10 90    |       | Sulphate turpentine  | 1.1.-31.12.   | 25 000 tonnes  | 0 %            |
| 09.2935      | ex 3806 10 00 | 10    | Rosin and resin acids obtained from fresh oleoresins   | 1.1.-31.12.   | 280 000 tonnes | 0 %            |
| 09.2832      | ex 3808 92 90 | 40    | Preparation containing 38 % or more but not more than 50 % by weight of pyriithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion  | 1.1. - 31.12. | 500 tonnes     | 0 %            |
| *09.2681     | ex 3824 99 92 | 85    | Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)  | 1.1. - 31.12. | 9 000 tonnes   | 0 %            |
| 09.2814      | ex 3815 90 90 | 76    | Catalyst consisting of titanium dioxide and tungsten trioxide  | 1.1.-31.12.   | 3 000 tonnes   | 0 %            |
| *09.2644     | ex 3824 99 92 | 77    | Preparation containing by weight:<br>— 55 % or more but not more than 78 % of dimethyl glutarate,<br>— 10 % or more but not more than 30 % of dimethyl adipate,<br>and<br>— not more than 35 % of dimethyl succinate   | 1.1. - 31.12. | 10 000 tonnes  | 0 %            |
| *09.2650     | ex 3824 99 92 | 87    | Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %  | 1.1. - 31.12. | 2 000 tonnes   | 0 %            |
| *09.2829     | ex 3824 99 93 | 43    | Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics:<br>— a resin acid content not exceeding 30 % by weight,<br>— an acid number not exceeding 110<br>and<br>— a melting point of 100° C or more   | 1.1. - 31.12. | 1 600 tonnes   | 0 %            |
| *09.2907     | ex 3824 99 93 | 67    | Mixture of phytosterols, in the form of powder, containing by weight:<br>— 75 % or more of sterols,<br>— not more than 25 % of stanols<br>for use in the manufacture of stanols/sterols or stanol/sterol esters<br>(2)   | 1.1.-31.12.   | 2 500 tonnes   | 0 %            |
| 09.2639      | 3905 30 00    |       | Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups   | 1.1. - 31.12. | 15 000 tonnes  | 0 %            |
| 09.2671      | ex 3905 99 90 | 81    | Poly(vinyl butyral)(CAS RN 63148-65-2):<br>— containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and<br>— with a median particle size (D50) of more than 0,6 mm  | 1.1. - 31.12. | 12 000 tonnes  | 0 %            |
| 09.2687      | ex 3907 40 00 | 25    | Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2) | 1.1. - 31.12. | 400 tonnes     | 0 %            |
| *09.2723     | ex 3911 90 19 | 10    | Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-  | 1.1. - 31.12. | 5 500          | 0 %            |

| Order number | CN code                        | TARIC    | Description   | Quota period     | Quota volume             | Quota duty (%) |
|--------------|--------------------------------|----------|---|------------------|--------------------------|----------------|
|              |                                |          | biphenylene)  |                  | tonnes                   |                |
| 09.2816      | ex 3912 11 00                  | 20       | Cellulose acetate flakes  | 1.1.-31.12.      | 75 000 tonnes            | 0 %            |
| 09.2864      | ex 3913 10 00                  | 10       | Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)  | 1.1. - 31.12.    | 1 000 tonnes             | 0 %            |
| 09.2641      | ex 3913 90 00                  | 87       | Sodium hyaluronate, non sterile, with:<br>— a weight average molecular weight ( $M_w$ ) of not more than 900 000,<br>— an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,<br>— an ethanol content of not more than 1 % by weight,<br>— an isopropanol content of not more than 0,5 % by weight  | 1.1.-31.12.      | 200 kg                   | 0 %            |
| 09.2661      | ex 3920 51 00                  | 50       | Sheets of polymethylmethacrylate conforming to standards:<br>— EN 4364 (MIL-P-5425E) and DTD5592A, or<br>— EN 4365 (MIL-P-8184) and DTD5592A  | 1.1. - 31.12.    | 100 tonnes               | 0 %            |
| 09.2645      | ex 3921 14 00                  | 20       | Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm$ 10 cm) x 100 cm ( $\pm$ 10 cm) x 40 cm ( $\pm$ 5 cm)  | 1.1. - 31.12.    | 1 700 tonnes             | 0 %            |
| *09.2716     | ex 5504 10 00                  | 20       | Staple fibres of viscose rayon, measuring 1,15 decitex or more, but not more than 1,3 decitex and having a fibre length of 36 mm or more, but not more than 38 mm   | 1.1. - 30.6.2017 | 8 000 tonnes             | 0 %            |
| *09.2721     | ex 5906 99 90                  | 20       | Woven and laminated rubberised textile fabric with the following characteristics:<br>— with three layers,<br>— one outer layer consists of acrylic fabric,<br>— the other outer layer consists of polyester fabric,<br>— the middle layer consists of chlorobutyl rubber,<br>— the middle layer has a weight of 486 g/m <sup>2</sup> or more but not more than 569 g/m <sup>2</sup> ,<br>— the textile fabric has a total weight of 952 g/m <sup>2</sup> or more but not more than 1159 g/m <sup>2</sup> ,<br>— the textile fabric has a total thickness of 0.8 mm or more but not more than 4 mm,<br>used for the manufacture of the retractable roof of motor vehicles <sup>(2)</sup> | 1.1. - 31.12.    | 375 000 m <sup>2</sup>   | 0 %            |
| 09.2818      | ex 6902 90 00                  | 10       | Refractory bricks with<br>— an edge length of more than 300 mm and<br>— a TiO <sub>2</sub> content of not more than 1 % by weight and<br>— a Al <sub>2</sub> O <sub>3</sub> content of not more than 0.4 % by weight and<br>— a change in volume of less than 9 % at 1700° C  | 1.1.-31.12.      | 225 tonnes               | 0 %            |
| 09.2628      | ex 7019 52 00                  | 10       | Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m <sup>2</sup> ( $\pm$ 10 g/m <sup>2</sup> ), of a type used in rolling insect screens with fixed frames   | 1.1.-31.12.      | 3 000 000 m <sup>2</sup> | 0 %            |
| 09.2799      | ex 7202 49 90                  | 10       | Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium  | 1.1.-31.12.      | 50 000 tonnes            | 0 %            |
| 09.2652      | ex 7409 11 00<br>ex 7410 11 00 | 20<br>30 | Refined copper foil and strips, electrolytically coated   | 1.1. - 31.12.    | 1 020 tonnes             | 0 %            |



| Order number | CN code                        | TARIC    | Description  | Quota period  | Quota volume          | Quota duty (%) |
|--------------|--------------------------------|----------|--|---------------|-----------------------|----------------|
| 09.2662      | ex 7410 21 00                  | 55       | Plates:<br>— consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,<br>— covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,<br>— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,<br>— with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,<br>— with a comparative tracking index (CTI) of 600 or more | 1.1. - 31.12. | 45 000 m <sup>2</sup> | 0 %            |
| 09.2834      | ex 7604 29 10                  | 20       | Aluminium alloy rods with a diameter of 200 mm or more, but not exceeding 300 mm   | 1.1. - 31.12. | 2 000 tonnes          | 0 %            |
| 09.2835      | ex 7604 29 10                  | 30       | Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm   | 1.1. - 31.12. | 1 000 tonnes          | 0 %            |
| *09.2689     | ex 7606 12 92<br>ex 7607 11 90 | 60<br>81 | Aluminium and magnesium alloy strip or foil:<br>— of an alloy conforming to standards 5182-H19 or 5052-H19,<br>— in rolls,<br>— of a thickness of 0,15 mm (± 0,01 mm), 0,16 mm (± 0,01 mm), 0,18 mm (± 0,01 mm), and 0,20 mm (± 0,01 mm),<br>— a width of 12,5 mm (± 0,3 mm),<br>— a tensile strength of 285 N/mm <sup>2</sup> or more, and<br>— an elongation at break of 1 % or more   | 1.1. - 31.12. | 1 000 tonnes          | 0 %            |
| *09.2722     | 8104 11 00                     |          | Unwrought magnesium, containing at least 99,8 % by weight of magnesium   | 1.1. - 31.12. | 80 000 tonnes         | 0 %            |
| 09.2840      | ex 8104 30 00                  | 20       | Magnesium powder:<br>— of purity by weight of 98 % or more, but not more than 99,5 %<br>— with a particle size of 0,2 mm or more but not more than 0,8 mm  | 1.1. - 31.12. | 2 000 tonnes          | 0 %            |
| 09.2629      | ex 8302 49 00                  | 91       | Aluminium telescopic handle for use in the manufacture of luggage<br>(2)   | 1.1. - 31.12. | 1 000 000 pieces      | 0 %            |
| 09.2690      | ex 8483 30 80                  | 20       | Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetrafluoroethylene), suitable for installation into motor bike suspension units  | 1.1. - 31.12. | 1 500 000 pieces      | 0 %            |
| 09.2763      | ex 8501 40 20<br>ex 8501 40 80 | 40<br>30 | Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0,2 mm) but not more than 135 mm (± 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners<br>(2)  | 1.1. - 31.12. | 2 000 000 pieces      | 0 %            |
| 09.2633      | ex 8504 40 82                  | 20       | Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 8510<br>(2)   | 1.1. - 31.12. | 4 500 000 pieces      | 0 %            |

| Order number | CN code                        | TARIC    | Description   | Quota period  | Quota volume       | Quota duty (%) |
|--------------|--------------------------------|----------|---|---------------|--------------------|----------------|
| 09.2643      | ex 8504 40 82                  | 30       | Power supply boards for use in the manufacture of goods falling under heading 8521 and 8528<br>(2)  | 1.1.-31.12.   | 1 038 000 pieces   | 0 %            |
| 09.2620      | ex 8526 91 20                  | 20       | Assembly for GPS system having a position determination function, without display, and a weight of not more than 2 500 g  | 1.1. - 31.12. | 3 000 000 pieces   | 0 %            |
| 09.2672      | ex 8529 90 92<br>ex 9405 40 39 | 75<br>70 | Printed circuit board with LED diodes:<br>— whether or not equipped with prisms/lens, and<br>— whether or not fitted with connector(s)<br>for the manufacture of backlight units for goods of heading 8528<br><br>(2) | 1.1. - 31.12. | 115 000 000 pieces | 0 %            |
| 09.2003      | ex 8543 70 90                  | 63       | Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm                                 | 1.1. - 31.12. | 1 400 000 pieces   | 0 %            |
| 09.2694      | ex 8714 10 90                  | 30       | Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes  | 1.1. - 31.12. | 1 000 000 pieces   | 0 %            |
| 09.2695      | ex 8714 10 90                  | 40       | Pistons for steering dampers of sintered steel according to standard ISO P2054 of a kind used for motor bikes   | 1.1. - 31.12. | 2 000 000 pieces   | 0 %            |
| 09.2668      | ex 8714 91 10<br>ex 8714 91 10 | 21<br>31 | Bicycle frame, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles<br>(2)   | 1.1. - 31.12. | 304 000 pieces     | 0 %            |
| 09.2669      | ex 8714 91 30<br>ex 8714 91 30 | 21<br>31 | Bicycle front fork, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles<br>(2)  | 1.1. - 31.12. | 257 000 pieces     | 0 %            |
| 09.2631      | ex 9001 90 00                  | 80       | Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015<br>(2)  | 1.1. - 31.12. | 5 000 000 pieces   | 0 %            |
| 09.2836      | ex 9003 11 00<br>ex 9003 19 00 | 10<br>20 | Spectacle frames of plastic or base metal for use in the manufacture of corrective glasses<br>(2)   | 1.1. - 31.12. | 5 800 000 pieces   | 0 %            |

(1) However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

(2) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

(3) Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

\* A newly introduced measure or a measure with amended conditions

“