



Council of the
European Union

Brussels, 9 December 2014
(OR. en)

16082/14

Interinstitutional File:
2014/0333 (NLE)

UD 268

LEGISLATIVE ACTS AND OTHER INSTRUMENTS

Subject: COUNCIL REGULATION amending Regulation (EU) No 1387/2013
suspending the autonomous Common Customs Tariff duties on certain
agricultural and industrial products

COUNCIL REGULATION (EU) No .../2014

of

**amending Regulation (EU) No 1387/2013
suspending the autonomous Common Customs Tariff duties
on certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) It is in the interest of the Union to suspend totally the autonomous Common Customs Tariff duties on 135 products which are currently not listed in Annex I to Council Regulation (EU) No 1387/2013¹. Those products should, therefore, be inserted into that Annex.
- (2) It is no longer in the interest of the Union to maintain the suspension of autonomous Common Customs Tariff duties on 52 of the products that are currently listed in Annex I to Regulation (EU) No 1387/2013. Those products should, therefore, be deleted from that Annex.
- (3) It is necessary to modify the product descriptions of 29 suspensions included in Annex I to Regulation (EU) No 1387/2013 in order to take account of technical product developments, economic trends on the market or to carry out linguistic adaptations. Moreover, following upcoming changes in the Combined Nomenclature as of 1 January 2015, TARIC codes for 95 additional products should be amended. In addition, for one product, multiple classification is considered no longer necessary. The suspensions in respect of which modifications are necessary should be deleted from the list of suspensions in Annex I to Regulation (EU) No 1387/2013, and the modified suspensions should be reinserted into that list.

¹ Council Regulation (EU) No 1387/2013 of 17 December 2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products and repealing Regulation (EU) No 1344/2011 (OJ L 354, 28.12.2013, p. 201).

- (4) Tariff suspensions should be reviewed regularly with the possibility of deletion at the request of a party concerned. Where it is justified by the Union's interest, a tariff suspension is prolonged and a new review date is set.
- (5) For 184 products it is necessary, in the interest of the Union, to amend the date for their mandatory review in order to allow duty free imports beyond that date. Those products have been reviewed and have been given revised dates for their next mandatory review. Therefore, they should be deleted from the list of suspensions in Annex I to Regulation (EU) No 1387/2013, and the modified suspensions should be reinserted into that list.
- (6) It is necessary, in the interest of the Union, to shorten the period of mandatory review for four products. The suspensions relating to those products should therefore be deleted from the list of suspensions in Annex I to Regulation (EU) No 1387/2013, and the modified suspensions should be reinserted into that list. With a view to adequately ensuring the continuous applicability of the suspension (without any intermission), the suspension relating to products with TARIC codes ex 8501 32 00 50 and ex 8501 33 00 55 should apply from 1 January 2014.
- (7) In the interest of clarity, the modified entries should be marked with an asterisk.

- (8) In order to allow an appropriate statistical monitoring, Annex II to Regulation (EU) No 1387/2013 should be completed with supplementary units for some of the new products for which suspensions are granted. For reasons of consistency, the supplementary units assigned to the products deleted from Annex I to Regulation (EU) No 1387/2013 should also be deleted from Annex II to that Regulation.
- (9) Regulation (EU) No 1387/2013 should therefore be amended accordingly.
- (10) Since the amendments pursuant to this Regulation should take effect from 1 January 2015, this Regulation should apply from that date and enter into force on the day of its publication in the *Official Journal of the European Union*,

HAS ADOPTED THIS REGULATION:

Article 1

Regulation (EU) No 1387/2013 is amended as follows:

(1) The table in Annex I is amended as follows:

(a) between the title and the table, the following note is inserted:

'(*) Suspension relating to a product in this Annex with regard to which the CN or TARIC code or the product description or the mandatory review date has been amended by Council Regulation (EU) No 722/2014 of 24 June 2014 amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products (OJ L 192, 1.7.2014, p. 9) or by Council Regulation (EU) No .../... * of ... * amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products (OJ ... *);

(b) between the title and the table, the following note is deleted:

'(*) Suspension relating to a product in this Annex with regard to which the CN or TARIC code or the product description or the mandatory review date has been amended by Council Regulation (EU) No 722/2014 of 24 June 2014 amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products (OJ L 192, 1.7.2014, p. 9)';

* OJ: Please insert serial number, date and OJ reference of this document.

- (c) the rows for the products listed in Annex I to this Regulation are inserted following the order of the CN codes indicated in the first column of the table in Annex I to Regulation (EU) No 1387/2013;
 - (d) the rows for the products for which the CN and TARIC codes are set out in Annex II to this Regulation are deleted.
- (2) Annex II is amended as follows:
- (a) the rows for the supplementary units for which the CN and TARIC codes are set out in Annex III to this Regulation are added;
 - (b) the rows for the supplementary units for which the CN and TARIC codes are set out in Annex IV to this Regulation are deleted.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2015.

However, for products with TARIC codes ex 8501 32 00 50 and ex 8501 33 00 55, it shall apply from 1 January 2014.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council

The President

ANNEX I

Tariff suspensions referred to in point (1)(c) of Article 1:

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 1511 90 19	10	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:	0 %	31.12.2015
ex 1511 90 91	10	— industrial monocarboxylic fatty acids of subheading 3823 19 10,		
ex 1513 11 10	10	— methyl esters of fatty acids of heading 2915 or 2916,		
ex 1513 19 30	10	— fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products,		
ex 1513 21 10	10	— fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products,		
ex 1513 29 30	10	— stearic acid of subheading 3823 11 00,		
		— goods of heading 3401, or		
		— fatty acids with high purity of heading 2915 for the manufacture of chemical products other than products of heading 3826 ⁽¹⁾		
*ex 1516 20 96	20	Joboba oil, hydrogenated and interesterified, without any further chemical modification and not subjected to any texturisation process	0 %	31.12.2019
*ex 1517 90 99	10	Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)	0 %	31.12.2016
*ex 2008 99 49	30	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	0 %	31.12.2019
ex 2008 99 99	40			
*ex 2009 49 30	91	Pineapple juice, other than in powder form: — with a Brix value of more than 20 but not more than 67, — a value of more than € 30 per 100 kg net weight, — containing added sugars used in the manufacture of products of food or drink industry ⁽¹⁾	0 %	31.12.2019
*ex 2009 81 31	10	Cranberry juice concentrate: — of a Brix value of 40 or more but not more than 66, — in immediate packings of a content of 50 litres or more	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2009 89 73	11	Passion fruit juice and passion fruit juice concentrate, whether or not frozen:	0 %	31.12.2019
ex 2009 89 73	13	— with a Brix value of 13,7 or more but not more than 55, — of a value of more than € 30 per 100 kg net weight, — in immediate packings of a content of 50 litres or more, and — with added sugar for the use in the manufacture of products of food or drink industry ⁽¹⁾		
ex 2009 89 97	21	Passion fruit juice and passion fruit juice concentrate, whether or not frozen:	0 %	31.12.2019
ex 2009 89 97	29	— with a Brix value of 10 or more but not more than 13,7, — of a value of more than € 30 per 100 kg net weight, — in immediate packings of a content of 50 litres or more, and — without added sugar for the use in the manufacture of products of food or drink industry ⁽¹⁾		
*ex 2207 20 00	20	Feedstock consisting of by weight:	0 %	31.12.2018
ex 2207 20 00	80	— 88 % or more but not more than 92 % of Ethanol,		
ex 3820 00 00	20	— 2,2 % or more but not more than 2,7 % of Monoethylene glycol, — 1,0 % but not more than 1,3 % of Methylene glycol, — 0,36 % or more but not more than 0,40 % of anionic surfactant (ca.30 % active), — 0,0293 % or more but not more than 0,0396 % of methyl isopropylketone, — 0,0195 % or more but not more than 0,0264 % of 5 methyl-3-heptanone, — 10 ppm or more but not more than 12 ppm of Denatonium Benzoate (Bitrex); — not more than 0,01 of Perfumes — 6,5 % or more but not more than 8,0 % of water. for use in the manufacture of screenwash concentrate and other de-icing preparations ⁽¹⁾		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2707 50 00 ex 2707 99 80	20 10	Mixture of xylenol-isomers and ethyl phenol-isomers, with a total xylenol content by weight of 62 % or more but less than 95 %	0 %	31.12.2019
ex 2811 22 00	50	Calcined amorphous silicon dioxide powder with a particle size of not more than 12 µm of a kind used in the production of polymerization catalysts for the manufacturing of polyethylene	0 %	31.12.2019
*ex 2818 20 00	10	Activated alumina with a specific surface area of at least 350 m ² /g	0 %	31.12.2019
ex 2841 70 00	20	Diammonium tridecaoxotetramolybdate(2-) (CAS RN 12207-64-6)	0 %	31.12.2019
*ex 2842 10 00	20	Synthetic Chabasite Zeolite Powder	0 %	31.12.2019
*ex 2842 90 10	10	Sodium selenate (CAS RN 13410-01-0)	0 %	31.12.2019
*ex 2846 10 00 ex 3824 90 96	10 53	Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight	0 %	31.12.2018
*ex 2846 10 00	40	Cerium lanthanum neodymium praseodymium carbonate, whether or not hydrated	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2903 39 90	70	<p>1,1,1,2-Tetrafluoroethane feedstock for pharmaceutical grade production conforming to the following specification:</p> <ul style="list-style-type: none"> — not more than 600 ppm by weight of R134 (1,1,2,2-Tetrafluoroethane), — not more than 5 ppm by weight of R143a (1,1,1-Trifluoroethane), — not more than 2 ppm by weight of R125 (Pentafluoroethane), — not more than 100 ppm by weight of R124 (1-Chloro-1,2,2,2-tetrafluoroethane), — not more than 30 ppm by weight of R114 (1,2-Dichlorotetrafluoroethane), — not more than 50 ppm by weight of R114a (1,1-Dichlorotetrafluoroethane), — not more than 250 ppm by weight of R133a (1-Chloro-2,2,2-Trifluoroethane), — not more than 2 ppm by weight of R22 (Chlorodifluoromethane), — not more than 2 ppm by weight of R115 (Chloropentafluoroethane), — not more than 2 ppm by weight of R12 (Dichlorodifluoromethane), — not more than 20 ppm by weight of R40 (Methyl chloride), — not more than 20 ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), — not more than 20 ppm by weight of R12B1 (Chlorodifluorobromomethane), — not more than 20 ppm by weight of R32 (Difluoromethane), — not more than 15 ppm by weight of R31 (Chlorofluoromethane), — not more than 10 ppm by weight of R152a (1,1-Difluoroethane), — not more than 20 ppm by weight of 1131 (1-Chloro-2 Fluoroethylene), — not more than 20 ppm by weight of 1122 (1-Chloro-2,2-Difluoroethylene), — not more than 3 ppm by weight of 1234yf (2,3,3,3-Tetrafluoropropene), — not more than 3 ppm by weight of 1243zf (3,3,3 Trifluoropropene), — not more than 3 ppm by weight of 1122a (1-Chloro-1,2-Difluoroethylene), — not more than 4,5 ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-Tetrafluoropropene, +1-Chloro-1,2-Difluoroethylene+3,3,3-Trifluoropropene) 	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
		<ul style="list-style-type: none"> — not more than 3 ppm by weight of any individual unspecified/unknown chemical, — not more than 10 ppm by weight of all unspecified/unknown chemicals combined, — not more than 10 ppm by weight of water, — with an acidity level of not more than 0.1 ppm by weight, — without Halides, — not more than 0,01 % by volume of High Boilers, — without any odour (no malodour) <p>For further purification to an inhalation grade of HFC 134a produced under GMP (Good Manufacturing Practice) for use in the manufacture of a propellant for medical aerosols whose contents are taken into the oral or nasal cavities, and/or the respiratory tract (CAS RN 811-97-2)⁽¹⁾</p>		
ex 2903 99 90	75	3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)	0 %	31.12.2019
*ex 2904 10 00	30	Sodium <i>p</i> -styrenesulphonate (CAS RN 2695-37-6)	0 %	31.12.2019
*ex 2904 10 00	50	Sodium 2-methylprop-2-ene-1-sulphonate (CAS RN 1561-92-8)	0 %	31.12.2019
*ex 2904 20 00	40	2-Nitropropane (CAS RN 79-46-9)	0 %	31.12.2019
*ex 2904 90 40	10	Trichloronitromethane, for the manufacture of goods of subheading 3808 92 (CAS RN 76-06-2) ⁽¹⁾	0 %	31.12.2019
*ex 2904 90 95	20	1-Chloro-2,4-dinitrobenzene (CAS RN 97-00-7)	0 %	31.12.2019
*ex 2904 90 95	30	Tosyl chloride (CAS RN 98-59-9)	0 %	31.12.2019
ex 2904 90 95	60	4,4'-Dinitrostilbene-2,2'-disulfonic acid (CAS RN 128-42-7)	0 %	31.12.2019
ex 2904 90 95	70	1-Chloro-4-nitrobenzene (CAS RN 100-00-5)	0 %	31.12.2019
*ex 2905 19 00	40	2,6-Dimethylheptan-2-ol (CAS RN 13254-34-7)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 2905 29 90	10	3,5-Dimethylhex-1-yn-3-ol (CAS RN 107-54-0)	0 %	31.12.2015
*ex 2905 59 98	20	2,2,2-Trifluoroethanol (CAS RN 75-89-8)	0 %	31.12.2019
ex 2906 19 00	50	4- <i>tert</i> -Butylcyclohexanol (CAS RN 98-52-2)	0 %	31.12.2019
ex 2907 12 00	20	Mixture of meta-cresol (CAS RN 108-39-4) and para-cresol (CAS RN 106-44-5) with a purity by weight of 99 % or more	0 %	31.12.2019
ex 2907 19 10	10	2,6-Xylenol (CAS RN 576-26-1)	0 %	31.12.2019
ex 2908 19 00	30	4-Chlorophenol (CAS RN 106-48-9)	0 %	31.12.2019
*ex 2909 30 90	10	2-(Phenylmethoxy)naphthalene (CAS RN 613-62-7)	0 %	31.12.2019
*ex 2909 30 90	20	1,2-Bis(3-methyl-phenoxy)ethane (CAS RN 54914-85-1)	0 %	31.12.2019
ex 2909 50 00	30	2- <i>tert</i> -Butyl-4-hydroxyanisole and 3- <i>tert</i> -butyl-4-hydroxyanisole, mixed isomers (CAS RN 25013-16-5)	0 %	31.12.2019
ex 2914 39 00	15	2,6-Dimethyl-1-indanone (CAS RN 66309-83-9)	0 %	31.12.2019
ex 2914 39 00	25	1,3-Diphenylpropane-1,3-dione (CAS RN 120-46-7)	0 %	31.12.2019
*ex 2914 69 90	20	2-Pentylanthraquinone (CAS RN 13936-21-5)	0 %	31.12.2019
*ex 2915 39 00	50	3-Acetylphenyl acetate (CAS RN 2454-35-5)	0 %	31.12.2019
ex 2915 90 70	45	Trimethyl orthoformate (CAS RN 149-73-5)	0 %	31.12.2019
*ex 2915 90 70	50	Allyl heptanoate (CAS RN 142-19-8)	0 %	31.12.2019
*ex 2916 13 00	10	Hydroxyzine methacrylate powder (CAS RN 63451-47-8)	0 %	31.12.2015
ex 2916 19 95	50	Methyl 2-fluoroacrylate (CAS RN 2343-89-7)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2916 39 90	13	3,5-Dinitrobenzoic acid (CAS RN 99-34-3)	0 %	31.12.2019
*ex 2917 11 00	30	Cobalt oxalate (CAS RN 814-89-1)	0 %	31.12.2019
*ex 2917 19 10	10	Dimethyl malonate (CAS RN 108-59-8)	0 %	31.12.2019
*ex 2917 19 90	30	Ethylene brassylate (CAS RN 105-95-3)	0 %	31.12.2019
ex 2918 19 30	10	Cholic Acid (CAS RN 81-25-4)	0 %	31.12.2019
ex 2918 19 30	20	3- α ,12- α -Dihydroxy-5- β -cholan-24-oic acid (deoxycholic acid) (CAS RN 83-44-3)	0 %	31.12.2019
ex 2918 30 00	60	4-Oxovaleric acid (CAS RN 123-76-2)	0 %	31.12.2019
*ex 2918 99 90	20	Methyl 3-methoxyacrylate (CAS RN 5788-17-0)	0 %	31.12.2019
ex 2918 99 90	35	p-Anisic acid (CAS RN 100-09-4)	0 %	31.12.2019
ex 2918 99 90	45	4-Methylcatechol dimethyl acetate (CAS RN 52589-39-6)	0 %	31.12.2019
*ex 2918 99 90	70	Allyl-(3-methylbutoxy)acetate (CAS RN 67634-00-8)	0 %	31.12.2019
ex 2919 90 00	70	Tris(2-butoxyethyl)phosphate (CAS RN 78-51-3)	0 %	31.12.2019
*ex 2921 19 50	10	Diethylamino-triethoxysilane (CAS RN 35077-00-0)	0 %	31.12.2019
ex 2929 90 00	20			
ex 2921 19 99	80	Taurine (CAS RN 107-35-7), with 0,5 % addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)	0 %	31.12.2019
*ex 2921 42 00	70	2-Aminobenzene-1,4-disulfonic acid (CAS RN 98-44-2)	0 %	31.12.2019
*ex 2921 45 00	10	Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5)	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 2921 51 19	20	Toluene diamine (TDA), containing by weight: — 72 % or more but not more than 82 % of 4-methyl-m-phenylenediamine, and — 17 % or more but not more than 22 % of 2-methyl-m-phenylenediamine, and — not more than 0,23 % of residual tar whether or not containing 7 % or less of water	0 %	31.12.2018
*ex 2921 51 19	50	Mono- and dichloroderivatives of <i>p</i> -phenylenediamine and <i>p</i> -diaminotoluene	0 %	31.12.2019
*ex 2922 19 85	80	<i>N</i> -[2-[2-(Dimethylamino)ethoxy]ethyl]- <i>N</i> -methyl-1,3-propanediamine (CAS RN 189253-72-3)	0 %	31.12.2019
*ex 2922 21 00	30	6-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 90-51-7)	0 %	31.12.2019
*ex 2922 21 00	50	Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate (CAS RN 5460-09-3)	0 %	31.12.2019
*ex 2922 29 00	65	4-Trifluoromethoxyaniline (CAS RN 461-82-5)	0 %	31.12.2019
*ex 2922 49 85	15	DL-Aspartic acid used for the manufacture of food-integrators (CAS RN 617-45-8) ⁽¹⁾	0 %	31.12.2019
ex 2922 49 85	25	Dimethyl 2-aminobenzene-1,4-dicarboxylate (CAS RN 5372-81-6)	0 %	31.12.2019
*ex 2922 49 85	50	D-(-)-Dihydrophenylglycine (CAS RN 26774-88-9)	0 %	31.12.2019
*ex 2922 50 00	20	1-[2-Amino-1-(4-methoxyphenyl)-ethyl]-cyclohexanol hydrochloride (CAS RN 130198-05-9)	0 %	31.12.2019
ex 2923 10 00	10	Calcium phosphoryl choline chloride tetra hydrate (CAS RN 72556-74-2)	0 %	31.12.2019
ex 2923 90 00	85	N,N,N-Trimethylanilinium chloride (CAS RN 138-24-9)	0 %	31.12.2019
ex 2924 19 00	15	N-Ethyl N-Methylcarbamoyl Chloride (CAS RN 42252-34-6)	0 %	31.12.2019
ex 2924 29 98	17	2-(Trifluoromethyl) benzamide (CAS RN 360-64-5)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2924 29 98	19	2-[[2-(Benzyloxycarbonylamino)acetyl]amino]propionic acid (CAS RN 3079-63-8)	0 %	31.12.2019
*ex 2924 29 98	20	2-Chloro- <i>N</i> -(2-ethyl-6-methylphenyl)- <i>N</i> -(propan-2-yloxymethyl)acetamide (CAS RN 86763-47-5)	0 %	31.12.2019
*ex 2924 29 98	92	3-Hydroxy-2-naphthanilide (CAS RN 92-77-3)	0 %	31.12.2019
ex 2926 90 95	12	Cyfluthrin (ISO) (CAS RN 68359-37-5) with a purity by weight of 95 % or more	0 %	31.12.2019
ex 2926 90 95	16	4-Cyano-2-nitrobenzoic acid methyl ester (CAS RN 52449-76-0)	0 %	31.12.2019
*ex 2926 90 95	20	2-(<i>m</i> -Benzoylphenyl)propionitrile (CAS RN 42872-30-0)	0 %	31.12.2019
*ex 2926 90 95	63	1-(Cyanoacetyl)-3-ethylurea (CAS RN 41078-06-2)	0 %	31.12.2015
*ex 2926 90 95	64	Esfenvalerate of a purity by weight of 83 % or more in a mixture of its own isomers (CAS RN 66230-04-4)	0 %	31.12.2019
*ex 2926 90 95	70	Methacrylonitrile (CAS RN 126-98-7)	0 %	31.12.2019
*ex 2926 90 95	74	Chlorothalonil (ISO) (CAS RN 1897-45-6)	0 %	31.12.2019
*ex 2926 90 95	75	Ethyl 2-cyano-2-ethyl-3-methylhexanoate (CAS RN 100453-11-0)	0 %	31.12.2019
ex 2927 00 00	15	C.C'-Azodi(formamide) (CAS RN 123-77-2) in the form of yellow powder with a decomposition temperature of 180°C or more but not more than 220°C used as a foaming agent in the manufacture of thermoplastic resins, elastomer and cross-linked polythene foam	0 %	31.12.2019
ex 2928 00 90	65	2-Amino-3-(4-hydroxyphenyl) propanal semicarbazone hydrochloride	0 %	31.12.2019
*ex 2929 10 00	15	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate (CAS RN 91-97-4)	0 %	31.12.2019
*ex 2930 90 99	64	3-Chloro-2-methylphenyl methyl sulphide (CAS RN 82961-52-2)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 2930 90 99	81	Disodium hexamethylene-1,6-bisthiosulfate dihydrate (CAS RN 5719-73-3)	3 %	31.12.2019
*ex 2931 90 80	03	Butylethylmagnesium (CAS RN 62202-86-2), in the form of a solution in heptane	0 %	31.12.2018
*ex 2931 90 80	05	Diethylmethoxyborane (CAS RN 7397-46-8), whether or not in the form of a solution in tetrahydrofuran according to note 1e to Chapter 29 of the CN	0 %	31.12.2015
*ex 2931 90 80	08	Sodium diisobutylidithiophosphinate (CAS RN 13360-78-6) in an aqueous solution	0 %	31.12.2017
*ex 2931 90 80	10	Triethylborane (CAS RN 97-94-9)	0 %	31.12.2015
*ex 2931 90 80	13	Trioctylphosphine oxide (CAS RN 78-50-2)	0 %	31.12.2016
*ex 2931 90 80	15	Methylcyclopentadienyl manganese tricarbonyl containing not more than 4,9 % by weight of cyclopentadienyl manganese tricarbonyl (CAS RN 12108-13-3)	0 %	31.12.2019
*ex 2931 90 80	18	Methyl tris (2-pentanoneoxime) silane (CAS RN 37859-55-5)	0 %	31.12.2019
*ex 2931 90 80	20	Diethylborane isopropoxide (CAS RN 74953-03-0)	0 %	31.12.2015
*ex 2931 90 80	23	Di-tert-butylphosphane (CAS RN 819-19-2)	0 %	31.12.2018
*ex 2931 90 80	25	(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)	0 %	31.12.2017
*ex 2931 90 80	28	N-(Phosphonomethyl)iminodiacetic acid (CAS RN 5994-61-6)	0 %	31.12.2019
*ex 2931 90 80	30	Bis(2,4,4-trimethylpentyl)phosphinic acid (CAS RN 83411-71-6)	0 %	31.12.2018
*ex 2931 90 80	33	Dimethyl[dimethylsilyldiindenyl]hafnium (CAS RN 220492-55-7)	0 %	31.12.2019
*ex 2931 90 80	35	N,N-Dimethylanilinium tetrakis(pentafluorophenyl)borate (CAS RN 118612-00-3)	0 %	31.12.2019
*ex 2931 90 80	38	Phenylphosphonic dichloride (CAS RN 824-72-6)	0 %	31.12.2016

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 2931 90 80	40	Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)	0 %	31.12.2016
*ex 2931 90 80	43	Mixture of the isomers 9-icosyl-9-phosphabicyclo[3.3.1]nonane and 9-icosyl-9-phosphabicyclo[4.2.1]nonane	0 %	31.12.2018
*ex 2931 90 80	45	Tris(4-methylpentan-2-oximino)methylsilane (CAS RN 37859-57-7)	0 %	31.12.2018
*ex 2931 90 80	48	Tetrabutylphosphonium acetate in the form of an aqueous solution (CAS RN 30345-49-4)	0 %	31.12.2019
*ex 2931 90 80	50	Trimethylsilane (CAS RN 993-07-7)	0 %	31.12.2016
*ex 2931 90 80	53	Trimethylborane (CAS RN 593-90-8)	0 %	31.12.2019
*ex 2931 90 80	55	3-(Hydroxyphenylphosphinoyl)propionic acid (CAS RN 14657-64-8)	0 %	31.12.2018
*ex 2932 19 00	40	Furan (CAS RN 110-00-9) of a purity by weight of 99 % or more	0 %	31.12.2019
*ex 2932 19 00	41	2,2 di(tetrahydrofuryl)propane (CAS RN 89686-69-1)	0 %	31.12.2019
*ex 2932 19 00	45	1,6-Dichloro-1,6-dideoxy- β -D-fructofuranosyl-4-chloro-4 deoxy- α -D-galactopyranoside (CAS RN 56038-13-2)	0 %	31.12.2019
*ex 2932 19 00	70	Furfurylamine (CAS RN 617-89-0)	0 %	31.12.2019
ex 2932 99 00	43	Ethofumesate (ISO) (CAS RN 26225-79-6) with a purity by weight of 97 % or more	0 %	31.12.2019
ex 2933 19 90	15	Pyrasulfotole (ISO) (CAS RN 365400-11-9) with a purity by weight of 96 % or more	0 %	31.12.2019
ex 2933 19 90	25	3-Difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (CAS RN 176969-34-9)	0 %	31.12.2019
*ex 2933 19 90	50	Fenpyroximate (ISO) (CAS RN 134098-61-6)	0 %	31.12.2019
*ex 2933 19 90	60	Pyraflufen-ethyl (ISO) (CAS RN 129630-19-9)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 2933 29 90	40	Triflumizole (ISO) (CAS RN 68694-11-1)	0 %	31.12.2019
ex 2933 29 90	55	Fenamidon (ISO) (CAS RN 161326-34-7) with a purity by weight of 97 % or more	0 %	31.12.2019
2933 39 50		Fluroxypyr (ISO) methyl ester (CAS RN 69184-17-4)	0 %	31.12.2019
*ex 2933 39 99	20	Copper pyrrithione powder (CAS RN 14915-37-8)	0 %	31.12.2015
ex 2933 39 99	22	Isonicotinic Acid (CAS RN 55-22-1)	0 %	31.12.2019
*ex 2933 39 99	24	2-Chloromethyl-4-methoxy-3,5-dimethylpyridine hydrochloride (CAS RN 86604-75-3)	0 %	31.12.2019
ex 2933 39 99	28	Ethyl-3-[(3-amino-4-methylamino-benzoyl)-pyridin-2-yl-amino]-propionate (CAS RN 212322-56-0)	0 %	31.12.2019
*ex 2933 39 99	30	Fluazinam (ISO) (CAS RN 79622-59-6)	0 %	31.12.2019
ex 2933 39 99	34	3-Chloro-(5-trifluoromethyl)-2-pyridineacetonitrile (CAS RN 157764-10-8)	0 %	31.12.2019
*ex 2933 39 99	45	5-Difluoromethoxy-2-[[[(3,4-dimethoxy-2-pyridyl)methyl]thio]-1H-benzimidazole (CAS RN 102625-64-9)	0 %	31.12.2019
*ex 2933 39 99	47	(-)-trans-4-(4'-Fluorophenyl)-3-hydroxymethyl-N-methylpiperidine (CAS RN 105812-81-5)	0 %	31.12.2015
*ex 2933 39 99	48	Flonicamid (ISO) (CAS RN 158062-67-0)	0 %	31.12.2019
*ex 2933 39 99	55	Pyriproxyfen (ISO) (CAS RN 95737-68-1) of a purity by weight of 97 % or more	0 %	31.12.2019
ex 2933 49 10	40	4,7-Dichloroquinoline (CAS RN 86-98-6)	0 %	31.12.2019
ex 2933 59 95	33	4,6-Dichloro-5-fluoropyrimidine (CAS RN 213265-83-9)	0 %	31.12.2019
ex 2933 59 95	37	6-Iodo-3-propyl-2-thioxo-2,3-dihydroquinazolin-4(1H)-one (CAS RN 200938-58-5)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2933 59 95	43	2-(4-(2-Hydroxyethyl)piperazin-1-yl)ethanesulfonic acid (CAS RN 7365-45-9)	0 %	31.12.2019
*ex 2933 59 95	45	1-[3-(Hydroxymethyl)pyridin-2-yl]-4-methyl-2-phenylpiperazine (CAS RN 61337-89-1)	0 %	31.12.2019
*ex 2933 59 95	50	2-(2-Piperazin-1-ylethoxy)ethanol (CAS RN 13349-82-1)	0 %	31.12.2019
*ex 2933 59 95	65	1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate) (CAS RN 140681-55-6)	0 %	31.12.2019
*ex 2933 59 95	75	(2R,3S/2S,3R)-3-(6-Chloro-5-fluoro pyrimidin-4-yl)-2-(2,4-difluorophenyl)-1-(1H-1,2,4-triazol-1-yl)butan-2-ol hydrochloride, (CAS RN 188416-20-8)	0 %	31.12.2019
*ex 2933 79 00	60	3,3-Pentamethylene-4-butyrolactam (CAS RN 64744-50-9)	0 %	31.12.2019
ex 2933 99 80	23	Tebuconazole (ISO) (CAS RN 107534-96-3) with a purity by weight of 95 % or more	0 %	31.12.2019
ex 2933 99 80	27	5,6-Dimethylbenzimidazole (CAS RN 582-60-5)	0 %	31.12.2019
ex 2933 99 80	33	Penconazole (ISO) (CAS RN 66246-88-6)	0 %	31.12.2019
*ex 2933 99 80	37	8-Chloro-5,10-dihydro-11H-dibenzo [b,e] [1,4]diazepin-11-one (CAS RN 50892-62-1)	0 %	31.12.2019
*ex 2933 99 80	55	Pyridaben (ISO) (CAS RN 96489-71-3)	0 %	31.12.2019
ex 2934 10 00	45	2-Cyanimino-1,3-thiazolidine (CAS RN 26364-65-8)	0 %	31.12.2019
*ex 2934 10 00	60	Fosthiazate (ISO) (CAS RN 98886-44-3)	0 %	31.12.2019
*ex 2934 99 90	20	Thiophene (CAS RN 110-02-1)	0 %	31.12.2019
ex 2934 99 90	24	Flufenacet (ISO) (CAS RN 142459-58-3) with a purity by weight of 95 % or more	0 %	31.12.2019
ex 2934 99 90	26	4-Methylmorpholine 4-oxide in an aqueous solution (CAS RN 7529-22-8)	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 2934 99 90	27	2-(4-Hydroxyphenyl)-1-benzothiophene-6-ol (CAS RN 63676-22-2)	0 %	31.12.2019
ex 2934 99 90	29	2,2'-Oxybis(5,5-dimethyl-1,3,2-dioxaphosphorinane)-2,2'-disulphide (CAS RN 4090-51-1)	0 %	31.12.2019
*ex 2934 99 90	30	Dibenzo[b,f][1,4]thiazepin-11(10H)-one (CAS RN 3159-07-7)	0 %	31.12.2019
*ex 2934 99 90	83	Flumioxazin (ISO) (CAS RN 103361-09-7) of a purity by weight of 96 % or more	0 %	31.12.2019
*ex 2934 99 90	84	Etiozazole (ISO) (CAS RN 153233-91-1) of a purity by weight of 94,8 % or more	0 %	31.12.2019
*ex 2935 00 90	30	Mixture of isomers consisting of <i>N</i> -ethyltoluene-2-sulphonamide and <i>N</i> -ethyltoluene-4-sulphonamide	0 %	31.12.2015
ex 2935 00 90	43	Oryzalin (ISO) (CAS RN 19044-88-3)	0 %	31.12.2019
ex 2935 00 90	47	Halosulfuron-methyl (ISO) (CAS RN 100784-20-1) with a purity by weight of 98 % or more	0 %	31.12.2019
*ex 2935 00 90	53	2,4-Dichloro-5-sulphamoylbenzoic acid (CAS RN 2736-23-4)	0 %	31.12.2019
*ex 2935 00 90	63	Nicosulphuron (ISO), (CAS RN 111991-09-4) of a purity by weight of 91 % or more	0 %	31.12.2019
*ex 2935 00 90	77	[[4-[2-[[[3-Ethyl-2,5-dihydro-4-methyl-2-oxo-1 <i>H</i> -pyrrol-1-yl]carbonyl]amino]ethyl]phenyl]sulfonyl]-carbamic acid ethyl ester, (CAS RN 318515-70-7)	0 %	31.12.2019
ex 3204 11 00	25	<i>N</i> -(2-chloroethyl)-4-[(2,6-dichloro-4-nitrophenyl)azo]- <i>N</i> -ethyl- <i>m</i> -toluidine (CAS RN 63741-10-6)	0 %	31.12.2019
ex 3204 16 00	10	Colourant Reactive Black 5 (CAS RN 17095-24-8) and preparations based thereon with a colourant Reactive Black 5 content of 60 % or more by weight but not more than 75 %	0 %	31.12.2019
ex 3204 17 00	12	Colourant C.I. Pigment Orange 64 (CAS RN 72102-84-2) and preparations based thereon with a Colourant C.I. colourant orange 64 content of 90 % or more by weight	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3204 17 00	17	Colourant C.I. Pigment Red 12 (CAS RN 6410-32-8) and preparations based thereon with a Colourant C.I. Pigment Red 12 content of 35 % or more by weight	0 %	31.12.2019
ex 3204 17 00	23	Colourant C.I. Pigment Brown 41 (CAS RN 211502-16-8 or CAS RN 68516-75-6)	0 %	31.12.2019
ex 3204 17 00	27	Colourant C.I. Pigment Blue 15:4 (CAS RN 147-14-8) and preparations based thereon, containing by weight 95 % or more of an organic dyestuff	0 %	31.12.2019
*ex 3204 17 00	40	Colourant C.I. Pigment Yellow 120 (CAS RN 29920-31-8) and preparations based thereon with a colourant C.I. Pigment Yellow 120 content of 50 % or more by weight	0 %	31.12.2019
*ex 3204 17 00	50	Colourant C.I. Pigment Yellow 180 (CAS RN 77804-81-0) and preparations based thereon with a colourant C.I. Pigment Yellow 180 content of 90 % or more by weight	0 %	31.12.2019
*ex 3204 19 00	11	Photochromic dye, 3-(4-butoxyphenyl)-6,7-dimethoxy-3-(4-methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo[<i>h</i>]indeno[2,1- <i>f</i>]chromene-11-carbonitrile	0 %	31.12.2015
ex 3204 19 00	12	Colourant C.I. Solvent Violet 49 (CAS RN 205057-15-4)	0 %	31.12.2019
ex 3204 19 00	14	Red colourant preparation, in a form of wet paste, containing by weight: — 35 % or more but not more than 40 % of 1-[[4-(phenylazo)phenyl]azo]naphthalen-2-ol methyl derivatives (CAS RN 70879-65-1) — not more than 3 % of 1-(phenylazo)naphthalen-2-ol (CAS RN 842-07-9) — not more than 3 % of 1-[(2-methylphenyl)azo]naphthalen-2-ol (CAS RN 2646-17-5) — 55 % or more but not more than 65 % of water	0 %	31.12.2019
*ex 3204 19 00	21	Photochromic dye, 4-(3-(4-butoxyphenyl)-6-methoxy-3-(4-methoxyphenyl)-13,13-dimethyl-11-(trifluoromethyl)-3,13-dihydrobenzo[<i>h</i>]indeno[2,1- <i>f</i>]chromen-7-yl)morpholine (CAS RN 1021540-64-6)	0 %	31.12.2019
*ex 3204 19 00	31	Photochromic dye, <i>N</i> -hexyl -6,7-dimethoxy-3,3-bis(4-methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo[<i>h</i>]indeno[2,1- <i>f</i>]chromene-11-carboxamide	0 %	31.12.2015
*ex 3204 19 00	41	Photochromic dye, 4,4'-(13,13-dimethyl-3,13-dihydrobenzo[<i>h</i>]indeno[2,1- <i>f</i>]chromene-3,3-diyl)diphenol	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3204 19 00	51	Photochromic dye, 4-(4-(6,11-difluoro-13,13-dimethyl-3-phenyl-3,13-dihydrobenzo[<i>h</i>]indeno[2,1- <i>f</i>]chromen-3-yl)phenyl)morpholine (CAS RN 1360882-72-6)	0 %	31.12.2015
ex 3206 19 00	20	Colourant C.I. Pigment Blue 27 (CAS RN 14038-43-8)	0 %	31.12.2019
*ex 3206 49 70	10	Non aqueous dispersion, containing by weight: — 57 % or more but not more than 63 % of aluminium oxide (CAS RN 1344-28-1) — 37 % or more but not more than 42 % of titanium dioxide (CAS RN 13463-67-7), and — 1 % or more but not more than 2 % of triethoxycaprylyl silane (CAS RN 2943-75-1)	0 %	31.12.2018
ex 3207 30 00	20	Printing paste containing — 30 % by weight or more, but not more than 50 % of silver and — 8 % by weight or more, but not more than 17 % of palladium	0 %	31.12.2019
*ex 3208 90 19	45	Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate	0 %	31.12.2018
ex 3824 90 92	63			
ex 3402 90 10	10	Surface-active mixture of methyltri-C8-C10-alkylammonium chlorides	0 %	31.12.2019
*ex 3402 90 10	60	Surface-active preparation, containing 2-ethylhexyloxymethyl oxirane	0 %	31.12.2015
*ex 3402 90 10	70	Surface-active preparation, containing ethoxylated 2,4,7,9-tetramethyl-5-decyne-4,7-diol (CAS RN 9014-85-1)	0 %	31.12.2019
*ex 3506 91 00	40	Acrylic pressure sensitive adhesive with a thickness of 0,076 mm or more but not more than 0,127 mm, put up in rolls of a width of 45,7 cm or more but not more than 132 cm supplied on a release liner with an initial peel adhesion release value of not less than 15 N/25 mm (measured according to ASTM D3330)	0 %	31.12.2019
ex 3507 90 90	10	Preparation of <i>Achromobacter lyticus</i> protease (CAS RN 123175-82-6) for use in the manufacture of human and analogue insulin products ⁽¹⁾	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3701 30 00	20	Photosensitive plate consisting of a photopolymer layer on a polyester foil of a total thickness of more than 0,43 mm but not more than 3,18 mm	0 %	31.12.2019
*ex 3705 90 90	10	Photomasks for photographically transferring circuit diagram patterns onto semiconductor wafers	0 %	31.12.2019
*ex 3707 10 00	45	Photosensitive emulsion consisting of cyclized polyisoprene containing: — 55 % or more but not more than 75 % by weight of xylene and — 12 % or more but not more than 18 % by weight of ethylbenzene	0 %	31.12.2019
*ex 3707 10 00	50	Photosensitive emulsion containing by weight: — 20 % or more but not more than 45 % of copolymers of acrylates and/or methacrylates and hydroxystyrene derivatives, — 25 % or more but not more than 50 % of organic solvent containing at least ethyl lactate and/or propylene glycolmethylether acetate, — 5 % or more but not more than 30 % of acrylates, — not more than 12 % of a photoinitiator	0 %	31.12.2019
*ex 3707 90 90	40	Anti-reflection coating, in the form of an aqueous solution, containing by weight not more than: — 2 % of halogen-free alkyl sulphonic acid, and — 5 % of a fluorinated polymer	0 %	31.12.2019
*ex 3707 90 90	85	Rolls, containing: — a dry layer of a photosensitive acrylic resin, — on one side a poly(ethylene terephthalate) protecting foil and — on the other side a polyethylene protecting foil	0 %	31.12.2019
*ex 3808 91 90	30	Preparation containing endospores or spores and protein crystals derived from either: — <i>Bacillus thuringiensis</i> Berliner subsp. <i>aizawai</i> and <i>kurstaki</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>aizawai</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>tenebrionis</i>	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3808 92 90	50	Preparations based on copper pyriithione (CAS RN 14915-37-8)	0 %	31.12.2019
*ex 3808 93 23	10	Herbicide containing flazasulfuron (ISO) as an active ingredient	0 %	31.12.2019
*ex 3808 93 90	10	Preparation, in the form of granules, containing by weight: — 38,8 % or more but not more than 41,2 % of Gibberellin A3, or — 9,5 % or more but not more than 10,5 % of Gibberellin A4 and A7	0 %	31.12.2019
*ex 3809 92 00	20	Defoamer, consisting of a mixture of oxydipropanol and 2,5,8,11-tetramethyldodec-6-yn-5,8-diol	0 %	31.12.2019
*ex 3811 19 00	10	Solution of more than 61 % but not more than 63 % by weight of methylcyclopentadienyl manganese tricarbonyl in an aromatic hydrocarbon solvent, containing by weight not more than: — 4,9 % of 1,2,4-trimethyl-benzene, — 4,9 % of naphthalene, and — 0,5 % of 1,3,5-trimethyl-benzene	0 %	31.12.2019
ex 3811 21 00	48	Additives containing — overbased magnesium (C20-C24) alkylbenzenesulphonates (CAS RN 231297-75-9) and — by weight more than 25 % but not more than 50 % of mineral oils, having a total base number of more than 350, but not more than 450, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2018
ex 3811 21 00	53	Additives containing: — overbased calcium petroleum sulphonates (CAS 68783-96-0) with a sulphonate content by weight of 15 % or more, but not more than 30 % and — by weight more than 40 % but not more than 60 % of mineral oil, having a total base number of 280 or more but not more than 420, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3811 21 00	55	Additives containing: — low base number calcium polypropylbenzenesulphonate (CAS RN 75975-85-8) and — by weight more than 40 % but not more than 60 % mineral oils, having a total base number of more than 10 but not more than 25, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 21 00	57	Additives containing: — a polyisobutylene succinimide based mixture, and — more than 40 % but not more than 50 % by weight of mineral oils, having a total base number of more than 40, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 21 00	63	Additives containing: — an overbased mixture of calcium petroleum sulphonates (CAS RN 61789-86-4) and synthetic calcium alkylbenzenesulphonates (CAS RN 68584-23-6 and CAS RN 70024-69-0) with a total sulphonate content by weight of 15 % or more, but not more than 25 % and — by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of 280 or more but not more than 320, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 21 00	65	Additives containing: — a polyisobutylene succinimide based mixture (CAS RN 160610-76-4), and — more than 35 % but not more than 50 % by weight of mineral oils, having a sulphur content of more than 0,7 % but not more than 1,3 % by weight, having a total base number of more than 8, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 29 00	15	Additives containing : — products from the reaction of branched heptyl phenol with formaldehyde, carbon disulphide and hydrazine (CAS RN 93925-00-9) and — by weight more than 15 % but not more than 28 % of light aromatic petroleum naphtha solvent, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 29 00	25	Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3811 29 00	35	Additives consisting of an imidazoline based mixture (CAS RN 68784-17-8), for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 29 00	45	Additives consisting of a mixture of (C7-C9) dialkyl adipates, in which diisooctyl adipate (CAS RN 1330-86-5) is more than 85 % by weight of the mixture, for use in the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes with: — by weight more than 28 % but not more than 35 % 4-mononyldiphenylamine, and — by weight more than 50 % but not more than 65 % 4,4'-dinonyldiphenylamine, — by weight a total percentage of 2, 4-dinonyldiphenylamine and 2, 4'-dinonyldiphenylamine of not more than 5 %, used for the manufacture of lubricating oils ⁽¹⁾	0 %	31.12.2019
*ex 3812 30 80	30	Compound stabilisers containing by weight 15 % or more but not more than 40 % of sodium perchlorate and not more than 70 % of 2-(2-methoxyethoxy)ethanol	0 %	31.12.2019
*ex 3815 90 90	70	Catalyst, consisting of a mixture of (2-hydroxypropyl)trimethylammonium formate and dipropylene glycols	0 %	31.12.2019
*ex 3815 90 90	80	Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol	0 %	31.12.2015
*ex 3824 90 92	32	Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, containing by weight 56 % or more but not more than 85 % of divinylbenzene (CAS RN 1321-74-0)	0 %	31.12.2019
*ex 3824 90 92	33	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either:	0 %	31.12.2018
ex 3824 90 93	40	— on a support of mineral wax, whether or not modified chemically, or — in the form of a solution in an organic solvent		
*ex 3824 90 92	34	Oligomer of tetrafluoroethylene, having one iodoethyl end-group	0 %	31.12.2018
*ex 3824 90 92	35	Preparations containing not less than 92 % but not more than 96,5 % by weight of 1,3:2,4-bis-O-(4-methylbenzylidene)-D-glucitol and also containing carboxylic acid derivatives and an alkyl sulphate	0 %	31.12.2016

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 92	36	Calcium phosphonate phenate, dissolved in mineral oil	0 %	31.12.2016
*ex 3824 90 92	37	Mixture of acetates of 3-butylene-1,2-diol with a content by weight of 65 % or more but not more than 90 %	0 %	31.12.2018
*ex 3824 90 92	39	Preparations containing not less than 47 % by weight of 1,3:2,4-bis- <i>O</i> -benzylidene- <i>D</i> -glucitol	0 %	31.12.2016
*ex 3824 90 92	40	Mixture containing two or three of the following acrylates: — urethane acrylates, — tripropylene glycoldiacrylate, — ethoxylated bisphenol A acrylate and — poly(ethyleneglycol) 400 diacrylate	0 %	31.12.2015
*ex 3824 90 92	41	Solution of (chloromethyl)bis(4-fluorophenyl)methylsilane of a nominal concentration of 65 % in toluene	0 %	31.12.2015
*ex 3824 90 92	42	Preparation of tetrahydro- α -(1-naphthylmethyl)furan-2-propionic acid (CAS RN 25379-26-4) in toluene	0 %	31.12.2018
*ex 3824 90 92	43	Preparation, consisting of a mixture of 2,4,7,9-tetramethyldec-5-yne-4,7-diol and propan-2-ol	0 %	31.12.2015
*ex 3824 90 92	44	Preparation containing by weight: — 85 % or more but not more than 95 % of α -4-(2-cyano-2-butoxycarbonyl)vinyl-2-methoxy-phenyl- ω -hydroxyhexa(oxyethylene), and — 5 % or more but not more than 15 % of polyoxyethylene (20) sorbitan monopalmitate	0 %	31.12.2015
*ex 3824 90 92	45	Preparation consisting predominantly of γ -butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors ⁽¹⁾	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 92	46	Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran	0 %	31.12.2015
*ex 3824 90 92	47	Preparation, containing: — trioctylphosphine oxide (CAS RN 78-50-2), — dioctylhexylphosphine oxide (CAS RN 31160-66-4), — octyldihexylphosphine oxide (CAS RN 31160-64-2) and — trihexylphosphine oxide (CAS RN 3084-48-8)	0 %	31.12.2016
*ex 3824 90 92	48	Mixture of: — 3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide (CAS RN 50292-95-0) and — ethyl-6'-(diethylamino)-3-oxo-spiro-[isobenzofuran-1(3H),9'-[9H]xanthene]-2'-carboxylate (CAS RN 154306-60-2)	0 %	31.12.2017
*ex 3824 90 92	49	Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)	0 %	31.12.2017
*ex 3824 90 92	50	Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses ⁽¹⁾	0 %	31.12.2017
*ex 3824 90 92	51	Mixture containing by weight 40 % or more but not more than 50 % of 2-hydroxyethyl methacrylate and 40 % or more but not more than 50 % of glycerol ester of boric acid	0 %	31.12.2018
*ex 3824 90 92	52	Preparation, consisting of: — dipropylene glycol — tripropylene glycol — tetrapropylene glycol and — pentapropylene glycol	0 %	31.12.2017

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 92	53	Preparations consisting predominantly of ethylene glycol and: — either diethylene glycol, dodecandioic acid and ammonia water, — or N,N-dimethylformamide, — or γ -butyrolactone, — or silicon oxide, — or ammonium hydrogen azelate, — or ammonium hydrogen azelate and silicon oxide, — or dodecandioic acid, ammonia water and silicon oxide, for the manufacture of electrolytic capacitors ⁽¹⁾	0 %	31.12.2018
*ex 3824 90 92	54	Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yloxy)acetate] with an average polymer chain length of less than 5 monomer units (CAS RN 813452-37-8)	0 %	31.12.2015
*ex 3824 90 92	55	Additives for paints and coatings, containing: — a mixture of esters of phosphoric acid obtained from the reaction of phosphoric anhydride with 4-(1,1-dimethylpropyl) phenol and copolymers of styrene-allyl alcohol (CAS RN 84605-27-6), and — 30 % or more but not more than 35 % by weight of isobutyl alcohol	0 %	31.12.2018
*ex 3824 90 92	56	Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an average polymer chain length of less than 5 monomer units	0 %	31.12.2019
*ex 3824 90 92	57	Poly(ethylene glycol) bis(<i>p</i> -dimethylaminobenzoate with an average polymer chain length of less than 5 monomer units	0 %	31.12.2019
*ex 3824 90 92	58	2-Hydroxybenzonitrile, in the form of a solution in <i>N,N</i> -dimethylformamide, containing by weight 45 % or more but not more than 55 % of 2-hydroxybenzonitrile	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 92	59	Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in tetrahydrofuran	0 %	31.12.2018
*ex 3824 90 92	60	N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37 %	0 %	31.12.2015
*ex 3824 90 92	61	3',4',5'-Trifluorobiphenyl-2-amine, in the form of a solution in toluene containing by weight 80 % or more but not more than 90 % of 3',4',5'-trifluorobiphenyl-2-amine	0 %	31.12.2015
*ex 3824 90 92	62	α -Phenoxycarbonyl- ω -phenoxy poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]	0 %	31.12.2018
*ex 3824 90 92	64	Preparation containing by weight: — 89 % or more but not more than 98,9 % of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol — 0,1 % or more but not more than 1 % of colourants — 1 % or more but not more than 10 % of fluoropolymers	0 %	31.12.2016
*ex 3824 90 92	65	Mixture of primary <i>tert</i> -alkylamines	0 %	31.12.2019
*ex 3824 90 92	70	Mixture of 80 % (\pm 10 %) of 1-[2-(2-aminobutoxy)ethoxy]but-2-ylamine and 20 % (\pm 10 %) of 1-([2-(2-aminobutoxy)ethoxy]methyl) propoxybut-2-ylamine	0 %	31.12.2019
*ex 3824 90 92	71	Preparation consisting of: — 80 % or more but not more than 90 % by weight of (S)- α -hydroxy-3-phenoxybenzeneacetonitrile (CAS RN 61826-76-4) and — 10 % or more but not more than 20 % by weight of toluene (CAS RN 108-88-3)	0 %	31.12.2018
*ex 3824 90 92	72	N-(2-phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362-22-7)	0 %	31.12.2018
*ex 3824 90 92	73	α -(2,4,6-Tribromophenyl)- ω -(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]	0 %	31.12.2018
*ex 3824 90 92	74	C6-24 and C16-18-unsaturated fatty acid esters with sucrose (sucrose polysoyate) (CAS RN 93571-82-5)	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 92 ex 3906 90 90	75 87	Aqueous solution of polymers and ammonia consisting of: — 0,1 % or more but not more than 0,5 % by weight of ammonia (CAS RN 1336-21-6) and — 0,3 % or more but not more than 10 % by weight of polycarboxylate (linear polymers of acrylic acid)	0 %	31.12.2018
*ex 3824 90 92	78	Preparation containing by weight either 10 % or more but not more than 20 % of lithiumfluorophosphate or 5 % or more but not more than 10 % of lithium perchlorate in mixtures of organic solvents	0 %	31.12.2018
*ex 3824 90 92	80	Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)	0 %	31.12.2017
*ex 3824 90 92	81	Preparation consisting of: — 50 % (±2 %) by weight of bis-alkoxylated ethyl acetoacetate aluminium chelates, — in an ink oil (white mineral) solvent with a boiling point of 160 °C or more but not more than 180 °C	0 %	31.12.2018
*ex 3824 90 92 ex 3824 90 93	86 57	Liquid crystal mixture for use in the manufacture of displays ⁽¹⁾	0 %	31.12.2017
*ex 3824 90 93	35	Paraffin with a level of chlorination of 70 % or more	0 %	31.12.2019
*ex 3824 90 93	42	Mixture of bis{4-(3-(3-phenoxy-carbonylamino)tolyl)ureido}phenylsulphone, diphenyltoluene-2,4-dicarbamate and 1-[4-(4-aminobenzenesulphonyl)-phenyl]-3-(3-phenoxy-carbonylamino-tolyl)-urea	0 %	31.12.2018
*ex 3824 90 93	45	Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7 % or more of tricyclopentadiene, and: — either an aluminium-alkyl compound, — or an organic complex of tungsten — or an organic complex of molybdenum	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 93	47	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated	0 %	31.12.2019
*ex 3824 90 93	53	Zinc Dimethacrylate (CAS RN 13189-00-9), containing not more than 2,5 % by weight of 2,6-di-tert-butyl-alpha-dimethyl amino-p-cresol (CAS RN 88-27-7), in the form of powder	0 %	31.12.2018
*ex 3824 90 93	63	Mixture of phytosterols, not in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters ⁽¹⁾	0 %	31.12.2017
*ex 3824 90 93	65	Mixture of phytosterols derived from wood and wood based oils (tall oil), in the form of powder with a particle size not more than 300 µm, containing by weight: — 60 % or more, but not more than 80 % of sitosterols, — not more than 15 % of campesterols, — not more than 5 % of stigmasterols, — not more than 15 % of betasitostanols	0 %	31.12.2017
*ex 3824 90 93	70	Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)	0 %	31.12.2019
*ex 3824 90 93	73	Oligomer of tetrafluoroethylene, having tetrafluoroiodoethyl end-groups	0 %	31.12.2018
*ex 3824 90 93	75	Mixture of phytosterols, in the form of flakes and balls, containing by weight 80 % or more of sterols and not more than 4 % of stanols	0 %	31.12.2019
*ex 3824 90 93	77	Powder mixture containing by weight: — 85 % or more of zinc diacrylate (CAS RN 14643-87-9) — and not more than 5 % of 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (CAS RN 88-27-7)	0 %	31.12.2018
*ex 3824 90 93	80	Film containing oxides of barium or calcium combined with either oxides of titanium or zirconium, in an acrylic binding material	0 %	31.12.2019
ex 3824 90 96	67			

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 93 ex 3824 90 96	83 85	Preparation containing: — C,C'-azodi(formamide) (CAS RN 123-77-3), — magnesium oxide (CAS RN 1309-48-4) and — zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C	0 %	31.12.2017
*ex 3824 90 93 ex 3824 90 96	85 57	Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges ⁽¹⁾	0 %	31.12.2018
*ex 3824 90 96	35	Calcined bauxite (refractory grade)	0 %	31.12.2018
*ex 3824 90 96	37	Structured silica alumina phosphate	0 %	31.12.2019
*ex 3824 90 96	43	Aqueous dispersion, containing by weight: — 76 % (± 0,5 %) of silicon carbide (CAS RN 409-21-2) — 4,6 % (± 0,05 %) of aluminium oxide (CAS RN 1344-28-1) and — 2,4 % (± 0,05 %) of yttrium oxide (CAS RN 1314-36-9)	0 %	31.12.2016
*ex 3824 90 96	45	Mixture of: — basic zirconium carbonate (CAS RN 57219-64-4) and — cerium carbonate (CAS RN 537-01-9)	0 %	31.12.2016
*ex 3824 90 96	47	Mixed metals oxides, in the form of powder, containing by weight: — either 5 % or more of barium, neodymium or magnesium and 15 % or more of titanium, — or 30 % or more of lead and 5 % or more of niobium, for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors ⁽¹⁾	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 96	50	Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators	0 %	31.12.2017
*ex 3824 90 96	55	Carrier in powder form, consisting of: — Ferrite (Iron oxide) (CAS RN 1309-37-1) — Manganese oxide (CAS RN 1344-43-0) — Magnesium oxide (CAS RN 1309-48-4) — Styrene acrylate copolymer to be mixed with the toner powder, in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers ⁽¹⁾	0 %	31.12.2018
*ex 3824 90 96	60	Fused magnesia containing by weight 15 % or more of dichromium trioxide	0 %	31.12.2016
*ex 3824 90 96	63	Catalyst containing by weight of — 52 % (\pm 10 %) of Cuprous Oxide (CAS RN 1317-39-1), — 38 % (\pm 10 %) of Cupric Oxide (CAS RN 1317-38-0) and — 10 % (\pm 5 %) of Metallic Copper (CAS RN 7440-50-8)	0 %	31.12.2018
*ex 3824 90 96	65	Aluminium sodium silicate, in the form of spheres of a diameter of: — either 1,6mm or more but not more than 3,4mm, — or 4mm or more but not more than 6mm	0 %	31.12.2018
*ex 3824 90 96	73	Reaction product, containing by weight: — 1 % or more but not more than 40 % of molybdenum oxide, — 10 % or more but not more than 50 % of nickel oxide, — 30 % or more but not more than 70 % of tungsten oxide	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3824 90 96	75	Hollow spheres of fused aluminosilicate containing 65-80 % amorphous aluminosilicate, with the following characteristics: — a melting point of between 1 600 °C and 1 800 °C, — a density of 0,6 - 0,8 g/cm ³ , for use in the manufacture of particle filters in motor vehicles ⁽¹⁾	0 %	31.12.2018
*ex 3824 90 96	77	Preparation, consisting of 2,4,7,9-tetramethyldec-5-yne-4,7-diol and silicon dioxide	0 %	31.12.2019
*ex 3824 90 96	79	Paste containing by weight: — 75 % or more, but not more than 85 % of copper, — inorganic oxides, — ethyl cellulose, and — a solvent	0 %	31.12.2017
*ex 3824 90 96	87	Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight: — 0,1 % or more but not more than 1 % of platinum, and — 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9)	0 %	31.12.2017
*ex 3901 10 10	10	Linear low-density polyethylene / LLDPE (CAS RN 9002-88-4) in the form of powder, with — 5 % or less by weight of comonomer, — a melt flow rate of 15 g/10 min or more, but not more than 60 g/10 min and — a density of 0,924 g/cm ³ or more, but not more than 0,928 g/cm ³	0 %	30.06.2015
ex 3901 10 10 ex 3901 90 90	20 50	High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with — a melt flow rate (MFR 190 °C/2,16 kg) of 16g/10min or more, but not more than 24 g/10 min and — a density (ASTM D 1505) of 0,922 g/cm ³ or more, but not more than 0,926 g/cm ³ and — a vicat softening temperature of min. 94 °C	0 %	30.06.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3901 90 90	30	Linear low-density polyethylene / LLDPE (CAS RN 9002-88-4) in the form of powder, with — more than 5 %, but not more than 8 % by weight of comonomer, — a melt flow rate of 15 g/10 min or more, but not more than 60 g/10 min and — a density of 0,924 g/cm ³ or more, but not more than 0,928 g/cm ³	0 %	30.06.2015
*ex 3901 90 90	40	Copolymer of ethylene and 1-hexene only (CAS RN 25213-02-9): — containing more than 5 % but not more than 20 % by weight of 1-hexene, — of a specific gravity of not more than 0,93, — manufactured using a metallocene catalyst	0 %	30.06.2015
*ex 3902 10 00	40	Polypropylene, containing no plasticiser: — of a tensile strength: of 32-60 MPa (as determined by the ASTM D638 method); — of a flexural strength of 50-90 MPa (as determined by the ASTM D790 method); — of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method); — with 40 % or more but not more than 80 % by weight of polypropylene, — with 10 % or more but not more than 30 % by weight of glass fibre, — with 10 % or more but not more than 30 % by weight of mica	0 %	31.12.2019
*ex 3902 90 90	60	Non-hydrogenated 100 % aliphatic resin (polymer), with the following characteristics: — liquid at room temperature — obtained by cationic polymerisation of C-5 alkenes monomers — with a number average molecular weight (Mn) of 370 (± 50) — with a weight average molecular weight (Mw) of 500 (± 100)	0 %	31.12.2019
*ex 3903 19 00	30	Crystalline polystyrene with a melting point of 268 °C or more but not more than 272 °C and a setting point of 232 °C or more but not more than 242 °C, whether or not containing additives and filling material	0 %	31.12.2016

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3903 90 90	15	Copolymer in the form of granules containing by weight: — 78 ± 4 % styrene, — 9 ± 2 % n-butyl acrylate, — 11 ± 3 % n-butyl methacrylate, — 1.5 ± 0,7 % methacrylic acid and — 0,01 % or more but not more than 2,5 % of polyolefinic wax	0 %	31.12.2016
*ex 3903 90 90	20	Copolymer in the form of granules containing by weight: — 83 ± 3 % styrene, — 7 ± 2 % n-butyl acrylate, — 9 ± 2 % n-butyl methacrylate and — 0,01 % or more but not more than 1 % of polyolefinic wax	0 %	31.12.2016
*ex 3903 90 90	25	Copolymer in the form of granules containing by weight: — 82 ± 6 % styrene, — 13,5 ± 3 % n-butyl acrylate, — 1 ± 0,5 % methacrylic acid and — 0,01 % or more but not more than 8,5 % of polyolefinic wax	0 %	31.12.2016
*ex 3904 10 00	20	Poly(vinyl chloride) powder, not mixed with any other substances or containing any vinyl acetate monomers, with: — a degree of polymerisation of 1 000 (± 300) monomer units, — a coefficient of heat transmission (K-value) of 60 or more, but not more than 70, — a volatile material content of less than 2,00 % by weight, — a sieve non-passing fraction at a mesh width of 120 µm of not more than 1 % by weight, for use in the manufacture of battery separators ⁽¹⁾	0 %	31.12.2019
*ex 3904 50 90	92	Vinylidene-chloride methacrylate co-polymer for use in the manufacture of monofilaments ⁽¹⁾	0 %	31.12.2019
*ex 3906 90 90	41	Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3906 90 90	73	Preparation containing by weight: — 33 % or more but not more than 37 % of butyl methacrylate - methacrylic acid copolymer, — 24 % or more but not more than 28 % of propylene glycol, and — 37 % or more but not more than 41 % of water	0 %	31.12.2019
ex 3907 20 20	50	Poly(<i>p</i> -phenylene oxide) in the form of powder	0 %	31.12.2019
ex 3907 20 99	75	— with a glass transition temperature of 210 °C — with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000 — with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram		
ex 3907 20 99	70	α-[3-(3-Maleimido-1-oxopropyl)amino]propyl-ω-methoxy, polyoxyethylene (CAS RN 883993-35-9)	0 %	31.12.2019
ex 3907 40 00	70	Polycarbonate of phosgene and bisphenol A: — containing by weight 12 % or more but not more than 26 % of a copolymer of isophthaloyl chloride, terephthaloyl chloride and resorcinol, — with <i>p</i> -cumylphenol endcaps, and — with a weight average molecular weight (Mw) of 29 900 or more but not more than 31 900	0 %	31.12.2019
ex 3907 40 00	80	Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4'-(1-methylethylidene)bis[phenol] with 4-(1-methyl-1-phenylethyl)phenol endcaps	0 %	31.12.2019
*ex 3907 91 90	10	Diallyl phthalate prepolymer, in powder form	0 %	31.12.2019
ex 3907 99 90	40	Polycarbonate of phosgene, bisphenol A, resorcinol, isophthaloyl chloride, terephthaloyl chloride and polysiloxane, with <i>p</i> -cumylphenol endcaps, and a weight average molecular weight (Mw) of 24 100 or more but not more than 25 900	0 %	31.12.2019
*ex 3907 99 90	70	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3909 50 90	10	UV curable water soluble liquid photopolymer consisting of a mixture by weight of — 60 % or more of two-functional acrylated polyurethane oligomers and — 30 % (\pm 8 %) of mono-functional and tri-functional (metha) acrylates, and — 10 % (\pm 3 %) of hydroxyl functionalized mono-functional (metha) acrylates	0 %	31.12.2019
ex 3909 50 90	20	Preparation containing by weight: — 14 % or more but not more than 18 % of ethoxylated polyurethane modified with hydrophobic groups, — 3 % or more but not more than 5 % of enzymatically modified starch, and — 77 % or more but not more than 83 % of water	0 %	31.12.2019
ex 3909 50 90	30	Preparation containing by weight: — 16 % or more but not more than 20 % of ethoxylated polyurethane modified with hydrophobic groups, — 19 % or more but not more than 23 % of diethylene glycol butyl ether, and — 60 % or more but not more than 64 % of water	0 %	31.12.2019
ex 3909 50 90	40	Preparation containing by weight: — 34 % or more but not more than 36 % of ethoxylated polyurethane modified with hydrophobic groups, — 37 % or more but not more than 39 % of propylene glycol, and — 26 % or more but not more than 28 % of water	0 %	31.12.2019
*ex 3910 00 00	60	Polydimethylsiloxane, whether or not polyethylene glycol and trifluoropropyl substituted, with methacrylate end groups	0 %	31.12.2019
ex 3910 00 00	80	Monomethacryloxypropylterminated poly(dimethylsiloxane)	0 %	31.12.2019
ex 3911 90 19	50	Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form	0 %	31.12.2019
*ex 3911 90 99	31	Copolymers of butadiene and maleic acid, whether or not containing its ammonium salts	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3916 20 00	91	Profiles of poly(vinyl chloride) of a kind used in the manufacture of sheet pilings and facings, containing the following additives: — titanium dioxide — poly(methyl methacrylate) — calcium carbonate — binding agents	0 %	31.12.2019
*ex 3917 40 00	91	Plastic connectors containing O-rings, a retainer clip and a release system for insertion into car fuel hoses	0 %	31.12.2019
*ex 3919 10 80	23	Reflecting film, consisting of several layers including: — poly(vinyl chloride); — polyurethane with, on one side, imprints against counterfeiting, alteration or substitution of data or duplication, and on the other side, a layer of glass microspheres; — a layer incorporating a security and/or official mark which changes appearance with angle of view; — metallised aluminium; — and adhesive, covered on one side with a release liner	0 %	31.12.2015
*ex 3919 10 80	27	Polyester film:	0 %	31.12.2019
ex 3919 90 00	20	— coated on one side with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner, and — on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner		
*ex 3919 10 80	32	Polytetrafluoroethylene film: — with a thickness of 110 µm or more, — with a surface resistance of between 10 ² -10 ¹⁴ ohms as determined by test method ASTM D 257, — coated on one side with an acrylic pressure sensitive adhesive	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3919 10 80	37	Polytetrafluoroethylene film: — with a thickness of 100 µm or more, — an elongation at break of not more than 100 %, — coated on one side with a pressure sensitive silicon adhesive	0 %	31.12.2015
*ex 3919 10 80	43	Ethylene vinyl acetate film:	0 %	31.12.2015
ex 3919 90 00	26	— of a thickness of 100 µm or more, — coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner		
*ex 3919 10 80	85	Poly(vinyl chloride) or polyethylene or any other polyolefine film:	0 %	31.12.2019
ex 3919 90 00	28	— of a thickness of 65 µm or more, — coated on one side with an acrylic UV-sensitive adhesive and a polyester liner		
*ex 3919 90 00	24	Reflecting laminated sheet: — consisting of an epoxy acrylate layer embossed on one side in a regular shaped pattern, — covered on both sides with one or more layers of plastic material and — covered on one side with an adhesive layer and a release sheet	0 %	31.12.2019
*ex 3919 90 00	29	Polyester film coated on both sides with an acrylic and/or rubber (pressure sensitive) adhesive put up in rolls of a width of 45,7 cm or more but not more than 132 cm (supplied with a release liner)	0 %	31.12.2019
*ex 3919 90 00	33	Transparent poly(ethylene) self-adhesive film, free from impurities or faults, coated on one side with an acrylic pressure sensitive adhesive, with a thickness of 60 µm or more, but not more than 70 µm, and with a width of more than 1 245 mm but not more than 1 255 mm	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3919 90 00	37	UV-absorbing film of poly (vinyl chloride): — with a thickness of 78 µm or more, — covered on one side with an adhesive layer and with a release sheet, — with an adhesive strength of 1 764 mN / 25 mm or more	0 %	31.12.2019
*ex 3919 90 00	44	Printed laminated sheet	0 %	31.12.2017
ex 3921 90 60	95	— with a core layer of glass fabric, coated on each side with a layer of poly(vinyl chloride), — on one side covered with a layer of poly(vinyl fluoride), — whether or not with a pressure sensitive adhesive layer and a release film on the other side, — with a toxicity (as determined by test method ABD 0031) of not more than 50 ppm hydrogen fluoride, not more than 85 ppm hydrogen chloride, not more than 10 ppm hydrogen cyanide, not more than 10 ppm nitrogen oxides, not more than 300 ppm carbon monoxide and not more than 10 ppm dihydrogen sulphide and sulphur dioxide taken together, — with a flammability within 60 seconds of not more than 110 mm (as determined by test method FAR 25 App.F Pt. I Amdt.83), and — with a weight (without release film) of 490 g/m ² (± 45 g/m ²) without adhesive layer or of 580 g/m ² (± 50 g/m ²) with pressure sensitive layer		
*ex 3920 20 29	93	Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, having: — a thickness of 55 µm or more but not more than 97 µm, — a tensile modulus in the machine direction of 0,75 GPa or more but not more than 1,45 GPa, and — a tensile modulus in the transverse direction of 0,20 GPa or more but not more than 0,55 GPa	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 3920 62 19	81	Poly(ethyleneterephthalate) film: — of a thickness of not more than 20 µm, — coated on at least one side with a gas barrier layer consisting of: — a polymeric matrix in which silica has been dispersed and of a thickness of not more than 2 µm, or — a silica layer which is deposited through vapour deposition and of a thickness of not more than 1 µm	0 %	31.12.2017
*ex 3920 91 00	51	Poly(vinyl butyral) film containing by weight 25 % or more but not more than 28 % of tri-isobutyl phosphate as a plasticiser	0 %	31.12.2019
*ex 3920 91 00	52	Poly(vinyl butyral) film: — containing by weight 26 % or more but not more than 30 % of triethyleneglycol bis(2-ethyl hexanoate) as a plasticiser, — with a thickness of 0,73 mm or more but not more than 1,50 mm	0 %	31.12.2019
*ex 3920 91 00	93	Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: — a visible light transmission of 50 % or more, — coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral), — a total thickness of not more than 0,2 mm without taking the presence of poly(vinyl butyral) into account and a thickness of poly(vinyl butyral) of more than 0,2 mm	0 %	31.12.2019
*ex 3921 90 55	25	Prepreg sheets or rolls containing polyimide resin	0 %	31.12.2019
ex 7019 40 00	21			
ex 7019 40 00	29			
*ex 3921 90 55	30	Prepreg sheets or rolls containing brominated epoxy resin reinforced with glass fabric, having — a flow of not more than 3,6 mm (as determined by IPC-TM 650.2.3.17.2), and — a glass transition temperature (Tg) of more than 170 °C (as determined by IPC-TM 650.2.4.25) for use in the manufacture of printed circuit boards ⁽¹⁾	0 %	31.12.2015

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 3926 90 97 ex 8543 90 00	31 60	Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene for use in the manufacture of remote controls ⁽¹⁾	0 %	31.12.2019
ex 3926 90 97 ex 8538 90 99	37 40	Polycarbonate control interface buttons for steering pad switches coated on the outside with scratch resistant paint	0 %	31.12.2019
*ex 4408 39 30	10	Okoume veneer sheets: — of a length of 1 270 mm or more, but not more than 3 200 mm, — of a width of 150 mm or more, but not more than 2 000 mm, — of a thickness of 0,5 mm or more, but not more than 4 mm, — not sanded and — not planed	0 %	31.12.2018
ex 5503 90 00	30	Trilobal poly(thio-1,4-phenylene) fibres	0 %	31.12.2019
*ex 5607 50 90	10	Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copolymers with lactic acid, plaited or braided, with an inner core, for the manufacture of surgical sutures ⁽¹⁾	0 %	31.12.2019
*ex 5911 90 90	40	Multi-layered non-woven polyester polishing pads, impregnated with polyurethane	0 %	31.12.2019
*ex 6814 10 00	10	Agglomerated mica with a thickness of not more than 0,15 mm, on rolls, whether or not calcined, whether or not reinforced with aramid fibres	0 %	31.12.2018
ex 7006 00 90	25	Glass wafer made of borosilicate float glass — with a total thickness variation of 1 µm or less, and — laser-engraved	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 7009 10 00	20	Layered glass with mechanical dimming ability by different angles of incident light comprising: — a layer of chrome, — a break-resistance adhesive tape or hot-melt adhesive, and — a release film on the front side and protective paper at the back side, of a kind used for interior rear-view mirrors of vehicles	0 %	31.12.2019
*ex 7019 19 10	30	Yarn of E-glass of 22 tex (\pm 1,6 tex), obtained from continuous spun-glass filaments of a nominal diameter of 7 μ m, in which filaments of a diameter of 6,35 μ m or more but not more than 7,61 μ m predominate	0 %	31.12.2019
*ex 7019 19 10	55	Glass cord impregnated with rubber or plastic, obtained from K- or U-glass filaments, made up of: — 9 % or more but not more than 16 % of magnesium oxide, — 19 % or more but not more than 25 % of aluminium oxide, — 0 % or more but not more than 2 % of boron oxide, — without calcium oxide, coated with a latex comprising at least a resorcinol- formaldehyde resin and chlorosulphonated polyethylene	0 %	31.12.2019
*ex 7325 99 10	20	Anchor head of hot dipped galvanized ductile cast iron of the kind used in the production of earth anchors	0 %	31.12.2019
*ex 7326 20 00	20	Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling	0 %	31.12.2016
ex 7604 29 10	40	Bars and rods of aluminium alloys containing by weight : — 0,25 % or more but not more than 7 % of zinc, and — 1 % or more but not more than 3 % of magnesium, and — 1 % or more but not more than 5 % of copper, and — not more than 1 % of manganese consistent with the material specifications AMS QQ-A-225, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 7605 29 00	10	Wire of aluminium alloys containing by weight: — 0,10 % or more but not more than 5 % of copper, and — 0,2 % or more but not more than 6 % of magnesium, and — 0,10 % or more but not more than 7 % of zinc, and — not more than 1 % of manganese consistent with the material specifications AMS QQ-A-430, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	0 %	31.12.2019
ex 8103 90 90	10	Tantalum sputtering target with: — a Copper-Chromium alloy backingplate, — a diameter of 312 mm, and — a thickness of 6,3 mm	0 %	31.12.2019
*ex 8108 90 30	10	Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65040	0 %	31.12.2019
ex 8108 90 50	15	Alloy of titanium, copper, tin, silicon, and niobium containing by weight: — 0,8 % or more but not more than 1,2 % of copper, — 0,9 % or more but not more than 1,15 % of tin, — 0,25 % or more but not more than 0,45 % of silicon and — 0,2 % or more but not more than 0,35 % of niobium, in sheets, plates, strips or foil	0 %	31.12.2019
ex 8207 19 10	10	Inserts for drilling tools with working parts of agglomerated diamonds	0 %	31.12.2019
ex 8401 40 00	10	Stainless steel absorber control rods, filled with neutron absorbing chemical elements	0 %	31.12.2019
*ex 8405 90 00	10	Metal casing for automobile safety belt pre-tension gas generators	0 %	31.12.2019
ex 8708 21 10	10			
ex 8708 21 90	10			

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8409 91 00 ex 8409 99 00	10 20	Exhaust manifold complying with standard DIN EN 13835, whether or not with turbine housing, with four inlet ports, for use in the manufacture of exhaust manifold that is turned, milled, drilled and/or processed by other means ⁽¹⁾	0 %	31.12.2016
*ex 8411 99 00	50	Actuator for a single-stage turbocharger: — with a built-in conducting horn and connecting sleeve, — of a stainless steel alloy, — whether or not with conducting horns having an operating distance of 20 mm or more but not more than 40 mm, — with a length of not more than 350 mm, — with a diameter of not more than 75 mm, — with a height of not more than 110 mm	0 %	31.12.2018
ex 8413 91 00	30	Fuel pump cover: — consisting of aluminum alloys, — with a diameter of 38 mm or 50 mm, — with two concentric, annular grooves formed on its surface, — anodized, of a kind used in motor vehicles with petrol engines	0 %	31.12.2019
*ex 8414 30 81	50	Hermetic or semi-hermetic variable-speed electric scroll compressors, with a nominal power rating of 0,5 kW or more but not more than 10 kW, with a displacement volume of not more than 35 cm ³ , of the type used in refrigeration equipment	0 %	31.12.2019
*ex 8414 90 00	20	Aluminium pistons, for incorporation into compressors of air conditioning machines of motor vehicles ⁽¹⁾	0 %	31.12.2019
*ex 8418 99 10	50	Evaporator composed of aluminium fins and a copper coil of the kind used in refrigeration equipment	0 %	31.12.2019
*ex 8418 99 10	60	Condenser composed of two concentric copper tubes of the kind used in refrigeration equipment	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8421 21 00	20	Water pre-treatment system comprising one or more of the following elements, whether or not incorporating modules for sterilization and sanitization of these elements: — Ultrafiltration system — Carbon filtration system — Water softener system for use in a biopharmaceutical laboratory	0 %	31.12.2019
*ex 8467 99 00	10	Mechanical switches for connecting electrical circuits, with:	0 %	31.12.2019
ex 8536 50 11	35	— a voltage of 14,4 V or more but not more than 42 V, — an amperage of 10 A or more but not more than 42 A, for use in the manufacture of machines falling within heading 8467 ⁽¹⁾		
ex 8479 89 97	60	Bioreactor for biopharmaceutical cell culture (having interior surfaces of type 316L austenitic stainless steel) with a process capacity of 50 litres, 500 litres, 3 000 litres or 10 000 litres, whether or not combined with a “clean-in-process” system	0 %	31.12.2019
*ex 8481 30 91	91	Steel check (non-return) valves with: — an opening pressure of not more than 800 kPa — an external diameter not more than 37 mm	0 %	31.12.2019
ex 8482 10 10	10	Ball and cylindrical bearings:	0 %	31.12.2019
ex 8482 10 90	10	— with an outside diameter of 28 mm or more but not more than 140 mm,		
ex 8482 50 00	10	— with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants ⁽¹⁾		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8482 10 10	20	Ball bearings: — with an internal diameter of 10 mm or more, — with an external diameter of not more than 30 mm, — with a width of not more than 10 mm, — whether or not equipped with a duster, for use in the manufacture of belt drive steering systems of motor ⁽¹⁾	0 %	31.12.2019
*ex 8501 10 99	82	DC motor, brushless, with an external diameter of not more than 29 mm, a rated speed of 1 500 (±15 %) rpm or 6 800 (±15 %) rpm, a supply voltage of 2 V or 8 V	0 %	31.12.2019
*ex 8501 31 00	40	Permanently excited DC motor with — a multiple-phase winding, — an external diameter of 30 mm or more but not more than 80 mm, — a rated speed of not more than 15 000 rpm, — an output of 45 W or more but not more than 300 W and — a supply voltage of 9 V or more but not more than 25 V	0 %	31.12.2019
*ex 8501 31 00	65	Fuel cell module containing at least polymer electrolyte membrane fuel cells whether or not in a housing with an integrated cooling system, for use in the manufacture of motor vehicle propulsion systems ⁽¹⁾	0 %	31.12.2018
ex 8501 32 00	50			
ex 8501 33 00	55			
*ex 8501 31 00	70	DC motors, brushless, with: — an external diameter of 80 mm or more, but not more than 100 mm, — a supply voltage of 12 V, — an output at 20 °C of 300 W or more, but not more than 650 W, — a torque at 20 °C of 2,00 Nm or more, but not more than 5,30 Nm, — a rated speed at 20 °C of 600 rpm or more, but not more than 3 100 rpm, — equipped with the rotor angle position sensor of resolver type or Hall effect type, of the kind used in power steering systems for cars	0 %	31.12.2017

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8503 00 99	35	Transmitter resolver for brushless motors of electrical power steering	0 %	31.12.2019
ex 8503 00 99	60	Engine cover for electronic belt drive steering system of galvanized steel with a thickness of not more than 2,5 mm ($\pm 0,25$ mm)	0 %	31.12.2019
ex 8504 50 95	60	Voice coil mechanism, of lacquered winding wire of copper or aluminum, around a coil former, provided with electric conductive lead wires, of a kind used in car loudspeakers	0 %	31.12.2019
ex 8504 90 11	20	Reactor cores for use in a High Voltage Direct Current thyristor converter	0 %	31.12.2019
ex 8504 90 99	20	Thyristor SGCT (Symmetric Gate-Commutated Thyristor) with integrated gate driver: — being a power electronic circuit mounted on the PCB, equipped with SGCT thyristor and electric and electronic components, — having an ability to block the voltage - 6 500 V - in both directions (conducting and the reverse direction) of a kind used in medium voltage static converters (rectifiers and inverters)	0 %	31.12.2019
*ex 8505 11 00	33	Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rounded rectangle with — a length of not more than 90 mm, — a width of not more than 90 mm and — a height of not more than 55 mm, or in the shape of a disc with a diameter of not more than 90mm, whether or not containing a hole in the centre	0 %	31.12.2018
ex 8505 11 00	45	A quarter sleeve, intended to become permanent magnet after magnetisation, — consisting of at least neodymium, praseodym, iron, boron, dysprosium, aluminium and cobalt, — with a width of 9,2 mm (- 0,1) — with a length of 20 mm (+0,1) or 30 mm (+ 0,1) of a kind used on rotors for the manufacture of fuel pumps	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8505 11 00	70	Disc consisting of an alloy of neodymium, iron and boron, covered with nickel or zinc, that after magnetisation is intended to become a permanent magnet — whether or not containing a hole in the centre, — with a diameter of not more than 90 mm, of a kind used in car loudspeakers	0 %	31.12.2018
*ex 8505 11 00	80	Articles in the form of a triangle, square or rectangle, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions of: — a length of 9 mm or more but not more than 105 mm, — a width of 5 mm or more but not more than 105 mm, — a height of 2 mm or more but not more than 55 mm	0 %	31.12.2018
*ex 8505 19 90	30	Articles of agglomerated ferrite in the shape of a disc with a diameter of not more than 120 mm, containing a hole in the centre intended to become permanent magnets after magnetisation with a remanence between 245 mT and 470 mT	0 %	31.12.2018
*ex 8507 60 00	30	Cylindrical lithium-ion accumulator or module, with a length of 63mm or more and a diameter of 17,2mm or more, having a nominal capacity of 1200 mAh or more, for use in the manufacture of rechargeable batteries ⁽¹⁾	0 %	31.12.2019
ex 8507 60 00	45	Rechargeable Lithium-ion Polymer Battery with:	0 %	31.12.2019
ex 8507 80 00	20	— a nominal capacity of 1 060 mAh, — a nominal voltage of 7,4 V (<i>average</i> voltage at 0,2 C discharge), — a charging voltage of 8,4 V ($\pm 0,05$), — a length of 86,4 mm ($\pm 0,1$), — a width of 45 mm ($\pm 0,1$), — a height of 11 mm ($\pm 0,1$), for use in the manufacture of cash registers ⁽¹⁾		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8511 30 00	20	Igniter integrated coil assembly with: — an igniter, — a coil on plug assembly with an integrated mounting bracket, — a housing, — a length of 140 mm or more but not more than 200 mm (+/- 5 mm), — an operating temperature of -40°C or more but not more than +130 °C, — a voltage of 14 (+/- 0.1) V	0 %	31.12.2019
*ex 8516 90 00	60	Ventilation sub-assembly of an electric deep-fat fryer: — fitted with a motor having a power rating of 8 W at 4 600 rpm, — governed by an electronic circuit, — operating at ambient temperatures above 110 °C, — fitted with a thermoregulator	0 %	31.12.2019
ex 8518 21 00	20	Loudspeaker of — impedance 4 Ohm or more but not exceeding 16 Ohm, — nominal power of 2 W or more but not exceeding 20 W, — with or without plastic bracket, and — electricwired with a connector or wireless, mounted on a cabinet for use in the manufacture of TV sets and video monitors ⁽¹⁾	0 %	31.12.2019
*ex 8518 40 80	91	Circuit board sub-assembly, comprising digital audio signal decoding, audio signal processing and amplification with dual and/or multi-channel functionality	0 %	31.12.2019
ex 8518 90 00	30	Magnet system consisting of : — a steel coreplate, in the form of a disk on one side provided with a cylinder — a neodymium magnet — an upper plate — a lower plate of a kind used in car loudspeakers	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8518 90 00	40	Loudspeaker cone, made from paper pulp or polypropylene, with accompanying dustcaps, of a kind used in car loudspeakers	0 %	31.12.2019
ex 8518 90 00	50	Diaphragm for an electrodynamic speaker with — an outside diameter of 25 mm or more but not more than 250 mm, — a resonance frequency of 20 Hz or more but not more than 150 Hz, — a total height of 5 mm or more but not more than 50 mm, — an edge thickness of 0,1 mm or more but not more than 3 mm	0 %	31.12.2019
*ex 8521 90 00	20	Digital video recorder: — without a hard disk drive, — with or without a DVD-RW drive, — with either motion detection or capability of motion detection through IP connectivity via LAN connector — with or without a USB serial port, for use in the manufacture of Closed-circuit television (CCTV) surveillance systems ⁽¹⁾	0 %	31.12.2019
*ex 8522 90 49	60	Printed circuit board assembly comprising:	0 %	31.12.2019
ex 8527 99 00	10	— a radio tuner (capable of receiving and decoding radio signals and transmitting those signals within the assembly) without signal processing capabilities,		
ex 8529 90 65	25	— a microprocessor capable of receiving remote control messages and controlling the tuner chipset, for use in the manufacture of home entertainment systems ⁽¹⁾		
*ex 8522 90 49	65	Printed circuit board subassembly, comprising:	0 %	31.12.2019
ex 8527 99 00	20	— a radio tuner, capable of receiving and decoding radio signals and transmitting those signals within the assembly, with a signal decoder,		
ex 8529 90 65	40	— a radio frequency (RF) remote control receiver, — an infrared remote control signal transmitter, — a SCART signal generator — a TV state sensor for use in the manufacture of home entertainment systems ⁽¹⁾		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8525 80 19	25	Long wavelength infrared camera (LWIR camera) (according to ISO/TS 16949), with: <ul style="list-style-type: none"> — a sensitivity in the wavelength area of 8 µm or more, but not more than 14 µm, — a resolution of 324 × 256 pixels, — a weight of not more than 400 g, — measurements of not more than 70 mm × 67 mm × 75 mm, — a waterproof housing and an automotive-qualified plug and — a deviation of the output signal over the entire work temperature range of not more than 20 % 	0 %	31.12.2019
*ex 8525 80 19	31	Camera:	0 %	31.12.2018
ex 8525 80 91	10	<ul style="list-style-type: none"> — of a weight of not more than 5,9 kg, — without a housing, — of dimensions of not more than 405 mm × 315 mm, — with a single Charge-Couple-Device (CCD) or Complementary Metal Oxide Semiconductor (CMOS) sensor, — with effective pixels of not more than 5 megapixels, for use in closed circuit television (CCTV) surveillance systems or in appliances for eye-checks ⁽¹⁾		
*ex 8525 80 19	35	Image scanning cameras, using: <ul style="list-style-type: none"> — a "Dynamic overlay lines" system, — an output NTSC video signal, — a voltage of 6,5 V, — an illuminance of 0,5 lux or more 	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8525 80 19	50	Remote camera head, whether or not contained in a housing <ul style="list-style-type: none"> — with dimensions (without cable socket) of not more than 27 x 30 x 38,5 mm (width x height x length), — with three MOS imaging sensors with two or more effective megapixels per sensor and a prism block for distribution of the RGB spectrum colours to the three sensors, — with a C-Mount lens mount, — with a weight of not more than 70 g, — with an LVDS digital video output, — with a permanent EEPROM memory for local storage of calibration data for colour rendering and defective pixel compensation for use in the manufacture of miniaturised industrial camera systems ⁽¹⁾	0 %	31.12.2018
ex 8527 21 59	10	Assembly consisting of at least:	0 %	31.12.2019
ex 8527 29 00	20	— a printed circuit board, — a radio-tuner, — audio frequency amplifier for incorporation into motor vehicle entertainment systems		
ex 8527 29 00	30	Integrated audio head unit with a digital video output for connection to an LCD touch screen monitor, interfaced over the Controller Area Network (CAN) and operated on medium and high speed CAN bus, with or without	0 %	30.06.2015
ex 8543 70 90	13	— a printed circuit board (PCB) containing a Global Positioning System (GPS) receiver, a gyroscope, and a Traffic Message Channel (TMC) tuner, — a hard disk drive supporting multiple maps, — Flash Memory — a DAB HD radio — Wi-Fi Hot Spot technology — a Voice recognition system — SMS Text read out technology and including — Bluetooth, MP3 and USB input connectivity, — a voltage of 10 V or more but not more than 16 V, for the use in the manufacture of vehicles in Chapter 87 ⁽¹⁾		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8527 91 99 ex 8529 90 65	10 35	Assembly consisting of at least: — an audio frequency amplifier unit, comprising at least an audio frequency amplifier and a sound generator, — a transformer and — a radio broadcast receiver	0 %	31.12.2019
ex 8528 59 70	20	Liquid crystal display colour video monitor assembly mounted on a frame, — excluding those combined with other apparatus, — comprising touch screen facilities, a printed circuit board with drive circuitry and power supply, used for permanent incorporation or permanent mounting into entertainment systems for vehicles ⁽¹⁾	0 %	31.12.2019
*ex 8529 90 65	45	Satellite radio receiver module transforming satellite high frequency signals to digital audio coded signal, for use in the manufacture of products falling within heading 8527 ⁽¹⁾	0 %	31.12.2019
*ex 8529 90 92	47	Area image sensors ("progressive scan" Interline CCD-Sensor or CMOS-Sensor) for digital video cameras in the form of analogue or digital, monolithic integrated circuit with pixels of not more than 12 µm × 12 µm in monochromic version with microlenses applied to each individual pixel (microlens array) or in polychromic version with a colour filter, whether or not with a lenslet (micro lens) array with one lenslet mounted on each individual pixel	0 %	31.12.2019
*ex 8529 90 92 ex 8536 69 90	49 83	AC socket with a noise filter, composed of: — AC socket (for power cord connection) of 230 V, — integrated noise filter composed of capacitors and inductors, — cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit, whether or not equipped with a metal support, which joins the AC socket to the PDP TV set	0 %	31.12.2019
ex 8529 90 92	55	OLED modules, consisting of one or more TFT glass or plastic cells, containing organic material, not combined with touch screen facilities and one or more printed circuit boards with control electronics for pixel addressing, of a kind used in the manufacture of TV sets and monitors	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8529 90 92	65	OLED display consisting of: — the organic layer with organic LEDs, — two conductive layers on electron transfer and electron holes, — layers of transistors (TFT) with resolution of 1920 x 1080 — anode and cathode for power supply of organic diodes, — RGB filter, — glass or plastic protective layer, — without the electronics for pixel addressing, for use in the manufacture of goods of headings 8528 ⁽¹⁾	0 %	31.12.2019
*ex 8529 90 92	70	Rectangular fastening and covering frame: — of an aluminium alloy containing silicon and magnesium, — with a length of 500 mm or more but not more than 2 200 mm, — with a width of 300 mm or more but not more than 1 500 mm, of a kind used for the production of TV sets	0 %	31.12.2017
*ex 8536 50 80	81	Mechanical speed governor switches for connecting electrical circuits, with: — a voltage of 240 V or more but not more than 250 V, — an amperage of 4 A or more but not more than 6 A, for use in the manufacture of machines falling within heading 8467 ⁽¹⁾	0 %	31.12.2019
*ex 8536 50 80	82	Mechanical switches for connecting electrical circuits, with: — a voltage of 240 V or more but not more than 300 V, — an amperage of 3 A or more but not more than 15 A, for use in the manufacture of machines falling within heading 8467 ⁽¹⁾	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
*ex 8536 69 90	82	Modular socket or plug for local area networks, whether or not combined with other sockets, integrating at least: — a pulse transformer, including a wide-band ferrite core, — a common mode coil, — a resistor, — a capacitor, for use in the manufacture of products falling within headings 8521 or 8528 ⁽¹⁾	0 %	31.12.2019
*ex 8536 69 90	85	Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528 ⁽¹⁾	0 %	31.12.2016
*ex 8536 69 90	88	Secure Digital (SD), CompactFlash, "Smart Card" and "Common interface modules (cards)" female connectors and interfaces, of a kind used for soldering on printed circuit boards, for connecting electrical apparatus and circuits and switching or protecting electrical circuits with a voltage of not more than 1 000 V	0 %	31.12.2017
ex 8538 90 99	30	Polycarbonate or Acrylonitrile Butadiene Styrene covers and cases for steering pad switches whether or not coated on the outside with a scratch resistant paint	0 %	31.12.2019
ex 8547 20 00	10			
*ex 8538 90 99	95	Copper base plate, of a kind used as a heatsink in the manufacture of IGBT modules containing more components than IGBT chips and diodes with a voltage of 650 V or more but not more than 1200 V ⁽¹⁾	0 %	31.12.2018
*ex 8543 90 00	20	Stainless steel cathode in the form of a plate with a hanger bar, whether or not with plastic side strips	0 %	31.12.2019
*ex 8544 20 00	10	PET/PVC insulated flexible cable with:	0 %	31.12.2018
ex 8544 42 90	20	— a voltage of not more than 60 V,		
ex 8544 49 93	20	— a current of not more than 1 A, — a heat resistance of not more than 105 °C, — individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), — a distance between conductors of not more than 0,5 mm and — a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm		

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 8544 30 00 ex 8544 42 90	40 40	Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box	0 %	31.12.2019
ex 8544 30 00	50	Multi-measurement wire harness: — of a voltage of 5 V or more but not more than 90 V, — capable of transmitting information via the CAN protocol, for use in the manufacture of vehicles of heading 8711 ⁽¹⁾	0 %	31.12.2019
*ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	23 33 70	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles ⁽¹⁾	0 %	31.12.2018
*ex 8714 91 30 ex 8714 91 30 ex 8714 91 30	23 33 70	Aluminium front forks for use in the manufacture of bicycles ⁽¹⁾	0 %	31.12.2018
ex 9001 50 41 ex 9001 50 49	10 10	Organic uncut corrective eyeglass lens, both sides finished, round in shape: — of a diameter of 4,9 cm or more but not more than 8,2 cm, — of a total thickness of 0,5 cm or more but not more than 1,2 cm, of a kind used to be processed in order to be adapted to a pair of glasses	1,45 %	31.12.2019
ex 9001 50 80	10	Organic uncut corrective eyeglass lens, one side finished only, round in shape: — of a diameter of 5,9 cm or more but not more than 8,5 cm, — of a total thickness of 1,2 cm or more but not more than 2,7 cm, of a kind used to be processed in order to be adapted to a pair of glasses	0 %	31.12.2019
*ex 9001 90 00	65	Optical film with a minimum of 5 multi-layer structures, including a back side reflector, a front side coating and a contrast filter with a pitch of not more than 0,65 µm, for use in the manufacture of front projection screens ⁽¹⁾	0 %	31.12.2019

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 9013 80 90	10	Electronic semiconductor micro-mirror in a housing suitable for the automatic printing of conductor boards, mainly consisting of a combination of: — one or more monolithic application-specific integrated circuits (ASIC), — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material of a kind used for incorporation into products of Chapters 84-90 and 95	0 %	31.12.2019
ex 9025 80 40	40	Electronic temperature, atmospheric pressure and humidity sensor (environmental sensor) in a housing suitable for the automatic printing of conductor boards, mainly consisting of a combination of: — one or more monolithic application-specific integrated circuits (ASIC), — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material of a kind used for incorporation into products of Chapters 84-90 and 95	0 %	31.12.2019
ex 9031 80 34	40	Semiconducting camshaft position sensor, with: — a moulded plastic outer casing, — an operational voltage of the control unit of 4,5 or more, but not more than 7 V _{CC} , for use in the manufacture of vehicles of Chapter 87 ⁽¹⁾	0 %	31.12.2019
*ex 9031 80 38	20	Electronic semiconductor accelerometer in a housing, mainly consisting of — a combination of one or more monolithic application-specific integrated circuits (ASIC) and — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material of a kind used for incorporation into products under Chapters 84 - 90 and 95	0 %	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Date foreseen for mandatory review
ex 9031 80 38	30	Combined electronic acceleration- and geomagnetic sensor, in a housing suitable for the automatic printing of conductor boards, mainly consisting of a combination of: — one or more monolithic application-specific integrated circuits (ASIC) and — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products under Chapters 84-90 and 95	0 %	31.12.2019
ex 9031 80 38	40	Electronic accelerometer and magnetic field and angular-speed detector (orientation-sensor) in a housing suitable for the automatic printing of conductor boards, mainly consisting of an inseparable combination of: — one or more monolithic application-specific integrated circuits (ASIC) — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products of Chapters 84-90 and 95	0 %	31.12.2019

⁽¹⁾ Suspension of duties is subject to Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 of 2 July 1993 laying down provisions for the implementation of Council Regulation (EEC) No 2913/92 establishing the Community Customs Code (OJ L 253 11.10.1993, p. 1).

ANNEX II

Tariff suspensions referred to in point (1)(d) of Article 1:

CN code	TARIC
ex 1511 90 19	10
ex 1511 90 91	10
ex 1513 11 10	10
ex 1513 19 30	10
ex 1513 21 10	10
ex 1513 29 30	10
ex 1516 20 96	20
ex 1517 90 99	10
ex 2008 99 49	30
ex 2008 99 99	40
ex 2009 49 30	91
ex 2009 81 31	10
ex 2207 20 00	20
ex 2207 20 00	80
ex 2818 20 00	10
2819 10 00	
ex 2827 39 85	30
ex 2842 10 00	20
ex 2842 90 10	10
ex 2846 10 00	10
ex 2846 10 00	40

CN code	TARIC
ex 2904 10 00	30
ex 2904 10 00	50
ex 2904 20 00	40
ex 2904 90 40	10
ex 2904 90 95	20
ex 2904 90 95	30
ex 2905 19 00	40
ex 2905 29 90	10
ex 2905 29 90	20
ex 2905 49 00	10
ex 2905 59 98	20
ex 2906 29 00	10
ex 2907 19 90	10
ex 2909 30 90	10
ex 2909 30 90	20
ex 2914 69 90	20
ex 2915 39 00	50
ex 2915 90 70	50
ex 2916 13 00	10
ex 2917 11 00	30
ex 2917 19 10	10
ex 2917 19 90	25
ex 2917 19 90	30
ex 2918 99 90	20

CN code	TARIC
ex 2918 99 90	70
ex 2921 19 50	10
ex 2921 42 00	70
ex 2921 45 00	10
ex 2921 45 00	40
ex 2921 49 00	60
ex 2921 51 19	20
ex 2921 51 19	50
ex 2921 59 90	50
ex 2922 19 85	40
ex 2922 19 85	80
ex 2922 21 00	30
ex 2922 21 00	50
ex 2922 29 00	55
ex 2922 29 00	65
ex 2922 49 85	15
ex 2922 49 85	50
ex 2922 50 00	20
ex 2923 90 00	45
ex 2924 29 98	20
ex 2924 29 98	92
ex 2926 90 95	20
ex 2926 90 95	60
ex 2926 90 95	63

CN code	TARIC
ex 2926 90 95	64
ex 2926 90 95	70
ex 2926 90 95	74
ex 2926 90 95	75
ex 2927 00 00	70
ex 2929 10 00	15
ex 2929 90 00	20
ex 2930 90 99	62
ex 2930 90 99	64
ex 2930 90 99	81
ex 2930 90 99	84
ex 2931 90 90	05
ex 2931 90 90	10
ex 2931 90 90	14
ex 2931 90 90	15
ex 2931 90 90	18
ex 2931 90 90	20
ex 2931 90 90	24
ex 2931 90 90	30
ex 2931 90 90	33
ex 2931 90 90	35
ex 2931 90 90	40
ex 2931 90 90	50
ex 2931 90 90	55

CN code	TARIC
ex 2931 90 90	70
ex 2931 90 90	72
ex 2931 90 90	75
ex 2931 90 90	86
ex 2931 90 90	87
ex 2931 90 90	89
ex 2931 90 90	91
ex 2931 90 90	92
ex 2931 90 90	96
ex 2932 19 00	40
ex 2932 19 00	41
ex 2932 19 00	45
ex 2932 19 00	70
ex 2932 99 00	40
ex 2933 19 90	50
ex 2933 19 90	60
ex 2933 29 90	40
ex 2933 39 99	20
ex 2933 39 99	24
ex 2933 39 99	30
ex 2933 39 99	45
ex 2933 39 99	47
ex 2933 39 99	48
ex 2933 39 99	55

CN code	TARIC
ex 2933 49 90	60
ex 2933 59 95	45
ex 2933 59 95	50
ex 2933 59 95	55
ex 2933 59 95	65
ex 2933 59 95	75
ex 2933 79 00	60
ex 2933 99 80	32
ex 2933 99 80	35
ex 2933 99 80	37
ex 2933 99 80	55
ex 2933 99 80	76
ex 2933 99 80	88
ex 2934 10 00	60
ex 2934 99 90	20
ex 2934 99 90	30
ex 2934 99 90	83
ex 2934 99 90	84
ex 2935 00 90	30
ex 2935 00 90	53
ex 2935 00 90	63
ex 2935 00 90	77
ex 2935 00 90	82
ex 3204 17 00	40

CN code	TARIC
ex 3204 17 00	50
ex 3204 19 00	11
ex 3204 19 00	21
ex 3204 19 00	31
ex 3204 19 00	41
ex 3204 19 00	51
ex 3204 19 00	61
ex 3204 20 00	20
ex 3206 49 70	10
ex 3208 90 19	45
ex 3402 90 10	60
ex 3402 90 10	70
ex 3504 00 90	10
ex 3506 91 00	40
ex 3701 30 00	20
ex 3705 90 90	10
ex 3707 10 00	45
ex 3707 10 00	50
ex 3707 90 90	40
ex 3707 90 90	85
ex 3808 91 90	30
ex 3808 92 90	50
ex 3808 93 23	10
ex 3808 93 90	10

CN code	TARIC
ex 3809 92 00	20
ex 3811 19 00	10
ex 3812 30 80	30
ex 3815 19 90	60
ex 3815 90 90	70
ex 3815 90 90	80
ex 3820 00 00	20
ex 3824 90 97	05
ex 3824 90 97	06
ex 3824 90 97	07
ex 3824 90 97	08
ex 3824 90 97	09
ex 3824 90 97	10
ex 3824 90 97	11
ex 3824 90 97	12
ex 3824 90 97	13
ex 3824 90 97	14
ex 3824 90 97	15
ex 3824 90 97	16
ex 3824 90 97	17
ex 3824 90 97	18
ex 3824 90 97	20
ex 3824 90 97	21
ex 3824 90 97	22

CN code	TARIC
ex 3824 90 97	23
ex 3824 90 97	24
ex 3824 90 97	25
ex 3824 90 97	26
ex 3824 90 97	27
ex 3824 90 97	28
ex 3824 90 97	29
ex 3824 90 97	30
ex 3824 90 97	31
ex 3824 90 97	32
ex 3824 90 97	33
ex 3824 90 97	34
ex 3824 90 97	35
ex 3824 90 97	36
ex 3824 90 97	37
ex 3824 90 97	38
ex 3824 90 97	39
ex 3824 90 97	40
ex 3824 90 97	41
ex 3824 90 97	42
ex 3824 90 97	43
ex 3824 90 97	44
ex 3824 90 97	45
ex 3824 90 97	46

CN code	TARIC
ex 3824 90 97	47
ex 3824 90 97	48
ex 3824 90 97	49
ex 3824 90 97	50
ex 3824 90 97	51
ex 3824 90 97	52
ex 3824 90 97	53
ex 3824 90 97	54
ex 3824 90 97	55
ex 3824 90 97	56
ex 3824 90 97	57
ex 3824 90 97	58
ex 3824 90 97	59
ex 3824 90 97	60
ex 3824 90 97	61
ex 3824 90 97	62
ex 3824 90 97	63
ex 3824 90 97	64
ex 3824 90 97	65
ex 3824 90 97	66
ex 3824 90 97	78
ex 3824 90 97	79
ex 3824 90 97	80
ex 3824 90 97	81

CN code	TARIC
ex 3824 90 97	82
ex 3824 90 97	83
ex 3824 90 97	84
ex 3824 90 97	85
ex 3824 90 97	87
ex 3824 90 97	88
ex 3824 90 97	89
ex 3824 90 97	90
ex 3824 90 97	92
ex 3824 90 97	94
ex 3824 90 97	95
ex 3824 90 97	97
ex 3901 10 10	10
ex 3901 90 90	30
ex 3901 90 90	40
ex 3902 10 00	40
ex 3902 90 90	60
ex 3902 90 90	93
ex 3903 19 00	30
ex 3903 90 90	15
ex 3903 90 90	20
ex 3903 90 90	25
ex 3903 90 90	75
ex 3904 10 00	20

CN code	TARIC
ex 3904 30 00	20
ex 3904 50 90	92
ex 3906 90 90	41
ex 3906 90 90	85
ex 3906 90 90	87
ex 3907 40 00	10
ex 3907 40 00	20
ex 3907 40 00	30
ex 3907 40 00	40
ex 3907 40 00	50
ex 3907 40 00	60
ex 3907 60 80	30
ex 3907 91 90	10
ex 3907 99 90	70
ex 3908 90 00	50
ex 3909 50 90	10
ex 3910 00 00	60
ex 3911 90 99	31
ex 3916 20 00	91
ex 3917 40 00	91
ex 3919 10 80	23
ex 3919 10 80	27
ex 3919 10 80	32
ex 3919 10 80	37

CN code	TARIC
ex 3919 10 80	43
ex 3919 10 80	85
ex 3919 90 00	20
ex 3919 90 00	22
ex 3919 90 00	24
ex 3919 90 00	26
ex 3919 90 00	28
ex 3919 90 00	29
ex 3919 90 00	33
ex 3919 90 00	37
ex 3919 90 00	44
ex 3920 20 29	93
ex 3920 59 90	20
ex 3920 62 19	25
ex 3920 62 19	81
ex 3920 91 00	51
ex 3920 91 00	52
ex 3920 91 00	92
ex 3920 91 00	93
ex 3921 90 55	25
ex 3921 90 55	30
ex 3921 90 60	95
ex 4408 39 30	10
ex 5404 19 00	30

CN code	TARIC
ex 5607 50 90	10
ex 5911 90 90	40
ex 6814 10 00	10
ex 7019 19 10	30
ex 7019 19 10	55
ex 7019 40 00	21
ex 7019 40 00	29
ex 7325 99 10	20
ex 7326 20 00	20
ex 8108 90 30	10
ex 8405 90 00	10
ex 8409 91 00	10
ex 8409 99 00	20
ex 8411 99 00	50
ex 8414 30 81	50
ex 8414 90 00	20
ex 8418 99 10	50
ex 8418 99 10	60
ex 8467 99 00	10
ex 8479 89 97	40
ex 8481 30 91	91
ex 8501 10 99	82
ex 8501 31 00	40
ex 8501 31 00	65

CN code	TARIC
ex 8501 31 00	70
ex 8503 00 99	35
ex 8504 40 82	50
ex 8505 11 00	33
ex 8505 11 00	70
ex 8505 11 00	80
ex 8505 19 90	30
ex 8507 60 00	30
ex 8516 90 00	60
ex 8518 40 80	91
ex 8521 90 00	20
ex 8522 90 49	60
ex 8522 90 49	65
ex 8525 80 19	25
ex 8525 80 19	31
ex 8525 80 19	35
ex 8525 80 19	50
ex 8525 80 91	10
ex 8527 91 99	10
ex 8527 99 00	10
ex 8527 99 00	20
ex 8529 90 65	25
ex 8529 90 65	35
ex 8529 90 65	40

CN code	TARIC
ex 8529 90 65	45
ex 8529 90 92	47
ex 8529 90 92	49
ex 8529 90 92	70
ex 8536 50 11	35
ex 8536 50 80	81
ex 8536 50 80	82
ex 8536 69 90	82
ex 8536 69 90	83
ex 8536 69 90	85
ex 8536 69 90	88
ex 8538 90 99	95
ex 8543 90 00	20
ex 8544 20 00	10
ex 8544 42 90	20
ex 8544 49 93	20
ex 8544 49 95	10
ex 8708 21 10	10
ex 8708 21 90	10
ex 8714 91 10	23
ex 8714 91 10	33
ex 8714 91 10	70
ex 8714 91 30	23
ex 8714 91 30	33

CN code	TARIC
ex 8714 91 30	70
ex 9001 90 00	21
ex 9001 90 00	65
ex 9031 80 38	20

ANNEX III

Supplementary units referred to in point (2)(a) of Article 1:

CN	TARIC	Supplementary unit
3926 90 97	31	p/st
3926 90 97	37	p/st
7006 00 90	25	p/st
7009 10 00	20	p/st
8103 90 90	10	p/st
8207 19 10	10	p/st
8401 40 00	10	p/st
8413 91 00	30	p/st
8421 21 00	20	p/st
8479 89 97	60	p/st
8482 10 10	10	p/st
8482 10 10	20	p/st
8482 10 90	10	p/st
8482 50 00	10	p/st
8503 00 99	60	p/st
8504 50 95	60	p/st
8504 90 11	20	p/st
8504 90 99	20	p/st
8505 11 00	45	p/st
8511 30 00	20	p/st
8518 90 00	30	p/st
8518 90 00	40	p/st
8518 90 00	50	p/st
8527 29 00	30	p/st
8529 90 92	55	p/st
8529 90 92	65	p/st
8538 90 99	30	p/st
8538 90 99	40	p/st
8543 70 90	13	p/st
8543 90 00	60	p/st

CN	TARIC	Supplementary unit
8544 30 00	40	p/st
8544 30 00	50	p/st
8544 42 90	40	p/st
8547 20 00	10	p/st
9013 80 90	10	p/st
9025 80 40	40	p/st
9031 80 34	40	p/st
9031 80 38	30	p/st
9031 80 38	40	p/st
3824 90 96	75	m3
7605 29 00	10	m

ANNEX IV

Supplementary units referred to in point (2)(b) of Article 1:

CN	TARIC	Supplementary unit
8479 89 97	40	p/st
8504 40 82	50	p/st
3907 40 00	50	m3
3907 40 00	60	m3
3824 90 97	90	m3
