



Council of the
European Union

Brussels, 15 October 2015
(OR. en)

13057/15
ADD 7

COMER 132
CFSP/PESC 660
CONOP 129
ECO 123
UD 199
ATO 62
DELECT 138

COVER NOTE

From: Secretary-General of the European Commission,
signed by Mr Jordi AYET PUIGARNAU, Director

date of receipt: 12 October 2015

To: Mr Jeppe TRANHOLM-MIKKELSEN, Secretary-General of the Council of
the European Union

No. Cion doc.: C(2015) 6823 final - Annex 1 Part 7/11

Subject: ANNEX 1 Part 7/11 to the Commission Delegated Regulation amending
Council Regulation (EC) No 428/2009 setting up a Community regime for
the control of exports, transfer, brokering and transit of dual use items

Delegations will find attached document C(2015) 6823 final - Annex 1 Part 7/11.

Encl.: C(2015) 6823 final - Annex 1 Part 7/11



Brussels, 12.10.2015
C(2015) 6823 final

ANNEX 1 – PART 7/11

ANNEX

to the

Commission Delegated Regulation

amending Council Regulation (EC) No 428/2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual use items

ANNEX (PART VII – Category 5)

CATEGORY 5 - TELECOMMUNICATIONS AND "INFORMATION SECURITY"

Part 1 - TELECOMMUNICATIONS

Note 1: *The control status of components, "lasers", test and "production" equipment and "software" therefor which are specially designed for telecommunications equipment or systems is determined in Category 5, Part 1.*

N.B.1: *For "lasers" specially designed for telecommunications equipment or systems, see 6A005.*

N.B.2: *See also Category 5, Part 2 for equipment, components, and "software", performing or incorporating "information security" functions.*

Note 2: *"Digital computers", related equipment or "software", when essential for the operation and support of telecommunications equipment described in this Category, are regarded as specially designed components, provided they are the standard models customarily supplied by the manufacturer. This includes operation, administration, maintenance, engineering or billing computer systems.*

5A1 Systems, Equipment and Components

5A001 Telecommunications systems, equipment, components and accessories as follows:

- a. Any type of telecommunications equipment having any of the following characteristics, functions or features:
1. Specially designed to withstand transitory electronic effects or electromagnetic pulse effects, both arising from a nuclear explosion;
 2. Specially hardened to withstand gamma, neutron or ion radiation; or
 3. Specially designed to operate outside the temperature range from 218 K (-55°C) to 397 K (124°C);

Note: *5A001.a.3. applies only to electronic equipment.*

Note: *5A001.a.2. and 5A001.a.3. do not control equipment designed or modified for use on board satellites.*

- b. Telecommunication systems and equipment, and specially designed components and accessories therefor, having any of the following characteristics, functions or features:
 - 1. Being underwater untethered communications systems having any of the following:
 - a. An acoustic carrier frequency outside the range from 20 kHz to 60 kHz;
 - b. Using an electromagnetic carrier frequency below 30 kHz;
 - c. Using electronic beam steering techniques; or
 - d. Using "lasers" or light-emitting diodes (LEDs) with an output wavelength greater than 400 nm and less than 700 nm, in a "local area network";
 - 2. Being radio equipment operating in the 1,5 MHz to 87,5 MHz band and having all of the following:
 - a. Automatically predicting and selecting frequencies and "total digital transfer rates" per channel to optimise the transmission; and
 - b. Incorporating a linear power amplifier configuration having a capability to support multiple signals simultaneously at an output power of 1 kW or more in the frequency range of 1,5 MHz or more but less than 30 MHz, or 250 W or more in the frequency range of 30 MHz or more but not exceeding 87,5 MHz, over an "instantaneous bandwidth" of one octave or more and with an output harmonic and distortion content of better than -80 dB;

3. Being radio equipment employing "spread spectrum" techniques, including "frequency hopping" techniques, other than those specified in 5A001.b.4. and having any of the following:

- a. User programmable spreading codes; or
- b. A total transmitted bandwidth which is 100 or more times the bandwidth of any one information channel and in excess of 50 kHz;

Note: 5A001.b.3.b. does not control radio equipment specially designed for use with any of the following:

- a. Civil cellular radio-communications systems; or
- b. Fixed or mobile satellite earth stations for commercial civil telecommunications.

Note: 5A001.b.3 does not control equipment designed to operate at an output power of 1 W or less.

4. Being radio equipment employing ultra-wideband modulation techniques, having user programmable channelising codes, scrambling codes or network identification codes and having any of the following:

- a. A bandwidth exceeding 500 MHz; or
- b. A "fractional bandwidth" of 20% or more;

5. Being digitally controlled radio receivers having all of the following:

- a. More than 1 000 channels;
- b. A 'channel switching time' of less than 1 ms;
- c. Automatic searching or scanning of a part of the electromagnetic spectrum; and
- d. Identification of the received signals or the type of transmitter; or

Note: 5A001.b.5. does not control radio equipment specially designed for use with civil cellular radio-communications systems.

Technical Notes:

'Channel switching time' means the time (i.e., delay) to change from one receiving frequency to another, to arrive at or within $\pm 0,05\%$ of the final specified receiving frequency. Items having a specified frequency range of less than $\pm 0.05\%$ around their centre frequency are defined to be incapable of channel frequency switching.

6. Employing functions of digital "signal processing" to provide 'voice coding' output at rates of less than 2 400 bit/s.

Technical Notes:

1. For variable rate 'voice coding', 5A001.b.6. applies to the 'voice coding' output of continuous speech.
 2. For the purposes of 5A001.b.6., 'voice coding' is defined as the technique to take samples of human voice and then convert these samples into a digital signal, taking into account specific characteristics of human speech.
- c. Optical fibres of more than 500 m in length and specified by the manufacturer as being capable of withstanding a 'proof test' tensile stress of 2×10^9 N/m² or more;

N.B.: For underwater umbilical cables, see 8A002.a.3.

Technical Note:

'Proof Test': on-line or off-line production screen testing that dynamically applies a prescribed tensile stress over a 0,5 to 3 m length of fibre at a running rate of 2 to 5 m/s while passing between capstans approximately 150 mm in diameter. The ambient temperature is a nominal 293 K (20°C) and relative humidity 40%. Equivalent national standards may be used for executing the proof test.

- d. "Electronically steerable phased array antennae" operating above 31,8 GHz;

Note: 5A001.d. does not control "electronically steerable phased array antennae" for landing systems with instruments meeting ICAO standards covering Microwave Landing Systems (MLS).

- e. Radio direction finding equipment operating at frequencies above 30 MHz and having all of the following, and specially designed components therefor:
1. "Instantaneous bandwidth" of 10 MHz or more; and
 2. Capable of finding a Line Of Bearing (LOB) to non-cooperating radio transmitters with a signal duration of less than 1 ms;

5A001 continued

- f Mobile telecommunications interception or jamming equipment, and monitoring equipment therefor, as follows, and specially designed components therefor:
1. Interception equipment designed for the extraction of voice or data, transmitted over the air interface;
 2. Interception equipment not specified in 5A001.f.1., designed for the extraction of client device or subscriber identifiers (e.g., IMSI, TIMSI or IMEI), signalling, or other metadata transmitted over the air interface;
 3. Jamming equipment specially designed or modified to intentionally and selectively interfere with, deny, inhibit, degrade or seduce mobile telecommunication services and performing any of the following:
 - a. Simulate the functions of Radio Access Network (RAN) equipment;
 - b. Detect and exploit specific characteristics of the mobile telecommunications protocol employed (e.g., GSM); or
 - c. Exploit specific characteristics of the mobile telecommunications protocol employed (e.g. GSM);
 4. RF monitoring equipment designed or modified to identify the operation of items specified in 5A001.f.1., 5A001.f.2. or 5A001.f.3.;

Note: 5A001.f.1. and 5A001.f.2. do not control any of the following:

- a. Equipment specially designed for the interception of analogue Private Mobile Radio (PMR), IEEE 802.11 WLAN;
- b. Equipment designed for mobile telecommunications network operators; or
- c. Equipment designed for the "development" or "production" of mobile telecommunications equipment or systems.

N.B.1.: See also MILITARY GOODS CONTROLS.

N.B.2.: For radio receivers see 5A001.b.5.

- g. Passive Coherent Location (PCL) systems or equipment, specially designed for detecting and tracking moving objects by measuring reflections of ambient radio frequency emissions, supplied by non-radar transmitters;

Technical Note:

Non-radar transmitters may include commercial radio, television or cellular telecommunications base stations.

Note: 5A001.g. does not control any of the following:

- a. Radio-astronomical equipment; or
- b. Systems or equipment, that require any radio transmission from the target.

- h. Counter Improvised Explosive Device (IED) equipment and related equipment, as follows:

- 1. Radio Frequency (RF) transmitting equipment, not specified in 5A001.f., designed or modified for prematurely activating or preventing the initiation of Improvised Explosive Devices;
- 2. Equipment using techniques designed to enable radio communications in the same frequency channels on which co-located equipment specified in 5A001.h.1. is transmitting.

N.B.: See also *MILITARY GOODS CONTROLS*.

- i. Not used;

- J. Internet Protocol (IP) network communications surveillance systems or equipment, and specially designed components therefor, having all of the following:

- 1. Performing all of the following on a carrier class Internet Protocol (IP) network (e.g., national grade IP backbone):
 - a. Analysis at the application layer (e.g., Layer 7 of Open Systems Interconnection (OSI) model (ISO/IEC 7498-1));
 - b. Extraction of selected metadata and application content (e.g., voice, video, messages, attachments); and
 - c. Indexing of extracted data; and

5A001 continued

2. Being specially designed to carry out all of the following:
 - a. Execution of searches on the basis of 'hard selectors'; and
 - b. Mapping of the relational network of an individual or of a group of people.

Note: 5A001.j. does not control systems or equipment, specially designed for any of the following:

- a. Marketing purpose;
- b. Network Quality of Service (QoS); or
- c. Quality of Experience (QoE).

Technical Note:

'Hard selectors' means data or set of data, related to an individual (e.g., family name, given name, e-mail, street address, phone number or group affiliations).

5A101 Telemetry and telecontrol equipment, including ground equipment, designed or modified for 'missiles'.

Technical Note:

In 5A101 'missile' means complete rocket systems and unmanned aerial vehicle systems capable of a range exceeding 300 km.

Note: 5A101 does not control:

- a. Equipment designed or modified for manned aircraft or satellites;
- b. Ground based equipment designed or modified for terrestrial or marine applications;
- c. Equipment designed for commercial, civil or 'Safety of Life' (e.g. data integrity, flight safety) GNSS services;

5B1 Test, Inspection and Production Equipment

5B001 Telecommunications test, inspection and production equipment, components and accessories, as follows:

- a. Equipment and specially designed components or accessories therefor, specially designed for the "development" or "production" of equipment, functions or features, specified in 5A001;

Note: 5B001.a. does not control optical fibre characterization equipment.

- b. Equipment and specially designed components or accessories therefor, specially designed for the "development" of any of the following telecommunication transmission or switching equipment:

1. Not used;

2. Equipment employing a "laser" and having any of the following:

- a. A transmission wavelength exceeding 1750 nm;
- b. Performing "optical amplification" using praseodymium-doped fluoride fibre amplifiers (PDFFA);
- c. Employing coherent optical transmission or coherent optical detection techniques; or

Note: 5B001.b.2.c. controls equipment specially designed for the "development" of systems using an optical local oscillator in the receiving side to synchronise with a carrier "laser".

Technical Note:

For the purpose of 5B001.b.2.c., these techniques include optical heterodyne, homodyne or intradyne techniques.

- d. Employing analogue techniques and having a bandwidth exceeding 2,5 GHz; or

Note: 5B001.b.2.d. does not control equipment specially designed for the "development" of commercial TV systems.

5B001 continued

3. Not used;
4. Radio equipment employing Quadrature-Amplitude-Modulation (QAM) techniques above level 256;
5. Not used.

5C1 Materials

None

5D1 Software

5D001 "Software" as follows:

- a. "Software" specially designed or modified for the "development", "production" or "use" of equipment, functions or features, specified in 5A001;
- b. Not used;
- c. Specific "software" specially designed or modified to provide characteristics, functions or features of equipment, specified in 5A001 or 5B001;
- d. "Software" specially designed or modified for the "development" of any of the following telecommunication transmission or switching equipment:
 1. Not used;
 2. Equipment employing a "laser" and having any of the following:
 - a. A transmission wavelength exceeding 1 750 nm; or
 - b. Employing analogue techniques and having a bandwidth exceeding 2,5 GHz; or

Note: 5D001.d.2.b. does not control "software" specially designed or modified for the "development" of commercial TV systems.
 3. Not used;
 4. Radio equipment employing Quadrature-Amplitude-Modulation (QAM) techniques above level 256.

5D101 "Software" specially designed or modified for the "use" of equipment specified in 5A101.

5E1 Technology

5E001 "Technology" as follows:

- a. "Technology" according to the General Technology Note for the "development", "production" or "use" (excluding operation) of equipment, functions or features specified in 5A001 or "software" specified in 5D001.a.;
- b. Specific "technology" as follows:
 1. "Required" "technology" for the "development" or "production" of telecommunications equipment specially designed to be used on board satellites;
 2. "Technology" for the "development" or "use" of "laser" communication techniques with the capability of automatically acquiring and tracking signals and maintaining communications through exoatmosphere or sub-surface (water) media;
 3. "Technology" for the "development" of digital cellular radio base station receiving equipment whose reception capabilities that allow multi-band, multi-channel, multi-mode, multi-coding algorithm or multi-protocol operation can be modified by changes in "software";
 4. "Technology" for the "development" of "spread spectrum" techniques, including "frequency hopping" techniques;

Note: 5E001.b.4. does not control "technology" for the "development" of any of the following:

- a. *Civil cellular radio-communications systems; or*
- b. *Fixed or mobile satellite earth stations for commercial civil telecommunications.*

c. "Technology" according to the General Technology Note for the "development" or "production" of any of the following:

1. Equipment employing digital techniques designed to operate at a "total digital transfer rate" exceeding 560 Gbit/s;

Technical Note:

For telecommunication switching equipment the "total digital transfer rate" is the unidirectional speed of a single interface, measured at the highest speed port or line.

2. Equipment employing a "laser" and having any of the following:

a. A transmission wavelength exceeding 1 750 nm;

b. Performing "optical amplification" using Praseodymium-Doped Fluoride Fibre Amplifiers (PDFFA);

c. Employing coherent optical transmission or coherent optical detection techniques;

Note: 5E001.c.2.c. controls "technology" for the "development" or "production" of systems using an optical local oscillator in the receiving side to synchronize with a carrier "laser".

Technical Note:

For the purpose of 5E001.c.2.c., these techniques include optical heterodyne, homodyne or intradyne techniques.

d. Employing wavelength division multiplexing techniques of optical carriers at less than 100 GHz spacing; or

e. Employing analogue techniques and having a bandwidth exceeding 2,5 GHz;

Note: 5E001.c.2.e. does not control "technology" for the "development" or "production" of commercial TV systems.

N.B.: For "technology" for the "development" or "production" of non-telecommunications equipment employing a laser, see 6E.

5E001.c.continued

3. Equipment employing "optical switching" and having a switching time less than 1 ms;
 4. Radio equipment having any of the following:
 - a. Quadrature-Amplitude-Modulation (QAM) techniques above level 256;
 - b. Operating at input or output frequencies exceeding 31,8 GHz; or
Note: 5E001.c.4.b. does not control "technology" for the "development" or "production" of equipment designed or modified for operation in any frequency band which is "allocated by the ITU" for radio-communications services, but not for radio-determination.
 - c. Operating in the 1,5 MHz to 87,5 MHz band and incorporating adaptive techniques providing more than 15 dB suppression of an interfering signal; or
 5. Not used;
 6. Mobile equipment having all of the following:
 - a. Operating at an optical wavelength greater than or equal to 200 nm and less than or equal to 400 nm; and
 - b. Operating as a "local area network";
- d. "Technology" according to the General Technology Note for the "development" or "production" of Microwave Monolithic Integrated Circuit (MMIC) power amplifiers specially designed for telecommunications and that are any of the following:
- Technical Note:*
For purposes of 5E001.d., the parameter peak saturated power output may also be referred to on product data sheets as output power, saturated power output, maximum power output, peak power output, or peak envelope power output.
1. Rated for operation at frequencies exceeding 2,7 GHz up to and including 6,8 GHz with a "fractional bandwidth" greater than 15%, and having any of the following:
 - a. A peak saturated power output greater than 75 W (48,75 dBm) at any frequency exceeding 2,7 GHz up to and including 2,9 GHz;
 - b. A peak saturated power output greater than 55 W (47,4 dBm) at any frequency exceeding 2,9 GHz up to and including 3,2 GHz;

- c. A peak saturated power output greater than 40 W (46 dBm) at any frequency exceeding 3,2 GHz up to and including 3,7 GHz; or
 - d. A peak saturated power output greater than 20 W (43 dBm) at any frequency exceeding 3,7 GHz up to and including 6,8 GHz;
- 2. Rated for operation at frequencies exceeding 6,8 GHz up to and including 16 GHz with a "fractional bandwidth" greater than 10%, and having any of the following:
 - a. A peak saturated power output greater than 10W (40 dBm) at any frequency exceeding 6,8 GHz up to and including 8,5 GHz; or
 - b. A peak saturated power output greater than 5W (37 dBm) at any frequency exceeding 8,5 GHz up to and including 16 GHz;
 - 3. Rated for operation with a peak saturated power output greater than 3 W (34,77 dBm) at any frequency exceeding 16 GHz up to and including 31,8 GHz, and with a "fractional bandwidth" of greater than 10%;
 - 4. Rated for operation with a peak saturated power output greater than 0,1 nW (-70 dBm) at any frequency exceeding 31,8 GHz up to and including 37 GHz;
 - 5. Rated for operation with a peak saturated power output greater than 1 W (30 dBm) at any frequency exceeding 37 GHz up to and including 43,5 GHz, and with a "fractional bandwidth" of greater than 10%;
 - 6. Rated for operation with a peak saturated power output greater than 31,62 mW (15 dBm) at any frequency exceeding 43,5 GHz up to and including 75 GHz, and with a "fractional bandwidth" of greater than 10%;
 - 7. Rated for operation with a peak saturated power output greater than 10 mW (10 dBm) at any frequency exceeding 75 GHz up to and including 90 GHz, and with a "fractional bandwidth" of greater than 5%; or
 - 8. Rated for operation with a peak saturated power output greater than 0,1 nW (-70 dBm) at any frequency exceeding 90 GHz;

- e. "Technology" according to the General Technology Note for the "development" or "production" of electronic devices and circuits, specially designed for telecommunications and containing components manufactured from "superconductive" materials, specially designed for operation at temperatures below the "critical temperature" of at least one of the "superconductive" constituents and having any of the following:
1. Current switching for digital circuits using "superconductive" gates with a product of delay time per gate (in seconds) and power dissipation per gate (in watts) of less than 10^{-14} J; or
 2. Frequency selection at all frequencies using resonant circuits with Q-values exceeding 10 000.

5E101 "Technology" according to the General Technology Note for the "development", "production" or "use" of equipment specified in 5A101.

Part 2 - "INFORMATION SECURITY"

Note 1: *The control status of "information security" items or functions is determined in Category 5, Part 2 even if they are components, "software" or functions of other systems or equipment.*

Note 2: *Category 5 – Part 2 does not control products when accompanying their user for the user's personal use.*

Note 3: *Cryptography Note 5A002 and 5D002 do not control items as follows:*

- a* *Items that meet all of the following:*
 - 1. Generally available to the public by being sold, without restriction, from stock at retail selling points by means of any of the following:*
 - a. Over-the-counter transactions;*
 - b. Mail order transactions;*
 - c. Electronic transactions; or*
 - d. Telephone call transactions;*
 - 2. The cryptographic functionality cannot easily be changed by the user;*
 - 3. Designed for installation by the user without further substantial support by the supplier; and*
 - 4. When necessary, details of the goods are accessible and will be provided, upon request, to the competent authorities of the Member State in which the exporter is established in order to ascertain compliance with conditions described in paragraphs 1. to 3. above;*

- b. *Hardware components or 'executable software', of existing items described in paragraph a. of this Note, that have been designed for these existing items, meeting all of the following:*
1. *"Information security" is not the primary function or set of functions of the component or 'executable software';*
 2. *The component or 'executable software' does not change any cryptographic functionality of the existing items, or add new cryptographic functionality to the existing items;*
 3. *The feature set of the component or 'executable software' is fixed and is not designed or modified to customer specification; and*
 4. *When necessary as determined by the competent authorities of the Member State in which the exporter is established, details of the component or 'executable software' and details of relevant end-items are accessible and will be provided to the competent authority upon request, in order to ascertain compliance with conditions described above.*

Technical Note:

For the purpose of the Cryptography Note, 'executable software' means "software" in executable form, from an existing hardware component excluded from 5A002 by the Cryptography Note.

Note: *'Executable software' does not include complete binary images of the "software" running on an end-item.*

Note to the Cryptography Note:

1. To meet paragraph a. of Note 3, all of the following must apply:
 - a. The item is of potential interest to a wide range of individuals and businesses; and
 - b. The price and information about the main functionality of the item are available before purchase without the need to consult the vendor or supplier.
2. In determining eligibility of paragraph a. of Note 3, competent authorities may take into account relevant factors such as quantity, price, required technical skill, existing sales channels, typical customers, typical use or any exclusionary practices of the supplier.

Note 4: Category 5 – Part 2 does not control items incorporating or using "cryptography" and meeting all of the following:

- a. The primary function or set of functions is not any of the following:
 1. "Information security";
 2. A computer, including operating systems, parts and components therefor;
 3. Sending, receiving or storing information (except in support of entertainment, mass commercial broadcasts, digital rights management or medical records management); or
 4. Networking (includes operation, administration, management and provisioning);
- b. The cryptographic functionality is limited to supporting their primary function or set of functions; and
- c. When necessary, details of the items are accessible and will be provided, upon request, to the competent authorities of the Member State in which the exporter is established in order to ascertain compliance with conditions described in paragraphs a. and b. above.

5A2 Systems, Equipment and Components

5A002 "Information security" systems, equipment and components therefor, as follows:

a. Systems, equipment and components for "information security", as follows,

N.B.: For the control of Global Navigation Satellite Systems (GNSS) receiving equipment containing or employing decryption, see 7A005 and for related decryption "software" and "technology" see 7D005 and 7E001.

1. Designed or modified to use "cryptography" employing digital techniques performing any cryptographic function other than authentication, digital signature or the execution of copy-protected "software", and having any of the following:

Technical Notes:

1. Functions for authentication, digital signature and the execution of copy-protected "software" include their associated key management function.
2. Authentication includes all aspects of access control where there is no encryption of files or text except as directly related to the protection of passwords, Personal Identification Numbers (PINs) or similar data to prevent unauthorised access.

a. A "symmetric algorithm" employing a key length in excess of 56 bits; or

Technical Note

In Category 5 - Part 2, parity bits are not included in the key length.

5A002.a. continued

- b. An "asymmetric algorithm" where the security of the algorithm is based on any of the following:
1. Factorisation of integers in excess of 512 bits (e.g., RSA);
 2. Computation of discrete logarithms in a multiplicative group of a finite field of size greater than 512 bits (e.g., Diffie-Hellman over $\mathbb{Z}/p\mathbb{Z}$); or
 3. Discrete logarithms in a group other than mentioned in 5A002.a.1.b.2. in excess of 112 bits (e.g., Diffie-Hellman over an elliptic curve);

2. Designed or modified to perform 'cryptanalytic functions';

Note: 5A002.a.2. includes systems or equipment, designed or modified to perform 'cryptanalytic functions' by means of reverse engineering.

Technical Note

'Cryptanalytic functions' are functions designed to defeat cryptographic mechanisms in order to derive confidential variables or sensitive data, including clear text, passwords or cryptographic keys.

3. Not used;
4. Specially designed or modified to reduce the compromising emanations of information-bearing signals beyond what is necessary for health, safety or electromagnetic interference standards;
5. Designed or modified to use cryptographic techniques to generate the spreading code for "spread spectrum" systems, other than those specified in 5A002.a.6., including the hopping code for "frequency hopping" systems;

6. Designed or modified to use cryptographic techniques to generate channelising codes, scrambling codes or network identification codes, for systems using ultra-wideband modulation techniques and having any of the following:
 - a. A bandwidth exceeding 500 MHz; or
 - b. A "fractional bandwidth" of 20% or more;
 7. Non-cryptographic information and communications technology (ICT) security systems and devices that have been evaluated and certified by a national authority to exceed class EAL-6 (evaluation assurance level) of the Common Criteria (CC) or equivalent;
 - 8; Communications cable systems designed or modified using mechanical, electrical or electronic means to detect surreptitious intrusion;
- Note: 5A002.a.8. only controls physical layer security.*
9. Designed or modified to use or perform "quantum cryptography".

Technical Note:

"Quantum cryptography" is also known as Quantum Key Distribution (QKD).

- b. Systems, equipment, and components , designed or modified to enable, by means of "cryptographic activation" an item to achieve or exceed the controlled performance levels for functionality specified by 5A002.a. that would not otherwise be enabled.

5A002.b. continued

Note: 5A002 does not control any of the following:

- a. Smart cards and smart card 'readers/writers' as follows:
 1. A smart card or an electronically readable personal document (e.g., token coin, e-passport) that meets any of the following:
 - a. The cryptographic capability is restricted for use in equipment or systems excluded from 5A002 by Note 4 in Category 5 – Part 2 or entries b. to i. of this Note, and cannot be reprogrammed for any other use; or
 - b. Having all of the following:
 1. It is specially designed and limited to allow protection of 'personal data' stored within;
 2. Has been, or can only be, personalized for public or commercial transactions or individual identification; and
 3. Where the cryptographic capability is not user-accessible;

Technical Note:

'Personal data' includes any data specific to a particular person or entity, such as the amount of money stored and data necessary for authentication.

2. 'Readers/writers' specially designed or modified, and limited, for items specified by a.1. of this Note.

Technical Note:

'Readers/writers' include equipment that communicates with smart cards or electronically readable documents through a network.

- b. *Not used;*
- c. *Not used;*
- d. *Cryptographic equipment specially designed and limited for banking use or 'money transactions';*

Technical Note:

'Money transactions' in 5A002 Note d. includes the collection and settlement of fares or credit functions.

- e. *Portable or mobile radiotelephones for civil use (e.g., for use with commercial civil cellular radio communication systems) that are not capable of transmitting encrypted data directly to another radiotelephone or equipment (other than Radio Access Network (RAN) equipment), nor of passing encrypted data through RAN equipment (e.g., Radio Network Controller (RNC) or Base Station Controller (BSC));*
- f. *Cordless telephone equipment not capable of end-to-end encryption where the maximum effective range of unboosted cordless operation (i.e. a single, unrelayed hop between terminal and home base station) is less than 400 metres according to the manufacturer's specifications;*
- g. *Portable or mobile radiotelephones and similar client wireless devices for civil use, that implement only published or commercial cryptographic standards (except for anti-piracy functions, which may be non-published) and also meet the provisions of paragraphs a.2. to a.4. of the Cryptography Note (Note 3 in Category 5, Part 2), that have been customised for a specific civil industry application with features that do not affect the cryptographic functionality of these original non-customised devices;*

- h. Not used;*
 - i. Wireless "personal area network" equipment that implement only published or commercial cryptographic standards and where the cryptographic capability is limited to a nominal operating range not exceeding 30 metres according to the manufacturer's specifications, or not exceeding 100 metres according to the manufacturer's specifications for equipment that cannot interconnect with more than seven devices;*
 - j. Equipment, having no functionality specified by 5A002.a.2., 5A002.a.4., 5A002.a.7., 5A002.a.8 or 5A002.b. meeting all of the following:*
 - 1. All cryptographic capability specified by 5A002.a. meets any of the following:*
 - a. It cannot be used; or*
 - b. It can only be made useable by means of "cryptographic activation", and*
 - 2. When necessary as determined by the competent authorities of the Member State in which the exporter is established, details of the equipment are accessible and will be provided to the authority upon request, in order to ascertain compliance with conditions described above;*
- N.B.1.: See 5A002.a. for equipment that has undergone "cryptographic activation".*
- N.B. 2: See also 5A002.b., 5D002.d. and 5E002.b.*
- k. Mobile telecommunications Radio Access Network (RAN) equipment designed for civil use, which also meet the provisions of paragraphs a.2. to a.4. of the Cryptography Note (Note 3 in Category 5, Part 2), having an RF output power limited to 0,1W (20 dBm) or less, and supporting 16 or fewer concurrent users.*

5A002.b. continued

- l. Routers, switches or relays, where the "information security" functionality is limited to the tasks of "Operations, Administration or Maintenance" ("OAM") implementing only published or commercial cryptographic standards; or*

- m. General purpose computing equipment or servers, where the "information security" functionality meets all of the following:*
 - 1. Uses only published or commercial cryptographic standards; and*
 - 2. Is any of the following:*
 - a. Integral to a CPU that meets the provisions of Note 3 to Category 5–Part 2;*
 - b. Integral to an operating system that is not specified by 5D002.;*
 - or*
 - c. Limited to "OAM" of the equipment.*

5B2 Test, Inspection and Production Equipment

5B002 "Information security" test, inspection and "production" equipment, as follows:

- a. Equipment specially designed for the "development" or "production" of equipment specified in 5A002 or 5B002.b.;
- b. Measuring equipment specially designed to evaluate and validate the "information security" functions of the equipment specified in 5A002 or "software" specified in 5D002.a. or 5D002.c.

5C2 Materials

None.

5D2 Software

5D002 "Software" as follows:

- a. "Software" specially designed or modified for the "development", "production" or "use" of equipment specified in 5A002 or "software" specified in 5D002.c.;
- b. "Software" specially designed or modified to support "technology" specified in 5E002;
- c. Specific "software", as follows:
 1. "Software" having the characteristics, or performing or simulating the functions of the equipment, specified in 5A002;
 2. "Software" to certify "software" specified in 5D002.c.1.

Note 5D002.c. does not control "software" limited to the tasks of "OAM" implementing only published or commercial cryptographic standards.
- d. "Software" designed or modified to enable, by means of "cryptographic activation", an item to achieve or exceed the controlled performance levels for functionality specified by 5A002.a. that would not otherwise be enabled.

5E2 Technology

5E002 "Technology" as follows:

- a. "Technology" according to the General Technology Note for the "development", "production" or "use" of equipment specified in 5A002, 5B002 or "software" specified in 5D002.a. or 5D002.c.
- b. "Technology" to enable, by means of "cryptographic activation", an item to achieve or exceed the controlled performance levels for functionality specified by 5A002.a. that would not otherwise be enabled.

Note: 5E002 includes "information security" technical data resulting from procedures carried out to evaluate or determine the implementation of functions, features or techniques specified in Category 5-Part 2.