

Brussels, 26 February 2019 (OR. en)

6848/19 ADD 1

ENER 130 ENV 215

COVER NOTE

From:	Secretary-General of the European Commission, signed by Mr Jordi AYET PUIGARNAU, Director
date of receipt:	25 February 2019
То:	Mr Jeppe TRANHOLM-MIKKELSEN, Secretary-General of the Council of the European Union
No. Cion doc.:	D060017/02 - ANNEXES 1-6
Subject:	ANNEXES to the COMMISSION REGULATION laying down ecodesign requirements for household washing machines and household washerdryers pursuant to Directive 2009/125/EC of the European Parliament and of the Council, amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1015/2010

Delegations will find attached document D060017/02 - ANNEXES 1-6.

Encl.: D060017/02 - ANNEXES 1-6

6848/19 ADD 1 GL/st

TREE.2.B



Brussels, XXX D060017/02 [...](2019) XXX draft

ANNEXES 1 to 6

ANNEXES

to the

COMMISSION REGULATION

laying down ecodesign requirements for household washing machines and household washer-dryers pursuant to Directive 2009/125/EC of the European Parliament and of the Council, amending Commission Regulation (EC) No 1275/2008

and repealing Commission Regulation (EU) No 1015/2010

www.parlament.gv.at

ANNEX I

Definitions applicable for the annexes

The following definitions shall apply:

- (1) 'Energy Efficiency Index' (EEI) means the ratio of the weighted energy consumption to the standard cycle energy consumption;
- (2) 'drying cycle' means a complete drying process as defined by the required programme, consisting of a series of different operations including heating and tumbling;
- (3) 'complete cycle' means a washing and drying process, consisting of a washing and a drying cycle;
- (4) 'continuous cycle' means a complete cycle without interruption of the process and with no need for user intervention at any point during the programme;
- (5) 'rated capacity' means the maximum mass in kilogram stated by the manufacturer, importer or authorised representative at 0,5 kg intervals of dry textiles of a particular type, which can be treated in one washing cycle of a household washing machine, or in one complete cycle of a household washer-dryer respectively, on the selected programme, when loaded in accordance with the manufacturer's, importer's or authorised representative's instructions;
- (6) 'rated washing capacity' means the maximum mass in kilogram stated by the manufacturer, importer or authorised representative at 0,5 kg intervals of dry textiles of a particular type, which can be treated in one washing cycle of a household washing machine, or in one washing cycle of a household washer-dryer respectively, on the selected programme, when loaded in accordance with the manufacturer's, importer's or authorised representative's instructions;
- (7) 'rated drying capacity' means the maximum mass in kilogram stated by the manufacturer, importer or authorised representative at 0,5 kg intervals of dry textiles of a particular type, which can be treated in one drying cycle of a household washerdryer on the selected programme, when loaded in accordance with the manufacturer's, importer's or authorised representative's instructions;
- (8) 'weighted energy consumption (E_W)' means the weighted average of the energy consumption of the washing cycle of a household washing machine or a household washer-dryer for the eco 40-60 programme at rated washing capacity, and at half and at a quarter of the rated washing capacity, expressed in kilowatt hour per cycle;
- (9) 'weighted energy consumption (E_{WD})' means the weighted average of the energy consumption of the household washer-dryer for the wash and dry cycle at rated capacity and at half of the rated capacity, expressed in kilowatt hour per cycle;
- (10) 'wash and dry' means the name of the complete cycle of a household washer-dryer, which consists of the eco 40-60 programme for the washing cycle, and of a drying cycle achieving cupboard dry status;
- (11) 'standard cycle energy consumption' (SCE) means the energy consumption taken as a reference as a function of the rated capacity of a household washing machine or of a household washer-dryer, expressed in kilowatt hour per cycle;
- (12) 'weighted water consumption (W_W)' means the weighted average of the water consumption of a the washing cycle of a household washing machine or of a

- household washer-dryer for the eco 40-60 programme at rated washing capacity, and at half and at a quarter of the rated washing capacity, expressed in litres per cycle;
- (13) 'weighted water consumption (W_{WD})' means the weighted average of the water consumption of a household washer-dryer for the wash and dry cycle at rated capacity and at half of the rated capacity, expressed in litres per cycle;
- 'washing efficiency index' means the ratio of the washing efficiency of a household washing machine or the washing cycle of a household washer-dryer (I_W) or the complete cycle of a household washer-dryer (J_W) to the washing efficiency of a reference household washing machine;
- 'rinsing effectiveness' means the concentration of the residual content of linear alkylbenzene sulfonate (LAS) in the treated textiles after the washing cycle of a household washing machine or household washer-dryer (I_R) or the complete cycle of a household washer-dryer (J_R), expressed in gram per kilogram of dry textile;
- (16) 'remaining moisture content' means for household washing machines and for the washing cycle of household washer-dryers, the amount of moisture contained in the load at the end of the washing cycle;
- (17) 'final moisture content' means for household washer-dryers the amount of moisture contained in the load at the end of the drying cycle;
- (18) 'cupboard dry' means the status of treated textiles dried in a drying cycle to a final moisture content of 0 %;
- (19) 'programme duration' (t_W) means the length of time beginning with the initiation of the programme selected, excluding any user programmed delay, until the end of the programme is indicated and the user has access to the load;
- (20) 'cycle duration' (twD) means, for the complete cycle of a household washer-dryer, the length of time beginning with the initiation of the programme selected for the washing cycle, excluding any user programmed delay, until the end of the drying cycle is indicated and the user has access to the load;
- (21) 'off mode' (P_o) means a condition in which the household washing machine or the household washer-dryer is connected to the mains and is not providing any function; the following shall also be considered as off mode:
 - (a) conditions providing only an indication of off mode;
 - (b) conditions providing only functionalities intended to ensure electromagnetic compatibility pursuant to Directive 2014/30/EU of the European Parliament and of the Council¹;
- (22) 'standby mode' (P_{sm}) means a condition where the household washing machine or the household washer-dryer is connected to the mains, and provides only the following functions, which may persist for an indefinite time:
 - (a) reactivation function, or reactivation function and a mere indication of enabled reactivation function, and/or
 - (b) reactivation function through a connection to a network; and/or
 - (c) information or status display, and/or

.

Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (OJ L 96, 29.3.2014, p. 79).

- (d) detection function for emergency measures.
- (23) 'network' means a communication infrastructure with a topology of links, an architecture, including the physical components, organisational principles, communication procedures and formats (protocols);
- (24) 'wrinkle guard function' means an operation of the household washing machine or of the household washer-dryer after completion of a programme to prevent excessive wrinkle building in the laundry;
- (25) 'delay start' (P_{ds}) means a condition where the user has selected a specified delay to the beginning or end of the cycle of the selected programme;
- (26) 'spare part' means a separate part that can replace a part with the same or similar function in a product;
- (27) 'professional repairer' means an operator or undertaking which provides services of repair and professional maintenance of household washing machines or of household washer-dryers;
- (28) 'guarantee' means any undertaking by the retailer or a manufacturer to the consumer to:
 - (a) reimburse the price paid;
 - (b) replace, repair or handle the household washing machine and the household washer-dryer in any way if they do not meet the specifications set out in the guarantee statement or in the relevant advertising.

ANNEX II

Ecodesign requirements

1. PROGRAMME REQUIREMENTS

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

- (1) Household washing machines and household washer-dryers shall provide:
 - (a) a washing cycle called 'eco 40-60', which is able to clean normally soiled cotton laundry declared to be washable at 40 °C or 60 °C, together in the same cycle.
 - (b) a washing cycle called '20 °C', which is able to clean lightly soiled cotton laundry, at a nominal temperature of 20 °C.

These cycles shall be clearly identifiable on the programme selection, on the display and through the network connection, depending on the functionalities provided by the household washing machine or household washer-dryer.

- For the requirements set out in points 3(1), 3(3), 4(1), 4(2), 4(5), 5 and 6(1), the 'eco 40-60' programme shall be used.
- (3) The eco 40-60 programme shall be named 'eco 40-60' on the programme selection, on the display and through the network connection, depending on the functionalities provided by the household washing machine or the household washer-dryer.

The name 'eco 40-60' shall be used exclusively for this programme. The formatting of 'eco 40-60' is not restricted in terms of font, font size, case sensitivity or colour. No other programme may have in its name the term 'eco'.

The eco 40-60 programme shall be set as the default programme for automatic programme selection or any function maintaining the selection of a programme; or, if there is no automatic programme selection, shall be available for direct selection without the need for any other selection such as a specific temperature or load.

The indications 'normal', 'daily', 'regular' and 'standard', and their translations in all EU official languages, shall not be used in programme names for household washing machines or household washer-dryers, either alone or in combination with other information.

2. WASH AND DRY CYCLE

From 1 March 2021, household washer-dryers shall meet the following requirements:

- (1) Household washer-dryers shall provide a complete cycle for cotton laundry, named 'wash and dry':
 - which is continuous if the household washer-dryer provides a continuous cycle;
 - where the washing cycle is an eco 40-60 programme as defined in point 1; and
 - where the drying cycle achieves cupboard dry status.
- (2) The wash and dry cycle shall be clearly identifiable in the user instructions referred to in point 9 of this Annex.
- (3) If the household washer-dryer provides a continuous cycle, the rated capacity of the wash and dry cycle shall be the rated capacity for this cycle.

- (4) If the household washer-dryer does not provide a continuous cycle, the rated capacity of the wash and dry cycle shall be the lower value of the rated washing capacity of the eco 40-60 programme and the rated drying capacity of the drying cycle achieving cupboard dry status.
- (5) For the requirements set out in points 3(2), 3(4), 4(3), 4(4), 4(6) and 6(2), the wash and dry cycle shall be used.

3. ENERGY EFFICIENCY REQUIREMENTS

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

- (1) The Energy Efficiency Index (EEI_W) for household washing machines and the washing cycle of household washer-dryers shall be lower than 105.
- (2) The Energy Efficiency Index (EEI_{WD}) for the wash and dry cycle of household washer-dryers shall be lower than 105.

From 1 March 2024, household washing machines with a rated capacity higher than 3 kg and household washer-dryers with a rated washing capacity higher than 3 kg shall meet the following requirements:

- (3) The EEI_W for household washing machines and the washing cycle of household washer-dryers shall be lower than 91.
- (4) The EEI_{WD} for the wash and dry cycle of household washer-dryers shall be lower than 88.

The EEIw and EEIwD shall be calculated in accordance with Annex III.

4. FUNCTIONAL REQUIREMENTS

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

- (1) For household washing machines with a rated capacity higher than 3 kg and for the washing cycle of household washer-dryers with a rated capacity higher than 3 kg, the Washing Efficiency Index (I_w) of the eco 40-60 programme shall be greater than 1,03 for each of the following loading sizes: rated washing capacity, half of the rated washing capacity and a quarter of the rated washing capacity.
- (2) For household washing machines with a rated capacity lower than or equal to 3 kg and for the washing cycle of household washer-dryers with a rated capacity lower than or equal to 3 kg, the Washing Efficiency Index (I_w) of the eco 40-60 programme shall be greater than 1,00 at rated washing capacity.
- (3) For household washer-dryers with a rated capacity higher than 3 kg, the Washing Efficiency Index (J_w) of the wash and dry cycle shall be greater than 1,03 at rated capacity and at half of the rated capacity.
- (4) For household washer-dryers with a rated capacity lower than or equal to 3 kg, the Washing Efficiency Index (J_w) of the wash and dry cycle shall be greater than 1,00 at rated capacity.
- (5) For household washing machines with a rated capacity higher than 3 kg and for the washing cycle of household washer-dryers with a rated capacity higher than 3 kg, the Rinsing Effectiveness (I_R) of the eco 40-60 programme shall be smaller than or equal

to 5,0 g/kg for each of the following loading sizes: rated washing capacity, half of the rated washing capacity and a quarter of the rated washing capacity.

(6) For household washer-dryers with a rated capacity higher than 3 kg, the Rinsing Effectiveness (J_R) of the wash and dry cycle shall be smaller than or equal to 5,0 g/kg at rated capacity and at half of the rated capacity.

The I_w, J_w, I_R and J_R shall be calculated in accordance with Annex III.

5. REQUIREMENTS ON DURATION

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

The duration of the eco 40-60 programme (t_W), expressed in hours and minutes and rounded to the nearest minute, shall be lower than or equal to the time limit t_{cap} , which depends on the rated capacity as follows:

(1) for the rated washing capacity, the time limit is given by the following equation:

$$t_{cap}(in min) = 137 + c \times 10.2$$

with a maximum of 240 minutes;

(2) for half of the rated washing capacity and a quarter of the rated washing capacity, the time limit is given by the following equation:

$$t_{cap}(in min) = 120 + c \times 6$$

with a maximum of 180 minutes;

where c is the rated capacity of the household washing machine or the rated washing capacity of the household washer-dryer for the eco 40-60 programme.

6. WEIGHTED WATER CONSUMPTION REQUIREMENT

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

(1) For household washing machines and the washing cycle of household washer-dryers, the weighted water consumption (W_W, in litres/cycle) for the eco 40-60 programme shall be:

$$W_W \le 2,25 \times c + 30$$

where c is the rated capacity of the household washing machine or the rated washing capacity of the household washer-dryer for the eco 40-60 programme.

(2) For household washer-dryers, the weighted water consumption (W_{WD}, in litres/cycle) for the wash and dry cycle shall be:

$$W_{WD} < 10 \times d + 30$$

where d is the rated capacity of the household washer-dryer for the wash and dry cycle.

The Ww and WwD shall be calculated in accordance with Annex III.

7. LOW POWER MODES

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

- (1) Household washing machines and household washer-dryers shall have an off-mode or a stand-by mode or both. The power consumption of these modes shall not exceed 0,50 W.
- (2) If the stand-by mode includes the display of information or status, the power consumption of this mode shall not exceed 1,00 W.
- (3) If the stand-by mode provides for a connection to a network and provides networked standby as defined in Commission Regulation (EU) No 801/2013², the power consumption of this mode shall not exceed 2,00 W.
- (4) At the latest 15 minutes after the household washing machine and household washer-dryer have been switched on or after the end of any programme and associated activities or after interruption of the wrinkle guard function or after any other interaction with the household washing machine and household washer-dryer, if no other mode, including emergency measures, is triggered, the household washing machine and household washer-dryer shall switch automatically to off-mode or standby mode.
- (5) If the household washing machine and household washer-dryer provide for a delay start, the power consumption of this condition, including any standby mode, shall not exceed 4,00 W. The delay start shall not be programmable by the user for more than 24 h.
- (6) Any household washing machine and any household washer-dryer that can be connected to a network shall provide the possibility to activate and deactivate the network connection(s). The network connection(s) shall be deactivated by default.

8. RESOURCE EFFICIENCY REQUIREMENTS

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements:

- (1) Availability of spare parts
 - (a) Manufacturers, importers or authorised representatives of household washing machines and household washer-dryers shall make available to professional repairers at least the following spare parts, for a minimum period of ten years after placing the last unit of the model on the market:
 - motor and motor brushes;
 - transmission between motor and drum;
 - pumps;
 - shock absorbers and springs;
 - washing drum, drum spider and related ball bearings (separately or bundled);

_

² Commission Regulation (EU) No 801/2013 of 22 August 2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions (OJ L 225, 23.8.2013)

- heaters and heating elements, including heat pumps (separately or bundled);
- piping and related equipment including all hoses, valves, filters and aquastops (separately or bundled);
- printed circuit boards;
- electronic displays;
- pressure switches;
- thermostats and sensors;
- software and firmware including reset software.
- (b) Manufacturers, importers or authorised representatives of household washing machines and household washer-dryers shall make available to professional repairers and end-users at least the following spare parts: door, door hinge and seals, other seals, door locking assembly and plastic peripherals such as detergent dispensers, for a minimum period of ten years after placing the last unit of the model on the market.
- (c) Manufacturers, importers or authorised representatives of household washing machines and household washer-dryers shall ensure that the spare parts mentioned in points (a) and (b) can be replaced with the use of commonly available tools and without permanent damage to the household washing machine or household washer-dryer.
- (d) The list of spare parts concerned by point (a) and the procedure for ordering them shall be publicly available on the free access website of the manufacturer, importer or authorised representative, at the latest two years after the placing on the market of the first unit of a model and until the end of the period of availability of these spare parts.
- (e) The list of spare parts concerned by point (b) and the procedure for ordering them and the repair instructions shall be publicly available on the free access website of the manufacturer, importer or authorised representative, when placing the first unit of a model on the market and until the end of the period of availability of these spare parts.
- (2) Maximum delivery time of spare parts

During the period mentioned under (1), the manufacturer, importer or authorised representative shall ensure the delivery of the spare parts within 15 working days after having received the order.

In the case of spare parts concerned by point (1)(a), the availability of spare parts may be limited to professional repairers registered in accordance with point (3)(a) and (b).

(3) Access to Repair and Maintenance Information

After a period of two years after the placing on the market of the first unit of a model and until the end of the period mentioned under (1), the manufacturer, importer or authorised representative shall provide access to the household washing machine or household washer-dryer repair and maintenance information to professional repairers in the following conditions:

- (a) the manufacturer's, importer's or authorised representative's website shall indicate the process for professional repairers to register for access to information; to accept such a request, the manufacturers, importers or authorised representatives may require the professional repairer to demonstrate that
 - (i) the professional repairer has the technical competence to repair household washing machines and household washer-dryers and complies with the applicable regulations for repairers of electrical equipment in the Member States where it operates. Reference to an official registration system as professional repairer, where such system exists in the Member States concerned, shall be accepted as proof of compliance with this point;
 - (ii) the professional repairer is covered by insurance covering liabilities resulting from its activity regardless of whether this is required by the Member State.
- (b) the manufacturers, importers or authorised representatives shall accept or refuse the registration within 5 working days from the date of request;
- (c) Manufacturers, importers or authorised representatives may charge reasonable and proportionate fees for access to the repair and maintenance information or for receiving regular updates. A fee is reasonable if it does not discourage access by failing to take into account the extent to which the professional repairer uses the information.
- (d) Once registered, a professional repairer shall have access, within one working day after requesting it, to the requested repair and maintenance information. The information may be provided for an equivalent model or model of the same family, if relevant.
- (e) The household washing machine or household washer-dryer repair and maintenance information referred to in (a) shall include:
 - the unequivocal household washing machine or household washer-dryer identification;
 - a disassembly map or exploded view;
 - technical manual of instructions for repair;
 - list of necessary repair and test equipment;
 - component and diagnosis information (such as minimum and maximum theoretical values for measurements):
 - wiring and connection diagrams;
 - diagnostic fault and error codes (including manufacturer-specific codes, where applicable);
 - instructions for installation of relevant software and firmware including reset software; and
 - information on how to access data records of reported failure incidents stored on the household washing machine or washer-dryer (where applicable).

(4) Information requirements for refrigerant gases

Without prejudice to Regulation (EU) No 517/2014 of the European Parliament and of the Council³, for household washing machines and household washer-dryers equipped with a heat pump, the chemical name of the refrigerant gas used, or equivalent reference such as a commonly used and understood symbol, label or logo, shall be displayed permanently and in a visible and readable way on the exterior of the household washing machines or household washer-dryers, for example on the back panel. More than one reference can be used for the same chemical name.

(5) Requirements for dismantling for material recovery and recycling while avoiding pollution

Manufacturers, importers or authorised representatives shall ensure that household washing machines and household washer-dryers are designed in such a way that the materials and components referred to in Annex VII to Directive 2012/19/EU can be removed with the use of commonly available tools.

Manufacturers, importers or authorised representatives shall fulfil the obligations laid down in point 1 of Article 15 of Directive 2012/19/EU.

9. INFORMATION REQUIREMENTS

From 1 March 2021, household washing machines and household washer-dryers shall meet the following requirements.

User and installer instructions shall be provided in the form of a user manual on a free access website of the manufacturer, importer or authorised representative, and shall include:

(1) the following general information:

- (a) information that the eco 40-60 programme is able to clean normally soiled cotton laundry declared to be washable at 40 °C or 60 °C, together in the same cycle, and that this programme is used to assess the compliance with the EU Ecodesign legislation;
- (b) information that the most efficient programmes in terms of energy consumption are generally those that perform at lower temperatures and longer duration;
- (c) for household washer-dryers: information that the wash and dry cycle is able to clean normally soiled cotton laundry declared to be washable at 40 °C or 60 °C, together in the same cycle, and to dry it in such a way that it can be immediately stored in a cupboard, and that this programme is used to assess the compliance with the EU Ecodesign legislation;
- (d) information that loading the household washing machine or the household washer-dryer up to the capacity indicated by the manufacturer for the respective programmes will contribute to energy and water savings;
- (e) recommendations on the type of detergents suitable for the various washing temperatures and washing programmes;

_

Regulation (EU) No 517/2014 of the European Parliament and of the Council of 16 April 2014 on fluorinated greenhouse gases and repealing Regulation (EC) No 842/2006 (OJ L 150, 20.5.2014, p. 195).

- (f) information that noise and remaining moisture content are influenced by the spinning speed: the higher the spinning speed in the spinning phase, the higher the noise and the lower the remaining moisture content;
- (g) information on how to activate and deactivate the network connection (if applicable) and impact on energy consumption;
- (h) instruction on how to find the model information stored in the product database, as defined in Commission Delegated Regulation (EU) [OP -Please insert regulation number energy labelling regulation for household washing machines and household washer-dryers] by means of a weblink that links to the model information as stored in the product database or a link to the product database and information on how to find the model identifier on the product.
- (2) values for the following parameters:
 - (a) rated capacity in kg;
 - (b) programme duration, expressed in hours and minutes;
 - (c) energy consumption, expressed in kWh/cycle;
 - (d) water consumption, expressed in litres/cycle;
 - (e) maximum temperature reached for minimum 5 minutes inside the laundry being treated in the washing cycle, expressed in degrees centigrade; and
 - (f) remaining moisture content after the washing cycle, expressed in percentage of water content, and spinning speed at which this was achieved;

for each of the following programmes (at least):

- (i) the eco 40-60 programme at the rated capacity, half of the rated capacity and a quarter of the rated capacity;
- (ii) the 20 °C programme at the rated capacity for this programme;
- (iii) one cotton programme at nominal temperature higher than or equal to 60 °C (if present) at the rated capacity for this programme;
- (iv) one programme for other textiles than cotton or a mix of textiles (if present) at the rated capacity for this programme;
- (v) one programme for the quick washing of lightly soiled laundry (if present) at the rated capacity for this programme;
- (vi) one programme for heavily soiled textiles (if present) at the rated capacity for this programme;
- (vii) for household washer-dryers: the wash and dry cycle at the rated capacity and at half of the rated capacity; and

the information that the values given for programmes other than the eco 40-60 programme and the wash and dry cycle are indicative only.

- (3) The user instructions shall also include instructions for the user to perform maintenance operations. Such instructions shall as a minimum include instructions for:
 - (a) correct installation (including level positioning, connection to mains, connection to water inlets, cold and/or hot if appropriate);

- (b) correct use of detergent, softeners and other additives, and main consequences of incorrect dosage;
- (c) foreign object removal from the household washing machine or household washer-dryer;
- (d) periodic cleaning, including optimal frequency, and limescale prevention and procedure;
- (e) door opening between cycles, if appropriate;
- (f) periodic checks of filters, including optimal frequency, and procedure;
- (g) identification of errors, the meaning of the errors, and the action required, including identification of errors requiring professional assistance;
- (h) how to access professional repair (internet webpages, addresses, contact details);

Such instructions shall also include information on:

- (i) any implications of self-repair or non-professional repair for the safety of the end-user and for the guarantee;
- (j) the minimum period during which the spare parts for the household washing machine or the household washer-dryer are available.

ANNEX III

Measurement methods and calculations

For the purposes of compliance and verification of compliance with the requirements of this Regulation, measurements and calculations shall be made using harmonised standards the reference numbers of which have been published for this purpose in the *Official Journal of the European Union*, or other reliable, accurate and reproducible methods, which take into account the generally recognised state-of-the-art, and in line with the following provisions.

When measuring the parameters defined in Annex II and in this annex for the eco 40-60 programme and for the wash and dry cycle, the highest spin speed option for the eco 40-60 programme shall be used at rated capacity, at half of the rated capacity and at a quarter of the rated capacity.

For household washing machines with a rated capacity lower than or equal to 3 kg and for household washer-dryers with a rated washing capacity lower than or equal to 3 kg, the parameters for the eco 40-60 programme and for the wash and dry cycle shall be measured at rated capacity only.

The duration of the eco 40-60 programme (t_W) and the duration of the wash and dry cycle (t_{WD}) shall be expressed in hours and minutes and rounded to the nearest minute.

1. ENERGY EFFICIENCY INDEX

1.1. Energy Efficiency Index (EEI_w) of household washing machines and the washing cycle of household washer-dryers.

For the calculation of the EEI_W, the weighted energy consumption of the eco 40-60 programme at the rated washing capacity, half of the rated washing capacity and a quarter of the rated washing capacity is compared to its standard cycle energy consumption.

(a) The EEI_W is calculated as follows, and is rounded to one decimal place:

$$EEI_W = (E_W / SCE_W) \times 100$$

where:

E_W is the weighted energy consumption of the household washing machine or of the washing cycle of the household washer-dryer;

 SCE_W is the standard cycle energy consumption of the household washing machine or the washing cycle of the household washer-dryer.

(b) The SCEw is calculated in kWh per cycle and rounded to three decimal places as follows:

$$SCE_W = -0.0025 \times c^2 + 0.0846 \times c + 0.3920$$

where c is the rated capacity of the household washing machine or the rated washing capacity of the household washer-dryer for the eco 40-60 programme.

(c) The E_W is calculated in kWh per cycle as follows and rounded to three decimal places:

$$E_W = A \times E_{W,full} + B \times E_{W,\frac{1}{2}} + C \times E_{W,\frac{1}{4}}$$

where:

E_{W,full} is the energy consumption of the household washing machine or of the washing cycle of the household washer-dryer for the eco 40-60 programme at the rated washing capacity and rounded to three decimal places;

E_{W,½} is the energy consumption of the household washing machine or of the washing cycle of the household washer-dryer for the eco 40-60 programme at half of the rated washing capacity and rounded to three decimal places;

 $E_{W,1/4}$ is the energy consumption of the household washing machine or of the washing cycle of the household washer-dryer for the eco 40-60 programme at a quarter of the rated washing capacity and rounded to three decimal places;

A is the weighting factor for the rated washing capacity and rounded to three decimal places;

B is the weighting factor for half of the rated washing capacity and rounded to three decimal places;

C is the weighting factor for a quarter of the rated washing capacity and rounded to three decimal places.

For household washing machines with a rated capacity lower than or equal to 3 kg and for household washer-dryers with a rated washing capacity lower than or equal to 3 kg, A shall be equal to 1; B and C shall be equal to 0.

For other household washing machines and household washer-dryers, the values of the weighting factors depend on the rated capacity according to the following equations:

$$A = -0.0391 \times c + 0.6918$$

$$B = -0.0109 \times c + 0.3582$$

$$C = 1 - (A + B)$$

where c is the rated capacity of the household washing machine or the rated washing capacity of the washer dryer.

1.2. Energy Efficiency Index (EEI_{WD}) of the complete cycle of household washer-dryers For the calculation of the EEI_{WD} of a household washer-dryer model, the weighted energy consumption of the wash and dry cycle at the rated capacity and half of the rated capacity is compared to its standard cycle energy consumption.

(a) The EEI_{WD} is calculated as follows, and is rounded to one decimal place:

$$EEI_{WD} = (E_{WD} / SCE_{WD}) \times 100$$

where:

E_{WD} is the weighted energy consumption of the complete cycle of the household washer-dryer;

SCE_{WD} is the standard cycle energy consumption of the complete cycle of the household washer-dryer.

(b) The SCE_{WD} is calculated in kWh per cycle and rounded to three decimal places as follows:

$$SCE_{WD} = -0.0502 \times d^2 + 1.1742 \times d - 0.644$$

- where d is the rated capacity of the household washer-dryer for the wash and dry cycle.
- (c) For household washer-dryers with a rated washing capacity lower than or equal to 3 kg, the weighted energy consumption is the energy consumption at rated capacity and rounded to three decimal places.
- (d) For other household washer-dryers, the weighted energy consumption (E_{WD}) is calculated in kWh per cycle as follows and rounded to three decimal places:

$$E_{WD} = \frac{[3 \times E_{WD,full} + 2 \times E_{WD,\frac{1}{2}}]}{5}$$

where:

E_{WD,full} is the energy consumption of the household washer-dryer for the wash and dry cycle at rated capacity and rounded to three decimal places;

E_{WD,½} is the energy consumption of the household washer-dryer for the wash and dry cycle at half of the rated capacity and rounded to three decimal places.

2. WASHING EFFICIENCY INDEX

The washing efficiency index of household washing machines and of the washing cycle of household washer-dryers (Iw) and the washing efficiency index of the complete cycle of household washer-dryers (Jw) shall be calculated using harmonised standards the reference numbers of which have been published for this purpose in the *Official Journal of the European Union*, or other reliable, accurate and reproducible methods, which take into account the generally recognised state-of-the-art, and rounded to two decimal places.

3. RINSING EFFECTIVENESS

The rinsing effectiveness of household washing machines and of the washing cycle of household washer-dryers (I_R) and the rinsing effectiveness of the complete cycle of household washer-dryers (J_R) shall be calculated using harmonised standards the reference numbers of which have been published for this purpose in the *Official Journal of the European Union*, or other reliable, accurate and reproducible method based on the detection of the linear alkylbenzene sulfonate (LAS) marker, and rounded to one decimal place.

4. MAXIMUM TEMPERATURE

The maximum temperature reached for 5 minutes inside the laundry being treated in the household washing machines and in the washing cycle of household washer-dryers shall be determined using harmonised standards the reference numbers of which have been published for this purpose in the *Official Journal of the European Union*, or other reliable, accurate and reproducible method and rounded to the nearest integer.

5. WEIGHTED WATER CONSUMPTION

(1) The weighted water consumption (W_W) of a household washing machine or of the washing cycle of a household washer-dryer is calculated in litres and rounded to the nearest integer:

$$W_t = (A \times W_{W,full} + B \times W_{W,1/2} + C \times W_{W,1/4})$$

where:

W_{W,full} is the water consumption of the household washing machine or of the washing cycle of a household washer-dryer for the eco 40-60 programme at rated washing capacity, in litres and rounded to one decimal place;

W_{W,½} is the water consumption of the household washing machine or of the washing cycle of a household washer-dryer for the eco 40-60 programme at half of the rated washing capacity, in litres and rounded to one decimal place;

W_{W,1/4} is the water consumption of the household washing machine or of the washing cycle of a household washer-dryer for the eco 40-60 programme at a quarter of the rated washing capacity, in litres and rounded to one decimal place;

A, B and C are the weighting factors as described in point 1.1(c).

(2) For household washer-dryers with a rated washing capacity lower than or equal to 3 kg, the weighted water consumption is the water consumption at rated capacity and rounded to the nearest integer.

For other household washer-dryers, the weighted water consumption (W_{WD}) of the wash and dry cycle of a household washer-dryer is calculated as follows and rounded to the nearest integer:

$$W_{WD} = \frac{[3 \times W_{WD,full} + 2 \times W_{WD,\frac{1}{2}}]}{5}$$

where:

W_{WD,full} is the water consumption of the wash and dry cycle of a household washerdryer at rated capacity, in litres and rounded to one decimal place;

W_{WD,½} is the water consumption of the wash and dry cycle of a household washerdryer at half of the rated capacity, in litres and rounded to one decimal place.

6. REMAINING MOISTURE CONTENT

The weighted remaining moisture content after washing (D) of a household washing machine and of the washing cycle of a household washer-dryer is calculated in percentage as follows and rounded to the nearest whole percent:

$$D = \left[A \times D_{\text{full}} + B \times D_{\frac{1}{2}} + C \times D_{\frac{1}{4}} \right]$$

where:

 D_{full} is the remaining moisture content for the eco 40-60 programme at rated washing capacity, in percentage and rounded to one decimal place;

 $D_{1/2}$ is the remaining moisture content of the eco 40-60 programme at half of the rated washing capacity in percentage and rounded to one decimal place;

 $D_{1/4}$ is the remaining moisture content of the eco 40-60 programme at a quarter of the rated washing capacity in percentage and rounded to one decimal place;

A, B and C are the weighting factors as described in point 1.1(c).

7. FINAL MOISTURE CONTENT

For the drying cycle of a household washer-dryer, cupboard dry status corresponds to 0 % final moisture content, which is the thermodynamic equilibrium of the load with the ambient air conditions of temperature (tested at 20 ± 2 °C) and relative humidity (tested at 65 ± 5 %).

The final moisture content is calculated in accordance with the harmonised standards the reference numbers of which have been published for this purpose in the Official Journal of the European Union and rounded to one decimal place.

8. LOW POWER MODES

The power consumption of the off mode (Po), standby mode (Psm) and where applicable delay start (Pds) are measured. The measured values are expressed in W and rounded to two decimal places.

During measurements of the power consumption in low power modes, the following shall be checked and recorded:

- the display or not of information;
- the activation or not of a network connection.

If the household washing machine and household washer-dryer provides for a wrinkle guard function, this operation shall be interrupted by opening the household washing machine or household washer-dryer door, or any other appropriate intervention 15 minutes before the measurement of energy consumption.

ANNEX IV

Verification procedure for market surveillance purposes

The verification tolerances defined in this Annex relate only to the verification of the declared parameters by Member State authorities and shall not be used by the manufacturer, importer or authorised representative as an allowed tolerance to establish the values in the technical documentation or in interpreting these values with a view to achieving compliance or to communicate better performance by any means.

Where a model has been designed to be able to detect it is being tested (e.g. by recognizing the test conditions or test cycle), and to react specifically by automatically altering its performance during the test with the objective of reaching a more favourable level for any of the parameters specified in this Regulation or included in the technical documentation or included in any of the documentation provided, the model and all equivalent models shall be considered not compliant.

When verifying the compliance of a product model with the requirements laid down in this Regulation pursuant to Article 3(2) of Directive 2009/125/EC, for the requirements referred to in this Annex, the authorities of the Member States shall apply the following procedure:

- (1) The Member State authorities shall verify one single unit of the model.
- (2) The model shall be considered to comply with the applicable requirements if:
 - (a) the values given in the technical documentation pursuant to point (2) of Annex IV to Directive 2009/125/EC (declared values), and, where applicable, the values used to calculate these values, are not more favourable for the manufacturer, importer or authorised representative than the results of the corresponding measurements carried out pursuant to paragraph (g) thereof; and
 - (b) the declared values meet any requirements laid down in this Regulation, and any required product information published by the manufacturer, importer or authorised representative does not contain values that are more favourable for the manufacturer, importer or authorised representative than the declared values; and
 - (c) when the Member State authorities check the unit of the model, they find that the manufacturer, importer or authorised representative has put in place a system that complies with the requirements in the second paragraph of Article 6; and
 - (d) when the Member State authorities check the unit of the model, it complies with the programme requirements in points 1 and 2, resource efficiency requirements in point 8 and information requirements in point 9 of Annex II; and
 - (e) when the Member State authorities test the unit of the model, the determined values (the values of the relevant parameters as measured in testing and the values calculated from these measurements) comply with the respective verification tolerances as given in Table 1.
- (3) If the results referred to in point (2)(a), (b), (c) or (d) are not achieved, the model and all equivalent models shall be considered not to comply with this Regulation.
- (4) If the result referred to in point (2)(e) is not achieved, the Member State authorities shall select three additional units of the same model for testing. As an alternative, the three additional units selected may be of one or more equivalent models.

- (5) The model shall be considered to comply with the applicable requirements if, for these three units, the arithmetical mean of the determined values complies with the respective verification tolerances given in Table 1.
- (6) If the result referred to in point (5) is not achieved, the model and all equivalent models shall be considered not to comply with this Regulation.
- (7) The Member State authorities shall provide all relevant information to the authorities the other Member States and to the Commission without delay after a decision being taken on the non-compliance of the model according to points (3) or (6).

The Member State authorities shall use the measurement and calculation methods set out in Annex III.

The Member State authorities shall only apply the verification tolerances that are set out in Table 1 and shall use only the procedure described in points 1 to 7 for the requirements referred to in this Annex. For the parameters in Table 1, no other verification tolerances, such as those set out in harmonised standards or in any other measurement method, shall be applied.

Table 1 - Verification tolerances

Parameter	Verification tolerances
$E_{W,full}$, $E_{W,1/2}$, $E_{W,1/4}$, $E_{WD,full}$,	The determined value* shall not exceed the declared value
$E_{\mathrm{WD},\frac{1}{2}}$	of E _{W,full} , E _{W,½} , E _{W,1/4} , E _{WD,full} and E _{WD,½} , respectively, by
	more than 10 %.
Weighted energy consumption	The determined value* shall not exceed the declared value
(Ew and Ewd)	of Ew, respectively Ewd, by more than 10 %.
$W_{W,full}$, $W_{W,\frac{1}{2}}W_{W,1/4}$, $W_{WD,full}$,	The determined value* shall not exceed the declared value
$\mathrm{W}_{\mathrm{WD},\frac{1}{2}}$	of Ww,full, Ww,½, Ww,1/4, WwD,full and WwD,½, respectively, by
	more than 10 %.
Weighted water consumption	The determined value* shall not exceed the declared value
(W _W and W _{WD})	of W _W , respectively W _{WD} , by more than 10 %.
Washing efficiency index (Iw	The determined value* shall not be less than the declared
and J _W)	value of Iw, respectively Jw, by more than 8 %.
Rinsing effectiveness (I _R and	The determined value* shall not exceed the declared value
J_R)	of I_R , respectively J_R , by more than 1,0 g/kg.
Duration of the eco 40-60	The determined value* of the programme duration shall not
programme (t _W)	exceed the declared value of tw by more than 5 % or by
	more than 10 minutes, whichever is the smaller.
Duration of the wash and dry	The determined value of the cycle duration shall not exceed
cycle (twD)	the declared value of twD by more than 5 % or by more than
	10 minutes, whichever is the smaller.
Maximum temperature inside	The determined value shall not be less than the declared
the laundry (T)	values of T by more than 5 K and it shall not exceed the
	declared value of T by more than 5 K.
$D_{\text{full}}, D_{\frac{1}{2}}D_{\frac{1}{4}}$	The determined value* shall not exceed the declared value of
	D_{full} , $D_{\frac{1}{2}}$ and $D_{\frac{1}{4}}$, respectively, by more than 10 %.
Remaining moisture content	The determined value* shall not exceed the declared value of
after washing (D)	D by more than 10 %.
Final moisture content after	The determined value* shall not exceed 3,0 %.
drying	

Power consumption in off	The determined value* of power consumption Po shall not
mode (P _o)	exceed the declared value by more than 0,10 W.
Power consumption in	The determined value* of power consumption P _{sm} shall not
standby mode (P _{sm})	exceed the declared value by more than 10 % if the declared
	value is higher than 1,00 W, or by more than 0,10 W if the
	declared value is lower than or equal to 1,00 W.
Power consumption in delay	The determined value* of power consumption P _{ds} shall not
start (P _{ds})	exceed the declared value by more than 10 % if the declared
	value is higher than 1,00 W, or by more than 0,10 W if the
	declared value is lower than or equal to 1,00 W.

^{*} In the case of three additional units tested as prescribed in point 4, the determined value means the arithmetical mean of the values determined for these three additional units.

ANNEX V

Benchmarks

1. INDICATIVE BENCHMARKS FOR HOUSEHOLD WASHING MACHINES ON WATER AND ENERGY CONSUMPTION, WASHING EFFICIENCY AND AIRBORNE ACOUSTICAL NOISE EMISSIONS

At the time of entry into force of this Regulation, the best available technology on the market for household washing machines, in terms of their water and energy consumptions and airborne acoustical noise emissions during washing/spinning for the standard 60 °C cotton programme at rated capacity and half of the rated capacity and for the standard 40 °C cotton programme at half of the rated capacity, was identified as follows⁴:

- (1) Household washing machine with a rated capacity of 5 kg:
 - (a) energy consumption: 0,56 kWh/cycle (or 0,11 kWh/kg) corresponding to an overall annual consumption of 82 kWh/year;
 - (b) water consumption: 40 L/cycle, corresponding to 8 800 L/year for 220 cycles;
 - (c) airborne acoustical emissions during washing/spinning: 58/82 dB(A).
- (2) Household washing machine with a rated capacity of 6 kg:
 - (a) energy consumption: 0,55 kWh/cycle (or 0,092 kWh/kg) corresponding to an overall annual consumption of 122 kWh/year;
 - (b) water consumption: 40,45 L/cycle, corresponding to 8 900 L/year for 220 cycles;
 - (c) airborne acoustical emissions during washing/spinning: 47/77 dB(A).
- (3) Household washing machine with a rated capacity of 7 kg:
 - (a) energy consumption: 0,6 kWh/cycle (or 0,15 kWh/kg) corresponding to an overall annual consumption of 124 kWh/year;
 - (b) water consumption: 39 L/cycle, corresponding to 8 500 L/year for 220 cycles
 - (c) airborne acoustical emissions during washing/spinning: 52/73 dB(A).
- (4) Household washing machine with a rated capacity of 8 kg (when equipped with a heat pump):
 - (a) energy consumption: 0,52 kWh/cycle (or 0,065 kWh/kg) corresponding to an overall annual consumption of 98 kWh/year;
 - (b) water consumption: 44,55 L/cycle, corresponding to 9 800 L/year for 220 cycles.
- (5) Household washing machine with a rated capacity of 8 kg (when not equipped with heat pump technology):

For evaluation of the water and energy consumptions and washing efficiency, the calculation methods set out in Annex II of Regulation 1015/2010 with regard to ecodesign requirements for household washing-machines was used; for airborne acoustical noise emissions during washing/spinning, the standard measurement according to EN 60704 was used

- (a) energy consumption: 0,54 kWh/cycle (or 0,067 kWh/kg) corresponding to an overall annual consumption of 116 kWh/year;
- (b) water consumption: 36,82 L/cycle, corresponding to 8 100 L/year for 220 cycles.
- (6) Household washing machine with a rated capacity of 9 kg:
 - (a) energy consumption: 0,35 kWh/cycle (or 0,038 kWh/kg) corresponding to an overall annual consumption of 76 kWh/year;
 - (b) water consumption: 47,72 L/cycle, corresponding to 10 499 L/year for 220 cycles.
- 2. INDICATIVE BENCHMARKS FOR HOUSEHOLD WASHER-DRYERS ON WATER AND ENERGY CONSUMPTION, WASHING EFFICIENCY AND AIRBORNE ACOUSTICAL NOISE EMISSIONS

At the time of entry into force of this Regulation, the best available technology on the market for household washer-dryers, in terms of their water and energy consumptions and airborne acoustical noise emissions during washing/spinning/drying for the standard 60 C cotton washing cycle at rated capacity and the 'dry cotton' drying cycle, is identified as follows⁵:

- (1) Household washer dryer with a rated washing capacity of 6 kg:
 - (a) energy consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 3,64 kWh/cycle corresponding to an overall annual consumption of 800,8 kWh/year;
 - (b) energy consumption of a washing cycle (washing and spinning only) at rated capacity and at standard 60 °C cotton programme: 0,77 kWh/cycle corresponding to an overall annual consumption of 169,4 kWh/year;
 - (c) water consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 78 L/cycle, corresponding to 17 160 L/year for 220 cycles;
 - (d) airborne acoustic emissions during washing/spinning/drying 51/77/66 dB(A).
- (2) Household washer dryer with a rated washing capacity of 7 kg:
 - (a) energy consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 4,76 kWh/cycle corresponding to an overall annual consumption of 1 047 kWh/year;
 - (b) energy consumption of a washing cycle (washing and spinning only) at rated capacity and at standard 60 °C cotton programme: 0,8 kWh/cycle corresponding to an overall annual consumption of 176 kWh/year;

_

For evaluation of the water and energy consumptions and washing performance, the calculation methods set out in Directive 96/60/EC with regard to energy labelling of washer-driers was used; for airborne acoustical noise emissions during washing/spinning/drying, the standard measurement according to EN 60704 was used.

- (c) water consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 72 L/cycle, corresponding to 15 840 L/year for 220 cycles;
- (d) airborne acoustic emissions during washing/spinning/drying: 47/73/58 dB(A).
- (3) Household washer dryer with a rated washing capacity of 8 kg:
 - (a) energy consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 3,8 kWh/cycle corresponding to an overall annual consumption of 836 kWh/year;
 - (b) energy consumption of a washing cycle (washing and spinning only) at rated capacity and at standard 60 °C cotton programme: 1,04 kWh/cycle corresponding to an overall annual consumption of 229 kWh/year;
 - (c) water consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 70 L/cycle, corresponding to 15 400 L/year for 220 cycles;
 - (d) airborne acoustic emissions during washing/spinning/drying: 49/73/66 dB(A).
- (4) Household washer dryer with a rated washing capacity of 9 kg:
 - (a) energy consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 3,67 kWh/cycle corresponding to an overall annual consumption of 807 kWh/year;
 - (b) energy consumption of a washing cycle (washing and spinning only) at rated capacity and at standard 60°C cotton programme: 1,09 kWh/cycle corresponding to an overall annual consumption of 240 kWh/year;
 - (c) water consumption of a complete cycle (washing, spinning and drying) at rated capacity and at standard 60 °C cotton programme: 69 L/cycle, corresponding to 15 180 L/year for 220 cycles;
 - (d) airborne acoustic emissions during washing/spinning/drying: 49/75/66 dB(A).

ANNEX VI

Multi-drum household washing machines and multi-drum household washer-dryers

For multi-drum household washing machines and multi-drum household washer-dryers, the provisions of points 1 to 6 and 9(2) of Annex II, following the measurement and calculation methods set out in Annex III, shall apply to any drum. The provisions of points 7, 8, 9(1) and 9(3) of Annex II, apply to all multi-drum household washing machines and all multi-drum household washer-dryers.

The provisions of points 1 to 6 and 9(2) of Annex II, shall apply to each of the drums independently, except when the drums are built in the same casing and can, in the eco 40-60 programme or in the wash and dry cycle, only operate simultaneously. In the latter case, these provisions shall apply to the multi-drum household washing machine or to the multi-drum household washer-dryer as a whole, as follows:

- (a) the rated washing capacity is the sum of the rated washing capacities of each drum; for multi-drum household washer-dryers, the rated capacity is the sum of the rated capacities of each drum;
- (b) the energy and water consumption of the multi-drum household washing machine and of the washing cycle of the multi-drum household washer-dryer is the sum of the energy consumption, or water consumption, of each drum;
- (c) the energy and water consumption of the complete cycle of the multi-drum household washer-dryer is the sum of the energy consumption, or water consumption, of each drum;
- (d) the Energy Efficiency Index (EEI_W) is calculated using the rated washing capacity and energy consumption; for multi-drum household washer-dryers, the Energy Efficiency Index (EEI_{WD}) is calculated using the rated capacity and energy consumption;
- (e) each drum shall comply individually with the minimum washing efficiency and the minimum rinsing effectiveness requirements;
- (f) each drum shall comply individually with the requirement on duration applicable to the drum with the largest rated capacity;
- (g) the requirements on low power modes apply to the whole household washing machine or the whole household washer-dryer;
- (h) the residual moisture content after washing is calculated as the weighted average, according to each drum's rated capacity;
- (i) for household multi-drum washer-dryers, the requirement on final moisture content after drying applies individually to each drum.

The verification procedure set out in Annex IV applies to the multi-drum household washing machine and to the multi-drum household washer-dryer as a whole, with the verification tolerances applying to each of the parameters determined in application of this annex.