



EUROPEAN
COMMISSION

Brussels, 15.11.2022
COM(2022) 644 final

2022/0380 (NLE)

Proposal for a

COUNCIL REGULATION

amending Regulation (EU) 2021/2278 suspending the Common Customs Tariff duties referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 on certain agricultural and industrial products

EXPLANATORY MEMORANDUM

1. CONTEXT OF THE PROPOSAL

- **Reasons for and objectives of the proposal**

In order to ensure sufficient and uninterrupted supplies of certain agricultural and industrial products which are insufficiently produced or not produced at all in the Union and to avoid any disturbances on the market for these products, some Common Customs Tariff duties have been partially or totally suspended by Council Regulation (EU) No 2021/2278 (hereinafter "the Regulation")¹.

The Regulation is updated every six months to accommodate the needs of Union industry.

The Commission, assisted by the Economic Tariff Questions Group, has reviewed all requests from the Member States for autonomous tariff suspensions.

Following this review, the Commission considers that the suspension of duties is justified for some new products, currently not listed in the Annex of the Regulation. In relation to some other products, it is necessary to modify the conditions in terms of product description, classification, date envisaged for mandatory review and supplementary unit. Products for which a tariff suspension is no longer in the Union's economic interest are proposed to be withdrawn.

- **Consistency with existing policy provisions in the policy area**

This proposal does not affect countries that have a preferential trading agreement with the Union nor candidate countries or potential candidates for preferential agreements with the Union (e.g. Generalised System of Preferences; the African, Caribbean and Pacific group trade regime; Free Trade Agreements).

- **Consistency with other Union policies**

The proposal is in line with Union policies in the area of agriculture, trade, enterprise, environment, development and external relations.

The trade-liberalising measures that are contained in this proposal aim at ensuring that the temporary suspension of the Union's common customs tariff is conducted in the context of the principles and objectives of the Union's external action set out in Article 21 TEU and that different areas of external action of the Union, as well as its external action and other Union policies, be consistent with another. It is therefore appropriate to exclude a number of products originating in Russia and Belarus from the tariff reduction, in order to ensure consistency with the restrictive measures taken by the Union against these countries following Russia's aggression against Ukraine. However, in order to ensure appropriate supply and avoid serious disturbances in some EU markets, it is necessary to retain the suspension of CCT duties for certain products originating from Belarus and Russia.

¹ OJ L 466, 29.12.2021, p.1

2. LEGAL BASIS, SUBSIDIARITY AND PROPORTIONALITY

- **Legal basis**

The legal basis of this proposal is Article 31 of the Treaty on the Functioning of the European Union (TFEU).

- **Subsidiarity (for non-exclusive competence)**

The proposal falls under the exclusive competence of the Union. The subsidiarity principle therefore does not apply.

- **Proportionality**

The proposal complies with the principle of proportionality. The measures envisaged are in line with the principles for simplifying procedures for operators engaged in foreign trade, as stated in the Commission communication concerning autonomous tariff suspensions and quotas². This Regulation does not go beyond what is necessary to achieve the objectives pursued in accordance with Article 5(4) of the Treaty on European Union (TEU).

- **Choice of the instrument**

By virtue of Article 31 of the TFEU, "Common Customs Tariff duties shall be fixed by the Council on a proposal from the Commission". Therefore, a Council regulation is the appropriate instrument.

3. RESULTS OF EX-POST EVALUATIONS, STAKEHOLDER CONSULTATIONS AND IMPACT ASSESSMENTS

- **Ex-post evaluations/fitness checks of existing legislation**

The autonomous suspensions scheme was subject to an evaluation study carried out in 2013. The evaluation concluded that the core rationale for the scheme remains valid. The cost savings for EU businesses importing goods under the scheme can be significant. In turn, depending on the product, company and sector, these savings can have wider benefits, such as boosting competitiveness, making production methods more efficient, and creating or keeping jobs in the Union. Details of the savings stemming from this regulation can be found in the attached legislative financial statement.

- **Stakeholder consultations**

The Economic Tariff Questions Group (ETQG), which consists of representatives from all Member States plus Turkey, assisted the Commission in the preparation of this proposal

The ETQG carefully examined each case to ensure that it would not cause any harm to Union enterprises and would strengthen and consolidate the competitiveness of Union's production. The members of the ETQG carried out the assessment through discussions, and Member States, in turn, consulted the concerned industries, associations, chambers of commerce and other stakeholders involved.

² OJ C 363, 13.12.2011, p. 6.

All listed suspensions correspond to agreements or compromises reached in the discussions of the ETQG. No potential serious risk with irreversible consequences was identified.

- **Impact assessment**

The proposed amendment is of a purely technical nature and concerns only the coverage of the suspensions currently listed in the Annex to Council Regulation (EU) No 2021/2278. An impact assessment was not carried out because the proposed changes in the list of products that would benefit from the autonomous Common Customs Tariff duties suspension are not expected to have significant impacts.

- **Fundamental rights**

The proposal has no consequences on fundamental rights.

4. BUDGETARY IMPLICATIONS

This proposal has no financial impact on expenditure, but has a financial impact on revenue. Uncollected customs duties corresponding to the suspension will amount approximately EUR 70 747 802 per year. The negative effect on the budget's traditional own resources is EUR 53 060 852 per year (i.e. 75 % of the total). The legislative financial statement sets out the budgetary implications of the proposal in greater detail.

The loss of revenue in traditional own resources shall be compensated by Member States Gross National Income (GNI) based on resource contributions.

5. OTHER ELEMENTS

- **Implementation plans and monitoring, evaluation and reporting arrangements**

The proposed measures are managed within the framework of the Integrated Tariff of the European Union (TARIC) and applied by customs administrations of the Member States.

Proposal for a

COUNCIL REGULATION

amending Regulation (EU) 2021/2278 suspending the Common Customs Tariff duties referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 on certain agricultural and industrial products

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are not produced in the Union and thereby avoid any disturbances on the market for those products, Common Customs Tariff duties of the type referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 of the European Parliament and of the Council¹ ('CCT duties') on those products have been suspended by Council Regulation (EU) 2021/2278². As a result, the products listed in the Annex to Regulation (EU) 2021/2278 can be imported into the Union at reduced or zero duty rates.
- (2) The Union production of certain products that are not listed in the Annex to Regulation (EU) 2021/2278 is inadequate to meet the specific requirements of the user industries in the Union. As it is in the Union's interest to ensure an adequate supply of certain products and having regard to the fact that identical, equivalent or substitute products are not produced in sufficient quantities within the Union, it is necessary to grant a complete suspension of the CCT duties on those products.
- (3) With a view to promoting integrated battery production in the Union, a partial suspension of the CCT duties should be granted in respect of certain products related to battery production that are currently not listed in the Annex to Regulation (EU) 2021/2278 and the respective Union production is inadequate to meet the specific requirements of the user industries in the Union. There should be an early review of those suspensions, envisaged on 31 December 2023, in order to take into account the short-term evolution of the battery production sector in the Union.

¹ Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

² Council Regulation (EU) 2021/2278 of 20 December 2021 suspending the Common Customs Tariff duties referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 on certain agricultural and industrial products, and repealing Regulation (EU) No 1387/2013 (OJ L 466, 29.12.2021, p.1).

- (4) It is necessary to amend the description of the products and classification for certain CCT duty suspensions listed in the Annex to Regulation (EU) 2021/2278 in order to take into account technical product developments and economic trends in the market.
- (5) It is no longer in the interest of the Union to maintain the suspension of CCT duties for certain products listed in the Annex to Regulation (EU) 2021/2278. To avoid administrative burden for national authorities of the Member States, tariff suspensions where the amount of uncollected customs duty is estimated to be less than EUR 15 000 per year cannot be taken into consideration. The suspensions for products which do not reach that threshold, as indicated by the mandatory review, should therefore be removed from the Annex to Regulation (EU) 2021/2278.
- (6) At the same time, relations between the Union and Russia have deteriorated over the past years, particularly due to Russia's disregard for international law and its unprovoked and unjustified invasion of Ukraine. On 6 October 2022, the Council adopted an eighth package of sanctions³ against Russia over its continued war of aggression against Ukraine and the reported atrocities committed by Russian armed forces in Ukraine.
- (7) While Russia is a member of the World Trade Organization, the Union can rely on the exceptions that apply under the Agreement Establishing the World Trade Organization, and in particular Article XXI of the General Agreement on Tariffs and Trade 1994, in particular with regard to the obligation to accord to products imported from Russia the advantages granted to like products imported from other countries (most-favoured-nation treatment).
- (8) In light of the deterioration of the relations between the Union and Russia, in order to ensure the coherence with the Union's actions and principles in the field of the Union's external action, it would therefore not be appropriate to allow products originating from Russia to enjoy duty-free and most-favoured-nation treatment with regard to the products covered by this Regulation. Therefore, it is necessary to remove the suspension on CCT duties for those products.
- (9) The situation between the Union and Belarus has deteriorated over the past years, because of the Belarusian regime's disregard for international law, fundamental rights and human rights. In addition, Belarus has provided extensive support to the Russian military aggression against Ukraine from its very beginning.
- (10) Since October 2020, the Union has progressively imposed restrictive measures against Belarus over continued human rights abuses, the instrumentalisation of migrants and the involvement of Belarus in the Russian military aggression against Ukraine. As Belarus is not a member of the World Trade Organization, the Union is not obliged, by virtue of the Agreement Establishing the World Trade Organization, to accord the most-favoured-nation treatment to products from Belarus. In addition, trade agreements allow for certain actions to be taken that are justified on the basis of applicable exception clauses, in particular security exceptions.

³ Council Regulation (EU) 2022/1903 (OJ 259 I, p.1)
Council Regulation (EU) 2022/1904 (OJ 259 I, p.3)
Council Regulation (EU) 2022/1905 (OJ 259 I, p. 76)
Council Regulation (EU) 2022/1906 (OJ 259 I, p. 79)

- (11) In the light of the deterioration of the relations between Belarus and Union, in order to ensure the coherence with the Union's actions and principles in the field of the Union's external action, it would therefore not be appropriate to allow products originating from Belarus to enjoy duty-free treatment and most-favoured-nation treatment with regard to the products covered by this Regulation.
- (12) However, in order to ensure appropriate supply and avoid serious disturbances in some EU markets, it is necessary to retain the suspension of CCT duties for certain products, originating in Belarus, falling under TARIC code 2926 90 70 24, and certain products, originating in Russia, falling under TARIC codes 7608 20 89 30 and 8401 30 00 20. For the latter under EURATOM Treaty, there is an obligation to ensure that all users in the Union receive a regular and equitable supply of nuclear fuel. Those products from both of those countries represented more than 50% of the total value of imports into the Union in the years 2019 to 2021 with no or limited alternative suppliers from other third countries. The value of those imports would indicate that the Union industry operators are dependent to a very large extent on those imports and that the removal of the suspension on CCT duties would cause disproportionate hardship to those operators.
- (13) Therefore, in the light of the context above, the removal of the suspension on CCT duties on certain products originating from Belarus and Russia is appropriate and permitted, in application of the General Rules concerning duties set out in Annex I to Council Regulation (EEC) No 2658/87⁴, and in particular Part One, Section I, Part B, point 1, thereof.
- (14) As the granting of the autonomous tariff suspensions is an exception to the application of the common customs tariff duties, the re-introduction of these common customs tariff duties to the imports originating in Belarus and Russia constitutes a return to the normal state of affairs (see points 2.1.2 and 2.2.1 of the Communication from the Commission concerning autonomous tariff suspensions and quotas). Thus, the limited removal of the suspension on CCT duties on certain products originating from Belarus and Russia is not a restrictive or prohibitive measure, but its purpose is to prevent those countries from indirectly benefiting from a unilateral Union measure and to ensure the overall coherence of the Union's actions.
- (15) Regulation (EU) 2021/2278 should therefore be amended accordingly.
- (16) In order to avoid any interruption in the application of the autonomous tariff suspension scheme and to comply with the guidelines set out in the Communication from the Commission concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the tariff suspensions for the products concerned should apply from 1 January 2023. This Regulation should therefore enter into force as a matter of urgency,

⁴ Council Regulation (EEC) No 2658/87 of 23 July 1987 on the tariff and statistical nomenclature and on the Common Customs Tariff (OJ L 256, 7.9.1987, p. 1).

HAS ADOPTED THIS REGULATION:

Article 1

Regulation (EU) 2021/2278 is amended as follows:

- (1) in Article 1, paragraph 2 is replaced by the following:

“2. The suspension of the Common Customs Tariff duties laid down in paragraph 1 does not apply to the following:

 - (a) any mixtures, preparations or products made up of different components containing products as listed in the Annex;
 - (b) products originating in Belarus, with the exception of [products falling under] TARIC code 2926 90 70 24;
 - (c) products originating in Russia, with the exception of [products falling under] TARIC codes 7608 20 89 30 and 8401 30 00 20.”
- (2) the Annex is replaced by the text set out in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2023.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

LEGISLATIVE FINANCIAL STATEMENT

1. NAME OF THE PROPOSAL:

Proposal for amending Regulation (EU) 2021/2278 suspending the Common Customs Tariff duties referred to in Article 56(2) point (c) of Regulation (EU) No 952/2013 on certain agricultural and industrial products

2. BUDGET LINES:

Chapter and Article: Chapter 12, Article 120

Amount budgeted for the year 2023: 21 590 300 000

3. FINANCIAL IMPACT

☐ Proposal has no financial implications

X Proposal has no financial impact on expenditure but has a financial impact on revenue - the effect is as follows:

(EUR million to one decimal place)

Budget line	Revenue	12 month period, starting dd/mm/yyyy	[Year: 2023]
Article 120	<i>Impact on own resources</i>	01/01/2023	-53

Situation following action	
	[2023 – 2027]
Article 120	- 53 EUR million/ year

The Annex contains 96 new products. The uncollected duties corresponding to these suspensions, calculated on the basis of requesting Member State projections for the period 2023 to 2027, amount to EUR 52 238 757 per year.

On the basis of the existing statistics for preceding years, it would appear, however, necessary to increase this amount by an average factor, estimated at 1,8 to take account of imports into other Member States using the same suspensions. This means uncollected duties of some EUR 94 029 763 per year.

124 products have been withdrawn from this Annex reflecting the reintroduction of customs duties. This represents an increase of EUR 23 281 961 per year in the collection of duties, as estimated on the basis of 2021 statistics.

On the basis of the above, the impact on the loss of revenue for the EU budget resulting from this Regulation is estimated at $94\,029\,763 - 23\,281\,961 = \text{EUR } 70\,747\,802$ (gross amount, including collection costs) $\times 0,75 = \text{EUR } 53\,060\,852$ per year.

4. ANTI-FRAUD MEASURES

Checks on the end-use of some of the products covered by this Council Regulation will be carried out in accordance with Article 254 of Regulation (EU) No 952/2013.

In addition, Member States may carry out any customs controls they deem appropriate under the risk management they undertake, as provided for by Article 46 of Regulation (EU) No 952/2013.



EUROPEAN
COMMISSION

Brussels, 15.11.2022
COM(2022) 644 final

ANNEX

ANNEX

to the

Proposal for a COUNCIL REGULATION

amending Regulation (EU) 2021/2278 suspending the Common Customs Tariff duties referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 on certain agricultural and industrial products

ANNEX

‘ANNEX

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6748	ex 0709 53 00	10	Fresh or chilled chanterelles for treatment other than simple repacking for retail sale (1)(2)	0 %	-	31.12.2025
0.3348	ex 0710 21 00	10	Peas in pods, of the species <i>Pisum sativum</i> of the variety <i>Hortense axiphium</i> , frozen, of a thickness of not more than 6 mm, to be used, in their pods, in the manufacture of prepared meals (1)(2)	0 %	-	31.12.2023
0.3349	ex 0710 80 95	50	Bamboo shoots, frozen, not put up for retail sale	0 %	-	31.12.2023
0.2829	ex 0711 59 00	11	Mushrooms, excluding mushrooms of the genera <i>Agaricus</i> , <i>Calocybe</i> , <i>Clitocybe</i> , <i>Lepista</i> , <i>Leucoagaricus</i> , <i>Leucopaxillus</i> , <i>Lyophyllum</i> and <i>Tricholoma</i> , provisionally preserved in brine, in sulphur water, or in other preservative solutions, but unsuitable in that state for immediate consumption, for the food-canning industry (1)	0 %	-	31.12.2026
0.2463	ex 0712 32 00 ex 0712 33 00 ex 0712 34 00 ex 0712 39 00	10 10 31 31	Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale (1)(2)	0 %	-	31.12.2023
0.3347	ex 0804 10 00	30	Dates, fresh or dried, for use in the manufacture (excluding packing) of products of drink or food industries (1)	0 %	-	31.12.2023
0.2411	0811 90 50 0811 90 70 ex 0811 90 95	70	Fruit of the genus <i>Vaccinium</i> , uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter	0 %	-	31.12.2023
0.3228	ex 0811 90 95	20	Boysenberries, frozen, not containing added sugar, not put up for retail sale	0 %	-	31.12.2023
0.2409	ex 0811 90 95	30	Pineapple (<i>Ananas comosus</i>), in pieces, frozen	0 %	-	31.12.2023
0.2408	ex 0811 90 95	40	Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2864	ex 1511 90 19 ex 1511 90 91 ex 1513 11 10 ex 1513 19 30 ex 1513 21 10 ex 1513 29 30	20 20 20 20 20 20	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: — industrial monocarboxylic fatty acids of subheading 3823 19 10, — methyl esters of fatty acids of heading 2915 or 2916, — fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, — fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, — stearic acid of subheading 3823 11 00, — goods of heading 3401, or — fatty acids with high purity of heading 2915 (1)	0 %	-	31.12.2024
0.8443	ex 1515 60 99	10	Microbial oil, refined or semi-refined, containing by weight 35 % or more but not more than 70 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid	0 %	-	31.12.2024
0.3341	ex 1515 90 99	92	Vegetable oil, refined or semi-refined, containing by weight 35 % or more but not more than 57 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid	0 %	-	31.12.2023
0.7686	1516 20 10		Hydrogenated castor oil, so called 'opal-wax'	0 %	-	31.12.2023
0.4708	ex 1516 20 96	20	Joboba oil, hydrogenated and interesterified, without any further chemical modification and not subjected to any texturisation process	0 %	-	31.12.2024
0.4080	ex 1517 90 99	10	Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)	0 %	-	31.12.2026
0.8416	ex 1518 00 99	40	Inedible used cooking oils consisting of mixtures of vegetable oils for use in the production of biodiesel (1)	2 %	-	31.12.2024
0.6182	ex 1901 90 99 ex 2106 90 98	39 45	Preparation in powder form containing by weight: — 15 % or more but not more than 35 % of wheat derived Maltodextrin, — 15 % or more but not more than 35 % of whey (milk serum), — 10 % or more but not more than 30 % of refined, bleached, deodorised and non-hydrogenated sunflower oil, — 10 % or more but not more than 30 % of blended, aged spray dried cheese, — 5 % or more but not more than 15 % of buttermilk and — 0,1 % or more but not more than 10 % of sodium caseinate, disodium phosphate, lactic acid	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2423	ex 1902 30 10 ex 1903 00 00	10 20	Transparent noodles, cut in pieces, obtained from beans (<i>Vigna radiata</i> (L.) Wilczek), not put up for retail sale	0 %	-	31.12.2023
0.2866	ex 2005 91 00	10	Bamboo shoots, prepared or preserved, in immediate packings of a net content of more than 5 kg	0 %	-	31.12.2023
0.5884	ex 2007 99 50 ex 2007 99 50 ex 2007 99 93	83 93 10	Mango puree concentrate, obtained by cooking: — of the Genus <i>Mangifera</i> spp., — with a sugar content by weight of not more than 30 % for use in the manufacture of products of food and drink industry (1)	6 % ⁽³⁾	-	31.12.2023
0.5875	ex 2007 99 50 ex 2007 99 50	84 94	Papaya puree concentrate, obtained by cooking: — of the Genus <i>Carica</i> spp., — with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry (1)	7.8 % ⁽³⁾	-	31.12.2023
0.5867	ex 2007 99 50 ex 2007 99 50	85 95	Guava puree concentrate, obtained by cooking: — of the Genus <i>Psidium</i> spp., — with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry (1)	6 % ⁽³⁾	-	31.12.2023
0.4716	ex 2008 93 91	20	Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries (4)	0 %	-	31.12.2027
0.5004	ex 2008 99 48	94	Mango puree: — not from concentrate, — of the genus <i>Mangifera</i> , — of a Brix value of 14 or more, but not more than 20, used in the manufacture of products of drink industry (1)	6 %	-	31.12.2023
0.4709	ex 2008 99 49 ex 2008 99 99	30 40	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5587	ex 2008 99 49 ex 2008 99 99	70 11	Blanched vine leaves of the genus <i>Karakishmish</i> , in brine, containing by weight: — more than 6 % of salt concentration, — 0,1 % or more but not more than 1,4 % of acidity expressed as citric acid monohydrate and — whether or not but not more than 2 000 mg/kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice (1)	0 %	-	31.12.2027
0.6723	ex 2008 99 91	20	Chinese water chestnuts (<i>Eleocharis dulcis</i> or <i>Eleocharis tuberosa</i>) peeled, washed, blanched, chilled and individually quick-frozen for use in the manufacture of products of food industry for treatment other than simple repacking (1)(2)	0 % ⁽³⁾	-	31.12.2025
0.7767	ex 2008 99 99	35	Frozen pulp from acai berries: — hydrated and pasteurised, — separated from the kernels by the addition of water, — with a Brix value of less than 6, and — with a sugar content of less than 5,6 %	0 %	-	31.12.2024
0.4992	ex 2009 41 92 ex 2009 41 99	20 70	Pineapple juice: — not from concentrate, — of the genus <i>Ananas</i> , — of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry (1)	8 %	-	31.12.2025
0.4664	ex 2009 49 30	91	Pineapple juice, other than in powder form: — with a Brix value of more than 20 but not more than 67, — a value of more than € 30 per 100 kg net weight, — containing added sugar used in the manufacture of products of food or drink industry (1)	0 %	-	31.12.2024
0.4623	ex 2009 81 31	10	Cranberry juice concentrate: — of a Brix value of 40 or more but not more than 66, — in immediate packings of a content of 50 litres or more	0 %	1	31.12.2024
0.6356	ex 2009 89 73 ex 2009 89 73	11 13	Passion fruit juice and passion fruit juice concentrate, whether or not frozen: — with a Brix value of 13,7 or more but not more than 55, — of a value of more than € 30 per 100 kg net weight, — in immediate packings of a content of 50 litres or more, and — with added sugar for the use in the manufacture of products of food or drink industry (1)	0 %	1	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4159	ex 2009 89 79	20	Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more	0 %	1	31.12.2023
0.6050	ex 2009 89 79	30	Frozen acerola juice concentrate : — with a Brix value of more than 48 but not more than 67, — in immediate packings of a content of 50 litres or more	0 %	1	31.12.2023
0.5206	ex 2009 89 79	85	Acai berry juice concentrate: — of the species <i>Euterpe oleracea</i> , — frozen, — not sweetened, — not in powder form, — of a Brix value of 23 or more but not more than 32, in immediate packings of a content of 10 kg or more	0 %	-	31.12.2026
0.6365	ex 2009 89 97 ex 2009 89 97	21 29	Passion fruit juice and passion fruit juice concentrate, whether or not frozen: — with a Brix value of 10 or more but not more than 13,7, — of a value of more than € 30 per 100 kg net weight, — in immediate packings of a content of 50 litres or more, and — without added sugar for the use in the manufacture of products of food or drink industry (1)	0 %	1	31.12.2024
0.4157	ex 2009 89 99	96	Coconut water — unfermented, — not containing added spirit or sugar, and — in immediate packing of a content of 20 litres or more (2)	0 %	1	31.12.2026
0.6152	ex 2106 10 20	20	Soya protein concentrate having a protein content by weight, calculated on a dry weight basis, of 65 % or more but not more than 90 % in powder or textured form	0 %	-	31.12.2023
0.3340	ex 2106 10 20	30	Preparation on the base of soya protein isolate, containing by weight 6,6 % or more but not more than 8,6 % of calcium phosphate	0 %	-	31.12.2023
0.7284	ex 2106 90 92 ex 3504 00 90	50 10	Casein protein hydrolysate consisting of: — by weight 20 % or more but not more than 70 % free amino acids, and — peptones of which by weight more than 90 % having a molecular weight of not more than 2000 Da	0 %	-	31.12.2027
0.5246	ex 2519 90 10	10	Fused magnesia with a purity by weight of 94 % or more	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6330	ex 2707 50 00 ex 2707 99 80	20 10	Mixture of xylene-isomers and ethyl phenol-isomers, with a total xylene content by weight of 62 % or more but less than 95 %	0 %	-	31.12.2024
0.6168	ex 2707 99 99	10	Heavy and medium oils, whose aromatic content exceeds their non-aromatic content, for use as refinery feedstock to undergo one of the specific processes described in Additional note 5 to Chapter 27 (1)	0 %	-	31.12.2023
0.8144	ex 2710 12 25	20	Mixture of C6 aliphatic hydrocarbons (CAS RN 92112-69-1), containing by weight 60 % or more but not more than 80 % of n-hexane (CAS RN 110-54-3), with: — a specific gravity of 0,666 or more but not more than 0,686, — a total of carbonyl compounds of less than 1 ppm, — a total of acetylenic compounds of less than 2 ppm	0 %	-	31.12.2025
0.7823	ex 2710 19 81 ex 2710 19 99	30 50	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — 90 % or more by weight of saturates, and — not more than 0,03 % by weight of sulphur, and with — a viscosity index of 80 or more, but less than 120, and a — a kinematic viscosity less than 5,0 cSt at 100°C or more than 13,0 cSt at 100°C	0 %	-	31.12.2023
0.7822	ex 2710 19 81 ex 2710 19 99	40 60	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — 90 % or more by weight of saturates, and — not more than 0,03 % by weight of sulphur, with a viscosity index of 120 or more	0 %	-	31.12.2024
0.6495	ex 2710 19 99	20	Catalytic de-waxed base oil, synthesised from gaseous hydrocarbons, followed by a heavy paraffin conversion process (HPC), containing: — not more than 1 mg/kg of sulphur — more than 99 % by weight of saturated hydrocarbons — more than 75 % by weight of n- and iso-paraffinic hydrocarbons with a carbon chain length of 18 or more but not more than 50; and — a kinematic viscosity at 40 °C of more than 6,5 mm ² /s, or — a kinematic viscosity at 40 °C of more than 11 mm ² /s with a viscosity index of 120 or more	0 %	-	31.12.2024
0.7393	ex 2712 90 99	10	Blend of 1-alkenes containing by weight 90 % or more 1-alkenes of a chain length of 24 carbon atoms or more but not more than 1 % 1-alkenes of a chain length of more than 70 carbon atoms	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4531	ex 2804 50 90	40	Tellurium (CAS RN 13494-80-9) of a purity by weight of 99,99 % or more, but not more than 99,999 %, based on metallic impurities measured by ICP analysis	0 %	-	31.12.2023
0.8021	2804 70 10		Red phosphorus	0 %	-	31.12.2027
0.8022	2804 70 90		Phosphorus, other than red phosphorus	0 %	-	31.12.2023
0.6658	ex 2805 12 00	10	Calcium with a purity of 98 % or more by weight, in powder or wire form (CAS RN 7440-70-2)	0 %	-	31.12.2025
0.5609	ex 2805 19 90	20	Lithium metal (CAS RN 7439-93-2) of a purity by weight of 98,8 % or more	0 %	-	31.12.2027
0.2559	ex 2805 30 10	10	Alloy of cerium and other rare-earth metals, containing by weight 47 % or more of cerium	0 %	-	31.12.2023
0.4979	2805 30 21 2805 30 29 2805 30 31 2805 30 39 2805 30 40		Rare-earth metals, scandium and yttrium, of a purity by weight of 95 % or more	0 %	-	31.12.2025
0.7769	ex 2809 20 00	10	Aqueous solution of phosphoric acid (CAS RN 7664-38-2), containing by weight 85 % or more phosphoric acid	0 %	-	31.12.2024
0.2407	ex 2811 22 00	10	Silicon dioxide (CAS RN 7631-86-9) in the form of powder, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges ⁽¹⁾	0 %	-	31.12.2023
0.6836	ex 2811 22 00	15	Amorphous silicon dioxide (CAS RN 60676-86-0) — in the form of powder — of a purity by weight of 99,0 % or more — with a median grain size of 0,7 µm or more, but not more than 2,1 µm — where 70 % of the particles have a diameter of not more than 3 µm	0 %	-	31.12.2024
0.7292	ex 2811 29 90	10	Tellurium dioxide (CAS RN 7446-07-3)	0 %	-	31.12.2027
0.3308	ex 2812 90 00	10	Nitrogen trifluoride (CAS RN 7783-54-2)	0 %	-	31.12.2023
0.5747	ex 2816 40 00	10	Barium hydroxide (CAS RN 17194-00-2)	0 %	-	31.12.2027
0.7594	ex 2818 10 11	10	Sol-Gel corundum (CAS RN 1302-74-5) with an aluminium oxide content of 99,6 % or more by weight, having a micro crystalline structure in the form of rods with an aspect ratio of 1,3 or more, but not more than 6,0	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5110	ex 2818 10 91	20	Sintered corundum with a micro crystalline structure, consisting of aluminium oxide (CAS RN 1344-28-1), magnesium aluminate (CAS RN 12068-51-8) and the rare earth aluminates of yttrium, lanthanum, and neodymium, with a content by weight (calculated as oxides) of: — 94 % or more, but less than 98,5 % of aluminium oxide, — 2 % ($\pm 1,5$ %) of magnesium oxide, — 1 % ($\pm 0,6$ %) of yttrium oxide, and — either 2 % ($\pm 1,2$ %) of lanthanum oxide, or — 2 % ($\pm 1,2$ %) of lanthanum oxide and neodymium oxide, with less than 50 % of the total weight having a particle size of more than 10 mm	0 %	-	31.12.2025
0.8425	ex 2818 10 91	30	Sintered corundum with a micro crystalline structure, consisting of aluminium oxide (CAS RN 1344-28-1) and magnesium aluminate (CAS RN 12068-51-8), with a content by weight (calculated as oxides) of: — 92 % or more, but not more than 94 % of aluminium oxide, and — 7 % (± 1 %) of magnesium oxide	0 %	-	31.12.2027
0.4640	ex 2818 20 00	10	Activated alumina with a specific surface area of at least 350 m ² /g	0 %	-	31.12.2024
0.6837	ex 2818 30 00	20	Aluminium hydroxide (CAS RN 21645-51-2) — in the form of powder, — with a purity by weight of 99,5 % or more, — with a decomposition point of 263°C or more, — with a particle size of 4 µm (± 1 µm), — with a Total-Na ₂ O-content by weight of not more than 0,06 %	0 %	-	31.12.2025
0.3306	ex 2818 30 00	30	Aluminium hydroxide oxide in the form of boehmite or pseudoboehmite (CAS RN 1318-23-6)	0 %	-	31.12.2023
0.5369	ex 2819 90 90	10	Dichromium trioxide (CAS RN 1308-38-9) for use in metallurgy (1)	0 %	-	31.12.2026
0.5752	ex 2823 00 00	10	Titanium dioxide (CAS RN 13463-67-7): — of a purity by weight of 99,9 % or more, — with an average grain-size of 0,7 µm or more but not more than 2,1 µm	0 %	-	31.12.2027
0.5576	ex 2825 10 00	10	Hydroxylammonium chloride (CAS RN 5470-11-1)	0 %	-	31.12.2027
0.7897	ex 2825 20 00	10	Lithium hydroxide monohydrate (CAS RN 1310-66-3)	2.6 %	-	31.12.2023
0.3800	2825 30 00		Vanadium oxides and hydroxides	0 %	-	31.12.2026
0.3303	ex 2825 50 00	20	Copper (I or II) oxide containing by weight 78 % or more of copper and not more than 0,03 % of chloride	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6819	ex 2825 50 00	30	Copper (II) oxide (CAS RN 1317-38-0), with a particle size of not more than 100 nm	0 %	-	31.12.2025
0.5555	ex 2825 60 00	10	Zirconium dioxide (CAS RN 1314-23-4)	0 %	-	31.12.2027
0.7193	ex 2825 70 00	20	Molybdic Acid (CAS RN 7782-91-4)	0 %	-	31.12.2026
0.5055	ex 2826 19 90	10	Tungsten hexafluoride (CAS RN 7783-82-6) with a purity by weight of 99,9 % or more	0 %	-	31.12.2025
0.8296	ex 2826 90 80	30	Lithium hexafluorophosphate (CAS RN 21324-40-3) with a purity by weight of 99 % or more	2.7 %	-	31.12.2023
0.2865	ex 2827 39 85	10	Copper monochloride (CAS RN 7758-89-6) of a purity by weight of 96 % or more but not more than 99 %	0 %	-	31.12.2023
0.4180	ex 2827 39 85	20	Antimony pentachloride (CAS RN 7647-18-9) of a purity by weight of 99 % or more	0 %	-	31.12.2026
0.6143	ex 2827 39 85	40	Barium chloride dihydrate (CAS RN 10326-27-9)	0 %	-	31.12.2023
0.4423	ex 2827 49 90	10	Hydrated zirconium dichloride oxide (CAS RN 7699-43-6)	0 %	-	31.12.2023
0.6463	ex 2827 60 00	10	Sodium iodide (CAS RN 7681-82-5)	0 %	-	31.12.2024
0.7596	ex 2828 10 00	10	Calcium hypochlorite (CAS RN 7778-54-3) having an active chlorine content of 65 % or more	0 %	-	31.12.2023
0.3302	ex 2830 10 00	10	Disodium tetrasulphide (CAS RN 12034-39-8), containing by weight 38 % or less of sodium calculated on the dry weight	0 %	-	31.12.2023
0.3859	ex 2833 29 80	20	Manganese sulphate monohydrate (CAS RN 10034-96-5)	0 %	-	31.12.2023
0.4338	ex 2835 10 00	10	Sodium hypophosphite monohydrate (CAS RN 10039-56-2)	0 %	-	31.12.2027
0.6144	ex 2835 10 00	20	Sodium hypophosphite (CAS RN 7681-53-0)	0 %	-	31.12.2023
0.7452	ex 2835 10 00	30	Aluminium Phosphinate (CAS RN 7784-22-7)	0 %	-	31.12.2023
0.2524	ex 2836 91 00	20	Lithium carbonate, containing one or more of the following impurities at the concentrations indicated: — 2 mg/kg or more of arsenic, — 200 mg/kg or more of calcium, — 200 mg/kg or more of chlorides, — 20 mg/kg or more of iron, — 150 mg/kg or more of magnesium, — 20 mg/kg or more of heavy metals, — 300 mg/kg or more of potassium, — 300 mg/kg or more of sodium, — 200 mg/kg or more of sulphates, determined according to the methods specified in the European Pharmacopœia	0 %	-	31.12.2023
0.2863	ex 2836 99 17	30	Zirconium (IV) basic carbonate (CAS RN 57219-64-4 or 37356-18-6) with a purity by weight of 96 % or more	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3300	ex 2837 19 00	20	Copper cyanide (CAS RN 544-92-3)	0 %	-	31.12.2023
0.4078	ex 2837 20 00	10	Tetrasodium hexacyanoferrate (II) (CAS RN 13601-19-9)	0 %	-	31.12.2026
0.2861	ex 2839 90 00	20	Calcium silicate (CAS RN 1344-95-2)	0 %	-	31.12.2023
0.6632	ex 2840 20 90	10	Zinc borate (CAS RN 12767-90-7)	0 %	-	31.12.2025
0.7288	ex 2841 50 00	11	Potassium dichromate (CAS RN 7778-50-9) with a purity by weight of 99 % or more, for use as intermediate for the production of chrome ⁽¹⁾	2 %	-	31.12.2025
0.6142	ex 2841 70 00	10	Diammonium tetraoxomolybdate(2-) (CAS RN 13106-76-8)	0 %	-	31.12.2023
0.6482	ex 2841 70 00	30	Hexaammonium heptamolybdate, anhydrous (CAS RN 12027-67-7) or as tetrahydrate (CAS RN 12054-85-2)	0 %	-	31.12.2024
0.4323	ex 2841 80 00	10	Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5)	0 %	-	31.12.2027
0.8441	ex 2841 80 00	20	Disodium tungstate (CAS RN 13472-45-2) with a: — purity by weight of 99 % or more, — chlorine content of less than 100 ppm	0 %	-	31.12.2027
0.7301	ex 2841 90 30	10	Potassium metavanadate (CAS RN 13769-43-2)	0 %	-	31.12.2027
0.5936	ex 2841 90 85	20	Potassium titanium oxide (CAS RN 12056-51-8) in powder form with a purity of 99 % or more	0 %	-	31.12.2023
0.4416	ex 2842 10 00	10	Synthetic beta zeolite powder	0 %	-	31.12.2023
0.4588	ex 2842 10 00	20	Synthetic chabasite zeolite powder	0 %	-	31.12.2024
0.7397	ex 2842 10 00	50	Fluorophlogopite (CAS RN 12003-38-2)	0 %	-	31.12.2027
0.7097	ex 2842 10 00	60	Aluminosilicate (CAS RN 1318-02-1) with — a purity by weight of 94 % or more, — a zeolite structure of aluminophosphate-eighteen (AEI), and — a phase purity of 90 % or more for use in the manufacture of copper zeolite ⁽¹⁾	0 %	-	31.12.2026
0.4642	ex 2842 90 10	10	Sodium selenate (CAS RN 13410-01-0)	0 %	-	31.12.2024
0.3295	2845 10 00		Heavy water (deuterium oxide) (<i>Euratom</i>) (CAS RN 7789-20-0)	0 %	-	31.12.2023
0.4189	2845 40 00		Helium-3 (CAS RN 14762-55-1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3297	2845 90 10		Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (<i>Euratom</i>)	0 %	-	31.12.2023
0.8237	ex 2845 90 10	10	4-(<i>Tert</i> -Butyl)-2-(2-(methyl-d3)propan-2-yl-1,1,1,3,3,3-d6)phenol (CAS RN 2342594-40-3) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.4191	ex 2845 90 90	20	Water enriched at a level of 95 % or more by weight with oxygen-18 (CAS RN 14314-42-2)	0 %	-	31.12.2023
0.4190	ex 2845 90 90	30	(¹³ C)Carbon monoxide (CAS RN 1641-69-6)	0 %	-	31.12.2026
0.8426	ex 2845 90 90	50	Ytterbium oxide (CAS RN 1380743-42-9), with a purity by weight of 99 % or more, enriched to 99,0 % or more but not more than 99,8 % of Ytterbium-176	0 %	-	31.12.2027
0.2859	ex 2846 10 00 ex 3824 99 96	10 53	Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight	0 %	-	31.12.2023
0.3296	ex 2846 10 00	20	Dicermium tricarbonat (CAS RN 537-01-9), whether or not hydrated	0 %	-	31.12.2023
0.3420	ex 2846 10 00	30	Cerium lanthanum carbonate, whether or not hydrated	0 %	-	31.12.2023
0.3227	2846 90 30 2846 90 40 2846 90 50 2846 90 60 2846 90 90		Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00	0 %	-	31.12.2023
0.3418	ex 2850 00 20	10	Silane (CAS RN 7803-62-5)	0 %	-	31.12.2023
0.5497	ex 2850 00 20	40	Germanium tetrahydride (CAS RN 7782-65-2)	0 %	-	31.12.2026
0.7302	ex 2850 00 20	60	Disilane (CAS RN 1590-87-0)	0 %	-	31.12.2027
0.7555	ex 2850 00 20	70	Cubic Boron nitride (CAS RN 10043-11-5)	0 %	-	31.12.2023
0.3419	ex 2850 00 20	80	Arsine (CAS RN 7784-42-1) with a purity by volume of 99,999 % or more	0 %	-	31.12.2024
0.4492	ex 2850 00 60	10	Sodium azide (CAS RN 26628-22-8)	0 %	-	31.12.2023
0.3421	ex 2853 90 90	20	Phosphine (CAS RN 7803-51-2)	0 %	-	31.12.2023
0.8282	ex 2903 19 00	20	1,3-Dichloropropane (CAS RN 142-28-9) with a purity by weight of 99 % or more	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6633	2903 42 00		Difluoromethane (CAS RN 75-10-5)	0 %	-	31.12.2025
0.6007	ex 2903 44 00	10	Pentafluoroethane (CAS RN 354-33-6)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3674	ex 2903 45 00	30	<p>1,1,1,2-Tetrafluoroethane (CAS RN 811-97-2) conforming to the following specifications:</p> <ul style="list-style-type: none"> — not more than 600 ppm by weight of HFC-134 (1,1,2,2-tetrafluoroethane), — not more than 5 ppm by weight of HFC-143a (1,1,1-trifluoroethane), — not more than 2 ppm by weight of HFC-125 (pentafluoroethane), — not more than 100 ppm by weight of HCFC-124 (1-chloro-1,2,2,2- tetrafluoroethane), — not more than 30 ppm by weight of CFC-114 (1,2-dichlorotetrafluoroethane), — not more than 50 ppm by weight of CFC-114a (1,1-dichlorotetrafluoroethane), — not more than 250 ppm by weight of HCFC-133a (1-chloro-2,2,2-trifluoroethane), — not more than 2 ppm by weight of HCFC-22 (chlorodifluoromethane), — not more than 2 ppm by weight of CFC-115 (chloropentafluoroethane), — not more than 2 ppm by weight of CFC-12 (dichlorodifluoromethane), — not more than 20 ppm by weight of HCC-40 (methyl chloride), — not more than 20 ppm by weight of HFC-245cb (1,1,1,2,2-pentafluoropropane), — not more than 20 ppm by weight of H-12B1 (chlorodifluorobromomethane), — not more than 20 ppm by weight of HFC-32 (difluoromethane), — not more than 15 ppm by weight of HCFC-31 (chlorofluoromethane), — not more than 10 ppm by weight of HFC-152a (1,1-difluoroethane), — not more than 20 ppm by weight of HFO-1131 (1-chloro-2-fluoroethylene), — not more than 20 ppm by weight of HCFO-1122 (1-chloro-2,2-difluoroethylene), — not more than 3 ppm by weight of HFO-1234yf (2,3,3,3-tetrafluoropropene), — not more than 3 ppm by weight of HFO-1243zf (3,3,3-trifluoropropene), — not more than 3 ppm by weight of HCFO-1122a (1-chloro-1,2-difluoroethylene), — not more than 4,5 ppm by weight of HFO-1234yf + HCFO-1122a + HFO-1243zf (2,3,3,3-tetrafluoropropene + 1-chloro-1,2-difluoroethylene + 3,3,3-trifluoropropene), — not more than 3 ppm by weight of any individual unspecified/unknown chemical, — not more than 10 ppm by weight of all unspecified/unknown chemicals combined, — not more than 10 ppm by weight of water, — with an acidity level of not more than 0,1 ppm by weight, — without halides, — not more than 0,01 % by volume of high boilers, — without any odour (no malodour), <p>for use with or without further purification as an under GMP (Good Manufacturing Practice) produced inhalation grade of HFC-134a in the manufacture of a propellant for medical aerosols whose contents are absorbed in the oral or nasal cavities, and/or the respiratory tract</p> <p>(1)</p>	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2542	ex 2903 47 00	20	1,1,1,3,3-Pentafluoropropane (HFC-245fa) (CAS RN 460-73-1)	0 %	-	31.12.2023
0.2854	ex 2903 49 30	10	Carbon tetrafluoride (tetrafluoromethane) (CAS RN 75-73-0)	0 %	-	31.12.2023
0.2852	ex 2903 49 30	20	Perfluoroethane (CAS RN 76-16-4)	0 %	-	31.12.2023
0.6077	ex 2903 49 30	30	1H-Perfluorohexane (CAS RN 355-37-3)	0 %	-	31.12.2023
0.5803	ex 2903 51 00	10	2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3-tetrafluoropropene) (CAS RN 754-12-1)	0 %	-	31.12.2027
0.4517	ex 2903 51 00	20	Trans-1,3,3,3-tetrafluoroprop-1-ene (Trans-1,3,3,3-tetrafluoropropene) (CAS RN 29118-24-9)	0 %	-	31.12.2023
0.6076	ex 2903 59 00	20	(Perfluorobutyl) ethylene (CAS RN 19430-93-4)	0 %	-	31.12.2023
0.4066	ex 2903 59 00	30	Hexafluoropropene (CAS RN 116-15-4)	0 %	-	31.12.2026
0.7324	ex 2903 59 00	40	1,1,2,3,4,4-Hexafluorobuta-1,3-diene (CAS RN 685-63-2)	0 %	-	31.12.2027
0.7974	ex 2903 69 19	40	3-(Bromomethyl)pentane (CAS RN 3814-34-4) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8318	ex 2903 69 19	50	Vinyl bromide (CAS RN 593-60-2) with a purity by weight of 98 % or more, or as a solution in tetrahydrofuran (CAS RN 109-99-9) containing by weight 23 % or more, but not more than 26 % vinylbromide	0 %	-	31.12.2027
0.8151	ex 2903 69 19	60	1-Bromo-2-methylpropane (CAS RN 78-77-3) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.7895	ex 2903 72 00	10	Dichloro-1,1,1-trifluoroethane (CAS RN 306-83-2) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.3675	ex 2903 77 60	10	1,1,1-Trichlorotrifluoroethane (CAS RN 354-58-5)	0 %	-	31.12.2023
0.5212	ex 2903 77 90	10	Chlorotrifluoroethylene (CAS RN 79-38-9)	0 %	-	31.12.2026
0.7513	ex 2903 78 00	10	Octafluoro-1,4-diiodobutane (CAS RN 375-50-8)	0 %	-	31.12.2023
0.7755	ex 2903 78 00	20	Trifluoroiodomethane (CAS RN 2314-97-8)	0 %	-	31.12.2024
0.6485	ex 2903 79 30	10	Trans-1-chloro-3,3,3-trifluoropropene (CAS RN 102687-65-0)	0 %	-	31.12.2024
0.7826	ex 2903 79 30	30	1-Bromo-5-chloropentane (CAS RN 54512-75-3) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.5765	ex 2903 89 80	50	Chlorocyclopentane (CAS RN 930-28-9)	0 %	-	31.12.2027
0.7304	ex 2903 89 80	60	Octafluorocyclobutane (CAS RN 115-25-3)	0 %	-	31.12.2027
0.6611	ex 2903 99 80	15	4-Bromo-2-chloro-1-fluorobenzene (CAS RN 60811-21-4)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3410	ex 2903 99 80	20	1,2-Bis(pentabromophenyl)ethane (CAS RN 84852-53-9)	0 %	-	31.12.2023
0.8017	ex 2903 99 80	25	2,2'-Dibromobiphenyl (CAS RN 13029-09-9) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8018	ex 2903 99 80	35	2-Bromo-9,9'-spirobi[9H-fluoren] (CAS RN 171408-76-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.3411	ex 2903 99 80	40	2,6-Dichlorotoluene (CAS RN 118-69-4), of a purity by weight of 99 % or more and containing: — 0,001 mg/kg or less of tetrachlorodibenzodioxines, — 0,001 mg/kg or less of tetrachlorodibenzofurans, — 0,2 mg/kg or less of tetrachlorobiphenyls	0 %	-	31.12.2023
0.8076	ex 2903 99 80	45	1-Bromo-4-(<i>trans</i> -4-propylcyclohexyl)benzene (CAS RN 86579-53-5) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.4529	ex 2903 99 80	50	Fluorobenzene (CAS RN 462-06-6)	0 %	-	31.12.2023
0.8101	ex 2903 99 80	55	1-Bromo-4-(<i>trans</i> -4-ethylcyclohexyl)benzene (CAS RN 91538-82-8) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8166	ex 2903 99 80	65	2,6-Difluorobenzyl bromide (CAS RN 85118-00-9) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.8177	ex 2903 99 80	70	1-[Chloro(phenyl)methyl]-2-methylbenzene (CAS RN 41870-52-4) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.6235	ex 2903 99 80	75	3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)	0 %	-	31.12.2024
0.5917	ex 2903 99 80	80	1-Bromo-3,4,5-trifluorobenzene (CAS RN 138526-69-9)	0 %	-	31.12.2023
0.3407	ex 2904 10 00	30	Sodium <i>p</i> -styrenesulphonate (CAS RN 2695-37-6)	0 %	-	31.12.2024
0.4686	ex 2904 10 00	50	Sodium 2-methylprop-2-ene-1-sulphonate (CAS RN 1561-92-8)	0 %	-	31.12.2024
0.3409	ex 2904 20 00	10	Nitromethane (CAS RN 75-52-5)	0 %	-	31.12.2025
0.3391	ex 2904 20 00	20	Nitroethane (CAS RN 79-24-3)	0 %	-	31.12.2027
0.3408	ex 2904 20 00	30	1-Nitropropane (CAS RN 108-03-2)	0 %	-	31.12.2025
0.3390	ex 2904 20 00	40	2-Nitropropane (CAS RN 79-46-9)	0 %	-	31.12.2024
0.2526	ex 2904 99 00	20	1-Chloro-2,4-dinitrobenzene (CAS RN 97-00-7)	0 %	-	31.12.2024
0.6612	ex 2904 99 00	25	Difluoromethanesulphonyl chloride (CAS RN 1512-30-7)	0 %	-	31.12.2025
0.3388	ex 2904 99 00	30	Tosyl chloride (CAS RN 98-59-9)	0 %	-	31.12.2024
0.6613	ex 2904 99 00	35	1-Fluoro-4-nitrobenzene (CAS RN 350-46-9)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5745	ex 2904 99 00	40	4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)	0 %	-	31.12.2027
0.7507	ex 2904 99 00	45	2-Nitrobenzenesulfonyl Chloride (CAS RN 1694-92-4)	0 %	-	31.12.2023
0.6001	ex 2904 99 00	50	Ethanesulphonyl chloride (CAS RN 594-44-5)	0 %	-	31.12.2023
0.7957	ex 2904 99 00	55	2,4-Dichloro-1,3-dinitro-5-(trifluoromethyl)benzene (CAS RN 29091-09-6) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.6407	ex 2904 99 00	60	4,4'-Dinitrostilbene-2,2'-disulfonic acid (CAS RN 128-42-7)	0 %	-	31.12.2024
0.8160	ex 2904 99 00	65	4-Nitrotoluene-2-sulphonic acid (CAS RN 121-03-9) in powder form, with a purity by weight of 80 % or more and a content of water by weight of 15 % or more	0 %	-	31.12.2026
0.6270	ex 2904 99 00	70	1-Chloro-4-nitrobenzene (CAS RN 100-00-5)	0 %	-	31.12.2024
0.6560	ex 2904 99 00	80	1-Chloro-2-nitrobenzene (CAS RN 88-73-3)	0 %	-	31.12.2024
0.6186	ex 2905 11 00	10	Methanol (CAS RN 67-56-1) with a purity of 99,85 % by weight or more	0 %	-	31.12.2023
0.2967	ex 2905 19 00	11	Potassium tert-butanolate (CAS RN 865-47-4), whether or not in the form of a solution in tetrahydrofuran according to note 1e) to Chapter 29 of the CN	0 %	-	31.12.2023
0.6118	ex 2905 19 00	20	Butyltitanate monohydrate, homopolymer (CAS RN 162303-51-7)	0 %	-	31.12.2023
0.6119	ex 2905 19 00	25	Tetra-(2-ethylhexyl) titanate (CAS RN 1070-10-6)	0 %	-	31.12.2023
0.3384	ex 2905 19 00	30	2,6-Dimethylheptan-4-ol (CAS RN 108-82-7)	0 %	-	31.12.2023
0.4793	ex 2905 19 00	40	2,6-Dimethylheptan-2-ol (CAS RN 13254-34-7)	0 %	-	31.12.2024
0.5534	ex 2905 19 00	70	Titanium tetrabutanolate (CAS RN 5593-70-4)	0 %	-	31.12.2027
0.5533	ex 2905 19 00	80	Titanium tetraisopropoxide (CAS RN 546-68-9)	0 %	-	31.12.2027
0.6002	ex 2905 19 00	85	Titanium tetraethanolate (CAS RN 3087-36-3)	0 %	-	31.12.2023
0.6464	ex 2905 22 00	10	Linalool (CAS RN 78-70-6) containing by weight 90,7 % or more of (3R)-(-)-Linalool (CAS RN 126-91-0)	0 %	-	31.12.2024
0.7114	ex 2905 22 00	20	3,7-Dimethyloct-6-en-1-ol (CAS RN 106-22-9)	0 %	-	31.12.2026
0.7388	ex 2905 29 90	10	Cis-hex-3-en-1-ol (CAS RN 928-96-1)	0 %	-	31.12.2027
0.7674	ex 2905 32 00	20	(2S)-Propane-1,2-diol (CAS RN 4254-15-3) with a purity by weight of 98 % or more	0 %	-	31.12.2023
0.5255	ex 2905 39 95	30	2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5847	ex 2905 39 95	40	Decane-1,10-diol (CAS RN 112-47-0)	0 %	-	31.12.2027
0.5908	ex 2905 39 95	50	2-Methyl-2-propylpropane-1,3-diol (CAS RN 78-26-2)	0 %	-	31.12.2023
0.7701	ex 2905 39 95	60	Dodecane-1,12-diol (CAS RN 5675-51-4)	0 %	-	31.12.2024
0.7914	ex 2905 39 95	70	2-Methylpropane-1,3-diol (CAS RN 2163-42-0) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.8370	ex 2905 39 95	80	Pentane-1,5-diol (CAS RN 111-29-5) with a purity by weight of 97 % or more	0 %	-	31.12.2027
0.4624	ex 2905 59 98	20	2,2,2-Trifluoroethanol (CAS RN 75-89-8)	0 %	-	31.12.2024
0.3378	ex 2906 19 00	10	Cyclohex-1,4-ylenedimethanol (CAS RN 105-08-8)	0 %	-	31.12.2023
0.3380	ex 2906 19 00	20	4,4'-Isopropylidenedicyclohexanol (CAS RN 80-04-6)	0 %	-	31.12.2023
0.6257	ex 2906 19 00	50	4- <i>tert</i> -Butylcyclohexanol (CAS RN 98-52-2)	0 %	-	31.12.2024
0.8231	ex 2906 19 00	60	5-Methyl-2-(prop-1-en-2-yl)cyclohexanol, mixture of isomers (CAS RN 7786-67-6) with a purity by weight of 90 % or more	0 %	-	31.12.2026
0.3681	ex 2906 29 00	20	1-Hydroxymethyl-4-methyl-2,3,5,6-tetrafluorobenzene (CAS RN 79538-03-7)	0 %	-	31.12.2023
0.7373	ex 2906 29 00	50	2,2'-(<i>m</i> -Phenylene)dipropan-2-ol (CAS RN 1999-85-5)	0 %	-	31.12.2027
0.7806	ex 2906 29 00	60	3-[3-(Trifluoromethyl)phenyl]propan-1-ol (CAS RN 78573-45-2)	0 %	-	31.12.2024
0.7963	ex 2906 29 00	70	1,2,3,4-Tetrahydro-1-naphthol (CAS RN 529-33-9) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.6757	ex 2906 29 00	80	2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.5855	ex 2906 29 00	85	2-Phenylethanol (CAS RN 60-12-8) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.6329	ex 2907 12 00	20	Mixture of meta-cresol (CAS RN 108-39-4) and para-cresol (CAS RN 106-44-5) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.6559	ex 2907 12 00	30	p-Cresol (CAS RN 106-44-5)	0 %	-	31.12.2024
0.5216	ex 2907 15 90	10	2-Naphthol (CAS RN 135-19-3)	0 %	-	31.12.2026
0.6256	ex 2907 19 10	10	2,6-Xylenol (CAS RN 576-26-1)	0 %	-	31.12.2024
0.4480	ex 2907 19 90	20	Biphenyl-4-ol (CAS RN 92-69-3)	0 %	-	31.12.2023
0.7753	ex 2907 19 90	30	2-Methyl-5-(propan-2-yl)phenol (CAS RN 499-75-2)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3372	ex 2907 21 00	10	Resorcinol (CAS RN 108-46-3)	0 %	-	31.12.2023
0.6026	ex 2907 29 00	15	6,6'-Di-tert-butyl-4,4'-butylidenedi-m-cresol (CAS RN 85-60-9)	0 %	-	31.12.2023
0.3369	ex 2907 29 00	20	4,4'-(3,3,5-Trimethylcyclohexylidene)diphenol (CAS RN 129188-99-4)	0 %	-	31.12.2023
0.6454	ex 2907 29 00	25	4-Hydroxybenzyl alcohol (CAS RN 623-05-2)	0 %	-	31.12.2024
0.3367	ex 2907 29 00	30	4,4',4"-Ethylidynetriphenol (CAS RN 27955-94-8)	0 %	-	31.12.2023
0.5432	ex 2907 29 00	45	2-Methylhydroquinone (CAS RN 95-71-6)	0 %	-	31.12.2026
0.3368	ex 2907 29 00	50	6,6',6"-Tricyclohexyl-4,4',4"-butane-1,1,3-triyltri(<i>m</i> -cresol) (CAS RN 111850-25-0)	0 %	-	31.12.2023
0.6558	ex 2907 29 00	65	2,2'-Methylenebis(6-cyclohexyl- <i>p</i> -cresol) (CAS RN 4066-02-8)	0 %	-	31.12.2024
0.2584	ex 2907 29 00	70	2,2',2'',6,6',6"-Hexa- <i>tert</i> -butyl- α,α',α'' -(mesitylene-2,4,6-triyl)tri- <i>p</i> -cresol (CAS RN 1709-70-2)	0 %	-	31.12.2023
0.7402	ex 2907 29 00	75	Biphenyl-4,4'-diol (CAS RN 92-88-6)	0 %	-	31.12.2023
0.3848	ex 2907 29 00	85	Phloroglucinol whether or not hydrated	0 %	-	31.12.2023
0.5903	ex 2908 19 00	10	Pentafluorophenol (CAS RN 771-61-9)	0 %	-	31.12.2023
0.5914	ex 2908 19 00	20	4,4'-(Perfluoroisopropylidene)diphenol (CAS RN 1478-61-1)	0 %	-	31.12.2023
0.6260	ex 2908 19 00	30	4-Chlorophenol (CAS RN 106-48-9)	0 %	-	31.12.2024
0.6782	ex 2908 19 00	40	3,4,5-Trifluorophenol (CAS RN 99627-05-1)	0 %	-	31.12.2025
0.6915	ex 2908 19 00	50	4-Fluorophenol (CAS RN 371-41-5)	0 %	-	31.12.2025
0.7720	ex 2908 19 00	60	2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol (CAS RN 79-94-7)	0 %	-	31.12.2024
0.8204	ex 2908 19 00	70	2,3,6-Trifluorophenol (CAS RN 113798-74-6) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.3361	ex 2909 19 90	20	Bis(2-chloroethyl) ether (CAS RN 111-44-4)	0 %	-	31.12.2023
0.3359	ex 2909 19 90	30	Mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether, of a purity by weight of 99 % or more	0 %	-	31.12.2023
0.4035	ex 2909 19 90	50	3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)	0 %	-	31.12.2026
0.5407	ex 2909 20 00	10	8-Methoxycedrane (CAS RN 19870-74-7)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5503	ex 2909 30 38	20	1,1'-Propane-2,2-diylbis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene] (CAS RN 21850-44-2)	0 %	-	31.12.2026
0.6649	ex 2909 30 38	30	1,1'-(1-Methylethylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)]-benzene (CAS RN 97416-84-7)	0 %	-	31.12.2025
0.7454	ex 2909 30 38	40	4-Benzyloxybromobenzene (CAS RN 6793-92-6)	0 %	-	31.12.2023
0.7828	ex 2909 30 38	50	2-(1-Adamantyl)-4-Bromoanisole (CAS RN 104224-63-7) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.4710	ex 2909 30 90	10	2-(Phenylmethoxy)naphthalene (CAS RN 613-62-7)	0 %	-	31.12.2024
0.7176	ex 2909 30 90	15	{[(2,2-Dimethylbut-3-yn-1-yl)oxy]methyl}benzene (CAS RN 1092536-54-3)	0 %	-	31.12.2026
0.4711	ex 2909 30 90	20	1,2-Bis(3-methyl-phenoxy)ethane (CAS RN 54914-85-1)	0 %	-	31.12.2024
0.7115	ex 2909 30 90	25	1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion containing by weight 30 % or more but not more than 60 % of 1,2-diphenoxyethane	0 %	-	31.12.2026
0.5117	ex 2909 30 90	30	3,4,5-Trimethoxytoluene (CAS RN 6443-69-2)	0 %	-	31.12.2025
0.7580	ex 2909 30 90	35	1-Chloro-2-(4-ethoxybenzyl)-4-iodobenzene (CAS RN 1103738-29-9)	0 %	-	31.12.2023
0.6614	ex 2909 30 90	40	1-Chloro-2,5-dimethoxybenzene (CAS RN 2100-42-7)	0 %	-	31.12.2025
0.8167	ex 2909 30 90	45	5-Bromo-1,3-difluoro-2-(trifluoromethoxy)benzene (CAS RN 115467-07-7) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.6783	ex 2909 30 90	50	1-Ethoxy-2,3-difluorobenzene (CAS RN 121219-07-6)	0 %	-	31.12.2025
0.6784	ex 2909 30 90	60	1-Butoxy-2,3-difluorobenzene (CAS RN 136239-66-2)	0 %	-	31.12.2025
0.6994	ex 2909 30 90	70	<i>O,O,O</i> -1,3,5-trimethylresorcinol (CAS RN 621-23-8)	0 %	-	31.12.2026
0.7706	ex 2909 44 00	10	2-Propoxyethanol (CAS RN 2807-30-9)	0 %	-	31.12.2024
0.6927	ex 2909 49 80	10	1-Propoxypropan-2-ol (CAS RN 1569-01-3)	0 %	-	31.12.2026
0.8241	ex 2909 49 80	30	3,4-Dimethoxybenzyl alcohol (CAS RN 93-03-8) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.3484	ex 2909 50 00	10	4-(2-Methoxyethyl)phenol (CAS RN 56718-71-9)	0 %	-	31.12.2023
0.7846	ex 2909 50 00	40	2-Methoxy-4-(trifluoromethoxy)phenol (CAS RN 166312-49-8) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.3682	ex 2909 60 90	10	Bis(α,α -dimethylbenzyl) peroxide (CAS RN 80-43-3)	0 %	-	31.12.2023
0.6489	ex 2909 60 90	30	3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (CAS RN 24748-23-0), dissolved in isoparaffinic hydrocarbons	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7910	ex 2909 60 90	50	Solution of 3,6,9-(ethyl and/or propyl)-3,6,9-trimethyl-1,2,4,5,7,8-hexoxonanes (CAS RN 1613243-54-1) in mineral spirits (CAS RN 1174522-09-8), containing by weight 25 % or more, but not more than 41 % of the hexoxonanes	0 %	-	31.12.2024
0.7744	ex 2910 90 00	10	2-[(2-Methoxyphenoxy)methyl]oxirane (CAS RN 2210-74-4)	0 %	-	31.12.2024
0.5940	ex 2910 90 00	15	1,2-Epoxy cyclohexane (CAS RN 286-20-4)	0 %	-	31.12.2023
0.7672	ex 2910 90 00	25	Phenyloxirane (CAS RN 96-09-3)	0 %	-	31.12.2023
0.2649	ex 2910 90 00	30	2,3-Epoxypropan-1-ol (glycidol) (CAS RN 556-52-5)	0 %	-	31.12.2023
0.8042	ex 2910 90 00	40	[(2R)-Oxiran-2-yl]methyl 3-nitrobenzenesulphonate (CAS RN 115314-17-5) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.6660	ex 2910 90 00	50	2,3-Epoxypropyl phenyl ether (CAS RN 122-60-1)	0 %	-	31.12.2025
0.4361	ex 2910 90 00	80	Allyl glycidyl ether (CAS RN 106-92-3)	0 %	-	31.12.2026
0.7116	ex 2912 19 00	10	Undecanal (CAS RN 112-44-7)	0 %	-	31.12.2026
0.8073	ex 2912 19 00	20	Acrylaldehyde (CAS RN 107-02-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.6968	ex 2912 29 00	15	2,6,6-Trimethylcyclohexenecarbaldehyde (alpha-beta isomers mixture) (CAS RN 52844-21-0)	0 %	-	31.12.2026
0.7314	ex 2912 29 00	35	Cinnamaldehyde (CAS RN 104-55-2)	0 %	-	31.12.2027
0.5755	ex 2912 29 00	50	4-Isobutylbenzaldehyde (CAS RN 40150-98-9)	0 %	-	31.12.2023
0.7612	ex 2912 29 00	55	Cyclohex-3-ene-1-carbaldehyde (CAS RN 100-50-5)	0 %	-	31.12.2023
0.6072	ex 2912 29 00	70	4-tert-Butylbenzaldehyde (CAS RN 939-97-9)	0 %	-	31.12.2023
0.6073	ex 2912 29 00	80	4-Isopropylbenzaldehyde (CAS RN 122-03-2)	0 %	-	31.12.2023
0.8147	2912 42 00		Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde)	0 %	-	31.12.2025
0.3479	ex 2912 49 00	10	3-Phenoxybenzaldehyde (CAS RN 39515-51-0)	0 %	-	31.12.2023
0.5135	ex 2912 49 00	30	Salicylaldehyde (CAS RN 90-02-8)	0 %	-	31.12.2025
0.6678	ex 2912 49 00	40	3-Hydroxy-p-anisaldehyde (CAS RN 621-59-0)	0 %	-	31.12.2025
0.7353	ex 2912 49 00	50	2,6-Dihydroxybenzaldehyde (CAS RN 387-46-2)	0 %	-	31.12.2027
0.7712	ex 2913 00 00	10	2-Nitrobenzaldehyde (CAS RN 552-89-6)	0 %	-	31.12.2024
0.8328	ex 2913 00 00	20	4-(Difluoromethoxy)-3-hydroxybenzaldehyde (CAS RN 151103-08-1) with a purity by weight of 98 % or more	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4228	ex 2914 19 90	20	Heptan-2-one (CAS RN 110-43-0)	0 %	-	31.12.2027
0.4274	ex 2914 19 90	30	3-Methylbutanone (CAS RN 563-80-4)	0 %	-	31.12.2027
0.4275	ex 2914 19 90	40	Pentan-2-one (CAS RN 107-87-9)	0 %	-	31.12.2027
0.7554	ex 2914 19 90	60	Zinc acetylacetonate (CAS RN 14024-63-6)	0 %	-	31.12.2023
0.7568	ex 2914 29 00	15	Oestr-5(10)-ene-3,17-dione (CAS RN 3962-66-1)	0 %	-	31.12.2023
0.3475	ex 2914 29 00	20	Cyclohexadec-8-enone (CAS RN 3100-36-5)	0 %	-	31.12.2023
0.7450	ex 2914 29 00	25	Cyclohex-2-enone (CAS RN 930-68-7)	0 %	-	31.12.2023
0.4933	ex 2914 29 00	30	(R)- <i>p</i> -Mentha-1(6),8-dien-2-one (CAS RN 6485-40-1)	0 %	-	31.12.2025
0.8015	ex 2914 29 00	35	4-(<i>trans</i> -4-Propylcyclohexyl)cyclohexanone (CAS RN 82832-73-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.3480	ex 2914 29 00	40	Camphor	0 %	-	31.12.2023
0.8058	ex 2914 29 00	45	4-Propylcyclohexan-1-one (CAS RN 40649-36-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.7389	ex 2914 29 00	80	1-(Cedr-8-en-9-yl)ethanone (CAS RN 32388-55-9)	0 %	-	31.12.2024
0.6265	ex 2914 39 00	15	2,6-Dimethyl-1-indanone (CAS RN 66309-83-9)	0 %	-	31.12.2024
0.6447	ex 2914 39 00	25	1,3-Diphenylpropane-1,3-dione (CAS RN 120-46-7)	0 %	-	31.12.2024
0.4227	ex 2914 39 00	30	Benzophenone (CAS RN 119-61-9)	0 %	-	31.12.2027
0.4429	ex 2914 39 00	50	4-Phenylbenzophenone (CAS RN 2128-93-0)	0 %	-	31.12.2023
0.4428	ex 2914 39 00	60	4-Methylbenzophenone (CAS RN 134-84-9)	0 %	-	31.12.2023
0.5739	ex 2914 39 00	70	Benzil (CAS RN 134-81-6)	0 %	-	31.12.2024
0.5535	ex 2914 39 00	80	4'-Methylacetophenone (CAS RN 122-00-9)	0 %	-	31.12.2027
0.8288	ex 2914 40 90	10	Benzoin (CAS RN 119-53-9) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.7824	ex 2914 50 00	15	1,1-Dimethoxyacetone (CAS RN 6342-56-9) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.8168	ex 2914 50 00	18	4'-Hydroxyacetophenone (CAS RN 99-93-4) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.4932	ex 2914 50 00	20	3'-Hydroxyacetophenone (CAS RN 121-71-1)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8179	ex 2914 50 00	23	1-[2-(Oxiran-2-ylmethoxy)phenyl]-3-phenylpropan-1-one (CAS RN 22525-95-7) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.5943	ex 2914 50 00	25	4'-Methoxyacetophenone (CAS RN 100-06-1)	0 %	-	31.12.2023
0.8195	ex 2914 50 00	28	1,1'-[(2-Hydroxypropane-1,3-diyl)bis[oxy(6-hydroxybenzene-2,1-diyl)]]diethanone (CAS RN 16150-44-0) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.6762	ex 2914 50 00	33	7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.7797	ex 2914 50 00	35	2-Hydroxy-1-[4-[4-(2-hydroxy-2-methylpropanoyl)phenoxy]phenyl]-2-methylpropan-1-one (CAS-RN 71868-15-0)	0 %	-	31.12.2024
0.5904	ex 2914 50 00	36	2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)	0 %	-	31.12.2023
0.5435	ex 2914 50 00	40	4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)	0 %	-	31.12.2026
0.5809	ex 2914 50 00	45	3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)	0 %	-	31.12.2027
0.4235	ex 2914 50 00	60	2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)	0 %	-	31.12.2027
0.4385	ex 2914 50 00	80	2',6'-Dihydroxyacetophenone (CAS RN 699-83-2)	0 %	-	31.12.2023
0.2647	ex 2914 69 80	10	2-Ethylanthraquinone (CAS RN 84-51-5)	0 %	-	31.12.2023
0.2643	ex 2914 69 80	30	1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)	0 %	-	31.12.2023
0.5430	ex 2914 69 80	40	<i>p</i> -Benzoquinone (CAS RN 106-51-4)	0 %	-	31.12.2023
0.6481	ex 2914 69 80	50	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	0 %	-	31.12.2024
0.7736	ex 2914 79 00	18	2-Chloro-1-cyclopropylethanone (CAS RN 7379-14-8)	0 %	-	31.12.2024
0.5782	ex 2914 79 00	20	2,4'-Difluorobenzophenone (CAS RN 342-25-6)	0 %	-	31.12.2027
0.7732	ex 2914 79 00	23	5-Chloro-2-hydroxybenzophenone (CAS RN 85-19-8)	0 %	-	31.12.2024
0.7751	ex 2914 79 00	27	(2-Chloro-5-iodo-phenyl)-(4-fluoro-phenyl)-methanone (CAS RN 915095-86-2)	0 %	-	31.12.2024
0.7467	ex 2914 79 00	30	5-Methoxy-1-[4-(trifluoromethyl)phenyl]pentan-1-one (CAS RN 61718-80-7)	0 %	-	31.12.2023
0.8338	ex 2914 79 00	33	(4R)-4-(2-Fluorophenyl)-3,4-dihydro-2H-naphthalen-1-one (CAS RN 1234356-88-7) with a purity by weight of 99 % or more	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7442	ex 2914 79 00	35	1-[4-(Benzyloxy)phenyl]-2-bromopropan-1-one (CAS RN 35081-45-9)	0 %	-	31.12.2023
0.3474	ex 2914 79 00	40	Perfluoro(2-methylpentan-3-one) (CAS RN 756-13-8)	0 %	-	31.12.2023
0.2640	ex 2914 79 00	50	3'-Chloropropiophenone (CAS RN 34841-35-5)	0 %	-	31.12.2023
0.4948	ex 2914 79 00	60	4'- <i>tert</i> -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)	0 %	-	31.12.2026
0.5237	ex 2914 79 00	70	4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)	0 %	-	31.12.2026
0.6120	ex 2914 79 00	80	Tetrachloro-p-benzoquinone (CAS RN 118-75-2)	0 %	-	31.12.2023
0.7955	ex 2915 24 00	10	Acetic anhydride (CAS RN 108-24-7) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.6155	ex 2915 39 00	25	2-Methylcyclohexyl acetate (CAS RN 5726-19-2)	0 %	-	31.12.2023
0.7433	ex 2915 39 00	35	Cis-3-hexenyl acetate (CAS RN 3681-71-8) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.2957	ex 2915 39 00	40	<i>tert</i> -Butyl acetate (CAS RN 540-88-5)	0 %	-	31.12.2023
0.7423	ex 2915 39 00	45	4- <i>tert</i> -Butylcyclohexyl acetate (CAS RN 32210-23-4) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.5119	ex 2915 39 00	60	Dodec-8-enyl acetate (CAS RN 28079-04-1)	0 %	-	31.12.2025
0.5121	ex 2915 39 00	65	Dodeca-7,9-dienyl acetate (CAS RN 54364-62-4)	0 %	-	31.12.2025
0.5120	ex 2915 39 00	70	Dodec-9-enyl acetate (CAS RN 16974-11-1)	0 %	-	31.12.2025
0.5289	ex 2915 39 00	75	Isobornyl acetate (CAS RN 125-12-2)	0 %	-	31.12.2026
0.5301	ex 2915 39 00	80	1-Phenylethyl acetate (CAS RN 93-92-5)	0 %	-	31.12.2026
0.5909	ex 2915 39 00	85	2- <i>tert</i> -Butylcyclohexyl acetate (CAS RN 88-41-5)	0 %	-	31.12.2023
0.7834	ex 2915 40 00	10	Ethyl trichloroacetate (CAS RN 515-84-4) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.7830	ex 2915 40 00	20	Sodium trichloroacetate (CAS RN 650-51-1) with a purity by weight of 96 % or more	0 %	-	31.12.2024
0.5858	ex 2915 60 19	20	Ethyl butyrate (CAS RN 105-54-4) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.7540	ex 2915 70 40	10	Methyl palmitate (CAS RN 112-39-0)	0 %	-	31.12.2023
0.7541	ex 2915 90 30	10	Methyl laurate (CAS RN 111-82-0)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7899	ex 2915 90 70	18	Myristic acid, lithium salt (CAS RN 20336-96-3) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.7407	ex 2915 90 70	20	Methyl (R)-2-fluoropropionate (CAS RN 146805-74-5)	0 %	-	31.12.2027
0.7542	ex 2915 90 70	25	Methyl octanoate (CAS RN 111-11-5), methyl decanoate (CAS RN 110-42-9) or methyl myristate (CAS RN 124-10-7)	0 %	-	31.12.2023
0.6003	ex 2915 90 70	27	Triethyl orthoformate (CAS RN 122-51-0) with a purity by weight of 99 % or more	0 %	-	31.12.2023
0.5767	ex 2915 90 70	30	3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)	0 %	-	31.12.2027
0.8154	ex 2915 90 70	33	Ethyl 8-bromooctanoate (CAS RN 29823-21-0) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.5536	ex 2915 90 70	35	2,2-Dimethylbutanoyl chloride (CAS RN 5856-77-9)	0 %	-	31.12.2023
0.8311	ex 2915 90 70	38	Pelargonic acid (CAS RN 112-05-0) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.8423	ex 2915 90 70	43	Trifluoroacetic anhydride (CAS RN 407-25-0) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.6255	ex 2915 90 70	45	Trimethyl orthoformate (CAS RN 149-73-5)	0 %	-	31.12.2024
0.4791	ex 2915 90 70	50	Allyl heptanoate (CAS RN 142-19-8)	0 %	-	31.12.2024
0.4954	ex 2915 90 70	60	Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)	0 %	-	31.12.2025
0.2585	ex 2916 12 00	10	2- <i>tert</i> -Butyl-6-(3- <i>tert</i> -butyl-2-hydroxy-5-methylbenzyl)-4-methylphenyl acrylate (CAS RN 61167-58-6)	0 %	-	31.12.2023
0.3977	ex 2916 12 00	40	2,4-Di- <i>tert</i> -pentyl-6-[1-(3,5-di- <i>tert</i> -pentyl-2-hydroxyphenyl)ethyl]phenylacrylate (CAS RN 123968-25-2)	0 %	-	31.12.2023
0.3466	ex 2916 13 00	30	Zinc monomethacrylate powder (CAS RN 63451-47-8) whether or not containing not more than 17 % by weight of manufacturing impurities	0 %	-	31.12.2025
0.3468	ex 2916 13 00	40	Zinc Dimethacrylate (CAS RN 13189-00-9) in the form of powder with a purity by weight of 99 % or more, with not more than 1 % of a stabiliser	0 %	-	31.12.2023
0.2638	ex 2916 14 00	10	2,3-Epoxypropyl methacrylate (CAS RN 106-91-2)	0 %	-	31.12.2023
0.6190	ex 2916 14 00	20	Ethyl methacrylate (CAS RN 97-63-2)	0 %	-	31.12.2023
0.2951	ex 2916 19 95	20	Methyl 3,3-dimethylpent-4-enoate (CAS RN 63721-05-1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5991	ex 2916 19 95	40	Sorbic acid (CAS RN 110-44-1) for use in the manufacture of animal feeds ⁽¹⁾	0 %	-	31.12.2023
0.6238	ex 2916 19 95	50	Methyl 2-fluoroacrylate (CAS RN 2343-89-7)	0 %	-	31.12.2024
0.7980	ex 2916 19 95	60	Methyl 2-fluoroprop-2-enoate (CAS RN 2343-89-7) with a purity by weight of 93 % or more, whether or not with not more than 7 % of the stabiliser 2,6-di-tert-butyl-p-cresol (CAS RN 128-37-0) and Tetrabutylammonium nitrite (CAS RN 26501-54-2)	0 %	-	31.12.2025
0.7940	ex 2916 19 95	70	Methyl 3-methyl-2-butenate (CAS RN 924-50-5) with a purity by weight of 99,0 % or more	0 %	-	31.12.2025
0.7023	ex 2916 20 00	15	Transfluthrin (ISO) (CAS RN 118712-89-3)	0 %	-	31.12.2026
0.7931	ex 2916 20 00	25	Cyclohexanecarbonyl chloride (CAS RN 2719-27-9) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.7933	ex 2916 20 00	35	2-Cyclopropylacetic acid (CAS RN 5239-82-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8057	ex 2916 20 00	45	Cyclopentanecarboxylic acid (CAS RN 3400-45-1) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3463	ex 2916 20 00	50	Ethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate (CAS RN 97-41-6)	0 %	-	31.12.2023
0.8336	ex 2916 20 00	55	Methyl 2,2-dimethyl-3-(2-methylprop-1-en-1-yl)cyclopropane-1-carboxylate (CAS RN 5460-63-9) with a purity by weight of 90 % or more	0 %	-	31.12.2027
0.4931	ex 2916 20 00	60	3-Cyclohexylpropionic acid (CAS RN 701-97-3)	0 %	-	31.12.2025
0.8352	ex 2916 20 00	65	Tefluthrin (ISO)(CAS RN 79538-32-2) with a purity by weight of 96 % or more	0 %	-	31.12.2027
0.7531	ex 2916 20 00	70	Cyclopropanecarbonyl chloride (CAS RN 4023-34-1)	0 %	-	31.12.2023
0.5421	ex 2916 31 00	10	Benzyl benzoate (CAS RN 120-51-4)	0 %	-	31.12.2026
0.8214	ex 2916 31 00	20	Phenethyl benzoate (CAS RN 94-47-3) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.6248	ex 2916 39 90	13	3,5-Dinitrobenzoic acid (CAS RN 99-34-3)	0 %	-	31.12.2024
0.5214	ex 2916 39 90	15	2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)	0 %	-	31.12.2026
0.7929	ex 2916 39 90	16	3-Fluoro-5-iodo-4-methylbenzoic acid (CAS RN 861905-94-4) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.2636	ex 2916 39 90	20	3,5-Dichlorobenzoyl chloride (CAS RN 2905-62-6)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7845	ex 2916 39 90	22	6-Bromo-2-fluoro-3-(trifluoromethyl)benzoic acid (CAS RN 1026962-68-4) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.6557	ex 2916 39 90	23	(2,4,6-Trimethylphenyl)acetyl chloride (CAS RN 52629-46-6)	0 %	-	31.12.2024
0.4951	ex 2916 39 90	25	2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)	0 %	-	31.12.2026
0.7827	ex 2916 39 90	27	Methyl 6-Bromo-2-naphthoate (CAS RN 33626-98-1) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.4930	ex 2916 39 90	30	2,4,6-Trimethylbenzoyl chloride (CAS RN 938-18-1)	0 %	-	31.12.2025
0.5944	ex 2916 39 90	35	Methyl 4- <i>tert</i> -butylbenzoate (CAS RN 26537-19-9)	0 %	-	31.12.2023
0.6794	ex 2916 39 90	41	4-Bromo-2,6-difluorobenzoyl chloride (CAS RN 497181-19-8)	0 %	-	31.12.2025
0.7734	ex 2916 39 90	43	2-(3,5-Bis(trifluoromethyl)phenyl)-2-methylpropanoic acid (CAS RN 289686-70-0)	0 %	-	31.12.2024
0.6121	ex 2916 39 90	48	3-Fluorobenzoyl chloride (CAS RN 1711-07-5)	0 %	-	31.12.2023
0.2634	ex 2916 39 90	50	3,5-Dimethylbenzoyl chloride (CAS RN 6613-44-1)	0 %	-	31.12.2023
0.6661	ex 2916 39 90	53	5-Iodo-2-methylbenzoic acid (CAS RN 54811-38-0)	0 %	-	31.12.2025
0.4238	ex 2916 39 90	55	4- <i>tert</i> -Butylbenzoic acid (CAS RN 98-73-7)	0 %	-	31.12.2027
0.7678	ex 2916 39 90	57	2-Phenylprop-2-enoic acid (CAS RN 492-38-6)	0 %	-	31.12.2023
0.8169	ex 2916 39 90	63	2-Phenylbutyric acid (CAS RN 90-27-7) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.8369	ex 2916 39 90	67	Nitrobenzoic acid (CAS RN 62-23-7) with a purity by weight of 99 % or more	0 %	-	31.12.2027
0.3462	ex 2916 39 90	70	Ibuprofen (INN) (CAS RN 15687-27-1)	0 %	-	31.12.2023
0.7117	ex 2916 39 90	73	(2,4-Dichlorophenyl)acetyl chloride (CAS RN 53056-20-5)	0 %	-	31.12.2026
0.5541	ex 2916 39 90	75	<i>m</i> -Toluic acid (CAS RN 99-04-7)	0 %	-	31.12.2027
0.8039	ex 2916 39 90	78	(2,5-Dibromophenyl)acetic acid (CAS RN 203314-28-7) with a purity by weight of 98,0 % or more	0 %	-	31.12.2025
0.5543	ex 2916 39 90	85	(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)	0 %	-	31.12.2027
0.3457	ex 2917 11 00	20	Bis(<i>p</i> -methylbenzyl) oxalate (CAS RN 18241-31-1)	0 %	-	31.12.2023
0.4746	ex 2917 11 00	30	Cobalt oxalate (CAS RN 814-89-1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7563	ex 2917 12 00	20	Bis(3,4-epoxycyclohexylmethyl) adipate (CAS RN 3130-19-6)	0 %	-	31.12.2023
0.4684	ex 2917 19 10	10	Dimethyl malonate (CAS RN 108-59-8)	0 %	-	31.12.2024
0.5602	ex 2917 19 10	20	Diethyl malonate (CAS RN 105-53-3)	0 %	-	31.12.2027
0.6089	ex 2917 19 80	15	Dimethyl but-2-ynedioate (CAS RN 762-42-5)	0 %	-	31.12.2023
0.4790	ex 2917 19 80	30	Ethylene brassylate (CAS RN 105-95-3)	0 %	-	31.12.2024
0.7451	ex 2917 19 80	35	Diethyl methylmalonate (CAS RN 609-08-5)	0 %	-	31.12.2023
0.7880	ex 2917 19 80	45	Iron fumarate (CAS RN 141-01-5) with a purity by weight of 93 % or more	0 %	-	31.12.2024
0.4918	ex 2917 19 80	50	Tetradecanedioic acid (CAS RN 821-38-5)	0 %	-	31.12.2025
0.8302	ex 2917 19 80	55	Maleic acid (CAS RN 110-16-7) with a purity by weight of 99 % or more	3.2 %	-	31.12.2023
0.3454	ex 2917 19 80	70	Itaconic acid (CAS RN 97-65-4)	0 %	-	31.12.2023
0.2631	ex 2917 20 00	30	1,4,5,6,7,7-Hexachloro-8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride (CAS RN 115-27-5)	0 %	-	31.12.2023
0.2627	ex 2917 20 00	40	3-Methyl-1,2,3,6-tetrahydrophthalic anhydride (CAS RN 5333-84-6)	0 %	-	31.12.2023
0.2954	ex 2917 34 00	10	Diallyl phthalate (CAS RN 131-17-9)	0 %	-	31.12.2023
0.4945	ex 2917 39 85	20	Dibutyl-1,4-benzenedicarboxylate (CAS RN 1962-75-0)	0 %	-	31.12.2025
0.6796	ex 2917 39 85	25	Naphthalene-1,8-dicarboxylic anhydride (CAS RN 81-84-5)	0 %	-	31.12.2025
0.3640	ex 2917 39 85	30	Benzene-1,2,4,5-tetracarboxylic dianhydride (CAS RN 89-32-7)	0 %	-	31.12.2025
0.6800	ex 2917 39 85	35	1-Methyl-2-nitroterephthalate (CAS RN 35092-89-8)	0 %	-	31.12.2025
0.6123	ex 2917 39 85	40	Dimethyl 2-nitroterephthalate (CAS RN 5292-45-5)	0 %	-	31.12.2023
0.8255	ex 2917 39 85	45	3-(4-Chlorophenyl)glutaric acid (CAS RN 35271-74-0) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.6553	ex 2917 39 85	50	1,4,5,8-Naphthalenetetracarboxylic acid-1,8-monoanhydride (CAS RN 52671-72-4)	0 %	-	31.12.2024
0.6554	ex 2917 39 85	60	Perylene-3,4:9,10-tetracarboxylic dianhydride (CAS RN 128-69-8)	0 %	-	31.12.2024
0.6366	ex 2918 19 30	10	Cholic acid (CAS RN 81-25-4)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6367	ex 2918 19 30	20	3- α ,12- α -Dihydroxy-5- β -cholan-24-oic acid (deoxycholic acid) (CAS RN 83-44-3)	0 %	-	31.12.2024
0.2950	ex 2918 19 98	20	L-Malic acid (CAS RN 97-67-6)	0 %	-	31.12.2023
0.7702	ex 2918 19 98	30	Ethyl 1-hydroxycyclopentanecarboxylate (CAS RN 41248-23-1)	0 %	-	31.12.2024
0.7703	ex 2918 19 98	40	Ethyl 1-hydroxycyclohexanecarboxylate (CAS RN 1127-01-1)	0 %	-	31.12.2024
0.7907	ex 2918 19 98	50	12-Hydroxyoctadecanoic acid (CAS RN 106-14-9) with a purity by weight of 90 % or more for use in the manufacture of polyglycerin-poly-12-hydroxyoctadecanoic acid esters ⁽¹⁾	0 %	-	31.12.2024
0.8044	ex 2918 19 98	60	(<i>R</i>)- <i>tert</i> -Butyl 2'-(1-hydroxyethyl)-3-methyl-[1,1'-biphenyl]-4-carboxylate (CAS RN 1246560-92-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8422	ex 2918 19 98	70	Rac- <i>tert</i> -butyl 3-hydroxy-4-pentenoate (CAS RN 122763-67-1) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.3637	ex 2918 29 00	10	Monohydroxynaphthoic acids	0 %	-	31.12.2023
0.5781	ex 2918 29 00	35	Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)	0 %	-	31.12.2027
0.8008	ex 2918 29 00	40	3-Hydroxy-4-nitrobenzoic acid (CAS RN 619-14-7) with a purity by weight of more than 96,5 %	0 %	-	31.12.2025
0.3638	ex 2918 29 00	50	Hexamethylene bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate] (CAS RN 35074-77-2)	0 %	-	31.12.2023
0.5220	ex 2918 29 00	60	Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts (CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3)	0 %	-	31.12.2026
0.6456	ex 2918 29 00	70	3,5-Diiodosalicylic acid (CAS RN 133-91-5)	0 %	-	31.12.2024
0.7605	ex 2918 30 00	25	(<i>E</i>)-1-ethoxy-3-oxobut-1-en-1-olate; 2-methylpropan-1-olate; titanium(4+) (CAS RN 83877-91-2)	0 %	-	31.12.2023
0.4427	ex 2918 30 00	30	Methyl-2-benzoylbenzoate (CAS RN 606-28-0)	0 %	-	31.12.2023
0.7864	ex 2918 30 00	35	3-Oxocyclobutane-1-carboxylic acid with a purity by weight of 98 % or more (CAS RN 23761-23-1)	0 %	-	31.12.2024
0.8075	ex 2918 30 00	45	Methyl 5-oxo-6,7,8,9-tetrahydro-5H-benzo[7]annulene-2-carboxylate (CAS RN 150192-89-5) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8256	ex 2918 30 00	55	Methyl 3-oxo-pentanoate (CAS RN 30414-53-0) with a purity by weight of 98 % or more	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6250	ex 2918 30 00	60	4-Oxovaleric acid (CAS RN 123-76-2)	0 %	-	31.12.2024
0.8374	ex 2918 30 00	65	Methyl (3-oxo-2-pentylcyclopentyl)acetate (CAS RN 24851-98-7) with a purity by weight of 99 % or more	0 %	-	31.12.2027
0.6455	ex 2918 30 00	70	2-[4-Chloro-3-(chlorosulphonyl)benzoyl]benzoic acid (CAS RN 68592-12-1)	0 %	-	31.12.2024
0.8342	ex 2918 30 00	75	Methyl 2-((1 <i>S</i> ,2 <i>R</i>)-3-oxo-2-pentylcyclopentyl)acetate (CAS RN 151716-35-7) with a purity by weight of 99 % or more	0 %	-	31.12.2027
0.7062	ex 2918 30 00	80	Methyl benzoylformate (CAS RN 15206-55-0)	0 %	-	31.12.2026
0.7344	ex 2918 30 00	85	2-Fluoro-5-formylbenzoic acid (CAS RN 550363-85-4) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.5857	ex 2918 30 00	87	Ethyl acetoacetate (CAS RN 141-97-9) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.2946	ex 2918 99 90	10	3,4-Epoxy cyclohexylmethyl 3,4-epoxycyclohexanecarboxylate (CAS RN 2386-87-0)	0 %	-	31.12.2023
0.6814	ex 2918 99 90	13	3-Methoxy-2-methylbenzoyl chloride (CAS RN 24487-91-0)	0 %	-	31.12.2025
0.5856	ex 2918 99 90	15	Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)	0 %	-	31.12.2027
0.6901	ex 2918 99 90	18	Ethyl 2-hydroxy-2-(4-phenoxyphenyl)propanoate (CAS RN 132584-17-9)	0 %	-	31.12.2025
0.2949	ex 2918 99 90	20	Methyl 3-methoxyacrylate (CAS RN 5788-17-0)	0 %	-	31.12.2024
0.6147	ex 2918 99 90	25	Methyl (E)-3-methoxy-2-(2-chloromethylphenyl)-2-propenoate (CAS RN 117428-51-0)	0 %	-	31.12.2023
0.7256	ex 2918 99 90	27	Ethyl 3-ethoxypropionate (CAS RN 763-69-9)	0 %	-	31.12.2027
0.2948	ex 2918 99 90	30	Methyl 2-(4-hydroxyphenoxy)propionate (CAS RN 96562-58-2)	0 %	-	31.12.2023
0.7597	ex 2918 99 90	33	Vanillic Acid (CAS RN 121-34-6) containing — not more than 10 ppm of Palladium (CAS RN 7440-05-3), — not more than 10 ppm of bismuth (CAS RN 7440-69-9), — not more than 14 ppm of formaldehyde (CAS RN 50-00-0), — not more than 1,3 % by weight of 3,4-dihydroxybenzoic acid (CAS RN 99-50-3), — not more than 0,5 % by weight of vanillin (CAS RN 121-33-5)	0 %	-	31.12.2023
0.6342	ex 2918 99 90	35	p-Anisic acid (CAS RN 100-09-4)	0 %	-	31.12.2024
0.7358	ex 2918 99 90	38	Diclofop-methyl (ISO) (CAS RN 51338-27-3)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2945	ex 2918 99 90	40	<i>trans</i> -4-Hydroxy-3-methoxycinnamic acid (CAS RN 1135-24-6)	0 %	-	31.12.2023
0.7934	ex 2918 99 90	43	Vanillic acid (CAS RN 121-34-6) with a purity by weight of 98,5 % or more	0 %	-	31.12.2025
0.6224	ex 2918 99 90	45	4-Methylcatechol dimethyl acetate (CAS RN 52589-39-6)	0 %	-	31.12.2024
0.8066	ex 2918 99 90	48	2-Bromo-5-methoxybenzoic acid (CAS RN 22921-68-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.2947	ex 2918 99 90	50	Methyl 3,4,5-trimethoxybenzoate (CAS RN 1916-07-0)	0 %	-	31.12.2023
0.6552	ex 2918 99 90	55	Stearyl glycerylphosphite (CAS RN 13832-70-7)	0 %	-	31.12.2024
0.2943	ex 2918 99 90	60	3,4,5-Trimethoxybenzoic acid (CAS RN 118-41-2)	0 %	-	31.12.2023
0.6523	ex 2918 99 90	65	Acetic acid, difluoro[1,1,2,2-tetrafluoro-2-(pentafluoroethoxy)ethoxy]-, ammonium salt (CAS RN 908020-52-0)	0 %	-	31.12.2024
0.4742	ex 2918 99 90	70	Allyl-(3-methylbutoxy)acetate (CAS RN 67634-00-8)	0 %	-	31.12.2024
0.6747	ex 2918 99 90	85	Trinexapac-Ethyl (ISO) (CAS RN 95266-40-3) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.7462	ex 2919 90 00	15	Benzene-1,3-diyl tetraphenyl bis(phosphate) (CAS RN 57583-54-7)	0 %	-	31.12.2023
0.7723	ex 2919 90 00	25	Triphenyl phosphate (CAS RN 115-86-6)	0 %	-	31.12.2024
0.2940	ex 2919 90 00	30	Aluminium hydroxybis[2,2'-methylenebis(4,6-di- <i>tert</i> -butylphenyl)phosphate] (CAS RN 151841-65-5)	0 %	-	31.12.2023
0.2942	ex 2919 90 00	35	2,2'-Methylenebis(4,6-di- <i>tert</i> -butylphenyl) phosphate, monosodium salt (CAS RN 85209-91-2) with a purity by weight of 95 % or more, with particles greater than 100µm used in the manufacture of nucleating agents with a particle size (D90) no greater than 35 µm as measured by a light scattering technique (1)	0 %	-	31.12.2023
0.3867	ex 2919 90 00	40	Tri-n-hexylphosphate (CAS RN 2528-39-4)	0 %	-	31.12.2023
0.5495	ex 2919 90 00	50	Triethyl phosphate (CAS RN 78-40-0)	0 %	-	31.12.2026
0.6188	ex 2919 90 00	60	Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5)	0 %	-	31.12.2023
0.6413	ex 2919 90 00	70	Tris(2-butoxyethyl)phosphate (CAS RN 78-51-3)	0 %	-	31.12.2024
0.6253	ex 2920 19 00	30	2,2'-Oxybis(5,5-dimethyl-1,3,2-dioxaphosphorinane)-2,2'-disulphide (CAS RN 4090-51-1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2941	ex 2920 19 00	40	Tolclofos-methyl (ISO) (CAS RN 57018-04-9) with a purity by weight of 96 % or more	0 %	-	31.12.2023
0.3634	2920 23 00		Trimethyl phosphite (CAS RN 121-45-9)	0 %	-	31.12.2023
0.4158	2920 24 00		Triethyl phosphite (CAS RN 122-52-1)	0 %	-	31.12.2026
0.2626	ex 2920 29 00	10	<i>O,O'</i> -Diocadecyl pentaerythritol bis(phosphite) (CAS RN 3806-34-6)	0 %	-	31.12.2023
0.5038	ex 2920 29 00	20	Tris(methylphenyl)phosphite (CAS RN 25586-42-9)	0 %	-	31.12.2025
0.5045	ex 2920 29 00	40	Bis(2,4-dicumylphenyl)pentaerythritol diphosphite (CAS RN 154862-43-8)	0 %	-	31.12.2025
0.6004	ex 2920 29 00	50	Fosetyl-aluminium (CAS RN 39148-24-8)	0 %	-	31.12.2023
0.7898	ex 2920 29 00	80	2,4,8,10-Tetrakis(1,1-dimethylethyl)-6-(2-ethylhexyloxy)-12H dibenzo[d,g][1,3,2]dioxaphosphocin (CAS RN 126050-54-2) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.3635	ex 2920 90 10	10	Diethyl sulphate (CAS RN 64-67-5)	0 %	-	31.12.2023
0.7559	ex 2920 90 10	15	Ethyl methyl carbonate (CAS RN 623-53-0)	3.2 %	-	31.12.2023
0.2605	ex 2920 90 10	20	Diallyl 2,2'-oxydiethyl dicarbonate (CAS RN 142-22-3)	0 %	-	31.12.2023
0.3685	ex 2920 90 10	40	Dimethyl carbonate (CAS RN 616-38-6)	0 %	-	31.12.2023
0.8297	ex 2920 90 10	45	Ethylene carbonate (CAS RN 96-49-1) with a purity by weight of 99 % or more	3.2 %	-	31.12.2023
0.3868	ex 2920 90 10	50	Di- <i>tert</i> -butyl dicarbonate (CAS RN 24424-99-5)	0 %	-	31.12.2023
0.8298	ex 2920 90 10	55	Vinylene carbonate (CAS RN 872-36-6) with a purity by weight of 99,9 % or more	3.2 %	-	31.12.2023
0.8299	ex 2920 90 10	65	Vinyl ethylene carbonate (CAS RN 4427-96-7) with a purity by weight of 99 % or more	3.2 %	-	31.12.2023
0.7588	ex 2920 90 70	20	Diethyl phosphorochloridate (CAS RN 814-49-3)	0 %	-	31.12.2023
0.7465	ex 2920 90 70	30	2-Isopropoxy-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (CAS RN 61676-62-8)	0 %	-	31.12.2023
0.5947	ex 2920 90 70	60	Bis(neopentylglycolato)diboron (CAS RN 201733-56-4)	0 %	-	31.12.2023
0.6598	ex 2920 90 70	80	Bis(pinacolato)diboron (CAS RN 73183-34-3)	0 %	-	31.12.2025
0.5668	ex 2921 13 00	10	Aqueous solution containing by weight 63 % or more, but not more than 67 % of 2-(<i>N,N</i> -Diethylamino)ethylchloride hydrochloride	0 %	-	31.12.2024
0.3629	ex 2921 19 99	20	Ethyl(2-methylallyl)amine (CAS RN 18328-90-0)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3631	ex 2921 19 99	30	Allylamine (CAS RN 107-11-9)	0 %	-	31.12.2023
0.7073	ex 2921 19 99	45	2-Chloro- <i>N</i> -(2-chloroethyl)ethanamine hydrochloride (CAS RN 821-48-7)	0 %	-	31.12.2026
0.6269	ex 2921 19 99	80	Taurine (CAS RN 107-35-7), with 0,5 % addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)	0 %	-	31.12.2024
0.8045	ex 2921 29 00	15	(2 <i>S</i>)-Propane-1,2-diamine dihydrochloride (CAS RN 19777-66-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3630	ex 2921 29 00	20	Tris[3-(dimethylamino)propyl]amine (CAS RN 33329-35-0)	0 %	-	31.12.2023
0.8067	ex 2921 29 00	25	<i>N,N'</i> -Diallylpropane-1,3-diamine dihydrochloride (CAS RN 205041-15-2) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.3625	ex 2921 29 00	30	Bis[3-(dimethylamino)propyl]methylamine (CAS RN 3855-32-1)	0 %	-	31.12.2023
0.8170	ex 2921 29 00	35	Pentamethylenediamine (CAS RN 462-94-2) with a purity by weight of 99 % or more, also as an aqueous solution containing by weight more than 50 % of pentamethylenediamine	0 %	-	31.12.2026
0.4917	ex 2921 29 00	40	Decamethylenediamine (CAS RN 646-25-3)	0 %	-	31.12.2025
0.5256	ex 2921 29 00	50	<i>N'</i> -[3-(Dimethylamino)propyl]- <i>N,N</i> -dimethylpropane-1,3-diamine (CAS RN 6711-48-4)	0 %	-	31.12.2026
0.7947	ex 2921 29 00	70	<i>N,N,N',N'</i> -Tetramethylethylenediamine (CAS RN 110-18-9) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.7488	ex 2921 30 10	10	2-(4-(Cyclopropanecarbonyl)phenyl)-2-methylpropanoic acid cyclohexylamine salt (CAS RN 1690344-90-1)	0 %	-	31.12.2023
0.5768	ex 2921 30 99	40	Cyclopropylamine (CAS RN 765-30-0)	0 %	-	31.12.2027
0.7750	ex 2921 30 99	50	Bicyclo[1.1.1]pentan-1-amine hydrochloride (CAS RN 22287-35-0)	0 %	-	31.12.2024
0.3909	ex 2921 42 00	25	Sodium hydrogen 2-aminobenzene-1,4-disulphonate (CAS RN 24605-36-5)	0 %	-	31.12.2023
0.3978	ex 2921 42 00	35	2-Nitroaniline (CAS RN 88-74-4)	0 %	-	31.12.2023
0.3979	ex 2921 42 00	45	2,4,5-Trichloroaniline (CAS RN 636-30-6)	0 %	-	31.12.2023
0.2620	ex 2921 42 00	50	3-Aminobenzenesulfonic acid (CAS RN 121-47-1)	0 %	-	31.12.2023
0.7739	ex 2921 42 00	55	4-Chloroaniline (CAS RN 106-47-8)	0 %	-	31.12.2024
0.3623	ex 2921 42 00	70	2-Aminobenzene-1,4-disulfonic acid (CAS RN 98-44-2)	0 %	-	31.12.2024
0.3622	ex 2921 42 00	80	4-Chloro-2-nitroaniline (CAS RN 89-63-4)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3687	ex 2921 42 00	85	3,5-Dichloroaniline (CAS RN 626-43-7)	0 %	-	31.12.2023
0.5616	ex 2921 42 00	86	2,5-Dichloroaniline (CAS RN 95-82-9)	0 %	-	31.12.2027
0.5603	ex 2921 42 00	87	<i>N</i> -Methylaniline (CAS RN 100-61-8)	0 %	-	31.12.2027
0.5617	ex 2921 42 00	88	3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)	0 %	-	31.12.2027
0.2617	ex 2921 43 00	20	4-Amino-6-chlorotoluene-3-sulphonic acid (CAS RN 88-51-7)	0 %	-	31.12.2023
0.8433	ex 2921 43 00	25	6-Chloro- α,α,α -trifluoro- <i>m</i> -toluidine (CAS RN 121-50-6) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.2615	ex 2921 43 00	30	3-Nitro- <i>p</i> -toluidine (CAS RN 119-32-4)	0 %	-	31.12.2023
0.3980	ex 2921 43 00	40	4-Aminotoluene-3-sulphonic acid (CAS RN 88-44-8)	0 %	-	31.12.2024
0.5124	ex 2921 43 00	60	3-Aminobenzotrifluoride (CAS RN 98-16-8)	0 %	-	31.12.2025
0.7583	ex 2921 43 00	70	5-Bromo-4-fluoro-2-methylaniline (CAS RN 627871-16-3)	0 %	-	31.12.2023
0.3621	ex 2921 44 00	20	Diphenylamine (CAS RN 122-39-4)	0 %	-	31.12.2023
0.2618	ex 2921 45 00	20	2-Aminonaphthalene-1,5-disulphonic acid (CAS RN 117-62-4) or one of its sodium salts (CAS RN 19532-03-7) or (CAS RN 62203-79-6)	0 %	-	31.12.2024
0.7628	ex 2921 45 00	30	(5 or 8)-Aminonaphthalene-2-sulphonic acid (CAS RN 51548-48-2)	0 %	-	31.12.2023
0.5994	ex 2921 45 00	50	7-Aminonaphthalene-1,3,6-trisulphonic acid (CAS RN 118-03-6)	0 %	-	31.12.2024
0.7316	ex 2921 45 00	60	1-Naphthylamine (CAS RN 134-32-7)	0 %	-	31.12.2027
0.7629	ex 2921 45 00	80	2-Aminonaphthalene-1-sulphonic acid (CAS RN 81-16-3)	0 %	-	31.12.2023
0.3618	ex 2921 49 00	20	Pendimethalin (ISO) (CAS RN 40487-42-1)	3.5 %	-	31.12.2023
0.7705	ex 2921 49 00	30	4-Isopropylaniline (CAS RN 99-88-7)	0 %	-	31.12.2024
0.7592	ex 2921 49 00	35	2-Ethylaniline (CAS RN 578-54-1)	0 %	-	31.12.2023
0.2609	ex 2921 49 00	40	<i>N</i> -1-Naphthylaniline (CAS RN 90-30-2)	0 %	-	31.12.2023
0.8019	ex 2921 49 00	45	2-(4-Biphenyl)amino-9,9-dimethylfluoren (CAS RN 897671-69-1) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8020	ex 2921 49 00	55	2-(2-Biphenyl)amino-9,9-dimethylfluoren (CAS RN 1198395-24-2) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.6825	ex 2921 49 00	60	2,6-Diisopropylaniline (CAS RN 24544-04-5)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8059	ex 2921 49 00	65	Bis-(9,9-dimethylfluoren-2-yl)amine (CAS RN 500717-23-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.3981	ex 2921 51 19	30	2-Methyl- <i>p</i> -phenylenediamine sulphate (CAS RN 615-50-9)	0 %	-	31.12.2023
0.4184	ex 2921 51 19	40	<i>p</i> -Phenylenediamine (CAS RN 106-50-3)	0 %	-	31.12.2026
0.4498	ex 2921 51 19	50	Mono- and dichloroderivatives of <i>p</i> -phenylenediamine and <i>p</i> -diaminotoluene	0 %	-	31.12.2024
0.5995	ex 2921 51 19	60	2,4-Diaminobenzenesulphonic acid (CAS RN 88-63-1)	0 %	-	31.12.2024
0.7894	ex 2921 51 90	10	N-(4-Chlorophenyl)benzene-1,2-diamine (CAS RN 68817-71-0) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.2612	ex 2921 59 90	10	Mixture of isomers of 3,5-diethyltoluenediamine (CAS RN 68479-98-1, CAS RN 75389-89-8)	0 %	-	31.12.2023
0.3785	ex 2921 59 90	30	3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)	0 %	-	31.12.2027
0.3870	ex 2921 59 90	40	4,4'-Diaminostilbene-2,2'-disulphonic acid (CAS RN 81-11-8)	0 %	-	31.12.2023
0.7860	ex 2922 19 00	15	Aqueous solution, containing by weight: — 73 % or more 2-amino-2-methyl-1-propanol (CAS RN 124-68-5), — 4,5 % or more, but not more than 27 % water (CAS RN 7732-18-5)	0 %	-	31.12.2024
0.5757	ex 2922 19 00	20	2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)	0 %	-	31.12.2027
0.7946	ex 2922 19 00	29	N-Methyl-N-(2-hydroxyethyl)- <i>p</i> -toluidine (CAS RN 2842-44-6) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.3617	ex 2922 19 00	30	<i>N,N,N',N'</i> -Tetramethyl-2,2'-oxybis(ethylamine) (CAS RN 3033-62-3)	0 %	-	31.12.2023
0.8337	ex 2922 19 00	33	2-Methoxyethan-1-amine (CAS RN 109-85-3) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.6947	ex 2922 19 00	35	2-[2-(Dimethylamino)ethoxy] ethanol (CAS RN 1704-62-7)	0 %	-	31.12.2025
0.7179	ex 2922 19 00	40	(R)-1-((4-Amino-2-bromo-5-fluorophenyl)amino)-3-(benzyloxy)propan-2-ol 4-methylbenzenesulphonate (CAS RN 1294504-64-5)	0 %	-	31.12.2026
0.7480	ex 2922 19 00	45	2-Methoxymethyl- <i>p</i> -phenylenediamine (CAS RN 337906-36-2)	0 %	-	31.12.2023
0.3616	ex 2922 19 00	53	2-(2-Methoxyphenoxy)ethanamine (CAS RN 1836-62-0) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.7587	ex 2922 19 00	55	3-Aminoadamantan-1-ol (CAS RN 702-82-9)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3871	ex 2922 19 00	60	<i>N,N,N'</i> -Trimethyl- <i>N'</i> -(2-hydroxy-ethyl)oxybis(ethylamine), (CAS RN 83016-70-0)	0 %	-	31.12.2023
0.5905	ex 2922 19 00	65	<i>trans</i> -4-Aminocyclohexanol (CAS RN 27489-62-9)	0 %	-	31.12.2023
0.7935	ex 2922 19 00	70	2-Benzylaminoethanol (CAS 104-63-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.5986	ex 2922 19 00	75	2-Ethoxyethylamine (CAS RN 110-76-9)	0 %	-	31.12.2023
0.4665	ex 2922 19 00	80	<i>N</i> -[2-[2-(Dimethylamino)ethoxy]ethyl]- <i>N</i> -methyl-1,3-propanediamine (CAS RN 189253-72-3)	0 %	-	31.12.2024
0.5911	ex 2922 19 00	85	(1 <i>S</i> ,4 <i>R</i>)- <i>cis</i> -4-Amino-2-cyclopentene-1-methanol- <i>D</i> -tartrate (CAS RN 229177-52-0)	0 %	-	31.12.2023
0.5996	ex 2922 21 00	10	2-Amino-5-hydroxynaphthalene-1,7-disulphonic acid (CAS RN 6535-70-2)	0 %	-	31.12.2024
0.2703	ex 2922 21 00	30	6-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 90-51-7)	0 %	-	31.12.2024
0.2704	ex 2922 21 00	40	7-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 87-02-5)	0 %	-	31.12.2023
0.3873	ex 2922 21 00	50	Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate (CAS RN 5460-09-3)	0 %	-	31.12.2024
0.5997	ex 2922 21 00	60	4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid with a purity by weight of 80 % or more (CAS RN 90-20-0)	0 %	-	31.12.2023
0.2702	ex 2922 29 00	20	3-Aminophenol (CAS RN 591-27-5)	0 %	-	31.12.2023
0.3982	ex 2922 29 00	25	5-Amino- <i>o</i> -cresol (CAS RN 2835-95-2)	0 %	-	31.12.2023
0.6624	ex 2922 29 00	30	1,2-Bis(2-aminophenoxy)ethane (CAS RN 52411-34-4)	0 %	-	31.12.2025
0.7642	ex 2922 29 00	33	<i>o</i> -Phenetidine (CAS RN 94-70-2)	0 %	-	31.12.2023
0.2936	ex 2922 29 00	45	Anisidines	0 %	-	31.12.2023
0.6634	ex 2922 29 00	63	Acronifen (ISO) (CAS RN 74070-46-5) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.4627	ex 2922 29 00	65	4-Trifluoromethoxyaniline (CAS RN 461-82-5)	0 %	-	31.12.2024
0.7481	ex 2922 29 00	67	4-Chloro-2,5-dimethoxyaniline (CAS RN 6358-64-1)	0 %	-	31.12.2023
0.2692	ex 2922 29 00	70	4-Nitro- <i>o</i> -anisidine (CAS RN 97-52-9)	0 %	-	31.12.2023
0.7026	ex 2922 29 00	73	Tris(4-aminophenyl) thiophosphate (CAS RN 52664-35-4)	0 %	-	31.12.2026
0.4956	ex 2922 29 00	75	4-(2-Aminoethyl)phenol (CAS RN 51-67-2)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2696	ex 2922 29 00	80	3-Diethylaminophenol (CAS RN 91-68-9)	0 %	-	31.12.2023
0.5898	ex 2922 29 00	85	4-Benzyloxylaniline hydrochloride (CAS RN 51388-20-6)	0 %	-	31.12.2023
0.2690	ex 2922 39 00	10	1-Amino-4-bromo-9,10-dioxoanthracene-2-sulphonic acid and its salts	0 %	-	31.12.2023
0.4914	ex 2922 39 00	20	2-Amino-5-chlorobenzophenone (CAS RN 719-59-5)	0 %	-	31.12.2025
0.7713	ex 2922 39 00	30	(2-Fluorophenyl)-[2-(methylamino)-5-nitrophenyl]methanone (CAS RN 735-06-8)	0 %	-	31.12.2024
0.6761	ex 2922 39 00	35	5-Chloro-2-(methylamino)benzophenone (CAS RN 1022-13-5)	0 %	-	31.12.2025
0.7800	ex 2922 39 00	40	4,4'-Bis(diethylamino)benzophenone (CAS RN 90-93-7)	0 %	-	31.12.2024
0.7371	ex 2922 39 00	45	2-Amino-3,5-dibromobenzaldehyde (CAS RN 50910-55-9) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.3546	ex 2922 43 00	10	Anthranilic acid (CAS RN 118-92-3)	0 %	-	31.12.2023
0.3547	ex 2922 49 85	10	Ornithine aspartate (INNM) (CAS RN 3230-94-2)	0 %	-	31.12.2023
0.7853	ex 2922 49 85	13	Benzyl glycinate—4-methylbenzene-1-sulfonic acid (1/1) (CAS RN 1738-76-7) with a purity by weight of 93 % or more	0 %	-	31.12.2024
0.5037	ex 2922 49 85	17	Glycine (CAS RN 56-40-6) with a purity by weight of 95 % or more, whether or not with not more than 5 % addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)	0 %	-	31.12.2025
0.5619	ex 2922 49 85	20	3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)	0 %	-	31.12.2027
0.8162	ex 2922 49 85	23	2-Ethylhexyl 4-aminobenzoate (CAS RN 26218-04-2) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.6340	ex 2922 49 85	25	Dimethyl 2-aminobenzene-1,4-dicarboxylate (CAS RN 5372-81-6)	0 %	-	31.12.2024
0.8234	ex 2922 49 85	33	4-Amino-2-chlorobenzoic acid (CAS RN 2457-76-3) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.3544	ex 2922 49 85	40	Norvaline	0 %	-	31.12.2023
0.8236	ex 2922 49 85	43	(E)-Ethyl 4-(dimethylamino)but-2-enoate maleate (CAS RN 1690340-79-4) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.3983	ex 2922 49 85	50	D-(-)-Dihydrophenylglycine (CAS RN 26774-88-9)	0 %	-	31.12.2024
0.8340	ex 2922 49 85	53	(S)-ethyl 3-amino-3-phenylpropanoate hemi((2R,3R)-2,3-dihydroxysuccinate) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.4239	ex 2922 49 85	60	Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6650	ex 2922 49 85	65	Diethyl aminomalonate hydrochloride (CAS RN 13433-00-6)	0 %	-	31.12.2025
0.4426	ex 2922 49 85	70	2-Ethylhexyl-4-dimethylaminobenzoate (CAS RN 21245-02-3)	0 %	-	31.12.2023
0.7254	ex 2922 49 85	75	L-alanine isopropyl ester hydrochloride (CAS RN 62062-65-1)	0 %	-	31.12.2024
0.6100	ex 2922 49 85	80	12-Aminododecanoic acid (CAS RN 693-57-2)	0 %	-	31.12.2023
0.7020	ex 2922 50 00	10	2-(2-(2-Aminoethoxy)ethoxy)acetic acid hydrochloride (CAS RN 134979-01-4)	0 %	-	31.12.2026
0.7257	ex 2922 50 00	15	3,5-Diiodothyronine (CAS RN 1041-01-6)	0 %	-	31.12.2027
0.4702	ex 2922 50 00	20	1-[2-Amino-1-(4-methoxyphenyl)-ethyl]-cyclohexanol hydrochloride (CAS RN 130198-05-9)	0 %	-	31.12.2024
0.8445	ex 2922 50 00	25	L-Threonine (CAS RN 72-19-5)	0 %	-	31.12.2027
0.7523	ex 2922 50 00	35	(2S)-2-Amino-3-(3,4-dimethoxyphenyl)-2-methylpropanoic acid hydrochloride (CAS RN 5486-79-3)	0 %	-	31.12.2023
0.8364	ex 2922 50 00	55	1-{{4-(Benzyloxy)phenyl}-2-(dimethylamino)ethyl}cyclohexanol (CAS RN 93413-61-7) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8325	ex 2922 50 00	65	[4-[2-(Dimethylamino)ethoxy]phenyl](4-hydroxyphenyl)methanone (CAS RN 173163-13-8) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.2681	ex 2922 50 00	70	2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate	0 %	-	31.12.2023
0.6226	ex 2923 10 00	10	Calcium phosphoryl choline chloride tetrahydrate (CAS RN 72556-74-2)	0 %	-	31.12.2024
0.3543	ex 2923 90 00	10	Tetramethylammonium hydroxide, in the form of an aqueous solution containing 25 % (\pm 0,5 %) by weight of tetramethylammonium hydroxide	0 %	-	31.12.2023
0.4499	ex 2923 90 00	25	Tetrakis(dimethylditetradecylammonium) molybdate (CAS RN 117342-25-3)	0 %	-	31.12.2023
0.8159	ex 2923 90 00	30	Tetrabutylammonium tetrahydroborate (CAS RN 33725-74-5) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.7879	ex 2923 90 00	50	Betaine hydrochloride (CAS RN 590-46-5), with a purity by weight of 93 % or more	0 %	-	31.12.2024
0.7089	ex 2923 90 00	55	Tetrabutylammonium bromide (CAS RN 1643-19-2)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7615	ex 2923 90 00	65	N,N,N-Trimethyl-tricyclo[3.3.1.1 ³ ,7]decan-1-aminium hydroxide (CAS RN 53075-09-5) in form of an aqueous solution with a content of N,N,N-trimethyl-tricyclo[3.3.1.1 ³ ,7]decan-1-aminium hydroxide by weight of 17,5 % or more but not more than 27,5 %	0 %	-	31.12.2023
0.3538	ex 2923 90 00	70	Tetrapropylammonium hydroxide, in the form of an aqueous solution containing: — 40 % (± 2 %) by weight of tetrapropylammonium hydroxide, — 0,3 % by weight or less of carbonate, — 0,1 % by weight or less of tripropylamine, — 500 mg/kg or less of bromide and — 25 mg/kg or less of potassium and sodium taken together	0 %	-	31.12.2023
0.5063	ex 2923 90 00	75	Tetraethylammonium hydroxide, in the form of an aqueous solution containing: — 35 % (± 0,5 %) by weight of tetraethylammonium hydroxide, — not more than 1 000 mg/kg of chloride, — not more than 2 mg/kg of iron, and — not more than 10 mg/kg of potassium	0 %	-	31.12.2025
0.3536	ex 2923 90 00	80	Diallyldimethylammonium chloride (CAS RN 7398-69-8) , in the form of an aqueous solution containing by weight 63 % or more but not more than 67 % of diallyldimethylammonium chloride	0 %	-	31.12.2023
0.6410	ex 2923 90 00	85	N,N,N-Trimethylanilinium chloride (CAS RN 138-24-9)	0 %	-	31.12.2024
0.2678	ex 2924 19 00	10	2-Acrylamido-2-methylpropanesulphonic acid (CAS RN 15214-89-8) or its sodium salt (CAS RN 5165-97-9), or its ammonium salt (CAS RN 58374-69-9)	0 %	-	31.12.2023
0.6227	ex 2924 19 00	15	N-Ethyl N-methylcarbamoyl chloride (CAS RN 42252-34-6)	0 %	-	31.12.2024
0.8000	ex 2924 19 00	18	2-((Butylamino)carbonyl)oxyethyl acrylate (CAS RN 63225-53-6) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8027	ex 2924 19 00	28	(2S)-2-Amino-5-(carbamoylamino)pentanoic acid ; 2-hydroxybutanedioic acid (2:1) (CAS RN 54940-97-5) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3535	ex 2924 19 00	30	Methyl 2-acetamido-3-chloropropionate (CAS RN 87333-22-0)	0 %	-	31.12.2023
0.8030	ex 2924 19 00	33	(2S)-2-Amino-5-(carbamoylamino)pentanoic acid ; 2-hydroxybutanedioic acid (1:1) (CAS RN 70796-17-7) with a purity by weight of 98,5 % or more	0 %	-	31.12.2025
0.6549	ex 2924 19 00	35	Acetamide (CAS RN 60-35-5)	0 %	-	31.12.2024
0.8041	ex 2924 19 00	38	Diethyl acetamidomalonate (CAS RN 1068-90-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8049	ex 2924 19 00	43	N6-(<i>tert</i> -Butoxycarbonyl)-L-lysine methyl ester hydrochloride (CAS RN 2389-48-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8283	ex 2924 19 00	48	<i>N,N</i> -Dimethylcarbamoyl chloride (CAS RN 79-44-7) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.8429	ex 2924 19 00	53	Aqueous solution of propamocarb hydrochloride (ISOM)(CAS RN 25606-41-1), containing by weight 64 % or more, but not more than 68 % of propamocarb hydrochloride	0 %	-	31.12.2027
0.7060	ex 2924 19 00	55	2-Propynyl butylcarbamate (CAS RN 76114-73-3)	0 %	-	31.12.2026
0.4160	ex 2924 19 00	60	<i>N,N</i> -Dimethylacrylamide (CAS RN 2680-03-7)	0 %	-	31.12.2026
0.7482	ex 2924 19 00	65	2,2,2-Trifluoroacetamide (CAS RN 354-38-1)	0 %	-	31.12.2023
0.4380	ex 2924 19 00	70	Methylcarbamate (CAS RN 598-55-0)	0 %	-	31.12.2023
0.7575	ex 2924 19 00	75	(S)-4-((<i>tert</i> -Butoxycarbonyl)amino)-2-hydroxybutanoic acid (CAS RN 207305-60-0)	0 %	-	31.12.2023
0.5605	ex 2924 19 00	80	Tetrabutylurea (CAS RN 4559-86-8)	0 %	-	31.12.2027
0.2939	ex 2924 21 00	10	4,4'-Dihydroxy-7,7'-ureylenedi(naphthalene-2-sulfonic acid) and its sodium salts	0 %	-	31.12.2023
0.5998	ex 2924 21 00	20	(3-Aminophenyl)urea hydrochloride (CAS RN 59690-88-9)	0 %	-	31.12.2024
0.3533	2924 25 00		Alachlor (ISO), (CAS RN 15972-60-8)	0 %	-	31.12.2023
0.6047	ex 2924 29 70	12	4-(Acetylamino)-2-aminobenzenesulphonic acid (CAS RN 88-64-2)	0 %	-	31.12.2024
0.3534	ex 2924 29 70	15	Acetochlor (ISO), (CAS RN 34256-82-1)	0 %	-	31.12.2023
0.6266	ex 2924 29 70	17	2-(Trifluoromethyl)benzamide (CAS RN 360-64-5)	0 %	-	31.12.2024
0.6363	ex 2924 29 70	19	2-[[2-(Benzyloxycarbonylamino)acetyl]amino]propionic acid (CAS RN 3079-63-8)	0 %	-	31.12.2024
0.4685	ex 2924 29 70	20	2-Chloro- <i>N</i> -(2-ethyl-6-methylphenyl)- <i>N</i> -(propan-2-ylloxymethyl)acetamide (CAS RN 86763-47-5)	0 %	-	31.12.2024
0.6568	ex 2924 29 70	23	Benalaxyl-M (ISO) (CAS RN 98243-83-5)	0 %	-	31.12.2024
0.8153	ex 2924 29 70	25	2-[2-(Methoxycarbonyl-phenyl-amino)-phenyl]-acetic acid (CAS RN 353497-35-5) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.7118	ex 2924 29 70	30	Sodium 4-(4-methyl-3-nitrobenzoylamino)benzenesulphonate (CAS RN 84029-45-8)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8235	ex 2924 29 70	32	<i>N</i> -(4-Amino-2-ethoxyphenyl)acetamide (CAS RN 848655-78-7) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8161	ex 2924 29 70	35	<i>N</i> -(1,1-Dimethylethyl)-4-amino-benzamide (CAS RN 93483-71-7) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.8258	ex 2924 29 70	36	<i>N,N'</i> -(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.6110	ex 2924 29 70	37	Beflubutamid (ISO) (CAS RN 113614-08-7)	0 %	-	31.12.2023
0.5066	ex 2924 29 70	40	<i>N,N'</i> -1,4-Phenylenebis[3-oxobutyramide], (CAS RN 24731-73-5)	0 %	-	31.12.2025
0.5127	ex 2924 29 70	45	Propoxur (ISO) (CAS RN 114-26-1)	0 %	-	31.12.2025
0.8183	ex 2924 29 70	46	<i>S</i> -Metolachlor (ISO) (CAS RN 87392-12-9) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.7841	ex 2924 29 70	47	(<i>S</i>)- <i>tert</i> -Butyl (1-amino-3-(4-iodophenyl)-1-oxopropan-2-yl)carbamate (CAS RN 868694-44-4) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.8381	ex 2924 29 70	48	(3 <i>R</i>)- <i>N</i> -(<i>tert</i> -butoxycarbonyl)-3-amino-4-(2,4,5-trifluorophenyl)butanoic acid (CAS RN 486460-00-8) with a purity by weight of 97 % or more	0 %	-	31.12.2027
0.8346	ex 2924 29 70	49	<i>tert</i> -Butyl [(1 <i>R</i> ,2 <i>S</i> ,5 <i>S</i>)-2-amino-5-(dimethylcarbamoyl)cyclohexyl]carbamate ethanedioate (CAS RN 1210348-34-7) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.8184	ex 2924 29 70	52	Zoxamide (ISO) (CAS RN 156052-68-5) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.5622	ex 2924 29 70	53	4-Amino- <i>N</i> -[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)	0 %	-	31.12.2027
0.8362	ex 2924 29 70	54	2-[4-(Benzyloxy)phenyl]- <i>N,N</i> -dimethylacetamide (CAS RN 919475-15-3) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.5069	ex 2924 29 70	55	<i>N,N'</i> -(2,5-Dimethyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 24304-50-5)	0 %	-	31.12.2025
0.8315	ex 2924 29 70	56	Valifenalate (ISO) (CAS RN 283159-90-0) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8043	ex 2924 29 70	58	2-Chloro- <i>N</i> -[1-(4-chloro-3-fluorophenyl)-2-methylpropan-2-yl]acetamide (CAS RN 787585-35-7) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.6767	ex 2924 29 70	62	2-Chlorobenzamide (CAS RN 609-66-5)	0 %	-	31.12.2025
0.6766	ex 2924 29 70	64	<i>N</i> -(3',4'-dichloro-5-fluoro[1,1'-biphenyl]-2-yl)acetamide (CAS RN 877179-03-8)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7632	ex 2924 29 70	67	N,N'-(2,5-Dichloro-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 42487-09-2)	0 %	-	31.12.2023
0.7582	ex 2924 29 70	70	N-[(benzyloxy)carbonyl]glycyl-N-[(2S)-1-{4-[(tert-butoxycarbonyl)oxy]phenyl}-3-hydroxypropan-2-yl]-L-alaninamide	0 %	-	31.12.2023
0.6480	ex 2924 29 70	73	Napropamide (ISO) (CAS RN 15299-99-7)	0 %	-	31.12.2024
0.2672	ex 2924 29 70	75	3-Amino- <i>p</i> -anisilide (CAS RN 120-35-4)	0 %	-	31.12.2023
0.8060	ex 2924 29 70	78	5-Amino-3-(4-chlorophenyl)-5-oxopentanoic acid (CAS RN 1141-23-7) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.2673	ex 2924 29 70	85	<i>p</i> -Aminobenzamide (CAS RN 2835-68-9)	0 %	-	31.12.2023
0.4495	ex 2924 29 70	88	5'-Chloro-3-hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-63-7)	0 %	-	31.12.2023
0.4493	ex 2924 29 70	89	Flutolanil (ISO) (CAS RN 66332-96-5)	0 %	-	31.12.2023
0.3690	ex 2924 29 70	91	3-Hydroxy-2'-methoxy-2-naphthanilide (CAS RN 135-62-6)	0 %	-	31.12.2023
0.3691	ex 2924 29 70	92	3-Hydroxy-2-naphthanilide (CAS RN 92-77-3)	0 %	-	31.12.2024
0.3692	ex 2924 29 70	93	3-Hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-61-5)	0 %	-	31.12.2023
0.3693	ex 2924 29 70	94	2'-Ethoxy-3-hydroxy-2-naphthanilide (CAS RN 92-74-0)	0 %	-	31.12.2023
0.3863	ex 2924 29 70	97	1,1-Cyclohexanediamic acid monoamide (CAS RN 99189-60-3)	0 %	-	31.12.2023
0.3526	ex 2925 11 00	20	Saccharin and its sodium salt	0 %	-	31.12.2023
0.2674	ex 2925 19 95	10	<i>N</i> -Phenylmaleimide (CAS RN 941-69-5)	0 %	-	31.12.2023
0.5612	ex 2925 19 95	20	4,5,6,7-Tetrahydroisindole-1,3-dione (CAS RN 4720-86-9)	0 %	-	31.12.2027
0.5740	ex 2925 19 95	30	<i>N,N'</i> -(<i>m</i> -Phenylene)dimaleimide (CAS RN 3006-93-7)	0 %	-	31.12.2027
0.8013	ex 2925 19 95	40	<i>N</i> -Iodosuccinimide (CAS RN 516-12-1) with a purity by weight of 98,5 % or more	0 %	-	31.12.2025
0.2934	ex 2925 29 00	10	Dicyclohexylcarbodiimide (CAS RN 538-75-0)	0 %	-	31.12.2023
0.5891	ex 2925 29 00	20	N-[3-(Dimethylamino)propyl]-N'-ethylcarbodiimide hydrochloride (CAS RN 25952-53-8)	0 %	-	31.12.2023
0.8339	ex 2925 29 00	25	1-(3-(2-Hydroxyethyl)phenyl)guanidinium methanesulfonate (CAS RN 2101429-50-7) with a purity by weight of 99 % or more	0 %	-	01.12.2027
0.7749	ex 2925 29 00	40	N-Amidinosarcosine (CAS RN 57-00-1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7832	ex 2925 29 00	50	(Chloromethylene)dimethyliminium chloride (CAS RN 3724-43-4) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.8033	ex 2925 29 00	60	Formamidine acetate (CAS RN 3473-63-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8040	ex 2925 29 00	70	Bromomethylidene(dimethyl)azanum bromide (CAS RN 24774-61-6) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.6258	ex 2926 90 70	16	4-Cyano-2-nitrobenzoic acid methyl ester (CAS RN 52449-76-0)	0 %	-	31.12.2024
0.6934	ex 2926 90 70	17	Cypermethrin (ISO) with its stereoisomers (CAS RN 52315-07-8) with a purity by weight of 90 % or more	0 %	-	31.12.2025
0.7408	ex 2926 90 70	18	Flumethrin (ISO) (CAS RN 69770-45-2)	0 %	-	31.12.2027
0.7466	ex 2926 90 70	19	2-(4-Amino-2-chloro-5-methylphenyl)-2-(4-chlorophenyl) acetonitrile (CAS RN 61437-85-2)	0 %	-	31.12.2023
0.2668	ex 2926 90 70	20	2-(<i>m</i> -Benzoylphenyl)propiononitrile (CAS RN 42872-30-0)	0 %	-	31.12.2024
0.7458	ex 2926 90 70	21	4-Bromo-2-chlorobenzonitrile (CAS RN 154607-01-9)	0 %	-	31.12.2023
0.7514	ex 2926 90 70	22	Acetonitrile (CAS RN 75-05-8)	0 %	-	31.12.2023
0.6109	ex 2926 90 70	23	Acrinathrin (ISO) (CAS RN 101007-06-1)	0 %	-	31.12.2023
0.7805	ex 2926 90 70	24	2-Hydroxy-2-methylpropiononitrile (CAS RN 75-86-5) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.5227	ex 2926 90 70	25	2,2-Dibromo-3-nitrilopropionamide (CAS RN 10222-01-2)	0 %	-	31.12.2026
0.6259	ex 2926 90 70	26	Cyfluthrin (ISO) (CAS RN 68359-37-5) with a purity by weight of 95,5 % or more for the use in the manufacture of biocidal products (1)	0 %	-	31.12.2024
0.6149	ex 2926 90 70	27	Cyhalofop-butyl (ISO) (CAS RN 122008-85-9)	0 %	-	31.12.2023
0.8321	ex 2926 90 70	28	3-Bromo-6-chloro-2-fluorobenzonitrile (CAS RN 943830-79-3) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.7430	ex 2926 90 70	29	2-Cyclohexylidene-2-phenylacetonitrile (CAS RN 10461-98-0) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.7201	ex 2926 90 70	30	4,5-Dichloro-3,6-dioxocyclohexa-1,4-diene-1,2-dicarbonitrile (CAS RN 84-58-2)	0 %	-	31.12.2026
0.7406	ex 2926 90 70	33	Deltamethrin (ISO) (CAS RN 52918-63-5)	0 %	-	31.12.2027
0.7034	ex 2926 90 70	35	4-Cyano-2-methoxybenzaldehyde (CAS RN 21962-45-8)	0 %	-	31.12.2026
0.6970	ex 2926 90 70	40	2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3522	ex 2926 90 70	50	Alkyl or alkoxyalkyl esters of cyanoacetic acid	0 %	-	31.12.2023
0.8217	ex 2926 90 70	56	Methyl 2-cyano-2-propylpentanoate (CAS RN 66546-92-7) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.4182	ex 2926 90 70	61	<i>m</i> -(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)	0 %	-	31.12.2026
0.4644	ex 2926 90 70	64	Esfenvalerate (CAS RN 66230-04-4) of a purity by weight of 83 % or more in a mixture of its own isomers	0 %	-	31.12.2024
0.4802	ex 2926 90 70	70	Methacrylonitrile (CAS RN 126-98-7)	0 %	-	31.12.2024
0.2543	ex 2926 90 70	74	Chlorothalonil (ISO) (CAS RN 1897-45-6)	0 %	-	31.12.2024
0.3521	ex 2926 90 70	75	Ethyl 2-cyano-2-ethyl-3-methylhexanoate (CAS RN 100453-11-0)	0 %	-	31.12.2024
0.3516	ex 2926 90 70	80	Ethyl 2-cyano-2-phenylbutyrate (CAS RN 718-71-8)	0 %	-	31.12.2023
0.3514	ex 2926 90 70	86	Ethylenediaminetetraacetonitrile (CAS RN 5766-67-6)	0 %	-	31.12.2023
0.3515	ex 2926 90 70	89	Butyronitrile (CAS RN 109-74-0)	0 %	-	31.12.2023
0.2667	ex 2927 00 00	10	2,2'-Dimethyl-2,2'-azodipropionamidine dihydrochloride	0 %	-	31.12.2023
0.2665	ex 2927 00 00	20	4-Anilino-2-methoxybenzenediazonium hydrogen sulphate (CAS RN 36305-05-2)	0 %	-	31.12.2023
0.7337	ex 2927 00 00	25	2,2'-Azobis(4-methoxy-2,4-dimethylvaleronitrile) (CAS RN 15545-97-8)	0 %	-	31.12.2027
0.2810	ex 2927 00 00	30	4'-Aminoazobenzene-4-sulphonic acid (CAS RN 104-23-4)	0 %	-	31.12.2023
0.6306	ex 2927 00 00	35	C.C'-Azodi(formamide) (CAS RN 123-77-3) in the form of yellow powder with a decomposition temperature of 180°C or more but not more than 220°C used as a foaming agent in the manufacture of thermoplastic resins, elastomer and cross-linked polythene foam	0 %	-	31.12.2024
0.3984	ex 2927 00 00	60	4,4'-Dicyano-4,4'-azodivaleric acid (CAS RN 2638-94-0)	0 %	-	31.12.2023
0.2661	ex 2928 00 90	10	3,3'-Bis(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)- <i>N,N'</i> -bipropionamide (CAS RN 32687-78-8)	0 %	-	31.12.2023
0.6479	ex 2928 00 90	13	Cymoxanil (ISO) (CAS RN 57966-95-7)	0 %	-	31.12.2024
0.6548	ex 2928 00 90	18	Acetone oxime (CAS RN 127-06-0) of a purity by weight of 99 % or more	0 %	-	31.12.2024
0.6871	ex 2928 00 90	23	Metobromuron (ISO) (CAS RN 3060-89-7) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.4929	ex 2928 00 90	25	Acetaldehyde oxime (CAS RN 107-29-9) in an aqueous solution	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6985	ex 2928 00 90	28	Pentan-2-one oxime (CAS RN 623-40-5)	0 %	-	31.12.2026
0.5438	ex 2928 00 90	30	<i>N</i> -Isopropylhydroxylamine (CAS RN 5080-22-8)	0 %	-	31.12.2026
0.7448	ex 2928 00 90	33	4- Chlorophenylhydrazine Hydrochloride (CAS RN 1073-70-7)	0 %	-	31.12.2023
0.8061	ex 2928 00 90	38	Aqueous solution of methoxyammonium chloride (CAS-RN 593-56-6), containing by weight: — 30 % or more but not more than 40 % of methoxyammonium chloride — not more than 4 % of hydrochloric acid	0 %	-	31.12.2025
0.2659	ex 2928 00 90	40	<i>O</i> -Ethylhydroxylamine, in the form of an aqueous solution (CAS RN 624-86-2)	0 %	-	31.12.2023
0.8093	ex 2928 00 90	43	2-(3-Methoxy-3-oxopropyl)-1,1,1-trimethylhydrazinium bromide (CAS RN 106966-25-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.5919	ex 2928 00 90	45	Tebufenozide (ISO) (CAS RN 112410-23-8)	0 %	-	31.12.2023
0.8158	ex 2928 00 90	48	1-{[(1 <i>H</i> -Fluoren-9-ylmetoxi)carbonil]oxi}pyrrolidine-2,5-dione (CAS RN 82911-69-1) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.6635	ex 2928 00 90	50	Aqueous solution of 2,2'-(hydroxyimino) bisethanesulphonic acid disodium salt (CAS RN 133986-51-3) with a content by weight of more than 33,5 % but not more than 36,5 %	0 %	-	31.12.2025
0.5918	ex 2928 00 90	55	Aminoguanidinium hydrogen carbonate (CAS RN 2582-30-1)	0 %	-	31.12.2023
0.6364	ex 2928 00 90	65	2-Amino-3-(4-hydroxyphenyl) propanal semicarbazone hydrochloride	0 %	-	31.12.2024
0.4544	ex 2928 00 90	70	Butanone oxime (CAS RN 96-29-7)	0 %	-	31.12.2023
0.5228	ex 2928 00 90	75	Metaflumizone (ISO) (CAS RN 139968-49-3)	0 %	-	31.12.2026
0.3510	ex 2928 00 90	80	Cyflufenamid (ISO) (CAS RN 180409-60-3)	0 %	-	31.12.2023
0.4714	ex 2929 10 00	15	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate (CAS RN 91-97-4)	0 %	-	31.12.2024
0.5827	ex 2929 10 00	20	Butyl isocyanate (CAS RN 111-36-4)	0 %	-	31.12.2027
0.4188	ex 2929 10 00	35	1,3-Bis(isocyanatomethyl)benzene (CAS RN 3634-83-1) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.2660	ex 2929 10 00	40	<i>m</i> -Isopropenyl- α,α -dimethylbenzyl isocyanate (CAS RN 2094-99-7)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5033	ex 2929 10 00	45	2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.2657	ex 2929 10 00	50	<i>m</i> -Phenylenediisopropylidene diisocyanate (CAS RN 2778-42-9)	0 %	-	31.12.2023
0.3509	ex 2929 10 00	60	Trimethylhexamethylene diisocyanate, mixed isomers	0 %	-	31.12.2023
0.8171	ex 2929 90 00	40	N-Butylphosphorothioic triamide (CAS RN 94317-64-3) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.8172	ex 2929 90 00	50	N-Propylphosphorothioic triamide (CAS RN 916809-14-8) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.4298	ex 2930 20 00	40	Prosulfocarb (ISO) (CAS RN 52888-80-9) with purity by weight of 97 % or more	0 %	-	31.12.2027
0.5278	ex 2930 20 00	50	2-Isopropylethylthiocarbamate (CAS RN 141-98-0) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.8036	ex 2930 90 98	11	Benzyl (2 <i>S</i>)-2-amino-3-[3-(methanesulphonylphenyl)]propanoate hydrochloride (CAS RN 1194550-59-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7483	ex 2930 90 98	12	4,4'-Sulfonyldiphenol (CAS RN 80-09-1) used in the manufacture of polyarylsulfones or polyarylethersulfones ⁽¹⁾	0 %	-	31.12.2023
0.8047	ex 2930 90 98	14	(E)-N'-(2-Cyano-4-(3-(1-hydroxy-2-methylpropan-2-yl)thioureido)phenyl)-N,N-dimethyl-formimidamide (CAS RN 1429755-57-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.2932	ex 2930 90 98	15	Ethoprophos (ISO) (CAS RN 13194-48-4)	0 %	-	31.12.2023
0.6551	ex 2930 90 98	16	3-(Dimethoxymethylsilyl)-1-propanethiol (CAS RN 31001-77-1)	0 %	-	31.12.2024
0.5999	ex 2930 90 98	17	2-(3-Aminophenylsulphonyl)ethyl hydrogen sulphate (CAS RN 2494-88-4)	0 %	-	31.12.2024
0.7748	ex 2930 90 98	18	Dimethyl sulfone (CAS RN 67-71-0)	0 %	-	31.12.2024
0.8050	ex 2930 90 98	19	4-Amino-5-(ethanesulphonyl)-2-methoxybenzoic acid (CAS RN 71675-87-1) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7799	ex 2930 90 98	20	4-(4-Methylphenylthio)benzophenone (CAS RN 83846-85-9)	0 %	-	31.12.2024
0.6750	ex 2930 90 98	21	[2,2'-Thio-bis(4- <i>tert</i> -octylphenolato)]-n-butylamine nickel (CAS RN 14516-71-3)	0 %	-	31.12.2026
0.6769	ex 2930 90 98	22	Tembotrione (ISO) (CAS RN 335104-84-2) with a purity by weight of 94,5 % or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5899	ex 2930 90 98	23	Dimethyl [(methylsulphonyl)methylidene]biscarbamate (CAS RN 34840-23-8)	0 %	-	31.12.2023
0.7714	ex 2930 90 98	24	Phenyl vinyl sulfone (CAS RN 5535-48-8)	0 %	-	31.12.2024
0.2930	ex 2930 90 98	25	Thiophanate-methyl (ISO), (CAS RN 23564-05-8)	0 %	-	31.12.2023
0.6873	ex 2930 90 98	26	Folpet (ISO)(CAS RN 133-07-3) with a purity by weight of 97,5 % or more	0 %	-	31.12.2025
0.6585	ex 2930 90 98	27	2-[(4-Amino-3-methoxyphenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 26672-22-0)	0 %	-	31.12.2024
0.8069	ex 2930 90 98	28	Mesotrione (ISO) (CAS RN 104206-82-8) in form of wet cake or wet paste or in its crystalline form, with — a purity of 74 % or more by weight and, — a maximum water content of 23 % by weight	0 %	-	31.12.2025
0.7859	ex 2930 90 98	29	4-Amino-5-(ethylsulfonyl)-2-methoxybenzoic acid (CAS RN 71675-86-0) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.2933	ex 2930 90 98	30	4-(4-Isopropoxyphenylsulphonyl)phenol (CAS RN 95235-30-6)	0 %	-	31.12.2023
0.7833	ex 2930 90 98	31	(p-Toluenesulphonyl)methyl isocyanide (CAS RN 36635-61-7) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.8152	ex 2930 90 98	32	2-Methoxy-N-[2-nitro-5-(phenylsulfonyl)phenyl]acetamide (CAS RN 63470-85-9) with a purity by weight of 96 % or more	0 %	-	31.12.2026
0.6584	ex 2930 90 98	33	2-Amino-5-{{2-(sulfooxy)ethyl}sulfonyl}benzenesulfonic acid (CAS RN 42986-22-1)	0 %	-	31.12.2024
0.5035	ex 2930 90 98	34	2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6) with a purity by weight of 85 % or more, but not more than 95 %	0 %	-	31.12.2024
0.3811	ex 2930 90 98	35	Glutathione (CAS RN 70-18-8)	0 %	-	31.12.2026
0.7682	ex 2930 90 98	38	Allyl isothiocyanate (CAS RN 57-06-7)	0 %	-	31.12.2023
0.2928	ex 2930 90 98	40	3,3'-Thiodi(propionic acid) (CAS RN 111-17-1)	0 %	-	31.12.2023
0.6167	ex 2930 90 98	43	Trimethylsulfoxonium iodide (CAS RN 1774-47-6)	0 %	-	31.12.2023
0.2931	ex 2930 90 98	45	2-[(p-Aminophenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 2494-89-5)	0 %	-	31.12.2024
0.7689	ex 2930 90 98	50	3-Mercaptopropionic acid (CAS RN 107-96-0)	0 %	-	31.12.2023
0.6617	ex 2930 90 98	53	Bis(4-chlorophenyl) sulphone (CAS RN 80-07-9)	0 %	-	31.12.2025
0.5114	ex 2930 90 98	55	Thiourea (CAS RN 62-56-6)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2929	ex 2930 90 98	60	Methyl phenyl sulphide (CAS RN 100-68-5)	0 %	-	31.12.2023
0.4629	ex 2930 90 98	64	3-Chloro-2-methylphenyl methyl sulphide (CAS RN 82961-52-2)	0 %	-	31.12.2024
0.4296	ex 2930 90 98	68	Clethodim (ISO) (CAS RN 99129-21-2)	0 %	-	31.12.2027
0.3986	ex 2930 90 98	77	4-[4-(2-Propenyloxy)phenylsulphonyl]phenol (CAS RN 97042-18-7)	0 %	-	31.12.2023
0.4187	ex 2930 90 98	78	4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol (CAS RN 131538-00-6)	0 %	-	31.12.2026
0.2999	ex 2930 90 98	80	Captan (ISO) (CAS RN 133-06-2)	0 %	-	31.12.2023
0.4694	ex 2930 90 98	81	Disodium hexamethylene-1,6-bisthiosulfate dihydrate (CAS RN 5719-73-3)	3 %	-	31.12.2024
0.7985	ex 2930 90 98	88	1-{4-[(4-Benzoylphenyl)sulphonyl]phenyl}-2-methyl-2-[(4-methylphenyl)sulphonyl]propan-1-one (CAS RN 272460-97-6) with a purity by weight of 94 % or more	0 %	-	31.12.2025
0.4094	ex 2930 90 98	89	Potassium- or sodium-salt of O-ethyl-, O-isopropyl-, O-butyl-, O-isobutyl- or O-pentyl-dithiocarbonates	0 %	-	31.12.2026
0.7070	ex 2930 90 98	93	1-Hydrazino-3-(methylthio)propan-2-ol (CAS RN 14359-97-8)	0 %	-	31.12.2026
0.7078	ex 2930 90 98	95	N-(Cyclohexylthio)phthalimide (CAS RN 17796-82-6)	0 %	-	31.12.2026
0.7086	ex 2930 90 98	97	Diphenyl sulphone (CAS RN 127-63-9)	0 %	-	31.12.2026
0.5741	ex 2931 49 90	08	Sodium diisobutylidithiophosphinate (CAS RN 13360-78-6) in an aqueous solution	0 %	-	31.12.2027
0.5492	ex 2931 49 90	13	Trioctylphosphine oxide (CAS RN 78-50-2)	0 %	-	31.12.2026
0.6088	ex 2931 49 90	23	Di-tert-butylphosphane (CAS RN 819-19-2)	0 %	-	31.12.2023
0.5758	ex 2931 49 90	25	(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)	0 %	-	31.12.2027
0.3497	ex 2931 49 90	30	Bis(2,4,4-trimethylpentyl)phosphinic acid (CAS RN 83411-71-6)	0 %	-	31.12.2023
0.7533	ex 2931 49 90	35	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (CAS RN 84434-11-7)	0 %	-	31.12.2023
0.2656	ex 2931 49 90	38	N-(Phosphonomethyl)iminodiacetic acid (CAS RN 5994-61-6) containing by weight not more than 15 % of water, and with a dry weight purity of 97 % or more	0 %	-	31.12.2024
0.5229	ex 2931 49 90	40	Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4433	ex 2931 49 90	45	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS RN 75980-60-8)	0 %	-	31.12.2023
0.3492	ex 2931 49 90	48	Tetrabutylphosphonium acetate in the form of an aqueous solution (CAS RN 30345-49-4)	0 %	-	31.12.2024
0.3987	ex 2931 49 90	55	3-(Hydroxyphenylphosphinoyl)propionic acid (CAS RN 14657-64-8)	0 %	-	31.12.2023
0.7709	ex 2931 59 90	50	2-Chloroethylphosphonic acid (CAS RN 16672-87-0) solid or in aqueous solution, with a content by weight of 2-Chloroethylphosphonic acid of 65 % or more	0 %	-	31.12.2024
0.3504	ex 2931 90 00	03	Butylethylmagnesium (CAS RN 62202-86-2), in the form of a solution in heptane	0 %	-	31.12.2023
0.4515	ex 2931 90 00	15	Methylcyclopentadienyl manganese tricarbonyl (CAS RN 12108-13-3) containing not more than 4,9 % by weight of cyclopentadienyl manganese tricarbonyl	0 %	-	31.12.2024
0.8051	ex 2931 90 00	23	Ixazomib citrate (INNM) (CAS RN 1239908-20-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.7951	ex 2931 90 00	25	N-(3-(Dimethoxymethylsilyl)propyl)ethylenediamine (CAS RN 3069-29-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8063	ex 2931 90 00	28	Triethoxy(3-isocyanatopropyl)silane (CAS RN 24801-88-5) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8272	ex 2931 90 00	30	<i>Tert</i> -Butylchlorodimethylsilane (CAS RN 18162-48-6) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.3499	ex 2931 90 00	33	Dimethyl[dimethylsilyldiindenyl]hafnium (CAS RN 220492-55-7)	0 %	-	31.12.2024
0.2654	ex 2931 90 00	35	<i>N,N</i> -Dimethylanilinium tetrakis(pentafluorophenyl)borate (CAS RN 118612-00-3)	0 %	-	31.12.2024
0.8316	ex 2931 90 00	38	2-(Trimethylsilyl)ethoxymethyl chloride (CAS RN 76513-69-4) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8442	ex 2931 90 00	40	Chlorotrimethylsilane (CAS RN 75-77-4) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.4121	ex 2931 90 00	50	Trimethylsilane (CAS RN 993-07-7)	0 %	-	31.12.2026
0.3486	ex 2932 13 00	10	Tetrahydrofurfuryl alcohol (CAS RN 97-99-4)	0 %	-	31.12.2023
0.4590	ex 2932 14 00	10	1,6-Dichloro-1,6-dideoxy- β -D-fructofuranosyl-4-chloro-4-deoxy- α -D-galactopyranoside (CAS RN 56038-13-2)	0 %	-	31.12.2024
0.3488	ex 2932 19 00	40	Furan (CAS RN 110-00-9) of a purity by weight of 99 % or more	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4514	ex 2932 19 00	41	2,2 Di(tetrahydrofuryl)propane (CAS RN 89686-69-1)	0 %	-	31.12.2024
0.8252	ex 2932 19 00	55	(3 <i>S</i>)-3-[4-[(5-Bromo-2-chlorophenyl)methyl]phenoxy]tetrahydro-furan (CAS RN 915095-89-5) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.7614	ex 2932 19 00	65	Tefuryltrione (ISO) (CAS RN 473278-76-1)	0 %	-	31.12.2023
0.3487	ex 2932 19 00	70	Furfurylamine (CAS RN 617-89-0)	0 %	-	31.12.2024
0.3611	ex 2932 19 00	75	Tetrahydro-2-methylfuran (CAS RN 96-47-9)	0 %	-	31.12.2023
0.5240	ex 2932 19 00	80	5-Nitrofurfurylidene di(acetate) (CAS RN 92-55-7)	0 %	-	31.12.2026
0.2775	ex 2932 20 90	10	2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one (CAS RN 70516-41-5)	0 %	-	31.12.2023
0.5257	ex 2932 20 90	15	Coumarin (CAS RN 91-64-5)	0 %	-	31.12.2026
0.7958	ex 2932 20 90	18	4-Hydroxycoumarin (CAS-RN 1076-38-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7984	ex 2932 20 90	23	1,4-Dioxane-2,5-dione (CAS RN 502-97-6) with a purity by weight of 99,5 % or more	0 %	-	31.12.2025
0.5611	ex 2932 20 90	40	(<i>S</i>)-(-)- α -Amino- γ -butyrolactone hydrobromide (CAS RN 15295-77-9)	0 %	-	31.12.2027
0.6094	ex 2932 20 90	45	2,2-Dimethyl-1,3-dioxane-4,6-dione (CAS RN 2033-24-1)	0 %	-	31.12.2023
0.7283	ex 2932 20 90	50	L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)	0 %	-	31.12.2027
0.7838	ex 2932 20 90	53	(<i>R</i>)-4-Propyldihydrofuran-2(3 <i>H</i>)-one (CAS RN 63095-51-2) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.2765	ex 2932 20 90	55	6-Dimethylamino-3,3-bis(4-dimethylaminophenyl)phthalide (CAS RN 1552-42-7)	0 %	-	31.12.2023
0.4162	ex 2932 20 90	60	6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3 <i>H</i>),9'-[9 <i>H</i>]xanthen]-3-one (CAS RN 29512-49-0)	0 %	-	31.12.2026
0.7812	ex 2932 20 90	63	Selamectin (INN) 5 <i>Z</i> -isomer (CAS RN 220119-17-5)	0 %	-	31.12.2024
0.6620	ex 2932 20 90	65	Sodium 4-(methoxycarbonyl)-5-oxo-2,5-dihydrofuran-3-olate (CAS RN 1134960-41-0)	0 %	-	31.12.2025
0.4161	ex 2932 20 90	71	6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3 <i>H</i>),9'-[9 <i>H</i>]xanthen]-3-one (CAS RN 89331-94-2)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7599	ex 2932 20 90	75	3-Acetyl-6-methyl-2 <i>H</i> -pyran-2, 4(3 <i>H</i>)-dione (CAS RN 520-45-6)	0 %	-	31.12.2023
0.3990	ex 2932 20 90	80	Gibberellic acid with a minimum purity by weight of 88 % (CAS RN 77-06-5)	0 %	-	31.12.2023
0.4403	ex 2932 20 90	84	Decahydro-3a,6,6,9a-tetramethylnaphth [2,1-b] furan-2 (1 <i>H</i>)-one (CAS RN 564-20-5)	0 %	-	31.12.2023
0.3610	ex 2932 99 00	10	Bendiocarb (ISO) (CAS RN 22781-23-3)	0 %	-	31.12.2023
0.7202	ex 2932 99 00	13	(4-Chloro-3-(4-ethoxybenzyl)phenyl)((3a <i>S</i> ,5 <i>R</i> ,6 <i>S</i> ,6a <i>S</i>)-6-hydroxy 2,2-dimethyltetrahydrofuro[2,3- <i>d</i>][1 ,3]dioxol-5-yl)methanone (CAS RN 1103738-30-2)	0 %	-	31.12.2026
0.5269	ex 2932 99 00	15	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- <i>c</i>]pyran (CAS RN 1222-05-5)	0 %	-	31.12.2026
0.7178	ex 2932 99 00	18	4-(4-Bromo-3-((tetrahydro-2 <i>H</i> -pyran-2-yloxy)methyl)phenoxy)benzonitrile (CAS RN 943311-78-2)	0 %	-	31.12.2026
0.7431	ex 2932 99 00	23	2-Ethyl-3-hydroxy-4-pyrone (CAS RN 4940-11-8)	0 %	-	31.12.2027
0.5759	ex 2932 99 00	25	1-(2,2-Difluorobenzo[<i>d</i>][1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)	0 %	-	31.12.2027
0.7639	ex 2932 99 00	27	(2-Butyl-3-benzofuranyl)(4-hydroxy-3,5-diiodophenyl)methanone (CAS RN 1951-26-4) with a purity by weight of 99 % or more	0 %	-	31.12.2023
0.8257	ex 2932 99 00	28	1,4,7,10,13-Pentaoxacyclopentadecane (CAS RN 33100-27-5) with a purity by weight of 90 % or more, the remainder mainly consisting of linear precursors	0 %	-	31.12.2026
0.7535	ex 2932 99 00	33	3-Hydroxy-2-methyl-4-pyrone (CAS RN 118-71-8)	0 %	-	31.12.2023
0.8035	ex 2932 99 00	38	1-Benzofuran-6-carboxylic acid (CAS RN 77095-51-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.6243	ex 2932 99 00	43	Ethofumesate (ISO) (CAS RN 26225-79-6) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.5915	ex 2932 99 00	45	2-Butylbenzofuran (CAS RN 4265-27-4)	0 %	-	31.12.2024
0.7766	ex 2932 99 00	47	12 <i>H</i> -[1]Benzofuro[3,2- <i>c</i>][1]benzoxepin-6-one (CAS RN 28763-77-1)	0 %	-	31.12.2024
0.8384	ex 2932 99 00	48	(20 <i>R</i> ,25 <i>R</i>)-spirost-5-en-3β-ol (CAS RN 512-04-9) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.4907	ex 2932 99 00	50	7-Methyl-3,4-dihydro-2 <i>H</i> -1,5-benzodioxepin-3-one (CAS RN 28940-11-6)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4063	ex 2932 99 00	51	3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.6113	ex 2932 99 00	53	1,3-Dihydro-1,3-dimethoxyisobenzofurane (CAS RN 24388-70-3)	0 %	-	31.12.2023
0.6771	ex 2932 99 00	65	4,4-Dimethyl-3,5,8-trioxabicyclo[5,1,0]octane (CAS RN 57280-22-5)	0 %	-	31.12.2025
0.7978	ex 2932 99 00	68	3,9-Diethylidene-2,4,8,10-tetraoxaspiro[5.5]undecane (CAS RN 65967-52-4) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7930	ex 2932 99 00	73	5-Fluoro-3-methylbenzofuran-2-carboxylic acid (CAS RN 81718-76-5) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.7936	ex 2932 99 00	78	Methyl 2,2-difluoro-1,3-benzodioxole-5-carboxylate (CAS RN 773873-95-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.4106	ex 2932 99 00	80	1,3:2,4-bis-O-(4-Methylbenzylidene)-D-glucitol (CAS RN 81541-12-0)	0 %	-	31.12.2023
0.7954	ex 2932 99 00	83	6,11-Dihydrodibenz[b,e]oxepin-11-one (CAS RN 4504-87-4) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3697	ex 2932 99 00	85	1,3:2,4-bis-O-(3,4-Dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)	0 %	-	31.12.2023
0.7903	ex 2933 19 90	13	3-(Difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carbonyl fluoride (CAS RN 1255735-07-9) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.6262	ex 2933 19 90	15	Pyrasulfotole (ISO) (CAS RN 365400-11-9) with a purity by weight of 96 % or more	0 %	-	31.12.2024
0.7835	ex 2933 19 90	17	1,3-Dimethyl-1H-pyrazole (CAS RN 694-48-4) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.7918	ex 2933 19 90	23	Fluindapyr (ISO) (CAS RN 1383809-87-7) with a purity by weight of 96 % or more	0 %	-	31.12.2024
0.6261	ex 2933 19 90	25	3-Difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (CAS RN 176969-34-9)	0 %	-	31.12.2024
0.7836	ex 2933 19 90	27	3-(3,3,3-Trifluoro-2,2-dimethylpropoxy)-1H-pyrazole-4-carboxylic acid (CAS RN 2229861-20-3) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.3699	ex 2933 19 90	30	3-Methyl-1- <i>p</i> -tolyl-5-pyrazolone (CAS RN 86-92-0)	0 %	-	31.12.2023
0.7811	ex 2933 19 90	33	Fipronil (ISO) (CAS RN 120068-37-3) with a purity by weight of 95 % or more for the use in the manufacture of veterinary medicine ⁽¹⁾	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8353	ex 2933 19 90	38	4,5-Dimethyl-1H-pyrazole-3-carboxylic acid (CAS RN 89831-40-3) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.3877	ex 2933 19 90	40	Edaravone (INN) (CAS RN 89-25-8)	0 %	-	31.12.2023
0.7938	ex 2933 19 90	43	tert-Butyl 2-(3,5-dimethyl-1H-pyrazol-4-yl)acetate (CAS RN 1082827-81-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.7119	ex 2933 19 90	45	5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile (CAS RN 120068-79-3)	0 %	-	31.12.2026
0.8046	ex 2933 19 90	48	1-(3-Iodo-1-isopropyl-1H-pyrazol-4-yl)ethanone (CAS RN 1269440-49-4) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3992	ex 2933 19 90	50	Fenpyroximate (ISO) (CAS RN 134098-61-6)	0 %	-	31.12.2024
0.8240	ex 2933 19 90	53	3-[2-(Dispiro[2.0.2 ⁴ .1 ³]heptan-7-yl)ethoxy]-1H-pyrazole-4-carboxylic acid (CAS RN 2608048-67-3) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.4494	ex 2933 19 90	60	Pyraflufen-ethyl (ISO) (CAS RN 129630-19-9)	0 %	-	31.12.2024
0.7576	ex 2933 19 90	65	4-Bromo-1-(1-ethoxyethyl)-1H-pyrazole (CAS RN 1024120-52-2)	0 %	-	31.12.2023
0.4404	ex 2933 19 90	70	4,5-Diamino-1-(2-hydroxyethyl)-pyrazolsulphate (CAS RN 155601-30-2)	0 %	-	31.12.2023
0.8312	ex 2933 21 00	45	Sodium (5S,8S)-8-methoxy-2,4-dioxo-1,3-diazaspiro[4.5]decan-3-ide (CAS RN 1400584-86-2) with a purity by weight of 90 % or more	0 %	-	31.12.2026
0.4084	ex 2933 21 00	50	1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN 16079-88-2) / (CAS RN 32718-18-6)	0 %	-	31.12.2026
0.6835	ex 2933 21 00	55	1-Aminohydantoin hydrochloride (CAS RN 2827-56-7)	0 %	-	31.12.2025
0.4088	ex 2933 21 00	60	DL- <i>p</i> -Hydroxyphenylhydantoin (CAS RN 2420-17-9)	0 %	-	31.12.2026
0.5115	ex 2933 21 00	80	5,5-Dimethylhydantoin (CAS RN 77-71-4)	0 %	-	31.12.2025
0.5972	ex 2933 29 90	15	Ethyl 4-(1-hydroxy-1-methylethyl)-2-propylimidazole-5-carboxylate (CAS RN 144689-93-0)	0 %	-	31.12.2023
0.7527	ex 2933 29 90	18	2-(2-Chlorophenyl)-1-[2-(2-chlorophenyl)-4,5-diphenyl-2H-imidazol-2-yl]-4,5-diphenyl-1H-imidazole (CAS RN 7189-82-4)	0 %	-	31.12.2023
0.8150	ex 2933 29 90	20	tert-Butyl (2S)-2-(5-bromo-1H-imidazol-2-yl)pyrrolidine-1-carboxylate (CAS RN 1007882-59-8) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.7937	ex 2933 29 90	23	1,1'-Thiocarbonylbis(imidazole) (CAS RN 6160-65-2) with a purity by weight of 95 % or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5920	ex 2933 29 90	28	Prochloraz (ISO) (CAS RN 67747-09-5) with purity by weight of 97 % or more	0 %	-	31.12.2023
0.5921	ex 2933 29 90	45	Prochloraz copper chloride (ISO) (CAS RN 156065-03-1)	0 %	-	31.12.2023
0.2752	ex 2933 29 90	50	1,3-Dimethylimidazolidin-2-one (CAS RN 80-73-9)	0 %	-	31.12.2023
0.6263	ex 2933 29 90	55	Fenamidone (ISO) (CAS RN 161326-34-7) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.5215	ex 2933 29 90	60	1-Cyano-2-methyl-1-[2-(5-methylimidazol-4-ylmethylthio)ethyl]isothiourea (CAS RN 52378-40-2)	0 %	-	31.12.2026
0.7120	ex 2933 29 90	75	2,2'-Azobis[2-(2-imidazolin-2-yl)propane] dihydrochloride (CAS RN 27776-21-2)	0 %	-	31.12.2026
0.5821	ex 2933 29 90	80	Imazalil (ISO) (CAS RN 35554-44-0)	0 %	-	31.12.2027
0.6415	2933 39 50		Fluroxypyr (ISO) methyl ester (CAS RN 69184-17-4)	0 %	-	31.12.2024
0.7186	ex 2933 39 99	10	2-Aminopyridin-4-ol hydrochloride (CAS RN 1187932-09-7)	0 %	-	31.12.2026
0.6462	ex 2933 39 99	11	2-(Chloromethyl)-4-(3-methoxypropoxy)-3-methylpyridine hydrochloride (CAS RN 153259-31-5)	0 %	-	31.12.2024
0.5608	ex 2933 39 99	12	2,3-Dichloropyridine (CAS RN 2402-77-9)	0 %	-	31.12.2027
0.8238	ex 2933 39 99	15	(S)-6-Bromo-2-(4-(3-(1,3-dioxoisindolin-2-yl)propyl)-2,2-dimethylpyrrolidin-1-yl)nicotinamide (CAS RN 2606972-45-4) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8239	ex 2933 39 99	18	Perfluorophenyl 6-fluoropyridine-2-sulfonate (CAS RN 2608048-81-1) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.6545	ex 2933 39 99	21	Boscalid (ISO) (CAS RN 188425-85-6)	0 %	-	31.12.2024
0.8329	ex 2933 39 99	22	N-(5-bromo-3-methylpyridin-2-yl)-N-methylbenzamide (CAS RN 446299-80-5) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.4594	ex 2933 39 99	24	2-Chloromethyl-4-methoxy-3,5-dimethylpyridine hydrochloride (CAS RN 86604-75-3)	0 %	-	31.12.2024
0.3604	ex 2933 39 99	25	Imazethapyr (ISO) (CAS RN 81335-77-5)	0 %	-	31.12.2023
0.7091	ex 2933 39 99	27	Pyridine-2,6-dicarboxylic acid (CAS RN 499-83-2)	0 %	-	31.12.2026
0.6368	ex 2933 39 99	28	Ethyl-3-[(3-amino-4-methylamino-benzoyl)-pyridin-2-yl-amino]-propionate (CAS RN 212322-56-0)	0 %	-	31.12.2024
0.8068	ex 2933 39 99	30	4-Amino-3-(4-phenoxyphenyl)-1-[(3R)-piperidin-3-yl]-1,3-dihydro-2H-imidazo[4,5-c]pyridin-2-one (CAS RN 1971921-35-3) mono oxalate with a purity by weight of the free base of 70 % or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6458	ex 2933 39 99	31	2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy)pyridine hydrochloride(CAS RN 127337-60-4)	0 %	-	31.12.2024
0.5241	ex 2933 39 99	32	2-(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (CAS RN 72830-09-2)	0 %	-	31.12.2026
0.7181	ex 2933 39 99	33	5-(3-Chlorophenyl)-3-methoxypyridine-2-carbonitrile (CAS RN 1415226-39-9)	0 %	-	31.12.2026
0.8420	ex 2933 39 99	34	Pyridin-3-ol (CAS RN 109-00-2) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.3878	ex 2933 39 99	35	Aminopyralid (ISO) (CAS RN 150114-71-9)	0 %	-	31.12.2023
0.7296	ex 2933 39 99	36	1-[2-[5-Methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]acetyl]piperidine-4-carbothioamide (CAS RN 1003319-95-6)	0 %	-	31.12.2027
0.5230	ex 2933 39 99	37	Aqueous solution of pyridine-2-thiol-1-oxide, sodium salt (CAS RN 3811-73-2)	0 %	-	31.12.2026
0.7348	ex 2933 39 99	38	(2-Chloropyridin-3-yl) methanol (CAS RN 42330-59-6)	0 %	-	31.12.2027
0.8356	ex 2933 39 99	40	2-Hydroxypyridine-N-oxide (CAS RN 13161-30-3) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8266	ex 2933 39 99	42	Glasdegib maleate (INN) (CAS RN 2030410-25-2) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.7121	ex 2933 39 99	46	Fluopicolide (ISO) (CAS RN 239110-15-7) with a content by weight of 97 % or more	0 %	-	31.12.2026
0.4706	ex 2933 39 99	47	(-)-trans-4-(4'-Fluorophenyl)-3-hydroxymethyl-N-methylpiperidine (CAS RN 105812-81-5)	0 %	-	31.12.2026
0.4749	ex 2933 39 99	48	Flonicamid (ISO) (CAS RN 158062-67-0)	0 %	-	31.12.2024
0.8335	ex 2933 39 99	49	2-Phenyl-2-(2-pyridyl)acetamide (CAS RN 7251-52-7) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.6812	ex 2933 39 99	50	N,4-Dimethyl-1-(phenylmethyl)-3-piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.5610	ex 2933 39 99	52	6-Chloro-3-nitropyridin-2-ylamine (CAS RN 27048-04-0)	0 %	-	31.12.2023
0.4646	ex 2933 39 99	55	Pyriproxyfen (ISO) (CAS RN 95737-68-1) of a purity by weight of 97 % or more	0 %	-	31.12.2024
0.5760	ex 2933 39 99	57	<i>Tert</i> -butyl 3-(6-amino-3-methylpyridin-2-yl)benzoate (CAS RN 1083057-14-0)	0 %	-	31.12.2027
0.7598	ex 2933 39 99	59	Chlorpyrifos-Methyl (ISO) (CAS RN 5598-13-0)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2750	ex 2933 39 99	60	2-Fluoro-6-(trifluoromethyl)pyridine (CAS RN 94239-04-0)	0 %	-	31.12.2023
0.7584	ex 2933 39 99	61	6-Bromopyridin-2-amine (CAS RN 19798-81-3)	0 %	-	31.12.2023
0.7577	ex 2933 39 99	62	Ethyl 2,6-Dichloronicotinate (CAS RN 58584-86-4)	0 %	-	31.12.2023
0.7617	ex 2933 39 99	64	Methyl 1-(3-chloropyridin-2-yl)-3-hydroxymethyl-1H-pyrazole-5-carboxylate (CAS RN 960316-73-8)	0 %	-	31.12.2023
0.3602	ex 2933 39 99	65	Acetamiprid (ISO) (CAS RN 135410-20-7)	0 %	-	31.12.2023
0.5946	ex 2933 39 99	67	(1R,3S,4S)-tert-Butyl 3-(6-bromo-1H-benzo[d]imidazol-2-yl)-2-azabicyclo[2.2.1]heptane-2-carboxylate (CAS RN 1256387-74-2)	0 %	-	31.12.2023
0.7616	ex 2933 39 99	68	1-(3-Chloropyridin-2-yl)-3-[[5-(trifluoromethyl)-2H-tetrazol-2-yl]methyl]-1H-pyrazole-5-carboxylic acid (CAS RN 1352319-02-8) with a purity by weight of 85 % or more	0 %	-	31.12.2023
0.5494	ex 2933 39 99	70	2,3-Dichloro-5-trifluoromethylpyridine (CAS RN 69045-84-7)	0 %	-	31.12.2026
0.7704	ex 2933 39 99	71	Diufenican (ISO) (CAS RN 83164-33-4)	0 %	-	31.12.2024
0.7737	ex 2933 39 99	73	6-Chloro-4-(4-fluoro-2-methylphenyl)pyridin-3-amine hydrochloride	0 %	-	31.12.2024
0.7844	ex 2933 39 99	74	4-Aminopyridine-2-carboxamide (CAS RN 100137-47-1) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.8072	ex 2933 39 99	75	Clodinafop-propargyl (ISO) (CAS RN 105512-06-9) with a purity by weight of 90 % or more	0 %	-	31.12.2025
0.7813	ex 2933 39 99	76	Apalutamide (INN) (CAS RN 956104-40-8)	0 %	-	31.12.2024
0.5922	ex 2933 39 99	77	Imazamox (ISO) (CAS RN 114311-32-9)	0 %	-	31.12.2023
0.7818	ex 2933 39 99	78	Niraparib tosylate monohydrate (INN) (CAS RN 1613220-15-7)	0 %	-	31.12.2024
0.7754	ex 2933 39 99	79	Avibactam (INN) – sodium (CAS RN 1192491-61-4)	0 %	-	31.12.2024
0.8074	ex 2933 39 99	80	Tert-Butyl (3R)-3-(4-amino-2-oxo-2,3-dihydro-1H-imidazo[4,5-c]pyridin-1-yl)piperidine-1-carboxylate (CAS RN 1971921-33-1) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.7906	ex 2933 39 99	81	4-Hydroxy-3-pyridinesulphonic acid (CAS RN 51498-37-4) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.7866	ex 2933 39 99	82	Picloram (ISO) (CAS RN 1918-02-1) containing by weight not more than 15 % of water and with a dry weight purity of 92 % or more	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7976	ex 2933 39 99	83	2-Hydroxy-4-azoniaspiro[3,5]nonane chloride (CAS RN 15285-58-2) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.7925	ex 2933 39 99	84	Diethyl(3-pyridyl)borane (CAS RN 89878-14-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.5129	ex 2933 39 99	85	2-Chloro-5-chloromethylpyridine (CAS RN 70258-18-3)	0 %	-	31.12.2025
0.7981	ex 2933 39 99	86	3-(N-Hydroxycarbamimidoyl)pyridine 1-oxide (CAS RN 92757-16-9) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.7939	ex 2933 39 99	87	6-Chloro-N-(2,2-dimethylpropyl)pyridine-3-carboxamide (CAS RN 585544-20-3) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8096	ex 2933 39 99	89	1-Benzyl-4-phenylpiperidine-4-carbonitrile monohydrochloride (CAS RN 71258-18-9) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3603	ex 2933 49 10	10	Quinmerac (ISO) (CAS RN 90717-03-6)	0 %	-	31.12.2023
0.4525	ex 2933 49 10	20	3-Hydroxy-2-methylquinoline-4-carboxylic acid (CAS RN 117-57-7)	0 %	-	31.12.2023
0.6339	ex 2933 49 10	40	4,7-Dichloroquinoline (CAS RN 86-98-6)	0 %	-	31.12.2024
0.6773	ex 2933 49 10	50	1-Cyclopropyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylic acid (CAS RN 94695-52-0)	0 %	-	31.12.2025
0.7098	ex 2933 49 90	25	Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2)	0 %	-	31.12.2026
0.4927	ex 2933 49 90	30	Quinoline (CAS RN 91-22-5)	0 %	-	31.12.2025
0.7524	ex 2933 49 90	45	6,7-Dimethoxy-3,4-dihydroisoquinoline hydrochloride (CAS RN 20232-39-7)	0 %	-	31.12.2023
0.8037	ex 2933 49 90	55	2-(<i>tert</i> -Butoxycarbonyl)-5,7-dichloro-1,2,3,4-tetrahydroisoquinoline-6-carboxylic acid (CAS RN 851784-82-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.3880	ex 2933 49 90	70	Quinolin-8-ol (CAS RN 148-24-3)	0 %	-	31.12.2023
0.8358	ex 2933 49 90	75	2-Methyl-4-(1-methyl-1H-1,2,4-triazol-5-yl)quinolin-8-ol (CAS RN 1174132-59-2) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.4043	ex 2933 52 00	10	Malonylurea (barbituric acid) (CAS RN 67-52-7)	0 %	-	31.12.2026
0.7631	ex 2933 54 00	10	5,5'-(1,2-Diazenediyl)bis [2,4,6 (1H, 3H, 5H)-pyrimidinetrione] (CAS RN 25157-64-6)	0 %	-	31.12.2023
0.6468	ex 2933 59 95	10	6-Amino-1,3-dimethyluracil (CAS RN 6642-31-5)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6151	ex 2933 59 95	13	2-Diethylamino-6-hydroxy-4-methylpyrimidine (CAS RN 42487-72-9)	0 %	-	31.12.2023
0.2578	ex 2933 59 95	15	Sitagliptin phosphate monohydrate (CAS RN 654671-77-9)	0 %	-	31.12.2023
0.2745	ex 2933 59 95	20	2,4-Diamino-6-chloropyrimidine (CAS RN 156-83-2)	0 %	-	31.12.2023
0.6763	ex 2933 59 95	21	N-(2-Oxo-1,2-dihydropyrimidin-4-yl)benzamide (CAS RN 26661-13-2)	0 %	-	31.12.2025
0.5912	ex 2933 59 95	27	2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-3-hydroxypropylacetate (CAS RN 88110-89-8)	0 %	-	31.12.2023
0.7810	ex 2933 59 95	28	6,8-Difluoro-1-(methylamino)-7-(4-methylpiperazin-1-yl)-4-oxo-1,4-dihydroquinoline-3-carboxylic acid (CAS RN 100276-37-7)	0 %	-	31.12.2024
0.8157	ex 2933 59 95	29	2-Amino-4-(4-methylpiperazin-1-yl) benzoic acid tert-butyl ester (CAS RN 1034975-35-3) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.3600	ex 2933 59 95	30	Mepanipyrin (ISO) (CAS RN 110235-47-7)	0 %	-	31.12.2023
0.8376	ex 2933 59 95	31	Sotorasib (INN) (CAS RN 2296729-00-3) with a purity by weight of 99 % or more	0 %	-	31.12.2027
0.6240	ex 2933 59 95	33	4,6-Dichloro-5-fluoropyrimidine (CAS RN 213265-83-9)	0 %	-	31.12.2024
0.7370	ex 2933 59 95	34	6-chloro-1,3-dimethyluracil (CAS RN 6972-27-6) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.7345	ex 2933 59 95	36	1-(Cyclopropylcarbonyl)piperazine hydrochloride (CAS RN 1021298-67-8) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.6419	ex 2933 59 95	37	6-Iodo-3-propyl-2-thioxo-2,3-dihydroquinazolin-4(1H)-one (CAS RN 200938-58-5)	0 %	-	31.12.2024
0.8248	ex 2933 59 95	38	5-(5-Chlorosulfonyl-2-ethoxyphenyl)-1-methyl-3-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one (CAS No 139756-22-2) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8243	ex 2933 59 95	41	2-(4-Phenoxyphenyl)-7-(piperidin-4-yl)-4,5,6,7-tetrahydropyrazolo[1,5-a]pyrimidine-3-carbonitrile (CAS RN 2190506-57-9) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8056	ex 2933 59 95	42	2-Chloropyrimidine (CAS RN 1722-12-9) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.4704	ex 2933 59 95	45	1-[3-(Hydroxymethyl)pyridin-2-yl]-4-methyl-2-phenylpiperazine (CAS RN 61337-89-1)	0 %	-	31.12.2024
0.6677	ex 2933 59 95	47	6-Methyl-2-oxoperhydropyrimidin-4-ylurea (CAS RN 1129-42-6) with a purity of 94 % or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4699	ex 2933 59 95	50	2-(2-Piperazin-1-ylethoxy)ethanol (CAS RN 13349-82-1)	0 %	-	31.12.2024
0.6987	ex 2933 59 95	52	6-Benzyladenine (CAS RN 1214-39-7) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.2744	ex 2933 59 95	60	2,6-Dichloro-4,8-dipiperidinopyrimido[5,4-d]pyrimidine (CAS RN 7139-02-8)	0 %	-	31.12.2023
0.7578	ex 2933 59 95	63	1-(3-Chlorophenyl) piperazine (CAS RN 6640-24-0)	0 %	-	31.12.2023
0.4772	ex 2933 59 95	65	1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate) (CAS RN 140681-55-6)	0 %	-	31.12.2024
0.7825	ex 2933 59 95	68	Guanine (CAS RN 73-40-5) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.2735	ex 2933 59 95	70	N-(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-phenylglycine (CAS RN 63422-71-9)	0 %	-	31.12.2023
0.5542	ex 2933 59 95	77	3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)	0 %	-	31.12.2027
0.7071	ex 2933 59 95	87	5-Bromo-2,4-dichloropyrimidine (CAS RN 36082-50-5)	0 %	-	31.12.2026
0.6774	ex 2933 69 80	13	Metribuzin (ISO) (CAS RN 21087-64-9) with a purity by weight of 93 % or more	0 %	-	31.12.2025
0.6621	ex 2933 69 80	15	2-Chloro-4,6-dimethoxy-1,3,5-triazine (CAS RN 3140-73-6)	0 %	-	31.12.2025
0.6951	ex 2933 69 80	17	Benzoguanamine (CAS RN 91-76-9)	0 %	-	31.12.2026
0.7721	ex 2933 69 80	23	1,3,5-Tris(2,3-dibromopropyl)-1,3,5-triazinane-2,4,6-trione (CAS RN 52434-90-9)	0 %	-	31.12.2024
0.7600	ex 2933 69 80	27	Troclosene sodium dihydrate (INN) (CAS RN 51580-86-0)	0 %	-	31.12.2023
0.7952	ex 2933 69 80	33	2,4,6-Trichloro-1,3,5-triazine (CAS RN 108-77-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.5272	ex 2933 69 80	40	Troclosene sodium (INN) (CAS RN 2893-78-9)	0 %	-	31.12.2026
0.7464	ex 2933 69 80	45	2-(4,6-Bis-(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6)	0 %	-	31.12.2023
0.5131	ex 2933 69 80	55	Terbutryn (ISO) (CAS RN 886-50-0)	0 %	-	31.12.2025
0.4957	ex 2933 69 80	60	Cyanuric acid (CAS RN 108-80-5)	0 %	-	31.12.2025
0.6127	ex 2933 69 80	65	1,3,5-Triazine-2,4,6-(1H,3H,5H)-trithione, trisodium salt (CAS RN 17766-26-6)	0 %	-	31.12.2023
0.6477	ex 2933 69 80	75	Metamitron (ISO) (CAS RN 41394-05-2)	0 %	-	31.12.2024
0.3882	ex 2933 69 80	80	Tris(2-hydroxyethyl)-1,3,5-triazinetriene (CAS RN 839-90-7)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6960	ex 2933 79 00	15	Ethyl <i>N</i> -(<i>tert</i> -Butoxycarbonyl)-L-pyroglutamate (CAS RN 144978-12-1)	0 %	-	31.12.2026
0.7346	ex 2933 79 00	25	Methyl 2-oxo-2,3-dihydro-1H-indole-6-carboxylate (CAS RN 14192-26-8)	0 %	-	31.12.2024
0.4294	ex 2933 79 00	30	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	0 %	-	31.12.2027
0.7453	ex 2933 79 00	35	1- <i>tert</i> -Butyl 2-methyl(2S)-5-oxopyrrolidine-1,2-dicarboxylate (CAS RN 108963-96-8)	0 %	-	31.12.2023
0.8038	ex 2933 79 00	45	1-Phenyl-3H-indol-2-one (CAS RN 3335-98-6) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.4524	ex 2933 79 00	50	6-Bromo-3-methyl-3H-dibenz(f,i)isoquinoline-2,7-dione (CAS RN 81-85-6)	0 %	-	31.12.2023
0.8203	ex 2933 79 00	55	(3S,4R)-3-Amino-4-hydroxypyrrolidin-2-one hydrochloride (CAS RN 2446872-13-3) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8212	ex 2933 79 00	65	1-Dodecyl-2-pyrrolidone (CAS RN 2687-96-9) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.4985	ex 2933 79 00	70	(<i>S</i>)- <i>N</i> -[(Diethylamino)methyl]-alpha-ethyl-2-oxo-1-pyrrolidineacetamide L-(+)-tartrate, (CAS RN 754186-36-2)	0 %	-	31.12.2025
0.8351	ex 2933 79 00	75	<i>N</i> -(<i>n</i> -octyl)-2-pyrrolidone (CAS RN 2687-94-7) with a purity by weight of 99 % or more	0 %	-	31.12.2027
0.8354	ex 2933 79 00	80	(<i>S</i>)-2-Amino-3-[(<i>S</i>)-2-oxopyrrolidin-3-yl]propanamide hydrochloride (CAS RN 2628280-48-6) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.3580	ex 2933 99 80	06	Metconazole (ISO) (CAS RN 125116-23-6) with a purity by weight of 98 % or more	0 %	-	31.12.2023
0.8156	ex 2933 99 80	07	4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)butanoic acid (CAS RN 3273-68-5) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8180	ex 2933 99 80	08	Prothioconazole (ISO) (CAS RN 178928-70-6) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8202	ex 2933 99 80	09	5,7-Difluoro-2-(4-fluorophenyl)-1H-indole (CAS RN 901188-04-3) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8324	ex 2933 99 80	10	(<i>R</i>)-2-(2,5-difluorophenyl)pyrrolidine hydrochloride (CAS RN 1218935-60-4) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.6563	ex 2933 99 80	11	Fenbuconazole (ISO) (CAS RN 114369-43-6)	0 %	-	31.12.2024
0.6564	ex 2933 99 80	12	Myclobutanil (ISO) (CAS RN 88671-89-0)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5243	ex 2933 99 80	13	5-Difluoromethoxy-2-mercapto-1-H-benzimidazole (CAS RN 97963-62-7)	0 %	-	31.12.2026
0.6146	ex 2933 99 80	14	2-(2H-benzotriazol-2-yl)-4-methyl-6-(2-methylprop-2-en-1-yl)phenol(CAS RN 98809-58-6)	0 %	-	31.12.2023
0.2731	ex 2933 99 80	15	2-(2H-Benzotriazol-2-yl)-4,6-di- <i>tert</i> -pentylphenol (CAS RN 25973-55-1)	0 %	-	31.12.2023
0.6872	ex 2933 99 80	16	Pyridate (ISO)(CAS RN 55512-33-9) with a purity by weight of 90 % or more	0 %	-	31.12.2025
0.8359	ex 2933 99 80	17	(1 <i>R</i> ,2 <i>S</i> ,5 <i>S</i>)-3-[(<i>S</i>)-3,3-dimethyl-2-(2,2,2-trifluoroacetamido)butanoyl]-6,6-dimethyl-3-azabicyclo[3.1.0]hexane-2-carboxylic acid (CAS RN 2755812-45-2) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8290	ex 2933 99 80	18	2-(2-Ethoxyphenyl)-5-methyl-7-propylimidazolo[5,1-f][1,2,4]-triazin-4(3H)-one (CAS RN 224789-21-3) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.6567	ex 2933 99 80	19	2-(2,4-Dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propan-1-ol (CAS RN 112281-82-0)	0 %	-	31.12.2024
0.2732	ex 2933 99 80	20	2-(2H-Benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol (CAS RN 70321-86-7)	0 %	-	31.12.2023
0.6829	ex 2933 99 80	21	1-(Bis(dimethylamino)methylene)-1 <i>H</i> -[1,2,3]triazolo[4,5-b]pyridinium 3-oxide hexafluorophosphate(V) (CAS RN 148893-10-1)	0 %	-	31.12.2025
0.8249	ex 2933 99 80	22	Dibenz[b,f]azepine-5-carbonyl chloride (CAS RN 33948-22-0) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.6244	ex 2933 99 80	23	Tebuconazole (ISO) (CAS RN 107534-96-3) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.5625	ex 2933 99 80	24	1,3-Dihydro-5,6-diamino-2 <i>H</i> -benzimidazol-2-one (CAS RN 55621-49-3)	0 %	-	31.12.2027
0.8089	ex 2933 99 80	25	6-(4-Benzylamino-3-nitrophenyl)-5-methyl-4,5-dihydro-2 <i>H</i> -pyridazin-3-one (CAS RN 77469-62-6) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8418	ex 2933 99 80	26	Benzotriazole-1-yl-oxy-tris-pyrrolidino-phosphonium hexafluorophosphate (CAS RN 128625-52-5) with a purity by weight of 97 % or more	0 %	-	31.12.2027
0.6409	ex 2933 99 80	27	5,6-Dimethylbenzimidazole (CAS RN 582-60-5)	0 %	-	31.12.2024
0.8357	ex 2933 99 80	28	7-(2-Methyl-4-nitrophenoxy)-[1,2,4]triazolo[1,5-a]pyridine (CAS RN 937263-44-0) with a purity by weight of 98 % or more	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3593	ex 2933 99 80	30	Quizalofop-P-ethyl (ISO) (CAS RN 100646-51-3)	0 %	-	31.12.2023
0.8284	ex 2933 99 80	32	1H-1,2,3-Triazole (CAS RN 288-36-8) or 2H-1,2,3-triazole (CAS RN 288-35-7) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.6249	ex 2933 99 80	33	Penconazole (ISO) (CAS RN 66246-88-6)	0 %	-	31.12.2024
0.7043	ex 2933 99 80	34	2,4-Dihydro-5-methoxy-4-methyl-3 <i>H</i> -1,2,4-triazol-3-on (CAS RN 135302-13-5)	0 %	-	31.12.2026
0.6958	ex 2933 99 80	36	3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-methoxyquinoxaline (CAS RN 1799733-46-2)	0 %	-	31.12.2023
0.4695	ex 2933 99 80	37	8-Chloro-5,10-dihydro-1 <i>H</i> -dibenzo [<i>b,e</i>] [1,4]diazepin-11-one (CAS RN 50892-62-1)	0 %	-	31.12.2024
0.7045	ex 2933 99 80	38	(4 <i>aS</i> ,7 <i>aS</i>)-Octahydro-1 <i>H</i> -pyrrolo[3,4- <i>b</i>]pyridine (CAS RN 151213-40-0)	0 %	-	31.12.2026
0.3591	ex 2933 99 80	40	<i>trans</i> -4-Hydroxy-L-proline (CAS RN 51-35-4)	0 %	-	31.12.2023
0.7273	ex 2933 99 80	41	5-[4'-(Bromomethyl)biphenyl-2-yl]-1-trityl-1 <i>H</i> -tetrazole (CAS RN 124750-51-2)	0 %	-	31.12.2027
0.7185	ex 2933 99 80	42	(<i>S</i>)-2,2,4-Trimethylpyrrolidine hydrochloride (CAS RN 1897428-40-8)	0 %	-	31.12.2026
0.3582	ex 2933 99 80	45	Maleic hydrazide (ISO) (CAS RN 123-33-1)	0 %	-	31.12.2023
0.7269	ex 2933 99 80	46	(<i>S</i>)-Indoline-2-carboxylic acid (CAS RN 79815-20-6)	0 %	-	31.12.2027
0.5818	ex 2933 99 80	47	Paclobutrazol (ISO) (CAS RN 76738-62-0)	0 %	-	31.12.2027
0.7410	ex 2933 99 80	48	5-Amino-6-methyl-2-benzimidazolone (CAS RN 67014-36-2)	0 %	-	31.12.2027
0.5945	ex 2933 99 80	53	Potassium (S)-5-(tert-butoxycarbonyl)-5-azaspiro[2.4]heptane-6-carboxylate (CAS RN 1441673-92-2) (<i>S</i>)	0 %	-	31.12.2023
0.6599	ex 2933 99 80	54	3-(Salicyloylamino)-1,2,4-triazole (CAS RN 36411-52-6)	0 %	-	31.12.2025
0.4585	ex 2933 99 80	55	Pyridaben (ISO) (CAS RN 96489-71-3)	0 %	-	31.12.2024
0.7457	ex 2933 99 80	56	Methyl 3,5-diamino-6-chloropyrazine-2-carboxylate (CAS RN 1458-01-1)	0 %	-	31.12.2023
0.5901	ex 2933 99 80	57	2-(5-Methoxyindol-3-yl)ethylamine (CAS RN 608-07-1)	0 %	-	31.12.2023
0.7649	ex 2933 99 80	58	Ipconazole (ISO) (CAS RN 125225-28-7) with a purity by weight of 90 % or more	0 %	-	31.12.2023
0.7673	ex 2933 99 80	59	Hydrates of Hydroxybenzotriazole (CAS RN 80029-43-2 and CAS RN 123333-53-9)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7927	ex 2933 99 80	60	2-[(6,11-Dihydro-5H-dibenz[b,e]azepin-6-yl)-methyl]-1H-isoindole-1,3(2H)-dione (CAS RN 143878-20-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.7624	ex 2933 99 80	61	(1R,5S)-8-Benzyl-8-azabicyclo(3.2.1)octan-3-one hydrochloride (CAS RN 83393-23-1)	0 %	-	31.12.2023
0.7680	ex 2933 99 80	63	L-Prolinamide (CAS RN 7531-52-4)	0 %	-	31.12.2023
0.7839	ex 2933 99 80	66	(6-(4-Fluorobenzyl)-3,3-dimethyl-2,3-dihydro-1H-pyrrolo[3,2-b]pyrid-5-yl)methanol (CAS RN 1799327-42-6) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.5468	ex 2933 99 80	67	Candesartan ethyl ester (INNM) (CAS RN 139481-58-6)	0 %	-	31.12.2026
0.7679	ex 2933 99 80	68	5-((1S,2S)-2-((2R,6S,9S,11R,12R,14aS,15S,16S,20R,23S,25aR)-9-Amino-20-((R)-3-amino-1-hydroxy-3-oxopropyl)-2,11,12,15-tetrahydroxy-6-((R)-1-hydroxyethyl)-16-methyl-5,8,14,19,22,25-hexaoxotetracosahydro-1H-dipyrrolo[2,1-c:2',1'-l][1,4,7,10,13,16]hexaazacyclohenicosin-23-yl)-1,2-dihydroxyethyl)-2-hydroxyphenyl hydrogen sulphate (CAS RN 168110-44-9)	0 %	-	31.12.2023
0.8053	ex 2933 99 80	69	5-Formyl-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (CAS RN 253870-02-9) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.7971	ex 2933 99 80	70	5-(Bis-(2-hydroxyethyl)-amino)-1-methyl-1H-benzimidazole-2-butanolic acid ethyl ester (CAS RN 3543-74-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.4384	ex 2933 99 80	71	10-Methoxyiminostilbene (CAS RN 4698-11-7)	0 %	-	31.12.2023
0.4503	ex 2933 99 80	72	1,4,7-Trimethyl-1,4,7-triazacyclononane (CAS RN 96556-05-7)	0 %	-	31.12.2023
0.7759	ex 2933 99 80	75	1-[Bis(dimethylamino)methylene]-1H-benzotriazolium hexafluorophosphate(1-) 3-oxide (CAS RN 94790-37-1)	0 %	-	31.12.2024
0.8054	ex 2933 99 80	76	2-Methylindoline (CAS RN 6872-06-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8064	ex 2933 99 80	77	9-[1,1'-Biphenyl]-3-yl-9'-[1,1'-biphenyl]-4-yl-3,3'-bi-9H-carbazole (CAS RN 1643479-47-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.4382	ex 2933 99 80	78	3-Amino-3-azabicyclo (3.3.0) octane hydrochloride (CAS RN 58108-05-7)	0 %	-	31.12.2023
0.8014	ex 2933 99 80	80	Pyrrole-2-carboxaldehyde (CAS RN 1003-29-8) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.4164	ex 2933 99 80	81	1,2,3-Benzotriazole (CAS RN 95-14-7)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4165	ex 2933 99 80	82	Tolytriazole (CAS RN 29385-43-1)	0 %	-	31.12.2023
0.6933	ex 2933 99 80	87	Carfentrazone-ethyl (ISOM) (CAS RN 128639-02-1) with a purity by weight of 90 % or more	0 %	-	31.12.2025
0.3579	ex 2934 10 00	10	Hexythiazox (ISO) (CAS RN 78587-05-0)	0 %	-	31.12.2023
0.2725	ex 2934 10 00	20	2-(4-Methylthiazol-5-yl)ethanol (CAS RN 137-00-8)	0 %	-	31.12.2023
0.5538	ex 2934 10 00	35	(2-Isopropylthiazol-4-yl)-N-methylmethanamine dihydrochloride (CAS RN 1185167-55-8)	0 %	-	31.12.2027
0.6264	ex 2934 10 00	45	2-Cyanimino-1,3-thiazolidine (CAS RN 26364-65-8)	0 %	-	31.12.2024
0.4750	ex 2934 10 00	60	Fosthiazate (ISO) (CAS RN 98886-44-3)	0 %	-	31.12.2024
0.7312	ex 2934 20 80	15	Benthiavalicarb-isopropyl (ISO) (CAS RN 177406-68-7)	0 %	-	31.12.2027
0.4346	ex 2934 20 80	25	1,2-Benzisothiazol-3(2H)-one (CAS RN 2634-33-5) in the form of a powder with a purity by weight of 95 % or more, or in an aqueous mixture containing by weight 20 % or more of 1,2-benzisothiazol-3(2H)-one	0 %	-	31.12.2027
0.4910	ex 2934 20 80	70	N,N-Bis(1,3-benzothiazol-2-ylsulphonyl)-2-methylpropan-2-amine (CAS RN 3741-80-8)	0 %	-	31.12.2025
0.5537	ex 2934 30 90	10	2-Methylthiophenothiazine (CAS RN 7643-08-5)	0 %	-	31.12.2027
0.6492	ex 2934 99 90	10	Fluralaner (INN) (CAS RN 864731-61-3)	0 %	-	31.12.2024
0.8388	ex 2934 99 90	11	Aqueous solution of d(P-thio)(T-G-A-C-T-G-T-G-A-A-C-G-T-T-C-G-A-G-A-T-G-A) deoxyribonucleic acid (CAS RN 937402-51-2), containing by weight 15 % or more, but not more than 25 % of oligodeoxynucleotide	0 %	-	31.12.2027
0.5924	ex 2934 99 90	12	Dimethomorph (ISO) (CAS RN 110488-70-5)	0 %	-	31.12.2023
0.8348	ex 2934 99 90	13	(6S)-6-methyl-5,6-Dihydro-4H-thieno[2,3-b]thiopyran-4-one-7,7-dioxide (CAS RN 148719-91-9) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.8326	ex 2934 99 90	14	2-Mercaptadenosine (CAS RN 43157-50-2) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.3577	ex 2934 99 90	15	Carboxin (ISO) (CAS RN 5234-68-4)	0 %	-	31.12.2023
0.6476	ex 2934 99 90	16	Difenoconazole (ISO) (CAS RN 119446-68-3)	0 %	-	31.12.2024
0.7843	ex 2934 99 90	17	(S)-4-(Tert-butoxycarbonyl)-1,4-oxazepane-2-carboxylic acid (CAS RN 1273567-44-4) with a purity by weight of 95 % or more	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8250	ex 2934 99 90	18	Methyl (1R,3R)-1-(1,3-benzodioxol-5-yl)-2-(2-chloroacetyl)-1,3,4,9-tetrahydropyrido[5,4-b]indole-3-carboxylate (CAS RN 171489-59-1) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.4715	ex 2934 99 90	20	Thiophene (CAS RN 110-02-1)	0 %	-	31.12.2024
0.8253	ex 2934 99 90	22	4-(Oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4) with a purity by weight of 97 % or more	0 %	-	31.12.2026
0.5263	ex 2934 99 90	23	Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2)	0 %	-	31.12.2026
0.6241	ex 2934 99 90	24	Flufenacet (ISO) (CAS RN 142459-58-3) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.4942	ex 2934 99 90	25	2,4-Diethyl-9H-thioxanthen-9-one (CAS RN 82799-44-8)	0 %	-	31.12.2025
0.6252	ex 2934 99 90	26	4-Methylmorpholine 4-oxide in an aqueous solution (CAS RN 7529-22-8)	0 %	-	31.12.2024
0.6362	ex 2934 99 90	27	2-(4-Hydroxyphenyl)-1-benzothiophene-6-ol (CAS RN 63676-22-2)	0 %	-	31.12.2024
0.5242	ex 2934 99 90	28	11-(Piperazin-1-yl)dibenzo[b,f][1,4]thiazepine dihydrochloride (CAS RN 111974-74-4)	0 %	-	31.12.2026
0.7837	ex 2934 99 90	29	(2R,5S)-tert-Butyl 4-benzyl-2-methyl-5-(((R)-3-methylmorpholino)methyl)piperazine-1-carboxylate (CAS RN 1403902-77-1) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.4700	ex 2934 99 90	30	Dibenzo[b,f][1,4]thiazepin-11(10H)-one (CAS RN 3159-07-7)	0 %	-	31.12.2024
0.7840	ex 2934 99 90	33	(2R,3R,5R)-5-(4-Amino-2-oxopyrimidin-1(2H)-yl)-2-(((benzoyloxy)methyl)-4,4-difluorotetrahydrofuran-3-yl benzoate (CAS RN 134790-39-9) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.8267	ex 2934 99 90	35	Nusinersen sodium (INNM) (CAS RN 1258984-36-9) with a purity by weight of 95 % or more	0 %	-	31.12.2026
0.5813	ex 2934 99 90	37	4-Propan-2-ylmorpholine (CAS RN 1004-14-4)	0 %	-	31.12.2027
0.6824	ex 2934 99 90	39	4-(Oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4)	0 %	-	31.12.2025
0.8094	ex 2934 99 90	40	2,3-Pyrazinedicarboxylic anhydride (CAS RN 4744-50-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.6823	ex 2934 99 90	41	11-[4-(2-Chloro-ethyl)-1-piperazinyl]dibenzo(b,f)(1,4)thiazepine (CAS RN 352232-17-8)	0 %	-	31.12.2025
0.6922	ex 2934 99 90	42	1-(Morpholin-4-yl)prop-2-en-1-one (CAS RN 5117-12-4)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8176	ex 2934 99 90	43	Fludioxonil (ISO) (CAS RN 131341-86-1) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.6893	ex 2934 99 90	44	Propiconazole (ISO) (CAS RN 60207-90-1) with a purity by weight of 92 % or more	0 %	-	31.12.2025
0.8380	ex 2934 99 90	45	4-[4-[(5s)-5-(Aminomethyl)-2-oxo-3-oxazolidinyl] phenyl]-3-morpholinone, hydrochloride (CAS RN 898543-06-1) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.5453	ex 2934 99 90	48	Propan-2-ol -- 2-methyl-4-(4-methylpiperazin-1-yl)-10H-thieno[2,3-b][1,5]benzodiazepine (1:2) dihydrate (CAS RN 864743-41-9)	0 %	-	31.12.2026
0.7188	ex 2934 99 90	49	Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)	0 %	-	31.12.2026
0.8330	ex 2934 99 90	51	Uridine 5'-triphosphate trisodium salt (CAS RN 19817-92-6) with a dry weight purity of 90 % or more	0 %	-	31.12.2027
0.7259	ex 2934 99 90	52	Epoxiconazole (ISO) (CAS RN 133855-98-8)	0 %	-	31.12.2027
0.8031	ex 2934 99 90	55	Uridine (CAS RN 58-96-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7297	ex 2934 99 90	56	1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]ethanone (CAS RN 1173693-36-1)	0 %	-	31.12.2027
0.3575	ex 2934 99 90	58	Dimethenamide-P (ISO) (CAS RN 163515-14-8)	0 %	-	31.12.2023
0.7387	ex 2934 99 90	59	Dolutegravir (INN) (CAS RN 1051375-16-6) or dolutegravir sodium (CAS RN 1051375-19-9)	0 %	-	31.12.2027
0.2718	ex 2934 99 90	60	DL-Homocysteine thiolactone hydrochloride (CAS RN 6038-19-3)	0 %	-	31.12.2023
0.7459	ex 2934 99 90	61	5-(1,2-Dithiolan-3-yl)valeric acid (CAS RN 1077-28-7)	0 %	-	31.12.2023
0.7536	ex 2934 99 90	62	(2b,3a,5a,16b,17b)-2-(Morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-3,17-diol 17-acetate (CAS RN 119302-24-8)	0 %	-	31.12.2023
0.7537	ex 2934 99 90	63	(2b,3a,5a,16b,17b)-2-(Morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-3,17-diol (CAS RN 119302-20-4)	0 %	-	31.12.2023
0.7449	ex 2934 99 90	64	2-Bromo-5-benzoylthiophene (CAS RN 31161-46-3)	0 %	-	31.12.2023
0.7926	ex 2934 99 90	65	Benzo[b]thiophen-10-methoxycycloheptanone (CAS RN 59743-84-9) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.4512	ex 2934 99 90	66	Tetrahydrothiophene-1,1-dioxide (CAS RN 126-33-0)	0 %	-	31.12.2023
0.7809	ex 2934 99 90	68	Afatinib dimaleate (INN) (CAS RN 850140-73-7)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7842	ex 2934 99 90	69	3-Methyl-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzo[d]oxazol-2(3H)-one (CAS RN 1220696-32-1) with a purity by weight of 95 % or more	0 %	-	31.12.2024
0.7944	ex 2934 99 90	70	1,3,4-Thiadiazolidine-2,5-dithione (CAS RN 1072-71-5) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8289	ex 2934 99 90	71	3,4-Dichloro-1,2,5-thiadiazole (CAS RN 5728-20-1) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.8317	ex 2934 99 90	72	2-Trifluoromethyl-9-allyl-9-thioxanthen-ol (CAS RN 850808-70-7) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.7731	ex 2934 99 90	73	Tetrahydrouridine (CAS RN 18771-50-1)	0 %	-	31.12.2024
0.4249	ex 2934 99 90	74	2-Isopropylthioxanthone (CAS RN 5495-84-1)	0 %	-	31.12.2027
0.4052	ex 2934 99 90	75	(4 <i>R</i> - <i>cis</i>)-1,1-Dimethylethyl-6-[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino)carbonyl]-1 <i>H</i> -pyrrol-1-yl]ethyl]-2,2-dimethyl-1,3-dioxane-4-acetate (CAS RN 125971-95-1)	0 %	-	31.12.2026
0.4058	ex 2934 99 90 ex 3204 20 00	76 10	2,5-Thiophenediylbis(5- <i>tert</i> -butyl-1,3-benzoxazole) (CAS RN 7128-64-5)	0 %	-	31.12.2026
0.8221	ex 2934 99 90	77	Tazemetostat (INN) (CAS 1403254-99-8) with a purity by weight of 99 % or more and its salts	0 %	-	31.12.2026
0.7579	ex 2934 99 90	78	[(3 <i>aS</i> ,5 <i>R</i> ,6 <i>S</i> ,6 <i>aS</i>)-6-Hydroxy-2,2-dimethyltetrahydrofuro[2,3- <i>d</i>][1,3]dioxol-5-yl] (morpholino)methanone (CAS RN 1103738-19-7)	0 %	-	31.12.2023
0.4388	ex 2934 99 90	79	Thiophen-2-ethanol (CAS RN 5402-55-1)	0 %	-	31.12.2023
0.7657	ex 2934 99 90	80	2-(Dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one (CAS RN 119344-86-4)	0 %	-	31.12.2023
0.8048	ex 2934 99 90	81	1-(4-Aminophenyl)-5-(morpholin-4-yl)-2,3-dihydropyridin-6-one (CAS RN 1267610-26-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.7815	ex 2934 99 90	82	Rel-(3 <i>aR</i> ,12 <i>bR</i>)-11-Chloro-2,3,3 <i>a</i> ,12 <i>b</i> -tetrahydro-2-methyl-1 <i>H</i> -dibenz[2,3:6,7]oxepino[4,5- <i>c</i>]pyrrol-1-one (CAS RN 129385-59-7) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.4643	ex 2934 99 90	83	Flumioxazin (ISO) (CAS RN 103361-09-7) of a purity by weight of 96 % or more	0 %	-	31.12.2024
0.4645	ex 2934 99 90	84	Etoxazole (ISO) (CAS RN 153233-91-1) of a purity by weight of 94,8 % or more	0 %	-	31.12.2024
0.8222	ex 2934 99 90	85	Gilteritinib (INN) (CAS 1254053-43-4) with a purity by weight of 98 % or more and its salts	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5133	ex 2934 99 90	86	Dithianon (ISO) (CAS RN 3347-22-6)	0 %	-	31.12.2025
0.5136	ex 2934 99 90	87	2,2'-(1,4-Phenylene)bis(4H-3,1-benzoxazin-4-one) (CAS RN 18600-59-4)	0 %	-	31.12.2025
0.7738	ex 2934 99 90	88	(7S,9aS)-7-((Benzyloxy)methyl)octahydropyrazino[2,1-c][1,4]oxazine dioxalate (CAS RN 1268364-46-0)	0 %	-	31.12.2024
0.6486	ex 2935 90 90	10	Florasulam (ISO) (CAS RN 145701-23-1)	0 %	-	31.12.2024
0.3566	ex 2935 90 90	15	Flupysulfuron-methyl-sodium (ISO) (CAS RN 144740-54-5)	0 %	-	31.12.2023
0.8173	ex 2935 90 90	18	4-Amino-2,5-dimethoxy-N-methylbenzenesulfonamide (CAS RN 49701-24-8) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.8174	ex 2935 90 90	19	4-Amino-2,5-dimethoxy-N-phenylbenzenesulphonamide (CAS RN 52298-44-9) with a purity by weight of 98 % or more	0 %	-	31.12.2026
0.3565	ex 2935 90 90	20	Toluenesulphonamides	0 %	-	31.12.2023
0.8224	ex 2935 90 90	21	Encorafenib (INN) (CAS 1269440-17-6) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.8276	ex 2935 90 90	22	Methyl 2-(chlorosulfonyl)-4-(methylsulfonamidomethyl)benzoate (CAS RN 393509-79-0) with a purity by weight of 90 % or more	0 %	-	31.12.2026
0.5239	ex 2935 90 90	23	N-[4-(2-Chloroacetyl)phenyl]methanesulphonamide (CAS RN 64488-52-4)	0 %	-	31.12.2026
0.8277	ex 2935 90 90	24	3-([(4-methylphenyl)sulfonyl]carbamoyl)amino)phenyl 4-methylbenzenesulfonate (CAS RN 232938-43-1) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.3563	ex 2935 90 90	25	Triflurosulfuron-methyl (ISO) (CAS RN 126535-15-7)	0 %	-	31.12.2023
0.5261	ex 2935 90 90	27	Methyl (3R,5S,6E)-7-{4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino]pyrimidin-5-yl}-3,5-dihydroxyhept-6-enoate (CAS RN 147118-40-9)	0 %	-	31.12.2026
0.5894	ex 2935 90 90	28	N-Fluorobenzenesulphonimide (CAS RN 133745-75-2)	0 %	-	31.12.2023
0.8350	ex 2935 90 90	29	Vemurafenib (INN) (CAS RN 918504-65-1) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.7183	ex 2935 90 90	30	6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)	0 %	-	31.12.2026
0.8413	ex 2935 90 90	31	5-(N-3-methylphenyl-sulfonylamido)-(N',N''-bis-(3-methylphenyl)-isophthalicacid-diamide) (CAS RN 2375645-78-4) with a purity by weight of 95 % or more	0 %	-	31.12.2027
0.7677	ex 2935 90 90	33	4-Chloro-3-pyridinesulphonamide (CAS RN 33263-43-3)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3564	ex 2935 90 90	35	Chlorsulfuron (ISO) (CAS RN 64902-72-3)	0 %	-	31.12.2023
0.7572	ex 2935 90 90	37	1,3-Dimethyl-1H-pyrazole-4-sulfonamide (CAS RN 88398-53-2)	0 %	-	31.12.2023
0.7438	ex 2935 90 90	40	Venetoclax (INN) (CAS 1257044-40-8)	0 %	-	31.12.2027
0.5036	ex 2935 90 90	42	Penoxsulam (ISO) (CAS RN 219714-96-2)	0 %	-	31.12.2025
0.6370	ex 2935 90 90	43	Oryzalin (ISO) (CAS RN 19044-88-3)	0 %	-	31.12.2024
0.7928	ex 2935 90 90	44	4-[2-(7-Methoxy-4,4-dimethyl-1,3-dioxo-3,4-dihydroisoquinolin-2(1H)-yl)ethyl]benzenesulphonamide (CAS RN 33456-68-7) with a purity by weight of 99,5 % or more	0 %	-	31.12.2025
0.3562	ex 2935 90 90	45	Rimsulfuron (ISO) (CAS RN 122931-48-0)	0 %	-	31.12.2023
0.6242	ex 2935 90 90	47	Halosulfuron-methyl (ISO) (CAS RN 100784-20-1) with a purity by weight of 98 % or more	0 %	-	31.12.2024
0.5451	ex 2935 90 90	48	(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[methyl(methylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid -- 1-[(R)-(4-chlorophenyl)(phenyl)methyl]piperazine (1:1) (CAS RN 1235588-99-4)	0 %	-	31.12.2026
0.2843	ex 2935 90 90	50	4,4'-Oxydi(benzenesulphonohydrazide) (CAS RN 80-51-3)	0 %	-	31.12.2023
0.4636	ex 2935 90 90	53	2,4-Dichloro-5-sulphamoylbenzoic acid (CAS RN 2736-23-4)	0 %	-	31.12.2024
0.6777	ex 2935 90 90	54	Propoxycarbazone-sodium (ISO) (CAS RN 181274-15-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.3560	ex 2935 90 90	55	Thifensulfuron-methyl (ISO) (CAS RN 79277-27-3)	0 %	-	31.12.2023
0.6802	ex 2935 90 90	56	N-(p-Toluenesulphonyl)-N'-(3-(p-toluenesulphonyloxy)phenyl)urea (CAS RN 232938-43-1)	0 %	-	31.12.2025
0.6903	ex 2935 90 90	57	N-{2-[(phenylcarbamoyl)amino]phenyl}benzenesulphonamide (CAS RN 215917-77-4)	0 %	-	31.12.2025
0.6664	ex 2935 90 90	59	Flazasulfuron (ISO) (CAS RN 104040-78-0) with a purity of 94 % by weight or more	0 %	-	31.12.2025
0.7676	ex 2935 90 90	60	4-[(3-Methylphenyl)amino]pyridine-3-sulfonamide (CAS RN 72811-73-5)	0 %	-	31.12.2023
0.4586	ex 2935 90 90	63	Nicosulphuron (ISO), (CAS RN 111991-09-4) of a purity by weight of 91 % or more	0 %	-	31.12.2024
0.3561	ex 2935 90 90	65	Tribenuron-methyl (ISO) (CAS RN 101200-48-0)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5539	ex 2935 90 90	68	(2S)-2-Benzyl- <i>N,N</i> -dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4) with purity by weight of 95,5 % or more	0 %	-	31.12.2024
0.7854	ex 2935 90 90	70	(4S)-4-Hydroxy-2-(3-methoxypropyl)-3,4-dihydro-2H-thieno[3,2-e]thiazine-6-sulfonamide-1,1-dioxide (CAS RN 154127-42-1) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.3559	ex 2935 90 90	75	Metsulfuron-methyl (ISO) (CAS RN 74223-64-6)	0 %	-	31.12.2023
0.8055	ex 2935 90 90	80	4-Chloro-3-sulphamoylbenzoic acid (CAS RN 1205-30-7) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.2844	ex 2935 90 90	85	<i>N</i> -[4-(Isopropylaminoacetyl)phenyl]methanesulphonamide hydrochloride	0 %	-	31.12.2024
0.3704	ex 2935 90 90	88	<i>N</i> -(2-(4-Amino- <i>N</i> -ethyl- <i>m</i> -toluidino)ethyl)methanesulphonamide sesquisulphate monohydrate (CAS RN 25646-71-3)	0 %	-	31.12.2023
0.4048	ex 2935 90 90	89	3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)- <i>N,N</i> -dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0)	0 %	-	31.12.2026
0.4944	ex 2938 90 30	10	Ammonium glycyrrhizate (CAS RN 53956-04-0)	0 %	-	31.12.2025
0.3554	ex 2938 90 90	10	Hesperidin (CAS RN 520-26-3)	0 %	-	31.12.2023
0.5927	ex 2938 90 90	20	Ethylvanillin beta-D-glucopyranoside (CAS RN 122397-96-0)	0 %	-	31.12.2023
0.7329	ex 2938 90 90	30	Rebaudioside A (CAS RN 58543-16-1)	0 %	-	31.12.2027
0.8178	ex 2939 79 90	50	1-Alpha-H,5-alpha-H-Nortropan-3-alpha-ol (CAS RN 538-09-0) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.7456	ex 2939 79 90	60	4-Methyl-2-pyridylamine (CAS RN 695-34-1) with a purity by weight of 98 % or more	0 %	-	31.12.2023
0.7047	ex 2940 00 00	30	D(+)- Trehalose dihydrate (CAS RN 6138-23-4)	0 %	-	31.12.2026
0.7757	ex 2940 00 00	50	2,3,4,6-Tetrakis-O-(phenylmethyl)-D-galactopyranose (CAS RN 6386-24-9)	0 %	-	31.12.2024
0.8424	ex 2940 00 00	60	Methyl α -D-mannopyranoside (CAS RN 617-04-9) with a purity by weight of 98 % or more	0 %	-	31.12.2027
0.5233	ex 2941 20 30	10	Dihydrostreptomycin sulphate (CAS RN 5490-27-7)	0 %	-	31.12.2026
0.6984	ex 2942 00 00	10	Sodium triacetoxyborohydride (CAS RN 56553-60-7)	0 %	-	31.12.2026
0.3555	3201 20 00		Wattle extract	0 %	-	31.12.2023
0.7943	ex 3201 90 20	10	<i>Rhus chinensis</i> gall (<i>Galla chinensis</i>) water-based extract, with a tannin content by weight of 85 % or less	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3553	ex 3201 90 90	20	Tanning extracts derived from gambier and myrobalan fruits	0 %	-	31.12.2023
0.6183	ex 3204 11 00	15	Colourant C.I. Disperse Blue 360 (CAS RN 70693-64-0) and preparations based thereon with a colourant C.I. Disperse Blue 360 content of 99 % or more by weight	0 %	-	31.12.2023
0.6277	ex 3204 11 00	25	N-(2-Chloroethyl)-4-[(2,6-dichloro-4-nitrophenyl)azo]-N-ethyl-m-toluidine (CAS RN 63741-10-6)	0 %	-	31.12.2024
0.5134	ex 3204 11 00	45	Preparation of dispersion dyes, containing: — C.I. Disperse Orange 61 (CAS RN 12270-45-0) or Disperse Orange 288 (CAS RN 96662-24-7), — C.I. Disperse Blue 291:1 (CAS RN 872142-01-3), — C.I. Disperse Violet 93:1 (CAS RN 122463-28-9), whether or not containing C.I. Disperse Red 54 (CAS RN 6657-37-0)	0 %	-	31.12.2025
0.5264	ex 3204 11 00	50	Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight	0 %	-	31.12.2027
0.6972	ex 3204 12 00	15	Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colourant C.I. Acid Brown 75 content of 75 % or more by weight	0 %	-	31.12.2026
0.6975	ex 3204 12 00	17	Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based thereon with a colourant C.I. Acid Brown 355 content of 75 % or more by weight	0 %	-	31.12.2026
0.7021	ex 3204 12 00	25	Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based thereon with a colourant C.I. Acid Black 210 content of 50 % or more by weight	0 %	-	31.12.2026
0.6976	ex 3204 12 00	27	Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based thereon with a colourant C.I. Acid Brown 425 content of 75 % or more by weight	0 %	-	31.12.2026
0.6963	ex 3204 12 00	35	Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a colourant C.I. Acid Black 234 content of 75 % or more by weight	0 %	-	31.12.2026
0.6964	ex 3204 12 00	37	Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based thereon with a colourant C.I. Acid Black 210 sodium salt content of 50 % or more by weight	0 %	-	31.12.2026
0.5925	ex 3204 12 00	40	Liquid dye preparation containing anionic acid dye C.I. Acid Blue 182 (CAS RN 12219-26-0)	0 %	-	31.12.2023
0.6965	ex 3204 12 00	45	Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a colourant C.I. Acid Blue 161/193 content of 75 % or more by weight	0 %	-	31.12.2026
0.6971	ex 3204 12 00	47	Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based thereon with a colourant C.I. Acid Brown 58 content of 75 % or more by weight	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6973	ex 3204 12 00	55	Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a colourant C.I. Acid Brown 165 content of 75 % or more by weight	0 %	-	31.12.2026
0.6974	ex 3204 12 00	57	Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based thereon with a colourant C.I. Acid Brown 282 content of 75 % or more by weight	0 %	-	31.12.2026
0.6535	ex 3204 12 00	60	Colourant C.I. Acid Red 52 (CAS RN 3520-42-1) and preparations based thereon with a colourant C.I. Acid Red 52 content of 97 % or more by weight	0 %	-	31.12.2024
0.6977	ex 3204 12 00	65	Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a colourant C.I. Acid Brown 432 content of 75 % or more by weight	0 %	-	31.12.2026
0.6652	ex 3204 12 00	70	Colourant C.I. Acid blue 25 (CAS RN 6408-78-2) and preparations based thereon with a colourant C.I. Acid blue 25 content of 80 % or more by weight	0 %	-	31.12.2025
0.4065	ex 3204 13 00	10	Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight	0 %	-	31.12.2023
0.7394	ex 3204 13 00	15	Colourant C.I. Basic Blue 41 (CAS RN 12270-13-2) and preparations based thereon with a colourant C.I. Basic Blue 41 content of 50 % or more by weight	0 %	-	31.12.2027
0.5804	ex 3204 13 00	30	Colourant C.I. Basic Blue 7 (CAS RN 2390-60-5) and preparations based thereon with a colourant C.I. Basic Blue 7 content of 50 % or more by weight	0 %	-	31.12.2023
0.7396	ex 3204 13 00	35	Colourant C.I. Basic Yellow 28 (CAS RN 54060-92-3) and preparations based thereon with a colourant C.I. Basic Yellow 28 content of 50 % or more by weight	0 %	-	31.12.2027
0.5805	ex 3204 13 00	40	Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90 % or more by weight	0 %	-	31.12.2027
0.6474	ex 3204 13 00	50	Colourant C.I. Basic Violet 11 (CAS RN 2390-63-8) and preparations based thereon with a colourant C.I. Basic Violet 11 content of 90 % or more by weight	0 %	-	31.12.2024
0.7775	ex 3204 13 00	55	Colourant C.I. Basic Violet 16 (CAS RN 6359-45-1) and preparations based thereon with a colourant C.I. Basic Violet 16 content of 60 % or more by weight	0 %	-	31.12.2024
0.6475	ex 3204 13 00	60	Colourant C.I. Basic Red 1:1 (CAS RN 3068-39-1) and preparations based thereon with a colourant C.I. Basic Red 1:1 content of 90 % or more by weight	0 %	-	31.12.2024
0.7776	ex 3204 13 00	65	Colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and preparations based thereon with a colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) content of 50 % or more but not more than 80 % by weight	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7777	ex 3204 13 00	70	Mixture of the colourants C.I. Basic Yellow 28 (CAS RN 54060-92-3), C.I. Basic Red 46 (CAS RN 12221-69-1) and C.I. Basic Blue 159 (CAS RN 105953-73-9) and preparations based thereon with a content of colourants C.I. Basic Yellow 28, C.I. Basic Red 46 and C.I. Basic Blue 159 taken together of 60 % or more by weight	0 %	-	31.12.2024
0.7778	ex 3204 13 00	75	Colourant C.I. Basic Red 18:1 (CAS RN 12271-12-4) and preparations based thereon with a content of 40 % or more by weight	0 %	-	31.12.2024
0.7779	ex 3204 13 00	80	Colourant C.I. Basic Yellow (CAS RN 83949-75-1) and preparations based thereon with a content of 40 % or more by weight	0 %	-	31.12.2024
0.6569	ex 3204 14 00	10	Colourant C.I. Direct Black 80 (CAS RN 8003-69-8) and preparations based thereon with a colourant C.I. Direct Black 80 content of 90 % or more by weight	0 %	-	31.12.2024
0.6570	ex 3204 14 00	20	Colourant C.I. Direct Blue 80 (CAS RN 12222-00-3) and preparations based thereon with a colourant C.I. Direct Blue 80 content of 90 % or more by weight	0 %	-	31.12.2024
0.6571	ex 3204 14 00	30	C.I. Colourant Direct Red 23 (CAS RN 3441-14-3) and preparations based thereon with a colourant C.I. Direct Red 23 content of 90 % or more by weight	0 %	-	31.12.2024
0.3997	ex 3204 15 00	60	Colourant C.I. Vat Blue 4 (CAS RN 81-77-6) and preparations based thereon with a colourant C.I. Vat Blue 4 content of 50 % or more by weight	0 %	-	31.12.2023
0.6129	ex 3204 15 00	70	Colourant C.I. Vat Red 1 (CAS RN 2379-74-0)	0 %	-	31.12.2023
0.6325	ex 3204 16 00	30	Preparations based on Colourant Reactive Black 5 (CAS RN 17095-24-8) with a content thereof of 60 % or more but not more than 75 % by weight, and including one or more of the following: — Colourant Reactive Yellow 201 (CAS RN 27624-67-5), — 1-Naphthalenesulphonicacid,4-amino-3-[[4-[[2-(sulphooxy)ethyl]sulphonyl]phenyl]azo]-, disodium salt (CAS RN 250688-43-8), or — 3,5-diamino-4-[[4-[[2-(sulphooxy)ethyl]sulphonyl]fenyl]azo]-2-[[2-sulfo-4-[[2-(sulphooxy)ethyl]sulfonyl]phenyl]azobenzoic acid sodium salt (CAS RN 906532-68-1)	0 %	-	31.12.2024
0.7367	ex 3204 16 00	40	Aqueous solution of Colourant C.I. Reactive Red 141 (CAS RN 61931-52-0) — with a colourant C.I. Reactive Red 141 content of 13 % or more by weight, and — containing a preservative	0 %	-	31.12.2027
0.2517	ex 3204 17 00	10	Colourant C.I. Pigment Yellow 81 (CAS RN 22094-93-5) and preparations based thereon with a colourant C.I. Pigment Yellow 81 content of 50 % or more by weight	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5433	ex 3204 17 00	15	Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a colourant C.I. Pigment Green 7 content of 40 % or more by weight	0 %	-	31.12.2026
0.7092	ex 3204 17 00	18	Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a colourant C.I. Pigment Orange 16 content of 90 % or more by weight	0 %	-	31.12.2026
0.6130	ex 3204 17 00	19	Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) and preparations based thereon with a colourant C.I. Pigment Red 48:2 content of 85 % or more by weight	0 %	-	31.12.2023
0.5505	ex 3204 17 00	20	Colourant C.I. Pigment Blue 15:3 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:3 content of 35 % or more by weight	0 %	-	31.12.2026
0.6279	ex 3204 17 00	21	Colourant C.I. Pigment Blue 15:4 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:4 content of 35 % or more by weight	0 %	-	31.12.2024
0.5259	ex 3204 17 00	22	Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight	0 %	-	31.12.2026
0.6246	ex 3204 17 00	23	Colourant C.I. Pigment Brown 41 (CAS RN 211502-16-8 or CAS RN 68516-75-6)	0 %	-	31.12.2024
0.6453	ex 3204 17 00	24	Colourant C.I. Pigment Red 57:1 (CAS RN 5281-04-9) and preparations based thereon with a Colourant C.I. Pigment Red 57:1 content of 20 % or more by weight	0 %	-	31.12.2023
0.5427	ex 3204 17 00	25	Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a colourant C.I. Pigment Yellow 14 content of 25 % or more by weight	0 %	-	31.12.2026
0.7261	ex 3204 17 00	26	Colourant C.I. Pigment Orange 13 (CAS RN 3520-72-7) and preparations based thereon with a colourant C.I. Pigment Orange 13 content of 80 % or more by weight	0 %	-	31.12.2027
0.7659	ex 3204 17 00	31	Colourant C.I. Pigment Red 63:1 (CAS RN 6417-83-0) and preparations based thereon with a colourant C.I. Pigment Red 63:1 content of 70 % or more by weight	0 %	-	31.12.2023
0.6603	ex 3204 17 00	33	Colourant C.I. Pigment Blue 15:1 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:1 content of 35 % or more by weight	0 %	-	31.12.2025
0.5426	ex 3204 17 00	35	Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a colourant C.I. Pigment Red 202 content of 70 % or more by weight	0 %	-	31.12.2026
0.7565	ex 3204 17 00	37	Colourant C.I. Pigment Red 81:2 (CAS RN 75627-12-2) and preparations based thereon with a colourant C.I. Pigment Red 81:2 content of 30 % or more by weight	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4630	ex 3204 17 00	40	Colourant C.I. Pigment Yellow 120 (CAS RN 29920-31-8) and preparations based thereon with a colourant C.I. Pigment Yellow 120 content of 50 % or more by weight	0 %	-	31.12.2024
0.6452	ex 3204 17 00	45	Colourant C.I. Pigment Yellow 174 (CAS RN 78952-72-4), highly resinated pigment (approx. 35 % disproportionate resin), with a purity of 98 % by weight or more, in the form of extruded beads with a moisture content of not more than 1 % by weight	0 %	-	31.12.2023
0.5832	ex 3204 17 00	75	Colourant C.I. Pigment Orange 5 (CAS RN 3468-63-1) and preparations based thereon with a colourant C.I. Pigment Orange 5 content of 80 % or more by weight	0 %	-	31.12.2027
0.5700	ex 3204 17 00	85	Colourant C.I. Pigment Blue 61 (CAS RN 1324-76-1) and preparations based thereon with a colourant C.I. Pigment Blue 61 content of 35 % or more by weight	0 %	-	31.12.2027
0.5680	ex 3204 17 00	88	Colourant C.I. Pigment Violet 3 (CAS RN 1325-82-2 or CAS RN 101357-19-1) and preparations based thereon with a colourant C.I. Pigment Violet 3 content of 90 % or more by weight	0 %	-	31.12.2027
0.6979	ex 3204 19 00	13	Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 content of 75 % or more by weight	0 %	-	31.12.2026
0.6406	ex 3204 19 00	14	Red colourant preparation, in a form of wet paste, containing by weight: — 35 % or more but not more than 40 % of 1-[[4-(phenylazo)phenyl]azo]naphthalen-2-ol methyl derivatives (CAS RN 70879-65-1) — not more than 3 % of 1-(phenylazo)naphthalen-2-ol (CAS RN 842-07-9) — not more than 3 % of 1-[(2-methylphenyl)azo]naphthalen-2-ol (CAS RN 2646-17-5) — 55 % or more but not more than 65 % of water	0 %	-	31.12.2024
0.5100	ex 3204 19 00	73	Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight	0 %	-	31.12.2026
0.5282	ex 3204 19 00	77	Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95 % or more by weight	0 %	-	31.12.2026
0.5395	ex 3204 20 00	30	Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90 % or more by weight	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6473	ex 3204 90 00	10	Colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) (CAS RN 68427-35-0) and preparations based thereon with a colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) content of 90 % or more by weight	0 %	-	31.12.2024
0.3707	ex 3205 00 00	10	Aluminium lakes prepared from dyes for use in the manufacture of pigments for the pharmaceutical industry ⁽¹⁾	0 %	-	31.12.2023
0.7658	ex 3205 00 00	20	Colourant C.I. Solvent Red 48 (CAS RN 13473-26-2) preparation, in a form of dry powder, containing by weight: — 16 % or more but not more than 25 % of Colourant C.I. Solvent Red 48 (CAS RN 13473-26-2) — 65 % or more but not more than 75 % of aluminium hydroxide (CAS RN 21645-51-2)	0 %	-	31.12.2023
0.7699	ex 3205 00 00	30	Colourant C.I. Pigment Red 174 (CAS RN 15876-58-1) preparation, in a form of dry powder, containing by weight: — 16 % or more but not more than 21 % of Colourant C.I. Pigment Red 174 (CAS RN 15876-58-1) — 65 % or more but not more than 69 % of aluminium hydroxide (CAS RN 21645-51-2)	0 %	-	31.12.2023
0.3550	ex 3206 11 00	10	Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1,5 % or more but not more than 2,5 % of isopropoxytitanium triisostearate	0 %	-	31.12.2023
0.5378	ex 3206 19 00	10	Preparation containing by weight: — 72 % (± 2 %) of mica (CAS RN 12001-26-2), and — 28 % (± 2 %) of titanium dioxide (CAS RN 13463-67-7)	0 %	-	31.12.2026
0.3551	ex 3206 42 00	10	Lithopone (CAS RN 1345-05-7)	0 %	-	31.12.2023
0.6245	ex 3206 49 70	20	Colourant C.I. Pigment Blue 27 (CAS RN 14038-43-8)	0 %	-	31.12.2024
0.7390	ex 3206 49 70	40	Colourant C.I. Pigment Blue 27 (CAS RN 25869-00-5) and preparations thereon with a colourant C.I. Pigment Blue 27 content of 85 % or more by weight	0 %	-	31.12.2027
0.8211	ex 3206 49 70	50	Concentrated mixture of pigments (masterbatch) in the form of pellets containing by weight: — 50 % or more but not more than 70 % of polyamide-6.6 (CAS RN 32131-17-2), — 15 % or more but not more than 20 % of iron powder (CAS RN 7439-89-6), — 5 % or more but not more than 15 % of barium sulphate (CAS RN 7727-43-7), and — 5 % or more but not more than 10 % of blue pigment, consisting of a mixture of Titanium dioxide (CAS RN 13463-67-7) and Copper(II) phthalocyanine (CAS RN 147-14-8)	0 %	-	31.12.2026
0.3673	3206 50 00		Inorganic products of a kind used as luminophores	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6233	ex 3207 30 00	20	Printing paste containing — 30 % by weight or more, but not more than 50 % of silver and — 8 % by weight or more, but not more than 17 % of palladium	0 %	-	31.12.2024
0.2511	ex 3208 20 10	10	Copolymer of <i>N</i> -vinylcaprolactam, <i>N</i> -vinyl-2-pyrrolidone and dimethylaminoethyl methacrylate, in the form of a solution in ethanol containing by weight 34 % or more but not more than 40 % of copolymer	0 %	-	31.12.2023
0.4511	ex 3208 20 10	20	Immersion topcoat solution containing by weight 0,5 % or more but not more than 15 % of acrylate-methacrylate-alkenesulphonate copolymers with fluorinated side chains, in a solution of <i>n</i> -butanol and/or 4-methyl-2-pentanol and/or diisooamylether	0 %	-	31.12.2023
0.8412	ex 3208 20 10 ex 3905 91 00	50 25	Copolymer of vinylcaprolactam and vinylpyrrolidone (CAS RN 51987-20-3) in the form of a solution in 2-butoxyethanol (CAS RN 111-76-2) containing by weight 45 % or more but not more than 58 % of copolymer	0 %	-	31.12.2027
0.8137	ex 3208 90 19 ex 3911 90 99	13 63	Mixture, containing by weight: — 20 % or more but not more than 40 % of a copolymer of methyl vinyl ether and monobutyl maleate (CAS RN 25119-68-0), — 7 % or more but not more than 20 % of a copolymer of methyl vinyl ether and monoethyl maleate (CAS RN 25087-06-3), — 40 % or more, but not more than 65 % of ethanol (CAS RN 64-17-5), — 1 % or more but not more than 7 % of butan-1-ol (CAS RN 71-36-3)	0 %	-	31.12.2025
0.3967	ex 3208 90 19	15	Chlorinated polyolefins, in a solution	0 %	-	31.12.2023
0.2504	ex 3208 90 19	40	Polymer of methylsiloxane, in the form of a solution in a mixture of acetone, butanol, ethanol and isopropanol, containing by weight 5 % or more but not more than 11 % of polymer of methylsiloxane	0 %	-	31.12.2023
0.6154	ex 3208 90 19 ex 3824 99 92	45 63	Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6989	ex 3208 90 19	47	Solution containing by weight: — 0.1 % or more but not more than 20 % of alkoxygroups containing siloxane polymer with alkyl or aryl substituents — 75 % or more of an organic solvent containing one or more of propyleneglycolethylether (CAS RN 1569-02-4), propylene glycol mono methylether acetate (CAS RN 108-65-6) or propyleneglycol propylether (CAS RN 1569-01-3)	0 %	-	31.12.2026
0.2502	ex 3208 90 19	50	Solution containing by weight: — (65 ± 10) % of γ -butyrolactone, — (30 ± 10) % of polyamide resin, — (3,5 ± 1,5) % of naphthoquinone ester derivative and — (1,5 ± 0,5) % of arylsilicic acid	0 %	-	31.12.2023
0.6726	ex 3208 90 19	55	Preparation of 5 % or more but not more than 20 % by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent	0 %	-	31.12.2026
0.4037	ex 3208 90 19	60	Copolymer of hydroxystyrene with one or more of the following: — styrene — alkoxy styrene — alkylacrylates dissolved in ethyl lactate	0 %	-	31.12.2026
0.6005	ex 3208 90 19	65	Silicones containing 50 % by weight or more of xylene and not more than 25 % by weight of silica, of a kind used for the manufacture of long term surgical implants	0 %	-	31.12.2024
0.5777	ex 3215 19 00	20	Ink: — consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), — with a total solid content by weight of 55 % or more, but not more than 57 %, and — with a specific density of 1,40 g/cm ³ or more, but not more than 1,60 g/cm ³ , for use in the manufacture of electrodes (1)	0 %	1	31.12.2027
0.2506	ex 3215 90 70	10	Ink formulation, for use in the manufacture of ink-jet cartridges (1)	0 %	-	31.12.2023
0.2501	ex 3215 90 70	20	Heat sensitive ink fixed on a plastic film	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4533	ex 3215 90 70	30	Disposable cartridge ink, containing by weight: — 1 % or more, but not more than 10 % of amorphous silicon dioxide or — 3,8 % or more of dye C.I. Solvent Black 7 in organic solvents for use in the marking of integrated circuits (1)	0 %	-	31.12.2023
0.5031	ex 3215 90 70	40	Dry ink powder with a base of hybrid resin (made from polystyrene acrylic resin and polyester resin) mixed with: — wax — a vinyl-based polymer and — a colouring agent for use in the manufacture of toner bottles for photocopiers, fax machines, printers and multifunction devices (1)	0 %	-	31.12.2025
0.3661	3301 12 10		Essential oil of orange, not deterpenated	0 %	-	31.12.2023
0.4863	ex 3402 39 90	10	Sodium lauroyl methyl isethionate	0 %	-	31.12.2026
0.4002	ex 3402 42 00	10	Vinyl copolymer surface active agent based on polypropylene glycol	0 %	-	31.12.2023
0.4277	ex 3402 42 00	20	Surfactant containing 1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated	0 %	-	31.12.2027
0.6285	ex 3402 90 10	10	Surface-active mixture of methyltri-C8-C10-alkylammonium chlorides	0 %	-	31.12.2024
0.3660	ex 3402 90 10	20	Mixture of docusate sodium (INN) and sodium benzoate	0 %	-	31.12.2023
0.4676	ex 3402 90 10	70	Surface-active preparation, containing ethoxylated 2,4,7,9-tetramethyl-5-decyne-4,7-diol (CAS RN 9014-85-1)	0 %	-	31.12.2024
0.7508	ex 3501 90 90	10	Non edible sodium caseinate (CAS RN 9005-46-3) in the form of powder with a protein content of more than 88 % by weight for use in the production of thermoplastic granules	0 %	-	31.12.2023
0.2498	ex 3506 91 90	10	Adhesive based on an aqueous dispersion of a mixture of dimerised rosin and a copolymer of ethylene and vinyl acetate (EVA)	0 %	-	31.12.2023
0.4003	ex 3506 91 90	30	Two component microencapsulated epoxy adhesive dispersed in a solvent	0 %	-	31.12.2023
0.4313	ex 3506 91 90	40	Acrylic pressure sensitive adhesive with a thickness of 0,076 mm or more but not more than 0,127 mm, put up in rolls of a width of 45,7 cm or more but not more than 132 cm supplied on a release liner with an initial peel adhesion release value of not less than 15 N/25 mm (measured according to ASTM D3330)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6725	ex 3506 91 90	50	Preparation containing by weight: — 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers, and — 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers, dissolved in: — Methyl ethyl ketone (CAS RN 78-93-3), — Heptane (CAS RN 142-82-5), and — Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8)	0 %	-	31.12.2023
0.6293	ex 3507 90 90	10	Preparation of <i>Achromobacter lyticus</i> protease (CAS RN 123175-82-6) for use in the manufacture of human and analogue insulin products (1)	0 %	-	31.12.2024
0.7050	ex 3507 90 90	30	Salicylate 1-monooxygenase (CAS RN 9059-28-3) in aqueous solution with — an enzyme concentration of 6,0 U/ml or more, but not more than 7,4 U/ml, — a concentration by weight of sodium azide (CAS RN 26628-22-8) of not more than 0,09 % and — a pH value of 6,5 or more, but not more than 8,5	0 %	-	31.12.2026
0.4922	ex 3601 00 00	20	Pyrotechnical mixture in cylindrical shape or granulate form, composed of strontium nitrate or copper nitrate in a matrix of nitroguanidine or guanidine nitrate, also containing a binder and additives, used as a component of airbag inflators (1)	0 %	-	31.12.2026
0.7318	ex 3603 50 00	10	Igniters for gas generators with an overall maximum length of 20,34mm or more but not more than 29,4 mm and a pin length of 6,68 mm ($\pm 0,3$ mm) or more but not more than 7,54 mm ($\pm 0,3$ mm)	0 %	-	31.12.2027
0.7994	ex 3801 10 00	20	Artificial graphite (CAS RN 7782-42-5) powder form, with: — specific surface area (measured by BET) of 0,8 m ² /g ($\pm 0,25$), — tap density: 0,85 g/cm ³ ($\pm 0,10$), — particle size represented by d50 value of 21,0 μ m ($\pm 2,0$), — specific discharge capacity of 351,0 mAh/g ($\pm 3,0$), — initial efficiency of 94,0 % ($\pm 2,0$)	1.8 %	-	31.12.2023
0.7975	ex 3801 10 00	30	Artificial graphite in powder form, (CAS RN 7782-42-5) with: — with or without coating on the surface, — particle size represented by d50 value of 15 μ m (± 4), — specific surface area (measured by BET) less than 3,5 m ² /g, — tap density: 1,3 g/m ³ ($\pm 0,5$), — specific Discharge Capacity of 348 mAh/g (± 13), — initial efficiency above 93,0 %	1.8 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5465	ex 3801 90 00	10	Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)	0 %	-	31.12.2026
0.6759	ex 3802 10 00	10	Mixture of activated carbon and polyethylene, in form of powder	0 %	-	31.12.2025
0.7368	ex 3802 10 00	40	Chemically activated carbon for the absorption and desorption of vapors, in a defined or irregular shape with an effective butane capacity of 5 g butane / 100 ml or more (according to ASTM D 5228) (1)	0 %	-	31.12.2027
0.2987	3805 90 10		Pine oil	1.7 %	-	31.12.2023
0.2990	ex 3808 91 90	10	Indoxacarb (ISO) and its (R) isomer, fixed on a support of silicon dioxide	0 %	-	31.12.2023
0.2988	ex 3808 91 90	30	Preparation containing endospores or spores and protein crystals derived from either: — <i>Bacillus thuringiensis</i> Berliner subsp. <i>aizawai</i> and <i>kurstaki</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>aizawai</i> or, — <i>Bacillus thuringiensis</i> subsp. <i>tenebrionis</i>	0 %	-	31.12.2024
0.2983	ex 3808 91 90	40	Spinosad (ISO)	0 %	-	31.12.2023
0.5710	ex 3808 91 90	60	Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)	0 %	-	31.12.2027
0.6874	ex 3808 92 30	10	Mancozeb (ISO) (CAS RN 8018-01-7) imported in immediate packings of a content of 500 kg or more (2)	0 %	-	31.12.2025
0.2986	ex 3808 92 90	10	Fungicide in the form of a powder, containing by weight 65 % or more but not more than 75 % of hymexazole (ISO), not put up for retail sale	0 %	-	31.12.2023
0.2984	ex 3808 92 90	30	Preparation consisting of a suspension of pyrethione zinc (INN) in water, containing by weight: — 24 % or more but not more than 26 % of pyrethione zinc (INN), or — 39 % or more but not more than 41 % of pyrethione zinc (INN)	0 %	-	31.12.2023
0.4843	ex 3808 92 90	50	Preparations based on copper pyrethione (CAS RN 14915-37-8)	0 %	-	31.12.2024
0.4753	ex 3808 93 90	10	Preparation, in the form of granules, containing by weight: — 38,8 % or more but not more than 41,2 % of Gibberellin A3, or — 9,5 % or more but not more than 10,5 % of Gibberellin A4 and A7	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5048	ex 3808 93 90	20	Preparation consisting of benzyl(purin-6-yl)amine in a glycol solution, containing by weight: — 1,88 % or more but not more than 2,00 % of benzyl(purin-6-yl)amine of a kind used in plant growth regulators	0 %	-	31.12.2025
0.6532	ex 3808 94 20	30	Bromochloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 32718-18-6) containing: — 1,3-Dichloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 118-52-5), — 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 77-48-5), — 1-Bromo,3-chloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 16079-88-2), and/or — 1-Chloro,3-bromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 126-06-7)	0 %	-	31.12.2024
0.6000	ex 3808 99 90	20	Abamectin (ISO) (CAS RN 71751-41-2)	0 %	-	31.12.2023
0.2557	ex 3809 91 00	10	Mixture of 5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl) methylphosphonate	0 %	-	31.12.2023
0.4406	ex 3810 10 00	10	Soldering or welding paste, consisting of a mixture of metals and resin containing by weight: — 70 % or more, but not more than 90 % of tin — not more than 10 % of one or more metals of silver, copper, bismuth, zinc, or indium for use in the electro technical industry (1)	0 %	-	31.12.2023
0.4510	ex 3811 19 00	10	Solution of more than 61 % but not more than 63 % by weight of methylcyclopentadienyl manganese tricarbonyl in an aromatic hydrocarbon solvent, containing by weight not more than: — 4,9 % of 1,2,4-trimethyl-benzene, — 4,9 % of naphthalene, and — 0,5 % of 1,3,5-trimethyl-benzene	0 %	-	31.12.2024
0.3448	ex 3811 21 00	10	Salts of dinonylnaphthalenesulphonic acid, in the form of a solution in mineral oils	0 %	-	31.12.2023
0.7223	ex 3811 21 00	11	Dispersing agent and oxidation inhibitor containing : — o-amino polyisobutylene-phenol (CAS RN 78330-13-9), — more than 30 % by weight but not more than 50 % by weight of mineral oils, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6904	ex 3811 21 00	12	Dispersing agent containing : — esters of polyisobutenyl succinic acid and pentaerythritol (CAS RN 103650-95-9), — 35 % or more but not more than 55 % by weight of mineral oils, and — with a chlorine content of not more than 0,05 % by weight, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2025
0.6018	ex 3811 21 00	13	Additives containing : — borated magnesium (C16-C24) alkylbenzene sulphonates and — mineral oils, having a total base number (TBN) of more than 250, but not more than 350, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.6906	ex 3811 21 00	14	Dispersing agent : — containing polyisobutene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 147880-09-9), — containing 35 % or more but not more than 55 % by weight of mineral oils, — with a chlorine content by weight of not more than 0,05 %, — having a total base number of less than 15, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2025
0.6907	ex 3811 21 00	16	Detergent containing : — Calcium salt of beta-aminocarbonyl alkylphenol (reaction product Mannich base of alkylphenol) — 40 % or more but not more than 60 % by weight of mineral oils and — having a total base number more than 120 used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2025
0.6905	ex 3811 21 00	18	Detergent containing : — long chain alkyltoluene calcium sulphonates, — more than 30 % but not more than 50 % by weight of mineral oils, and — having a total base number of more than 310 but not more than 340, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6430	ex 3811 21 00	19	Additives containing: — a polyisobutylene succinimide based mixture, and — more than 30 % but not more than 50 % by weight of mineral oils, having a total base number of more than 40, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.3449	ex 3811 21 00	20	Additives for lubricating oils, based on complex organic molybdenum compounds, in the form of a solution in mineral oil	0 %	-	31.12.2023
0.8196	ex 3811 21 00	22	Additive consisting essentially of: — Polyisobutenyl succinic anhydride (CAS RN 192662-34-3) reaction product with N,N-diethylaminoethanol (CAS RN 100-37-8), — 25 % or more by weight, but not more than 40 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2026
0.8197	ex 3811 21 00	24	Additive consisting essentially of: — Polyisobutenyl succinic anhydride reaction product with polyethylenepolyamines, borated (CAS RN 134758-95-5), with a chlorine content by weight of 0,05 % or more but not more than 0,25 % and a total base number (TBN) of more than 20, — 45 % and more by weight and no more than 55 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2026
0.6012	ex 3811 21 00	25	Additives containing: — a (C8-18) alkyl polymethacrylate copolymer with N-[3-(dimethylamino)propyl]methacrylamide, of an average molecular weight (Mw) of more than 10 000 but not more than 20 000, and — more than 15 %, but not more than 30 % by weight of mineral oils, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.8198	ex 3811 21 00	26	Additive consisting essentially of: — Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and isopropyl) esters, zinc salts (CAS RN 84605-29-8), — 7 % or more by weight but not more than 12 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6022	ex 3811 21 00	27	Additives containing: — 10 % or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 3-nitroaniline, and — mineral oils, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.8199	ex 3811 21 00	28	Additive consisting essentially of: — Zinc bis(O,O-bis(2-ethylhexyl)) bis (dithiophosphate) (CAS RN 4259-15-8); — triphenyl phosphite (CAS RN 101-02-0) more than 0,5 % by weight but not more than 6 % by weight, — O,O,O-triphenyl phosphorothioate (CAS RN 597-82-0) more than 0,5 % by weight but not more than 6 % by weight, and not more than 7,5 % by weight of the combination of triphenylphosphorus compounds — 10 % or more by weight but not more than 20 % by weight of mineral oils, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2026
0.5717	ex 3811 21 00	30	Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027
0.8201	ex 3811 21 00	32	Additive consisting essentially of: — Zinc O,O,O',O'-tetrakis (1,3-dimethylbutyl) bis(phosphorodithioate) (CAS RN 2215-35-2), — 4 % or more by weight but not more than 12 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2026
0.6013	ex 3811 21 00	33	Additives containing: — calcium salts of heptylphenol reaction products with formaldehyde (CAS RN 84605-23-2), and — mineral oils, having a total base number (TBN) of more than 40 but not more than 100, for use in the manufacture of lubricating oils or overbased detergents for use in lubricating oils (1)	0 %	-	31.12.2024
0.6016	ex 3811 21 00	37	Additives containing: — a styrene-maleic anhydride copolymer esterified with C4-C20 alcohols, modified by aminopropylmorpholine, and — more than 50 % but not more than 75 % by weight of mineral oils, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6435	ex 3811 21 00	48	Additives containing — overbased magnesium (C20-C24) alkylbenzenesulphonates (CAS RN 231297-75-9) and — by weight more than 25 % but not more than 50 % of mineral oils, having a total base number of more than 350, but not more than 450, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.5727	ex 3811 21 00	50	Additives for lubricating oils, — based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), — containing mineral oils, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027
0.6437	ex 3811 21 00	53	Additives containing: — overbased calcium petroleum sulphonates (CAS 68783-96-0) with a sulphonate content by weight of 15 % or more, but not more than 30 % and — by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of 280 or more but not more than 420, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.6434	ex 3811 21 00	55	Additives containing: — low base number calcium polypropylbenzenesulphonate (CAS RN 75975-85-8) and — by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of more than 10 but not more than 25, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.5724	ex 3811 21 00	60	Additives for lubricating oils, containing mineral oils, — based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25 % or more but not more than 35 %, — with a total base number (TBN) of 280 or more but not more than 320, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6431	ex 3811 21 00	63	Additives containing: — an overbased mixture of calcium petroleum sulphonates (CAS RN 61789-86-4) and synthetic calcium alkylbenzenesulphonates (CAS RN 68584-23-6 and CAS RN 70024-69-0) with a total sulphonate content by weight of 15 % or more, but not more than 25 % and — by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of 280 or more but not more than 320, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.6429	ex 3811 21 00	65	Additives containing: — a polyisobutylene succinimide based mixture (CAS RN 160610-76-4), and — more than 35 % but not more than 50 % by weight of mineral oils, having a sulphur content of more than 0,7 % but not more than 1,3 % by weight, having a total base number of more than 8, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.5711	ex 3811 21 00	70	Additives for lubricating oils, — containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), — containing mineral oils, — with a chlorine content by weight of 0,05 % or more but not more than 0,25 %, — with a total base number (TBN) of more than 20, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027
0.6017	ex 3811 21 00	73	Additives containing: — borated succinimide compounds (CAS RN 134758-95-5), — mineral oils, and — having a total base number (TBN) greater than 40, for use in the manufacture of additive mixtures for lubricating oils (1)	0 %	-	31.12.2023
0.6671	ex 3811 21 00	75	Additives containing: — Calcium (C10-C14) dialkylbenzenesulfonates, — more than 40 %, but not more than 60 % by weight of mineral oils, with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils (1)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6669	ex 3811 21 00	77	Antifoam additives consisting of: — a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and — more than 50 % but not more than 80 % by weight of mineral oils, for use in the manufacture of additive blends for lubricating oils (1)	0 %	-	31.12.2027
0.6666	ex 3811 21 00	80	Additives containing : — polyisobutylene aromatic polyamine succinimide, — more than 40 % but not more than 60 % by weight of mineral oils, with a nitrogen content of more than 0,6 % but not more than 0,9 % by weight, for use in the manufacture of additive blends for lubricating oils (1)	0 %	-	31.12.2027
0.6498	ex 3811 21 00	83	Additives containing: — polyisobutene succinimide derived from reaction of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), — more than 31,9 % but not more than 43,3 % by weight of mineral oils, — not more than 0,05 % by weight chlorine, and — having a total base number (TBN) greater than 20, for use in the manufacture of additives blends for lubricating oils (1)	0 %	-	31.12.2024
0.5718	ex 3811 21 00	85	Additives: — containing more than 20 % but not more than 45 % by weight of mineral oils, — based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, for use in the manufacture of blends of additives (1)	0 %	-	31.12.2027
0.6438	ex 3811 29 00	15	Additives containing : — products from the reaction of branched heptyl phenol with formaldehyde, carbon disulphide and hydrazine (CAS RN 93925-00-9) and — more than 15 % but not more than 28 % by weight of light aromatic petroleum naphtha solvent, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.7512	ex 3811 29 00	18	Additive consisting of dihydroxy butanedioic acid - (mixed C12-16-alkyl and C13-rich C11-14-isoalkyl) diester, for use in the manufacture of engine oils (1)	0 %	-	31.12.2023
0.5721	ex 3811 29 00	20	Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6432	ex 3811 29 00	25	Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils or greases (1)	0 %	-	31.12.2024
0.5723	ex 3811 29 00	30	Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027
0.6433	ex 3811 29 00	35	Additives consisting of an imidazoline based mixture (CAS RN 68784-17-8), for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.5728	ex 3811 29 00	40	Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,01 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of lubricating oils	0 %	-	31.12.2027
0.6436	ex 3811 29 00	45	Additives consisting of a mixture of (C7-C9) dialkyl adipates, in which diisooctyl adipate (CAS RN 1330-86-5) is more than 85 % by weight of the mixture, for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.5719	ex 3811 29 00	50	Additives for lubricating oils, consisting of a mixture of <i>N,N</i> -dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2027
0.6020	ex 3811 29 00	70	Additives consisting of dialkylphosphites (in which the alkyl groups contain more than 80 % by weight of oleyl, palmityl and stearyl groups), for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.7205	ex 3811 29 00	75	Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils (1)	0 % ⁽¹⁾	-	31.12.2023
0.6023	ex 3811 29 00	85	Additives consisting of a mixture of 3-((C9-11)-isoalkyloxy)tetrahydrothiophene 1,1-dioxide, C10-rich (CAS RN 398141-87-2), for use in the manufacture of lubricating oils (1)	0 %	-	31.12.2024
0.3730	ex 3811 90 00	10	Dinonylnaphthylsulphonic acid salt, in a mineral oil solution	0 %	-	31.12.2023
0.5565	ex 3811 90 00	40	Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 10 % or more but not more than 29,9 % of 2-ethylhexanol	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7204	ex 3811 90 00	50	Corrosion inhibitor containing : — polyisobutenyl succinic acid and — more than 5 % and not more than 20 % by weight of mineral oils for use in the manufacture of blends of additives for fuels ⁽¹⁾	0 %	-	31.12.2026
0.5147	ex 3812 10 00	10	Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)	0 %	-	31.12.2026
0.6045	ex 3812 20 90	10	Plasticiser, containing: — bis(2-ethylhexyl)-1,4-benzene dicarboxylate (CAS RN 6422-86-2) — more than 10 % but not more than 60 % by weight of dibutylterephthalate (CAS RN 1962-75-0)	0 %	-	31.12.2023
0.3444	ex 3812 39 90	20	Mixture containing predominantly bis(2,2,6,6-tetramethyl-1-octyloxy-4-piperidyl) sebacate	0 %	-	31.12.2023
0.6055	ex 3812 39 90	25	UV photo stabiliser containing: — α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2); — α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly (oxy-1,2-ethanediyl) (CAS RN 104810-47-1); — polyethylene glycol of a weight average molecular weight (Mw) of 300 (CAS RN 25322-68-3) — bis (1,2,2,6,6-pentamethyl-4-piperidyl)sebacate (CAS RN 41556-26-7), and — methyl-1,2,2,6,6-pentamethyl-4- piperidyl sebacate (CAS RN 82919-37-7)	0 %	-	31.12.2023
0.3446	ex 3812 39 90	30	Compound stabilisers containing by weight 15 % or more but not more than 40 % of sodium perchlorate and not more than 70 % of 2-(2-methoxyethoxy)ethanol	0 %	-	31.12.2024
0.6054	ex 3812 39 90	35	Mixture containing by weight: — 25 % or more but not more than 55 % of a mixture of C15-18 tetramethylpiperidiny l esters (CAS RN 86403-32-9) — not more than 20 % of other organic compounds — on a carrier of polypropylene (CAS RN 9003-07-0) or amorphous silica (CAS RN 7631-86-9 or 112926-00-8)	0 %	-	31.12.2023
0.4861	ex 3812 39 90	40	Mixture of: — 80 % (\pm 10 %) by weight of 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), and — 20 % (\pm 10 %) by weight of 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8273	ex 3812 39 90	45	2-Aminoethanol reaction products with cyclohexane and peroxidized N-butyl-2,2,6,6-tetramethyl-4-piperidinamine-2,4,6-trichloro-1,3,5-triazine reaction products (CAS RN 191743-75-6) with a purity by weight of 99 % or more	0 %	-	31.12.2026
0.5477	ex 3812 39 90	55	UV-stabilizer, containing: — 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6) and — either N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) or — N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 82451-48-7)	0 %	-	31.12.2026
0.5483	ex 3812 39 90	65	Stabiliser for plastic material containing: — 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), — 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3), and — 2-ethylhexyl mercaptoacetate (CAS RN 7659-86-1)	0 %	-	31.12.2026
0.5822	ex 3812 39 90	80	UV-stabilizer, consisting of: — a hindered amine: N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and — either an o-hydroxyphenyl triazine UV light absorber or — a chemically modified phenolic compound	0 %	-	31.12.2027
0.3441	ex 3814 00 90	20	Mixture containing by weight: — 69 % or more but not more than 71 % of 1-methoxypropan-2-ol (CAS RN 107-98-2), — 29 % or more but not more than 31 % of 2-methoxy-1-methylethyl acetate (CAS RN 108-65-6)	0 %	-	31.12.2023
0.3731	ex 3814 00 90	40	Azeotrope mixtures containing isomers of nonafluorobutyl methyl ether and/or nonafluorobutyl ethyl ether	0 %	-	31.12.2023
0.2800	ex 3815 12 00	10	Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not more than 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8 % or more but not more than 40 % of silver	0 %	-	31.12.2023
0.7574	ex 3815 12 00	20	Spherical catalyst consisting of a support of aluminium oxide coated with platinum, with — a diameter of 1,4 mm or more but not more than 2,0 mm, and — a platinum content by weight of 0,2 % or more but not more than 0,5 %	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7585	ex 3815 12 00	30	Catalyst — containing 0,3 gram per litre or more, but not more than 7 gram per litre of precious metals, — deposited on a ceramic honeycomb structure coated with aluminium oxide or cerium/zirconium oxide, the honeycomb structure having: — a nickel content of 1,26 % by weight or more, but not more than 1,29 % by weight, — 62 cells per cm ² or more, but not more than 140 cells per cm ² , — a diameter of 100 mm or more, but not more than 120 mm, and — a length of 60 mm or more, but not more than 150 mm, for use in the production of motor vehicles (1)	0 %	-	31.12.2023
0.5508	ex 3815 19 90	10	Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2 cm ³ /g or more (as determined by the nitrogen absorption method)	0 %	-	31.12.2026
0.2799	ex 3815 19 90	15	Catalyst, in the form of a powder, consisting of a mixture of metal oxides fixed on a support of silicon dioxide, containing by weight 20 % or more but not more than 40 % of molybdenum, bismuth and iron evaluated together, for use in the manufacture of acrylonitrile (1)	0 %	-	31.12.2023
0.2798	ex 3815 19 90	20	Catalyst, — in the form of solid spheres, — of a diameter of 4 mm or more but not more than 12 mm, and — consisting of a mixture of molybdenum oxide and other metal oxides, supported on silicon dioxide and/or aluminium oxide, for use in the manufacture of acrylic acid (1)	0 %	-	31.12.2023
0.6049	ex 3815 19 90	25	Catalyst in the form of spheres of a diameter of 4,2 mm or more but not more than 9 mm, consisting of a mixture of metal oxides containing predominantly oxides of molybdenum, nickel, cobalt and iron, on a support of aluminium oxide, for use in the manufacture of acrylic aldehyde (1)	0 %	-	31.12.2023
0.3435	ex 3815 19 90	30	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polypropylene (1)	0 %	-	31.12.2023
0.7566	ex 3815 19 90	35	Catalyst consisting of tungstosilicic acid hydrate (CAS RN 12027-43-9) impregnated on a support of silicon dioxide in the form of a powder	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2792	ex 3815 19 90	65	Catalyst consisting of phosphoric acid chemically bonded to a support of silicon dioxide	0 %	-	31.12.2023
0.2791	ex 3815 19 90	70	Catalyst consisting of organo-metallic compounds of aluminium and zirconium, fixed on a support of silicon dioxide	0 %	-	31.12.2023
0.2790	ex 3815 19 90	75	Catalyst consisting of organo-metallic compounds of aluminium and chromium, fixed on a support of silicon dioxide	0 %	-	31.12.2023
0.2793	ex 3815 19 90	80	Catalyst consisting of organo-metallic compounds of magnesium and titanium, fixed on a support of silicon dioxide, in the form of a suspension in mineral oil	0 %	-	31.12.2023
0.2788	ex 3815 19 90	85	Catalyst consisting of organo-metallic compounds of aluminium, magnesium and titanium, fixed on a support of silicon dioxide, in the form of powder	0 %	-	31.12.2023
0.3899	ex 3815 19 90	86	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polyolefins (1)	0 %	-	31.12.2023
0.4005	ex 3815 90 90	16	Initiator based on dimethylaminopropyl urea	0 %	-	31.12.2027
0.7528	ex 3815 90 90	25	Catalyst consisting by weight of: — 30 % or more but not more than 33 % of bis(4-(diphenylsulphonio)phenyl)sulphide bis(hexafluorophosphate) (CAS RN 74227-35-3), and — 24 % or more but not more than 27 % of diphenyl(4-phenylthio)phenylsulfonium hexafluorophosphate (CAS RN 68156-13-8) in propylene carbonate (CAS RN 108-32-7)	0 %	-	31.12.2023
0.5062	ex 3815 90 90	30	Catalyst, consisting of a suspension in mineral oil of: — tetrahydrofuran complexes of magnesium chloride and titanium(III) chloride, and — silicon dioxide, — containing 6,6 % (\pm 0,6 %) by weight of magnesium, and — containing 2,3 % (\pm 0,2 %) by weight of titanium	0 %	-	31.12.2025
0.7526	ex 3815 90 90	35	Catalyst containing by weight: — 25 % or more but not more than 27,5 % of bis[4-(diphenylsulfonio)phenyl]sulphide bis(hexafluoroantimonate) (CAS RN 89452-37-9), and — 20 % or more but not more than 22,5 % of diphenyl(4-phenylthio)phenylsulfonium hexafluoroantimonate (CAS RN 71449-78-0) in propylene carbonate (CAS RN 108-32-7)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7998	ex 3815 90 90	38	Photoinitiator, containing by weight: — 80 % or more of polyethylene glycol di[β-4-[4-(2-dimethylamino-2-benzyl)butanoylphenyl]piperazine]propionate (CAS RN 886463-10-1), — not more than 17 % of polyethylene glycol [β-4-[4-(2-dimethylamino-2-benzyl)butanoylphenyl]piperazine]propionate	0 %	-	31.12.2025
0.6006	ex 3815 90 90	40	Catalyst: — containing molybdenum oxide and other metal oxides in a silicon dioxide matrix, — in the form of hollow cylindrical solids of a length of 4 mm or more but not more than 12 mm for use in the manufacture of acrylic acid (1)	0 %	-	31.12.2023
0.7243	ex 3815 90 90	43	Catalyst in powder form consisting by weight of — 92,50 % (± 2) % titanium dioxide (CAS RN 13463-67-7), — 5 % (± 1) % silicon dioxide (CAS RN 112926-00-8), and — 2,5 % (± 1,5) % sulphur trioxide (CAS RN 7446-11-9)	0 %	-	31.12.2027
0.7999	ex 3815 90 90	48	Photoinitiator containing by weight: — 88 % or more of α-(2-benzoylbenzoyl)-ω-[(2-benzoylbenzoyl)oxy]-poly(oxy-1,2-ethanediyl) (CAS RN 1246194-73-9), — not more than 12 % of α-(2-benzoylbenzoyl)-ω-hydroxy-poly(oxy-1,2-ethanediyl) (CAS RN 1648797-60-7)	0 %	-	31.12.2025
0.3433	ex 3815 90 90	50	Catalyst containing titanium trichloride, in the form of a suspension in hexane or heptane containing by weight, in the hexane- or heptane-free material, 9 % or more but not more than 30 % of titanium	0 %	-	31.12.2023
0.2783	ex 3815 90 90	80	Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol	0 %	-	31.12.2025
0.3430	ex 3815 90 90	81	Catalyst, containing by weight 69 % or more but not more than 79 % of (2-hydroxy-1-methylethyl)trimethylammonium 2-ethylhexanoate	0 %	-	31.12.2023
0.2782	ex 3815 90 90	85	Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins (1)	0 %	-	31.12.2027
0.2909	ex 3815 90 90	86	Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), containing by weight 2 % or more but not more than 3 % of rare-earth metal oxides and less than 1 % of disodium oxide	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3732	ex 3815 90 90	88	Catalyst, consisting of titanium tetrachloride and magnesium chloride, containing by weight on an oil- and hexane-free basis: — 4 % or more but not more than 10 % of titanium and — 10 % or more but not more than 20 % magnesium	0 %	-	31.12.2023
0.3733	ex 3815 90 90	89	Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile (1)	0 %	-	31.12.2026
0.4408	ex 3817 00 50	10	Mixture of alkylbenzenes (C14-26) containing by weight: — 35 % or more but not more than 60 % of eicosylbenzene, — 25 % or more but not more than 50 % of docosylbenzene, — 5 % or more but not more than 25 % of tetracosylbenzene	0 %	-	31.12.2023
0.3427	ex 3817 00 80	10	Mixture of alkylnaphthalenes, containing by weight: — 88 % or more but not more than 98 % of hexadecylnaphthalene — 2 % or more but not more than 12 % of dihexadecylnaphthalene	0 %	-	31.12.2023
0.4581	ex 3817 00 80	20	Mixture of branched alkyl benzenes mainly containing dodecyl benzenes	0 %	-	31.12.2023
0.5479	ex 3817 00 80	30	Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length varying from 12 to 56 carbon atoms	0 %	-	31.12.2026
0.4006	ex 3819 00 00	20	Fire resistant hydraulic fluid based on phosphate ester	0 %	-	31.12.2023
0.7922	ex 3823 19 10	20	12-Hydroxyoctadecanoic acid (CAS RN 106-14-9) for use in the manufacture of polyglycerin-poly-12-hydroxyoctadecanoic acid esters (1)	0 %	-	31.12.2024
0.6038	ex 3823 19 30 ex 3823 19 30	20 30	Palm fatty acid distillate, whether or not hydrogenated, with free fatty acid content 80 % or more for use in the manufacture of: — industrial monocarboxylic fatty acids of heading 3823, — stearic acid of heading 3823, — stearic acid of heading 2915, — palmitic acid of heading 2915, or — animal feed preparations of heading 2309 (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6037	ex 3823 19 90 ex 3823 19 90	20 30	Palm acid oils from refining for use in the manufacture of: — industrial monocarboxylic fatty acids of heading 3823, — stearic acid of heading 3823, — stearic acid of heading 2915, — palmitic acid of heading 2915, or — animal feed preparations of heading 2309 (1)	0 %	-	31.12.2023
0.2908	ex 3824 99 15	10	Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11 % of sodium evaluated as sodium oxide, in the form of rodlets	0 %	-	31.12.2023
0.8365	ex 3824 99 92	22	Solution containing: — 30 % or more but not more than 40 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3), and — 60 % or more but not more than 70 % by weight of ethyl methyl carbonate (CAS RN 623-53-0)	3.2 %	-	31.12.2023
0.6810	ex 3824 99 92	23	Butylphosphato complexes of titanium(IV) (CAS RN 109037-78-7), dissolved in ethanol and propan-2-ol	0 %	-	31.12.2025
0.4909	ex 3824 99 92	29	Preparation containing by weight: — 85 % or more but not more than 99 % of polyethylene glycol ether of butyl 2-cyano 3-(4-hydroxy-3-methoxyphenyl) acrylate, and — 1 % or more but not more than 15 % of polyoxyethylene (20) sorbitan trioleate	0 %	-	31.12.2025
0.7618	ex 3824 99 92	31	Liquid crystal mixtures for use in the manufacture of LCD (liquid crystal display) modules (1)	0 %	-	31.12.2023
0.4707	ex 3824 99 92	32	Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, containing by weight 56 % or more but not more than 85 % of divinylbenzene (CAS RN 1321-74-0)	0 %	-	31.12.2024
0.3083	ex 3824 99 92 ex 3824 99 93 ex 3824 99 96	33 40 40	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: — on a support of mineral wax, whether or not modified chemically, or — in the form of a solution in an organic solvent	0 %	-	31.12.2023
0.4153	ex 3824 99 92	35	Preparations containing not less than 92 % or more but not more than 96,5 % by weight of 1,3:2,4-bis-O-(4-methylbenzylidene)-D-glucitol and also containing carboxylic acid derivatives and an alkyl sulphate	0 %	-	31.12.2023
0.4523	ex 3824 99 92	37	Mixture of acetates of 3-butene-1,2-diol with a content by weight of 65 % or more of 3-butene-1,2-diol diacetate (CAS RN 18085-02-4)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7722	ex 3824 99 92	38	Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS RN 1244733-77-4)	0 %	-	31.12.2024
0.4152	ex 3824 99 92	39	Preparation containing not less than 47 % by weight of 1,3:2,4-bis-O-benzylidene-D-glucitol	0 %	-	31.12.2023
0.6779	ex 3824 99 92	40	Solution of 2-chloro-5-(chloromethyl)-pyridine (CAS RN 70258-18-3) in organic diluent	0 %	-	31.12.2025
0.6091	ex 3824 99 92	42	Preparation of tetrahydro- α -(1-naphthylmethyl)furan-2-propionic acid (CAS RN 25379-26-4) in toluene	0 %	-	31.12.2023
0.7724	ex 3824 99 92	43	Preparation containing by weight: — 65 % or more, but not more than 95 % of isopropylated triaryl phosphate (CAS RN 68937-41-7) and — 5 % or more, but not more than 35 % of triphenyl phosphate (CAS RN 115-86-6)	0 %	-	31.12.2024
0.3067	ex 3824 99 92	45	Preparation consisting predominantly of γ -butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors (1)	0 %	-	31.12.2023
0.4279	ex 3824 99 92	49	Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)	0 %	-	31.12.2027
0.3065	ex 3824 99 92	51	Mixture containing by weight 40 % or more but not more than 50 % of 2-hydroxyethyl methacrylate and 40 % or more but not more than 50 % of glycerol ester of boric acid	0 %	-	31.12.2023
0.7742	ex 3824 99 92	52	Electrolyte containing: — 5 % or more but not more than 20 % lithium hexafluorophosphate (CAS RN 21324-40-3) or lithium tetrafluoroborate (CAS RN 14283-07-9), — 60 % or more but not more than 90 % of a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and/or ethyl methyl carbonate (CAS RN 623-53-0), — 0,5 % or more but not more than 20 % 1,3,2-dioxathiolane 2,2-dioxide (CAS RN 1072-53-3), for use in the manufacture of motor vehicle batteries (1)	3.2 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3061	ex 3824 99 92	53	Preparations consisting predominantly of ethylene glycol and: — either diethylene glycol, dodecanedioic acid and ammonia water, — or N,N-dimethylformamide, — or γ -butyrolactone, — or silicon oxide, — or ammonium hydrogen azelate, — or ammonium hydrogen azelate and silicon oxide, — or dodecanedioic acid, ammonia water and silicon oxide, for the manufacture of electrolytic capacitors (1)	0 %	-	31.12.2023
0.4434	ex 3824 99 92	54	Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yl- <i>oxy</i>)acetate] with an average polymer chain length of less than 5 monomer units (CAS RN 813452-37-8)	0 %	-	31.12.2026
0.6025	ex 3824 99 92	55	Additives for paints and coatings, containing: — a mixture of esters of phosphoric acid obtained from the reaction of phosphoric anhydride with 4-(1,1-dimethylpropyl) phenol and copolymers of styrene-allyl alcohol (CAS RN 84605-27-6), and — 30 % or more but not more than 35 % by weight of isobutyl alcohol	0 %	-	31.12.2023
0.4431	ex 3824 99 92	56	Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an average polymer chain length of less than 5 monomer units	0 %	-	31.12.2024
0.4425	ex 3824 99 92	57	Poly(ethylene glycol) bis(<i>p</i> -dimethylaminobenzoate with an average polymer chain length of less than 5 monomer units	0 %	-	31.12.2024
0.6067	ex 3824 99 92	59	Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in tetrahydrofuran	0 %	-	31.12.2023
0.5050	ex 3824 99 92	61	3',4',5'-Trifluorobiphenyl-2-amine, in the form of a solution in toluene containing by weight 80 % or more but not more than 90 % of 3',4',5'-trifluorobiphenyl-2-amine	0 %	-	31.12.2025
0.7831	ex 3824 99 92	62	Solution of 9-borabicyclo[3.3.1]nonane (CAS RN 280-64-8) in tetrahydrofuran (CAS RN 109-99-9), containing by weight 6 % or more 9-borabicyclo[3.3.1]nonane	0 %	-	31.12.2024
0.3122	ex 3824 99 92	65	Mixture of primary <i>tert</i> -alkylamines	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6720	ex 3824 99 92	68	Preparation containing by weight: — 20 % (± 1 %) ((3-(sec-butyl)-4-(decyloxy)phenyl)methanetriyl) Tribenzene (CAS RN 1404190-37-9) Dissolved in: — 10 % (± 5 %) 2-sec-Butylphenol (CAS RN 89-72-5) — 64 % (± 7 %) Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) and — 6 % (± 1.0 %) Naphthalene (CAS RN 91-20-3)	0 %	-	31.12.2025
0.6719	ex 3824 99 92	69	Preparation containing by weight: — 80 % or more but not more than 92 % of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) — 7 % or more but not more than 20 % oligomers of Bisphenol-A bis(diphenyl phosphate) and — not more than 1 % triphenyl phosphate (CAS RN 115-86-6)	0 %	-	31.12.2026
0.4409	ex 3824 99 92	70	Mixture of 80 % (± 10 %) of 1-[2-(2-aminobutoxy)ethoxy]but-2-ylamine and 20 % (± 10 %) of 1-([2-(2-aminobutoxy)ethoxy]methyl) propoxybut-2-ylamine	0 %	-	31.12.2024
0.6198	ex 3824 99 92	72	N-(2-Phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362-22-7)	0 %	-	31.12.2023
0.6114	ex 3824 99 92	76	Preparation containing: — 74 % or more but not more than 90 % by weight of (S)- α -hydroxy-3-phenoxy-benzeneacetonitrile (CAS RN 61826-76-4) and — 10 % or more but not more than 26 % by weight of toluene (CAS RN 108-88-3)	0 %	-	31.12.2023
0.6546	ex 3824 99 92	82	T-butylchloride dimethylsilane (CAS RN 18162-48-6) solution in toluene	0 %	-	31.12.2024
0.3074	ex 3824 99 92	84	Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7 % or more of tricyclopentadiene, and: — either an aluminium-alkyl compound, — or an organic complex of tungsten — or an organic complex of molybdenum	0 %	-	31.12.2023
0.3069	ex 3824 99 92	88	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated (CAS RN 9014-85-1)	0 %	-	31.12.2025
0.8083	ex 3824 99 92	92	Solution consisting of: — 50 (± 2) % by weight sodium mentholate (CAS RN 19321-38-1), and — 50 (± 2) % by weight light aliphatic solvent naphtha (petroleum) (CAS RN 64742-89-8)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8121	ex 3824 99 92	93	Solution of not more than 15 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3) in a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and ethyl methyl carbonate (CAS RN 623-53-0), contains organic carbonate derivatives as additives	3.2 %	-	31.12.2023
0.8278	ex 3824 99 92	94	([2-(trifluoromethyl)phenyl]carbonyl)amino)methyl acetate (CAS RN 895525-72-1) with a content of at least 45 % by weight dissolved in N,N-dimethylacetamide (CAS RN 127-19-5)	0 %	-	31.12.2026
0.8287	ex 3824 99 92	95	Solution of methyl cis-1-[(2,5-dimethylphenyl)acetyl]amino}-4-methoxycyclohexanecarboxylate (CAS RN 203313-47-7) in N,N-dimethylacetamide (CAS RN 127-19-5), containing by weight 25 % or more but not more than 45 % of the carboxylate	0 %	-	31.12.2026
0.5961	ex 3824 99 93	30	Powder Mixture containing by weight: — 85 % or more of zinc diacrylate (CAS RN 14643-87-9), — not more than 5 % of 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (CAS RN 88-27-7), and — not more than 10 % of zinc stearate (CAS RN 557-05-1)	0 %	-	31.12.2024
0.4719	ex 3824 99 93	35	Paraffin with a level of chlorination of 70 % or more (CAS RN 63449-39-8)	0 %	-	31.12.2024
0.4527	ex 3824 99 93	42	Mixture of bis{4-(3-(3-phenoxy-carbonylamino)tolyl)ureido}phenylsulphone, diphenyltoluene-2,4-dicarbamate and 1-[4-(4-aminobenzenesulphonyl)-phenyl]-3-(3-phenoxy-carbonylamino-tolyl)-urea	0 %	-	31.12.2023
0.7153	ex 3824 99 93	45	Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by weight: — not more than 20 % of disodium sulphate, and — not more than 10 % of sodium chloride	0 %	-	31.12.2026
0.7786	ex 3824 99 93	48	Nonhalogenated flame retardant containing by weight: — 50 % or more, but not more than 65 % of piperazine pyrophosphate (CAS RN 66034-17-1), — 35 % or more, but not more than 45 % of a phosphoric acid derivative and — not more than 6 % of zinc oxide (CAS RN 1314-13-2)	0 %	-	31.12.2024
0.8062	ex 3824 99 93	51	Tris(hydroxymethyl)phosphine oxide (CAS RN 1067-12-5) with a purity by weight of 85 % or more	0 %	-	31.12.2025
0.6215	ex 3824 99 93	53	Zinc dimethacrylate (CAS RN 13189-00-9), containing not more than 2,5 % by weight of 2,6-di-tert-butyl-alpha-dimethyl amino-p-cresol (CAS RN 88-27-7), in the form of powder	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7497	ex 3824 99 93	60	Mixture of phytosterols containing by weight: — 35 % or more but not more than 88 % sitosterols, — 20 % or more but not more than 63 % campesterols, — 14 % or more but not more than 38 % stigmasterols, — not more than 13 % brassicasterols, — not more than 10 % other stanols, and — not more than 10 % other sterols	0 %	-	31.12.2023
0.4290	ex 3824 99 93	63	Mixture of phytosterols, not in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters (1)	0 %	-	31.12.2027
0.7460	ex 3824 99 93	65	Reaction mass of 1,1'-(isopropylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)benzene] (CAS RN 97416-84-7) and 1,3-dibromo-2-(2,3-dibromo-2-methylpropoxy)-5-{2-[3,5-dibromo-4-(2,3,3-tribromo-2-methylpropoxy)phenyl]propan-2-yl}benzene	0 %	-	31.12.2023
0.3117	ex 3824 99 93	70	Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)	0 %	-	31.12.2024
0.8366	ex 3824 99 93	72	Reaction product of octadecanoic acid methyl ester, with 1-(2-hydroxy-2-methylpropoxy)-2,2,6,6-tetramethyl-4-piperidinol (CAS RN 300711-92-6)	0 %	-	31.12.2027
0.8371	ex 3824 99 93	74	1,3-Propanediamine, N1,N1'-1,2-ethanediylbis-, reaction products with cyclohexane and peroxidized N-butyl-2,2,6,6-tetramethyl-4-piperidinamine-2,4,6-trichloro-1,3,5-triazine reaction products (CAS RN 191680-81-6)	0 %	-	31.12.2027
0.3112	ex 3824 99 93	75	Mixture of phytosterols, in the form of flakes and balls, containing by weight 80 % or more of sterols and not more than 4 % of stanols	0 %	-	31.12.2024
0.5817	ex 3824 99 93 ex 3824 99 96	83 85	Preparation containing: — C,C'-azodi(formamide) (CAS RN 123-77-3), — magnesium oxide (CAS RN 1309-48-4) and — zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C	0 %	-	31.12.2023
0.3049	ex 3824 99 93 ex 3824 99 96	85 57	Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4336	ex 3824 99 93	88	Mixture of phytosterols containing by weight: — 60 % or more, but not more than 80 % of sitosterols, — less than 15 % of campesterols, — less than 5 % of stigmasterols, and — less than 15 % of betasitosterols	0 %	-	31.12.2027
0.7420	ex 3824 99 96	30	Rare-earth concentrate containing by weight: — 20 % or more but not more than 30 % of cerium oxide (CAS RN 1306-38-3), — 2 % or more but not more than 10 % of lanthanum oxide (CAS RN 1312-81-8), — 10 % or more but not more than 15 % of yttrium oxide (CAS RN 1314-36-9), and — not more than 65 % of zirconium oxide (CAS RN 1314-23-4) including natural occurring hafnium oxide	0 %	-	31.12.2024
0.3078	ex 3824 99 96	35	Calcined bauxite (refractory grade)	0 %	-	31.12.2023
0.4542	ex 3824 99 96	37	Structured silica alumina phosphate	0 %	-	31.12.2024
0.7313	ex 3824 99 96	45	Lithium nickel cobalt aluminium oxide powder (CAS RN 177997-13-6) with: — a particle size of less than 10 µm, — a purity by weight of more than 98 %	3.2 %	-	31.12.2023
0.6628	ex 3824 99 96	46	Manganese zinc ferrite granulate, containing by weight: — 52 % or more but not more than 76 % of iron(III)oxide, — 13 % or more but not more than 42 % of manganese oxide, and — 2 % or more but not more than 22 % of zinc oxide	0 %	-	31.12.2025
0.3064	ex 3824 99 96	47	Mixed metals oxides, in the form of powder, containing by weight: — either 5 % or more of barium, neodymium or magnesium and 15 % or more of titanium, — or 30 % or more of lead and 5 % or more of niobium, for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors (1)	0 %	-	31.12.2023
0.6749	ex 3824 99 96	48	Zirconium oxide (ZrO ₂), calcium oxide stabilised (CAS RN 68937-53-1) with a zirconium oxide content by weight of 92 % or more but not more than 97 %	0 %	-	31.12.2025
0.5607	ex 3824 99 96	50	Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6145	ex 3824 99 96	55	Carrier in powder form, consisting of: — ferrite (Iron oxide) (CAS RN 1309-37-1) — manganese oxide (CAS RN 1344-43-0) — magnesium oxide (CAS RN 1309-48-4) — styrene acrylate copolymer to be mixed with the toner powder, in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers (1)	0 %	-	31.12.2023
0.5141	ex 3824 99 96	60	Fused magnesia containing by weight 15 % or more of dichromium trioxide	0 %	-	31.12.2026
0.3050	ex 3824 99 96	65	Aluminium sodium silicate, in the form of spheres of a diameter of: — either 1,6mm or more but not more than 3,4 mm, — or 4mm or more but not more than 6 mm	0 %	-	31.12.2023
0.8122	ex 3824 99 96	68	Lithium nickel dioxide (CAS RN 12325-84-7) containing by weight: — less than 5 % of lithium hydroxide (CAS RN 1310-65-2), — less than 5 % of lithium carbonate (CAS RN 554-13-2), and — less than 15 % of nickel oxide (CAS RN 11099-02-8)	3.2 %	-	31.12.2023
0.3119	ex 3824 99 96	73	Reaction product, containing by weight: — 1 % or more but not more than 40 % of molybdenum oxide, — 10 % or more but not more than 50 % of nickel oxide, — 30 % or more but not more than 70 % of tungsten oxide	0 %	-	31.12.2024
0.7010	ex 3824 99 96	74	Mixture with a non-stoichiometric composition: — with a crystalline structure, — with a content of fused magnesia-alumina spinel and with admixtures of silicate phases and aluminates, at least 75 % by weight of which consists of fractions with a grain size of 1-3 mm and at most 25 % consists of fractions with a grain size of 0-1 mm	0 %	-	31.12.2026
0.7147	ex 3824 99 96	80	Mixture consisting of: — 64 % or more, but not more than 74 % by weight of amorphous silica (CAS RN 7631-86-9) — 25 % or more, but not more than 35 % by weight of butanone (CAS RN 78-93-3) and — not more than 1 % by weight of 3-(2,3-epoxypropoxy)propyltrimethoxysilane (CAS RN 2530-83-8)	0 %	-	31.12.2026
0.7553	ex 3824 99 96	83	Cubic Boron nitride (CAS RN 10043-11-5) coated with nickel and/or nickelposphide (CAS RN 12035-64-2)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5820	ex 3824 99 96	87	Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight: — 0,1 % or more but not more than 1 % of platinum, and — 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9)	0 %	-	31.12.2027
0.5939	ex 3826 00 10 ex 3826 00 10	20 29	Mixture of fatty acid methyl esters containing by weight at least: — 65 % or more but not more than 75 % of C12 FAME, — 21 % or more but not more than 28 % of C14 FAME, — 4 % or more but not more than 8 % of C16 FAME, for use in the manufacture of detergents and home and personal care products (1)	0 %	-	31.12.2023
0.5941	ex 3826 00 10 ex 3826 00 10	50 59	Mixture of fatty acid methyl esters containing by weight at least: — 50 % or more but not more than 58 % of C8-FAME — 35 % or more but not more than 50 % of C10-FAME for the manufacturing of high purity C8 or C10 fatty acid or fatty acid mixtures thereof or of high purity methylester of C8 or C10 fatty acid (1)	0 %	-	31.12.2023
0.7756	ex 3827 68 00	05	Mixture of halogenated derivatives containing by weight: — 30 % or more but not more than 60 % of difluoromethane (CAS RN 75-10-5), — 30 % or more but not more than 60 % of trifluoroiodomethane (CAS RN 2314-97-8), — 10 % or more but not more than 30 % of pentafluoroethane (CAS RN 354-33-6)	0 %	-	31.12.2024
0.6132	ex 3901 10 10 ex 3901 40 00	20 10	High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with — a melt flow rate (MFR 190 °C/2,16 kg) of 16g/10min or more, but not more than 24 g/10 min and — a density (ASTM D 1505) of 0,922 g/cm ³ or more, but not more than 0,926 g/cm ³ and — a vicat softening temperature of min. 94 °C	0 %	m ³	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8378	ex 3901 10 10 ex 3901 40 00	50 50	Copolymer of ethylene and 1-butene (CAS RN 25087-34-7) with: — a density (ASTM D 1505) of 0,924 g/cm ³ or more but not more than 0,928 g/cm ³ , — a melt flow rate (190 °C/2,16 kg) of 48 g/10 min or more but not more than 52 g/10 min, and — a peak melting temperature of 120 °C or more but not more than 124 °C	0 %	-	31.12.2027
0.8379	ex 3901 10 10 ex 3901 40 00	60 60	Copolymer of ethylene and 1-butene (CAS RN 25087-34-7) with: — a density (ASTM D 1505) of 0,922 g/cm ³ or more but not more than 0,926 g/cm ³ and — a melt flow rate (190 °C/2,16 kg) of 18 g/10 min or more but not more than 22 g/10 min	0 %	-	31.12.2023
0.5142	ex 3901 10 90	30	Polyethylene granules, containing by weight 10 % or more but not more than 25 % of copper	0 %	-	31.12.2026
0.6897	ex 3901 40 00	30	Octene linear low-density polyethylene (LLDPE) produced by a Ziegler-Natta catalyst method in the form of pellets with: — more than 10 % but not more than 20 % by weight of copolymer, — a melt flow rate (MFR 190 °C/2,16 kg) of 0,7 g/10 min or more but not more than 0,9 g/10 min, and — a density (ASTM D4703) of 0,911 g/cm ³ or more, but not more than 0,913 g/cm ³ , for use in the co-extrusion processing of films for flexible food packaging (1)	0 %	m ³	31.12.2025
0.6920	ex 3901 90 80	53	Copolymer of ethylene and acrylic acid (CAS RN 9010-77-9) with: — an acrylic acid content of 18,5 % or more, but not more than 49,5 % by weight (ASTM D4094), and — a melt flow rate of 10g/10 min or more (125°C/2,16 kg, ASTM D1238)	0 %	m ³	31.12.2025
0.6734	ex 3901 90 80	55	Zinc or sodium salt of an ethylene and acrylic acid copolymer, with: — an acrylic acid content of 6 % or more but not more than 50 % by weight, and — a melt flow rate of 1g/10 min or more at 190 °C/2,16 kg (measured using ASTM D1238)	0 %	-	31.12.2025
0.5049	ex 3901 90 80	67	Copolymer made exclusively from ethylene and methacrylic acid monomers in which the methacrylic acid content is 11 % by weight or more	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6998	ex 3901 90 80	73	Mixture containing by weight — 80 % or more, but not more than 94 % of chlorinated polyethylene (CAS RN 64754-90-1) and — 6 % or more, but not more than 20 % of styrene-acrylic copolymer (CAS RN 27136-15-8)	0 %	-	31.12.2026
0.2902	ex 3901 90 80	91	Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid	0 %	-	31.12.2023
0.3906	ex 3901 90 80	92	Chlorosulphonated polyethylene	0 %	-	31.12.2023
0.2899	ex 3901 90 80	93	Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a plasticiser in the manufacture of roof sheets ⁽¹⁾	0 %	-	31.12.2023
0.3186	ex 3901 90 80	94	Mixtures of A-B block copolymer of polystyrene and ethylene-butylene copolymer and A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35 % of styrene	0 %	-	31.12.2023
0.2898	ex 3901 90 80	97	Chlorinated polyethylene, in the form of powder	0 %	-	31.12.2023
0.2895	ex 3902 10 00	20	Polypropylene, containing no plasticiser, — of a melting point of more than 150 °C (as determined by the ASTM D 3417 method), — of a heat of fusion of 15 J/g or more but not more than 70 J/g, — of an elongation at break of 1 000 % or more (as determined by the ASTM D 638 method), — of a tensile modulus of 69 MPa or more but not more than 379 MPa (as determined by the ASTM D 638 method)	0 %	-	31.12.2023
0.4591	ex 3902 10 00	40	Polypropylene, containing no plasticiser: — of a tensile strength: of 32-77 MPa (as determined by the ASTM D638 method); — of a flexural strength of 50-105 MPa (as determined by the ASTM D790 method); — of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method); — with 40 % or more but not more than 80 % by weight of polypropylene, — with 10 % or more but not more than 30 % by weight of glass fibre, — with 10 % or more but not more than 30 % by weight of mica	0 %	-	31.12.2024
0.3180	ex 3902 20 00	10	Polyisobutylene, of a number average molecular weight (M_n) of 700 or more but not more than 800	0 %	-	31.12.2023
0.3179	ex 3902 20 00	20	Hydrogenated polyisobutene, in liquid form	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8125	ex 3902 30 00	20	Hydrogenated block copolymer of styrene and isoprene (CAS RN 68648-89-5), containing by weight less than 37 % of styrene	0 %	-	31.12.2025
0.8232	ex 3902 30 00	30	Hydrogenated copolymer of styrene, isoprene and butadiene, containing by weight 28 % or more, but not more than 55 % of propylene	0 %	-	31.12.2026
0.3181	ex 3902 30 00	91	A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 40 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0 %	-	31.12.2023
0.5143	ex 3902 30 00	95	A-B-A block copolymer, consisting of: — a copolymer of propylene and ethylene and — 21 % (± 3 %) by weight of polystyrene	0 %	-	31.12.2026
0.5138	ex 3902 30 00	97	Liquid ethylene-propylene-copolymer with: — a flashpoint of 250 °C or more, — a viscosity index of 150 or more, — of a number average molecular weight (M_n) of 650 or more	0 %	-	31.12.2026
0.4424	ex 3902 90 90	52	Amorphous poly-alpha-olefin copolymer blend of poly(propylene-co-1-butene) and petroleum hydrocarbon resin	0 %	-	31.12.2023
0.4509	ex 3902 90 90	55	Thermoplastic elastomer, with an A-B-A block copolymer structure of polystyrene, polyisobutylene and polystyrene containing by weight 10 % or more but not more than 35 % of polystyrene	0 %	-	31.12.2023
0.4768	ex 3902 90 90	60	Non-hydrogenated 100 % aliphatic resin (polymer), with the following characteristics: — liquid at room temperature — obtained by cationic polymerisation of C-5 alkenes monomers — with a number average molecular weight (M_n) of 370 (± 50) — with a weight average molecular weight (M_w) of 500 (± 100)	0 %	-	31.12.2024
0.7950	ex 3902 90 90	65	Brominated butadiene-styrene copolymer (CAS RN 1195978-93-8) with a bromine content of 60 % by weight or more but not more than 68 %, in forms as defined in Note 6 (b) to Chapter 39	0 %	-	31.12.2025
0.4040	ex 3902 90 90	70	Synthetic poly-alpha-olefin with a viscosity of 3 or more but not more than 9 centistokes (measured at 100 ° Celsius according to the ASTM D 445 method), obtained by polymerization of dodecene with or without: — not more than 40 % by weight of tetradecene and/or — not more than 2 % by weight decene and/or — not more than 2 % by weight of hexadecene	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6422	ex 3902 90 90 ex 3911 90 99	75 28	Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form	0 %	-	31.12.2024
0.2900	ex 3902 90 90	92	Polymers of 4-methylpent-1-ene	0 %	-	31.12.2023
0.6214	ex 3902 90 90	94	Chlorinated polyolefins, whether or not in a solution or dispersion	0 %	-	31.12.2023
0.4166	ex 3903 19 00	40	Crystalline polystyrene with: — a melting point of 268 °C or more but not more than 272 °C — a setting point of 232 °C or more but not more than 247 °C, — whether or not containing additives and filling material	0 %	-	31.12.2026
0.5175	ex 3903 90 90	15	Copolymer in the form of granules containing by weight: — 78 (± 4 %) of styrene, — 9 (± 2 %) of n-butyl acrylate, — 11 (± 3 %) of n-butyl methacrylate,, — 1.5 (± 0,7 %) of methacrylic acid and — 0,01 % or more but not more than 2,5 % of polyolefinic wax	0 %	-	31.12.2023
0.5176	ex 3903 90 90	20	Copolymer in the form of granules containing by weight: — 83 ± 3 % styrene, — 7 ± 2 % n-butyl acrylate, — 9 ± 2 % n-butyl methacrylate and — 0,01 % or more but not more than 1 % of polyolefinic wax	0 %	-	31.12.2026
0.7861	ex 3903 90 90	33	Copolymer of styrene, divinylbenzene and chloromethylstyrene (CAS RN 55844-94-5) with a purity by weight of 99 % or more	0 %	-	31.12.2024
0.2891	ex 3903 90 90 ex 3911 90 99	35 43	Copolymer of α -methylstyrene and styrene, having a softening point of more than 113 °C	0 %	-	31.12.2023
0.7417	ex 3903 90 90 ex 3904 69 80	38 88	Polytetrafluoroethylene (CAS RN 9002-84-0) encapsulated with an acrylonitrile-styrene copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50 % (± 1 %)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8415	ex 3903 90 90	43	Mixture of polymers consisting by weight of: — 10 % or more but not more than 30 % of a styrene-ethylene-butylene-styrene block copolymer (CAS RN 66070-58-4), — 25 % or more but not more than 45 % of mineral oil (CAS RN 8042-47-5), — 25 % or more but not more than 45 % of calcium carbonate (CAS RN 1317-65-3), — 10 % or more but not more than 20 % of polypropylene (CAS RN 9003-07-0), and — 1 % or more but not more than 3 % of a copolymer of α -methylstyrene and vinyltoluene (CAS RN 9017-27-0)	0 %	-	31.12.2027
0.6565	ex 3903 90 90	45	Preparation, in form of powder, containing by weight: — 86 % or more but not more than 90 % of styrene-acrylic-copolymer and — 9 % or more but not more than 11 % of fatty acid ethoxylate (CAS RN 9004-81-3)	0 %	m ³	31.12.2024
0.5473	ex 3903 90 90 ex 3911 90 99	60 60	Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M_n) of not more than 4500, in flake or powder form	0 %	-	31.12.2026
0.6736	ex 3903 90 90	65	Copolymer of styrene with 2, 5-furandione and (1-methylethyl)benzene in the form of flakes or powder (CAS RN 26762-29-8)	0 %	-	31.12.2025
0.6804	ex 3903 90 90	70	Copolymer in the form of granules containing by weight: — 75 % (\pm 7 %) styrene and — 25 % (\pm 7 %) methylmethacrylate	0 %	m ³	31.12.2025
0.3910	ex 3903 90 90	80	Granules of copolymer of styrene and divinylbenzene of a minimum diameter of 150 μ m and a maximum diameter of 800 μ m and containing by weight: — minimum 65 % styrene, — maximum 25 % divinylbenzene for use in the manufacture of ion exchange resins (1)	0 %	-	31.12.2023
0.4410	ex 3903 90 90	86	Mixture containing by weight: — 45 % or more but not more than 65 % of polymers of styrene — 35 % or more but not more than 45 % of poly(phenylene ether) — not more than 10 % of other additives and with one or more of the following special colour effects: — metallic or pearlescent with a visual angular metamerism caused by at least 0,3 % flake-based pigment — fluorescent, as characterized by emitting light during absorption of ultraviolet radiation — bright white, as characterized by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIELab colour scale	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2887	ex 3904 30 00 ex 3904 40 00	30 91	Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: — 87 % or more but not more than 92 % of vinyl chloride, — 2 % or more but not more than 9 % of vinyl acetate and — 1 % or more but not more than 8 % of vinyl alcohol, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink (1)	0 %	-	31.12.2023
0.2885	ex 3904 61 00	20	Copolymer of tetrafluoroethylene and trifluoro(heptafluoropropoxy)ethylene, containing 3,2 % or more but not more than 4,6 % by weight of trifluoro(heptafluoropropoxy)ethylene and less than 1 mg/kg of extractable fluoride ions	0 %	-	31.12.2023
0.7675	ex 3904 69 80	20	Copolymer of tetrafluoroethylene, heptafluoro-1-pentene and ethene (CAS RN 94228-79-2)	0 %	-	31.12.2023
0.7626	ex 3904 69 80	30	Copolymer of tetrafluoroethylene, hexafluoropropene and ethene	0 %	-	31.12.2023
0.4981	ex 3904 69 80	81	Poly(vinylidene fluoride) (CAS RN 24937-79-9)	0 %	-	31.12.2025
0.5560	ex 3904 69 80	85	Copolymer of ethylene and chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, whether or not containing fillers	0 %	-	31.12.2027
0.3285	ex 3904 69 80	94	Copolymer of ethylene and tetrafluoroethylene	0 %	-	31.12.2023
0.2883	ex 3904 69 80	96	Polychlorotrifluoroethylene, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39	0 %	-	31.12.2023
0.3745	ex 3904 69 80	97	Copolymer of chlorotrifluoroethylene and vinylidene difluoride	0 %	-	31.12.2024
0.8414	ex 3905 91 00	35	Aqueous solution of a copolymer of vinylpyrrolidone and <i>N,N</i> -dimethylaminopropyl methacrylamide sulfate (CAS RN 175893-71-7), containing by weight 8 % or more, but not more than 12 % of copolymer	0 %	-	31.12.2027
0.5774	ex 3905 91 00	40	Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38 % of the monomer unit ethylene	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8126	ex 3905 91 00	50	Aqueous solution consisting by weight of: — 10 % or more but not more than 20 % of a copolymer of vinyl pyrrolidone, N,N-dimethylaminopropyl methacrylamide and 3 (methacryloylamino)propyllauryldimethylammonium chloride (CAS RN 306769-73-3), — not more than 1 % preservatives	0 %	-	31.12.2025
0.8145	ex 3905 91 00	60	Copolymer of vinylpyrrolidone, vinyl caprolactam and dimethylaminoethyl methacrylate (CAS RN 102972-64-5) in solid form, or as an aqueous solution containing by weight: — 27 % or more but not more than 33 % of copolymer, — not more than 1,5 % of ethanol (CAS RN 64-17-5), — not more than 1 % of preservatives	0 %	-	31.12.2025
0.8138	ex 3905 91 00	70	Aqueous solution, containing by weight: — 25 % or more but not more than 35 % of a copolymer of vinyl caprolactam, vinyl pyrrolidone, N,N-dimethylaminopropyl methacrylamide and 3-(methacryloylamino)propyllauryldimethylammonium chloride (CAS RN 748809-45-2), — 10 % or more but not more than 16 % of ethanol (CAS RN 64-17-5) whether or not denatured with tert-butyl alcohol (CAS RN 75-65-0) and/or denatonium benzoate (CAS RN 3734-33-6)	0 %	-	31.12.2025
0.8139	ex 3905 91 00	80	Copolymer of vinylpyrrolidone, acrylic acid and dodecyl methacrylate (CAS RN 83120-95-0)	0 %	-	31.12.2025
0.3283	ex 3905 99 90	95	Hexadecylated or eicosylated polyvinylpyrrolidone	0 %	-	31.12.2023
0.2880	ex 3905 99 90	96	Polymer of vinyl formal, in one of the forms mentioned in note 6 (b) to Chapter 39, of a weight average molecular weight (M_w) of 25 000 or more but not more than 150 000 and containing by weight: — 9,5 % or more but not more than 13 % of acetyl groups evaluated as vinyl acetate and — 5 % or more but not more than 6,5 % of hydroxy groups evaluated as vinyl alcohol	0 %	-	31.12.2023
0.3282	ex 3905 99 90	97	Povidone (INN)-iodine (CAS RN 25655-41-8)	0 %	-	31.12.2023
0.3278	ex 3905 99 90	98	Poly(vinyl pyrrolidone) partially substituted by triacontyl groups, containing by weight 78 % or more but not more than 82 % of triacontyl groups	0 %	-	31.12.2023
0.3276	3906 90 60		Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50 % or more of methyl acrylate, whether or not mixed with silicon dioxide	0 %	-	31.12.2023
0.3279	ex 3906 90 90	10	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for the manufacture of medicaments of heading 3003 or 3004 ⁽¹⁾	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7347	ex 3906 90 90	23	Copolymer of methylmethacrylate, butylacrylate, glycidylmethacrylate and styrene (CAS RN 37953-21-2), with an epoxy equivalent weight of not more than 500, in form of ground flakes with a particle size of not more than 1 cm	0 %	-	31.12.2027
0.6672	ex 3906 90 90	33	Core shell copolymer of butyl acrylate and alkyl methacrylate, with a particle size of 5 µm or more but not more than 10 µm	0 %	-	31.12.2025
0.6663	ex 3906 90 90	37	Copolymer of trimethylolpropane trimethacrylate and methyl methacrylate (CAS RN 28931-67-1), in microsphere form with an average diameter of 3 µm	0 %	-	31.12.2025
0.4667	ex 3906 90 90	41	Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30	0 %	-	31.12.2024
0.7125	ex 3906 90 90	43	Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-82-5)	0 %	-	31.12.2026
0.2886	ex 3906 90 90	50	Polymers of esters of acrylic acid with one or more of the following monomers in the chain: — chloromethyl vinyl ether, — chloroethyl vinyl ether, — chloromethylstyrene, — vinyl chloroacetate, — methacrylic acid, — butenedioic acid monobutyl ester, — butenedioic acid monocyclohexyl ester, containing by weight not more than 5 % of each monomer unit	0 %	-	31.12.2023
0.7499	ex 3906 90 90	60	Aqueous dispersion containing by weight: — more than 10 % but not more than 15 % of ethanol, and — more than 7 % but not more than 11 % of a reaction product of poly(epoxyalkylmethacrylate-co-divinylbenzene) with a glycerol derivative	0 %	-	31.12.2023
0.6425	ex 3906 90 90	73	Preparation containing by weight: — 33 % or more but not more than 37 % of butyl methacrylate - methacrylic acid copolymer, — 24 % or more but not more than 28 % of propylene glycol, and — 37 % or more but not more than 41 % of water	0 %	-	31.12.2024
0.6891	ex 3907 10 00	20	Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine	0 %	-	31.12.2024
0.3272	ex 3907 29 11	10	Poly(ethylene oxide) of a number average molecular weight (M_n) of 100 000 or more	0 %	-	31.12.2023
0.4378	ex 3907 29 11	20	Bis[Methoxypoly(ethyleneglycol)]-maleimidopropionamide, chemically modified with lysine, of a number average molecular weight (M_n) of 40 000	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7099	ex 3907 29 20	25	Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight: — 48 % or more but not more than 52 % of propylene oxide and — 48 % or more but not more than 52 % of butylene oxide	0 %	-	31.12.2023
0.2876	ex 3907 29 20	30	Mixture, containing by weight 70 % or more but not more than 80 % of a polymer of glycerol and 1,2-epoxypropane and 20 % or more but not more than 30 % of a copolymer of dibutyl maleate and <i>N</i> -vinyl-2-pyrrolidone	0 %	-	31.12.2023
0.7532	ex 3907 29 20	35	Mixture containing by weight: — 5 % or more but not more than 15 % of a copolymer of glycerol, propylene oxide and ethylene oxide (CAS RN 9082-00-2), and — 85 % or more but not more than 95 % of a copolymer of sucrose, propylene oxide and ethylene oxide (CAS RN 26301-10-0)	0 %	-	31.12.2023
0.4013	ex 3907 29 20	40	Copolymer of tetrahydrofuran and tetrahydro-3-methylfuran with a number average molecular weight (Mn) of 900 or more but not more than 3 600	0 %	-	31.12.2023
0.6351	ex 3907 29 20	50	Poly(<i>p</i> -phenylene oxide) in the form of powder — with a glasstransitiontemperature of 210 °C, — with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000, — with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram	0 %	-	31.12.2024
0.3271	ex 3907 29 99	15	Poly(oxypropylene) having alkoxysilyl end-groups	0 %	-	31.12.2023
0.7478	ex 3907 29 99	20	2,3-Bis(methylpolyoxyethylene-oxy)-1-[(3-maleimido-1-oxopropyl)amino]propyloxy propane (CAS RN 697278-30-1) with a number average molecular weight (Mn) of at least 20 kDa whether or not modified with a chemical entity enabling a linkage between the PEG and a protein or a peptide	0 %	-	31.12.2023
0.2920	ex 3907 29 99	30	Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)	0 %	-	31.12.2023
0.7484	ex 3907 29 99	40	N-(methoxypoly (ethylene glycol) -N-(1-acetyl- (2-methoxypoly (ethylene glycol)) -glycine (CAS RN 600169-00-4) with a number average molecular weight (Mn) for polyethylene glycol of 40 kDa	0 %	-	31.12.2023
0.3269	ex 3907 29 99	45	Copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups	0 %	-	31.12.2023
0.4536	ex 3907 29 99	50	Vinyl-silyl terminated perfluoropolyether polymer or an assortment of two components consisting of the same type of vinyl-silyl terminated perfluoropolyether polymer as the main ingredient	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4546	ex 3907 29 99	55	Succinimidyl ester of methoxy poly(ethylene glycol)propionic acid, of a number average molecular weight (Mn) of 5 000	0 %	-	31.12.2023
0.5144	ex 3907 29 99	60	Polytetramethylene oxide di-p-aminobenzoate	0 %	-	31.12.2026
0.6839	ex 3907 30 00	15	Epoxide resin, halogen-free, — containing by weight more than 2 % phosphorus calculated on the solid content, chemically bound in the epoxide resin, — not containing any hydrolysable chloride or containing less than 300 ppm hydrolysable chloride, and — containing solvents, for use in the manufacture of prepreg sheets or rolls of a kind used for the production of printed circuits (1)	0 %	-	31.12.2025
0.6840	ex 3907 30 00	25	Epoxide resin — containing by weight 21 % or more of bromine, — not containing any hydrolysable chloride or containing less than 500 ppm hydrolysable chloride, and — containing solvents	0 %	-	31.12.2025
0.2759	ex 3907 30 00	40	Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of headings 8504, 8533, 8535, 8536, 8541, 8542 or 8548 (1)	0 %	-	31.12.2023
0.7427	ex 3907 30 00	70	Preparation of epoxy resin (CAS RN 29690-82-2) and phenolic resin (CAS RN 9003-35-4) containing by weight: — 65 % or more but not more than 75 % of silicon dioxide (CAS RN 60676-86-0), and — none or not more than 0,5 % of carbon black (CAS RN 1333-86-4)	0 %	-	31.12.2027
0.2541	ex 3907 40 00	35	α -Phenoxycarbonyl- ω -phenoxypoly[oxy(2,6-dibromo-1,4-phenylene) isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 94334-64-2)	0 %	-	31.12.2023
0.2564	ex 3907 40 00	45	α -(2,4,6-Tribromophenyl)- ω -(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 71342-77-3)	0 %	-	31.12.2023
0.6352	ex 3907 40 00	70	Polycarbonate of phosgene and bisphenol A: — containing by weight 12 % or more but not more than 26 % of a copolymer of isophthaloyl chloride, terephthaloyl chloride and resorcinol, — with p-cumylphenol endcaps, and — with a weight average molecular weight (Mw) of 29 900 or more but not more than 31 900	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6355	ex 3907 40 00	80	Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4'-(1-methylethylidene)bis[phenol] with 4-(1-methyl-1-phenylethyl)phenol endcaps	0 %	-	31.12.2024
0.3263	ex 3907 69 00	10	Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol	0 %	-	31.12.2023
0.2980	3907 70 00		Poly(lactic acid)	0 %	-	31.12.2023
0.2918	ex 3907 91 90	10	Diallyl phthalate prepolymer, in powder form	0 %	-	31.12.2024
0.2977	ex 3907 99 80	10	Poly(oxy-1,4-phenylenecarbonyl) (CAS RN 26099-71-8), in the form of powder	0 %	-	31.12.2023
0.5639	ex 3907 99 80	25	Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol	0 %	-	31.12.2027
0.4940	ex 3907 99 80 ex 3913 90 00	30 20	Poly(hydroxyalkanoate), predominantly consisting of poly(3-hydroxybutyrate)	0 %	-	31.12.2025
0.7491	ex 3907 99 80	35	Copolymer in form of a clear, pale yellow liquid, consisting of — phthalic acid isomers and/or aliphatic dicarboxylic acids, — aliphatic diols, and — fatty acid end-caps with: — a hydroxyl number of 120 mg KOH or more but not more than 350 mg KOH, — a viscosity at 25 °C of 2000 cPs or more but not more than 8000 cPs, and — an acid value less than 10 mg KOH/g	0 %	-	31.12.2023
0.5057	ex 3907 99 80	80	Copolymer, consisting of 72 % by weight or more of terephthalic acid and/ or derivatives thereof and cyclohexanedimethanol, completed with linear and/ or cyclic dioles	0 %	-	31.12.2025
0.2923	ex 3908 90 00	10	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39	0 %	-	31.12.2023
0.3261	ex 3908 90 00	30	Reaction product of mixtures of octadecanecarboxylic acids polymerised with an aliphatic polyetherdiamine	0 %	-	31.12.2023
0.7428	ex 3909 20 00	10	Polymer mixture, containing by weight: — 60 % or more but not more than 75 % of melamine resin (CAS RN 9003-08-1), — 15 % or more but not more than 25 % of silicon dioxide (CAS RN 14808-60-7 or 60676-86-0), — 5 % or more but not more than 15 % of cellulose (CAS RN 9004-34-6), and — 1 % or more but not more than 15 % of phenolic resin (CAS RN 25917-04-8)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5032	ex 3909 40 00	20	Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices (1)	0 %	-	31.12.2025
0.7865	ex 3909 40 00	70	Polymer in the form of flakes composed of 98 % or more by weight of phenolic resin (brominated octylphenol-formaldehyde) with a softening point of 80°C or more but not exceeding 95°C according to standard ASTM E28-92 (CAS RN 112484-41-0)	0 %	-	31.12.2024
0.4595	ex 3909 50 90	10	UV curable water soluble liquid photopolymer consisting of a mixture by weight of — 60 % or more of two-functional acrylated polyurethane oligomers and — 30 % (± 8 %) of mono-functional and tri-functional (metha) acrylates, and — 10 % (± 3 %) of hydroxyl functionalized mono-functional (metha) acrylates	0 %	-	31.12.2024
0.6423	ex 3909 50 90	20	Preparation containing by weight: — 14 % or more but not more than 18 % of ethoxylated polyurethane modified with hydrophobic groups, — 3 % or more but not more than 5 % of enzymatically modified starch, and — 77 % or more but not more than 83 % of water	0 %	-	31.12.2024
0.6420	ex 3909 50 90	30	Preparation containing by weight: — 16 % or more but not more than 20 % of ethoxylated polyurethane modified with hydrophobic groups, — 19 % or more but not more than 23 % of diethylene glycol butyl ether, and — 60 % or more but not more than 64 % of water	0 %	-	31.12.2024
0.6424	ex 3909 50 90	40	Preparation containing by weight: — 34 % or more but not more than 36 % of ethoxylated polyurethane modified with hydrophobic groups, — 37 % or more but not more than 39 % of propylene glycol, and — 26 % or more but not more than 28 % of water	0 %	-	31.12.2024
0.6921	ex 3910 00 00	15	Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated	0 %	-	31.12.2026
0.3260	ex 3910 00 00	20	Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly[methyl(vinyl)siloxane]	0 %	-	31.12.2023
0.7057	ex 3910 00 00	25	Preparations containing by weight: — 10 % or more, 2-hydroxy-3-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy] disiloxanyl] propoxy] propyl-2-methyl-2-propenoate (CAS RN 69861-02-5), and — 10 % or more, α-Butyldimethylsilyl-ω-3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl-terminated silicone polymer (CAS RN 146632-07-7)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7058	ex 3910 00 00	35	Preparations containing by weight: — 30 % or more, α -Butyldimethylsilyl- ω -(3-methacryloxy-2-hydroxypropyloxy)propyldimethylsilyl-polydimethylsiloxane (CAS RN 662148-59-6) and — 10 % or more, N,N - Dimethylacrylamide (CAS RN 2680-03-7)	0 %	-	31.12.2026
0.4049	ex 3910 00 00	40	Silicones of a kind used in the manufacture of long term surgical implants	0 %	-	31.12.2026
0.7217	ex 3910 00 00	45	Dimethyl siloxane, hydroxy-terminated polymer with a viscosity of 38-100 mPa·s (CAS RN 70131-67-8)	0 %	-	31.12.2026
0.4300	ex 3910 00 00	50	Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum	0 %	-	31.12.2027
0.7218	ex 3910 00 00	55	Preparation containing by weight: — 55 % or more but not more than 65 % of vinyl terminated polydimethylsiloxane (CAS RN 68083-19-2), — 30 % or more but not more than 40 % of dimethylvinylated and trimethylated silica (CAS RN 68988-89-6), and — 1 % or more but not more than 5 % of silicic acid, sodium salt, reaction products with chlorotrimethylsilane and isopropyl alcohol (CAS RN 68988-56-7)	0 %	-	31.12.2026
0.4845	ex 3910 00 00	60	Polydimethylsiloxane, whether or not polyethylene glycol and trifluoropropyl substituted, with methacrylate end groups	0 %	-	31.12.2024
0.7953	ex 3910 00 00	65	Liquid copolymer based on polydimethylsiloxane with terminal epoxide groups CAS RN 2102536-93-4)	0 %	-	31.12.2025
0.5926	ex 3910 00 00	70	Passivating silicon coating in primary form, to protect edges and prevent short circuits in semiconductor devices	0 %	-	31.12.2023
0.8097	ex 3910 00 00	75	Copolymer of 80 % dimethylsiloxane, 10 % methyl methacrylate and 10 % butyl acrylate in the form of a white powder	0 %	-	31.12.2025
0.6324	ex 3910 00 00	80	Monomethacryloxypropylterminated poly(dimethylsiloxane)	0 %	-	31.12.2024
0.4413	ex 3911 10 00	81	Non-hydrogenated hydrocarbon resin, obtained by polymerization of more than 75 % by weight C-5 to C-12 cycloaliphatic alkenes and more than 10 % but not more than 25 % by weight aromatic alkenes yielding a hydrocarbon resin with: — an iodine value of more than 120 and — a Gardner Colour of more than 10 for the pure product or — a Gardner Colour of more than 8 for a 50 % solution by weight in toluene (as determined by the ASTM method D6166)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8220	ex 3911 90 19	15	Polyetherimide of 4,4'-[(isopropylidene)bis(p-phenylenoxy)]diphthalic dianhydride and 1,3-benzenediamine or 1,4-benzenediamine (CAS RN 61128-46-9 or CAS RN 61128-47-0)	0 %	-	31.12.2026
0.7163	ex 3911 90 19	20	Set of two components, in a volume ratio of 1:1, intended to produce a thermosetting polydicyclopentadiene after mixing, both components containing: — 83 % or more by weight of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), — a synthetic rubber, — whether or not containing by weight 7 % or more of tricyclopentadiene. and each separate component containing: — either an aluminium-alkyl compound, — or an organic complex of tungsten — or an organic complex of molybdenum	0 %	-	31.12.2023
0.4280	ex 3911 90 19	30	Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide	0 %	-	31.12.2027
0.5145	ex 3911 90 19	40	m-Xylene formaldehyde resin	0 %	-	31.12.2026
0.6519	ex 3911 90 19	70	Preparation, containing: — Cyanic acid, C,C'-((1-methylethylidene)di-4,1-phenylene) ester, homopolymer (CAS RN 25722-66-1), — 1,3-Bis(4-cyanophenyl)propane (CAS RN 1156-51-0), — in a solution of butanone (CAS RN 78-93-3) with a content of less than 50 % by weight	0 %	-	31.12.2024
0.8450	ex 3911 90 19	80	Poly(oxy-1,4-phenylenesulfonyl-1,4-phenylene) (CAS RN 25608-63-3 and CAS RN 25667-42-9) containing by weight not more than 20 % of additives	0 %	-	31.12.2027
0.8218	ex 3911 90 99	23	Aqueous solution consisting of by weight 25 % or more, but not more than 40 % of a poly(isobutylene-maleic anhydride) modified with: — N,N-dimethylpropane-1,3-diamine, — a copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups, — ethanol (CAS RN 497926-97-3)	0 %	-	31.12.2026
0.3257	ex 3911 90 99	25	Copolymer of vinyltoluene and α -methylstyrene	0 %	-	31.12.2023
0.5109	ex 3911 90 99	35	Alternated copolymer of ethylene and maleic anhydride (EMA)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8009	ex 3911 90 99	38	Mixture containing by weight: — 90 % (± 1 %) of 1,4:5,8- Dimethanonaphthalene, 2-ethylidene-1,2,3,4,4a,5,8,8a-octahydro-, polymer with 3a,4,7,7a- tetrahydro- 4,7-methano-1H-indene, hydrogenated (CAS RN 881025-72-5), and — 10 % (± 1 %) of a hydrogenated styrene butadiene copolymer (CAS RN 66070-58-4)	0 %	-	31.12.2025
0.3221	ex 3911 90 99	40	Mixed calcium and sodium salt of a copolymer of maleic acid and methyl vinyl ether, having a calcium content of 9 % or more but not more than 16 % by weight	0 %	-	31.12.2023
0.3256	ex 3911 90 99	45	Copolymer of maleic acid and methyl vinyl ether	0 %	-	31.12.2023
0.8010	ex 3911 90 99	48	Mixture containing by weight: — 90 % (± 1 %) of 1,4:5,8-dimethanonaphthalene, 2-ethylidene-1,2,3,4,4a,5,8,8a-octahydro-, polymer with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene, hydrogenated (CAS RN 881025-72-5), and — 10 % (± 1 %) of an ethylene-propylene copolymer (CAS RN 9010-79-1)	0 %	-	31.12.2025
0.3255	ex 3911 90 99	65	Calcium zinc salt of a copolymer of maleic acid and methyl vinyl ether	0 %	-	31.12.2023
0.4091	ex 3911 90 99	86	Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)	0 %	-	31.12.2026
0.4912	ex 3912 11 00	30	Cellulose triacetate (CAS RN 9012-09-3)	0 %	-	31.12.2026
0.4953	ex 3912 11 00	40	Cellulose diacetate powder	0 %	-	31.12.2025
0.3251	ex 3912 39 85	10	Ethylcellulose, not plasticized	0 %	-	31.12.2023
0.3253	ex 3912 39 85	20	Ethylcellulose, in the form of an aqueous dispersion containing hexadecan-1-ol and sodium dodecyl sulphate, containing by weight 27 (± 3) % of ethylcellulose	0 %	-	31.12.2023
0.3252	ex 3912 39 85	30	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms	0 %	-	31.12.2023
0.6718	ex 3912 39 85	50	Polyquaternium 10 (CAS RN 68610-92-4)	0 %	-	31.12.2025
0.4017	ex 3912 90 10	20	Hydroxypropyl methylcellulose phthalate	0 %	-	31.12.2023
0.3898	ex 3913 90 00	30	Protein, chemically or enzymatically modified by carboxylation and/or phthalic acid addition, whether or not hydrolysed, having a weight average molecular weight (Mw) of less than 350 000	0 %	-	31.12.2023
0.3749	ex 3913 90 00	85	Sterile sodium hyaluronate (CAS RN 9067-32-7)	0 %	-	31.12.2023
0.3249	ex 3913 90 00	95	Chondroitinsulphuric acid, sodium salt (CAS RN 9082-07-9)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8323	ex 3914 00 00	10	Aqueous suspension, containing by weight — 20 % or more but not more than 30 % of beaded agarose, modified with nitrilotriacetic acid and loaded with divalent nickel ions (CAS RN 1615227-97-8), and — 20 % or more but not more than 30 % of ethanol (CAS RN 64-17-5)	0 %	-	31.12.2027
0.4797	ex 3916 20 00	91	Profiles of poly(vinyl chloride) of a kind used in the manufacture of sheet pilings and facings, containing the following additives: — titanium dioxide, — poly(methyl methacrylate), — calcium carbonate, — binding agents	0 %	-	31.12.2024
0.5988	ex 3916 90 10	10	Rods with cellular structure, containing by weight: — polyamide-6 or poly(epoxy anhydride) — 7 % or more but not more than 9 % of polytetrafluorethylene if present — 10 % or more but not more than 25 % of inorganic fillers	0 %	-	31.12.2023
0.8116	ex 3917 31 00 ex 3917 32 00 ex 3917 39 00	30 20 20	Tubings: — with an outer diameter of 0,33 mm or more but not more than 3,3 mm, — with an inner diameter of 0,01 mm or more but not more than 2,1 mm, — suitable for a maximum working pressure rate from 2,7 MPa up to 70 MPa, — suitable for all solutions used in chromatography, — whether or not with fused silica, — whether or not covered with PEEK, for use in chromatographic system (1)	0 %	-	31.12.2026
0.8268	ex 3917 32 00	30	Heat shrinkable tube: — containing by weight 80 % or more polymer, — with an insulation resistance of 90 MΩ or more, — with a dielectric strength of 35 kV / mm or more, — with a wall thickness of 0,04 mm or more, but not more than 0,9 mm, — with a lay-flat width of 18 mm or more, but not more than 156 mm, for use in the manufacture of aluminium electrolytic capacitors (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8117	ex 3917 40 00	20	Plastic fittings (kit of nuts and ferrules or nuts) and connectors: — threaded, — supported with or without a stainless steel ring, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, for tubings with: — outer diameter of 0,33 mm or more but not more than 3,3 mm, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, — suitable for all solutions used in chromatography, for use in the production of chromatographic systems ⁽¹⁾	0 %	-	31.12.2026
0.4641	ex 3917 40 00	91	Plastic connectors containing O-rings, a retainer clip and a release system for insertion into car fuel hoses	0 %	-	31.12.2024
0.2421	ex 3919 10 19 ex 3919 10 80 ex 3919 90 80	10 25 31	Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	0 %	-	31.12.2023
0.4800	ex 3919 10 80 ex 3919 90 80	27 20	Polyester film: — coated on one side with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner, and — on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner	0 %	-	31.12.2024
0.2910	ex 3919 10 80	35	Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyd polyester, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	0 %	-	31.12.2023
0.4757	ex 3919 10 80	37	Polytetrafluoroethylene film: — with a thickness of 100 µm or more, — an elongation at break of not more than 100 %, — coated on one side with a pressure sensitive silicon adhesive	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4303	ex 3919 10 80 ex 3919 90 80	45 45	Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm	0 %	-	31.12.2027
0.8109	ex 3919 10 80	48	Plastic strips of polypropylene, — self-adhesive, — unilaterally adhesive-coated with an Acrylic Polymer, — in rolls with a width of 20 cm or less, — with a thickness including adhesion layer of 0,03 mm or less, for use in the manufacturing of lithium-ion electric rechargeable batteries (1)	3.2 %	-	31.12.2023
0.3035	ex 3919 10 80 ex 3919 90 80 ex 3920 10 89	50 41 25	Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs (1)	0 %	-	31.12.2023
0.3036	ex 3919 10 80 ex 3919 90 80	55 53	Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)	0 %	-	31.12.2027
0.2416	ex 3919 10 80 ex 3919 90 80 ex 3920 61 00	57 30 30	Reflecting sheet: — of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern — covered on one or both sides with one or more layers of plastic or metallisation, and — whether or not covered on one side with a self-adhesive layer and a release sheet	0 %	-	31.12.2023
0.6886	ex 3919 10 80	63	Reflecting film consisting of — a layer of an acrylic resin with imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, — a layer of an acrylic resin having embedded glass beads, — a layer of an acrylic resin hardened by a melamine cross-linking agent, — a metal layer, — an acrylic adhesive, and — a release film	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4545	ex 3919 10 80 ex 3919 90 80	73 50	Self-adhesive reflecting sheet whether or not in segmented pieces, — whether or not containing a watermark, — with or without an application tape coated on one side with an adhesive; the reflective sheet consists of: — a layer of acrylic or vinyl polymer, — a layer of poly(methyl methacrylate) or polycarbonate containing microprisms, — a layer of metallisation, — an adhesive layer, and — a release sheet — whether or not containing an additional layer of polyester	0 %	-	31.12.2023
0.5166	ex 3919 10 80 ex 3919 90 80	75 80	Self-adhesive reflecting film, consisting of several layers including: — a copolymer of acrylic resin, — polyurethane, — a metallised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, — glass microspheres, and — an adhesive layer, with a release liner on one or both sides	0 %	-	31.12.2026
0.4799	ex 3919 10 80 ex 3919 90 80	85 28	Poly(vinyl chloride), poly(ethyleneterephthalate), polyethylene or any other polyolefin film: — coated on one side with an acrylic UV-sensitive adhesive and a liner — of a total thickness of 65 µm or more without release liner	0 %	-	31.12.2024
0.4414	ex 3919 90 80	19	Transparent poly(ethylene terephthalate) self-adhesive film: — free from impurities or faults, — coated on one side with an acrylic pressure sensitive adhesive and a protective liner, and on the other side with an antistatic layer of ionic organic choline compound, — whether or not with a printable dust-proof layer of modified long chain alkyl organic compound, — with a total thickness without the liner of 54 µm or more but not more than 64 µm, and — a width of more than 1 295 mm but not more than 1 305 mm	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4314	ex 3919 90 80	22	Polyester, polyethylene or polypropylene film coated on one or both sides with an acrylic and/or rubber pressure sensitive adhesive, whether or not supplied with a release liner, put up in rolls of a width of 45,7 cm or more but not more than 160 cm	0 %	-	31.12.2024
0.3243	ex 3919 90 80	23	Film consisting of 1 to 3 laminated layers of poly(ethylene terephthalate) and a copolymer of terephthalic acid, sebacic acid and ethylene glycol, coated on one side with an acrylic abrasion resistant coating and on the other side with an acrylic pressure sensitive adhesive, a water soluble methylcellulose coating and a poly(ethylene terephthalate) protective liner	0 %	-	31.12.2023
0.4760	ex 3919 90 80	24	Reflecting laminated sheet: — consisting of an epoxy acrylate layer embossed on one side in a regular shaped pattern, — covered on both sides with one or more layers of plastic material and — covered on one side with an adhesive layer and a release sheet	0 %	-	31.12.2024
0.4415	ex 3919 90 80	33	Transparent poly(ethylene) self-adhesive film, free from impurities or faults, coated on one side with an acrylic pressure sensitive adhesive, with a thickness of 60 µm or more, but not more than 70 µm, and with a width of more than 1 245 mm but not more than 1 255 mm	0 %	-	31.12.2023
0.4398	ex 3919 90 80	35	Reflecting layered sheet on rolls, with a width of more than 20 cm, showing an embossed regular pattern, consisting of poly(vinyl chloride) film coated on one side with: — a layer of polyurethane containing glass micro beads, — a layer of poly(ethylene vinyl acetate), — an adhesive layer, and — a release sheet	0 %	-	31.12.2023
0.7503	ex 3919 90 80	37	Polyethylene or polycarbonate film, cut into ready to use forms, — one side partly printed whereby part of the printing either gives information about the meaning of LED's visible at the unprinted areas, or marks those points which must be touched to operate the system, — the other side partly covered with an adhesive layer, — both sides covered with a release liner, and — with dimensions of not more than 14 cm x 2,5 cm, for use in the manufacture of push-button switches for mechatronic system adjustable furniture (1)	0 %	-	31.12.2023
0.4445	ex 3919 90 80	49	Reflecting laminated sheet consisting of a film of poly(methyl methacrylate) embossed on one side in a regular shaped pattern, a film of a polymer containing glass microspheres, an adhesive layer and a release sheet	0 %	-	31.12.2023
0.5507	ex 3919 90 80	51	Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm, covered on one side with an adhesive layer and a release sheet	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4532	ex 3919 90 80	54	Poly(vinyl chloride) film, on one side covered with — a polymer layer — an adhesive layer — a release liner, on one side embossed, containing oblate spheres; whether or not on the other side covered with an adhesive layer and a metallised polymer layer	0 %	-	31.12.2024
0.4947	ex 3919 90 80	65	Self-adhesive film with a thickness of 40 µm or more, but not more than 475 µm, consisting of one or more layers of transparent, metallised or dyed poly(ethylene terephthalate), covered on one side with a scratch resistant coating and on the other side with a pressure sensitive adhesive and a release liner	0 %	-	31.12.2025
0.4925	ex 3919 90 80	70	Self-adhesive polishing discs of microporous polyurethane, whether or not coated with a pad	0 %	-	31.12.2025
0.4964	ex 3919 90 80	82	Reflecting film consisting of: — a polyurethane layer, — a glass microspheres layer, — a metallised aluminium layer, and — an adhesive, covered on one or both sides with a release liner, — whether or not a poly(vinyl chloride) layer, — a layer whether or not incorporating security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use	0 %	-	31.12.2025
0.4459	ex 3919 90 80	83	Reflector or diffuser sheets, in rolls, — for protection against ultraviolet or infra-red heat radiation, to be affixed to windows or — for equal transmission and distribution of light, intended for LCD modules	0 %	-	31.12.2027
0.3241	ex 3920 10 25	30	Mono-layered High-Density Polyethylene film: — containing by weight 99 % or more of polyethylene, — with a thickness of 12 µm or more but not more than 20 µm, — with a length of 4000 m or more but not more than 7000 m, — with a width of 600 mm or more but not more than 900 mm	0 %	-	31.12.2023
0.8440	ex 3920 10 28	20	A Separator film of polyethylene: — coated on one side with a layer of aluminium oxide, — containing by weight not more than 70 % of polyethylene, — containing by weight not more than 30 % of aluminum oxide, — with a total thickness of 5 µm or more but not more than 25 µm, for use in the manufacture of lithium-ion batteries (1)	3.2 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4419	ex 3920 10 28	91	Poly(ethylene) film printed with a graphic design, which is achieved by using four base colours in ink plus specialist colours, to achieve multiple colours in ink on one side of the film, and one colour on the opposite side, the graphic design also has the following characteristics: — is repetitive and equally spaced along the length of the film — is equally and visibly aligned when viewed from the back or front of the film	0 %	-	31.12.2023
0.6640	ex 3920 10 40	40	Tubular layered film predominately of polyethylene: — consisting of a tri-layer barrier with a core layer of ethylene vinyl alcohol covered on either side with a layer of polyamide, covered on either side with at least one layer of polyethylene, — having a total thickness of 55 µm or more, — having a diameter of 500 mm or more but not more than 600 mm	0 %	-	31.12.2025
0.3754	ex 3920 10 89	40	Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm	0 %	-	31.12.2027
0.8149	ex 3920 10 89	45	Octene and ethylene copolymer plastic film of a thickness of 0,45 mm or more but not more than 0,75 mm, for use in the manufacture of glass to glass photovoltaic solar panels ⁽¹⁾	0 %	-	31.12.2027
0.5139	ex 3920 10 89	55	Ethylene vinyl acetate (EVA) film: — with a raised relief surface with embossed undulations, — not laminated, — not cross-linked, and — with a thickness of more than 0,3 mm	0 %	-	31.12.2026
0.5482	ex 3920 20 21	40	Sheets of biaxially - oriented polypropylene film: — with the thickness of not more than 0,1 mm, — printed on both sides with specialised coatings to allow banknote security printing	0 %	-	31.12.2023
0.8205	ex 3920 20 21	50	Biaxially oriented film of multiple layers of polypropylene, with a total thickness of not more than 14 micron	0 %	-	31.12.2026
0.4394	ex 3920 20 29	60	Mono-axial oriented film, of a total thickness of not more than 75µm, consisting of three or four layers, each layer containing a mixture of polypropylene and polyethylene, with a core layer whether or not containing titanium dioxide, having: — a tensile strength in the machine direction of 120 MPa or more but not more than 270 MPa and — a tensile strength in the transverse direction of 10 MPa or more but not more than 40 MPa as determined by test method ASTM D882/ISO 527-3	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3028	ex 3920 20 29	70	Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, with a core layer whether or not containing titanium dioxide, having: — a thickness of 55 µm or more but not more than 97 µm, — a tensile modulus in the machine direction of 0,30 GPa or more but not more than 1,45 GPa, and — a tensile modulus in the transverse direction of 0,20 GPa or more but not more than 0,70 GPa	0 %	-	31.12.2024
0.5167	ex 3920 20 29	94	Mono-axial oriented, co-extruded film: — consisting of 3 to 5 layers, — each layer mainly consisting of polypropylene and/or polyethylene, — each layer containing not more than 10 % by weight of other polymers, — whether or not containing titanium dioxide in the core layer, — of an overall thickness of not more than 75 µm	0 %	-	31.12.2027
0.3024	ex 3920 43 10	92	Sheeting of poly(vinyl chloride), stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 µm or more but not more than 80 µm, containing 30 or more but not more than 40 parts of plasticiser to 100 parts of poly(vinyl chloride)	0 %	-	31.12.2023
0.3235	ex 3920 43 10 ex 3920 49 10	94 93	Film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26 mm or more but not more than 1,0 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not more than 1 450 mm, for use in the manufacture of goods of heading 9403 (1)	0 %	-	31.12.2023
0.3026	ex 3920 43 10	95	Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a film of an other plastic totally embossed in a regular pyramidal pattern, covered on one side with a release sheet	0 %	-	31.12.2023
0.5930	ex 3920 49 10	30	Film of a (polyvinyl)chloride-copolymer — containing by weight 45 % or more of fillers — on a support	0 %	-	31.12.2023
0.3021	ex 3920 51 00	20	Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a thickness of 3,5 mm or more but not more than 19 mm	0 %	-	31.12.2023
0.5506	ex 3920 51 00	30	Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm	0 %	-	31.12.2023
0.5753	ex 3920 51 00	40	Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PRF-25690)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7949	ex 3920 61 00	40	Extruded thermoplastic foils or films of polycarbonate with: — matt surface texture on both sides — a thickness of more than 50 µm but not more than 200 µm, — a width of 800 mm or more, but not more than 1 500 mm, and — a length of 300 m or more, but not more 2500 m	0 %	-	31.12.2025
0.8274	ex 3920 61 00	50	Coextruded film of polycarbonate main layer and polymethyl methacrylate top layer with a: — total thickness of more than 230 µm but not more than 270 µm, — top layer thickness of more than 40 µm but not more than 55 µm, — defined surface roughness of the top layer of 0,5 µm or less (according to ISO 4287), — UV-stabilized top layer	0 %	-	31.12.2026
0.7418	ex 3920 62 19 ex 3920 62 90	05 10	Poly(ethylene terephthalate) film in rolls: — with a thickness of 0,335 mm or more but not more than 0,365 mm, and — coated with a gold layer with a thickness of 0,03 µm or more but not more than 0,06 µm	0 %	-	31.12.2027
0.3234	ex 3920 62 19	08	Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickness of not more than 25 µm, either: — only dyed in the mass, or — dyed in the mass and metallised on one side	0 %	-	31.12.2023
0.3017	ex 3920 62 19	12	Film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material	0 %	-	31.12.2023
0.3022	ex 3920 62 19	18	Laminated film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one layer which is metallised only and one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material	0 %	-	31.12.2023
0.3034	ex 3920 62 19	20	Reflecting polyester sheeting embossed in a pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of school satchels, bags or similar containers ⁽¹⁾	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8438	ex 3920 62 19	28	Non-transparent poly(ethylene terephthalate) film: — covered on one side with a layer of a fluoropolymer, — covered on the other side with an adhesive and a layer of polyvinylidene difluoride, — each outer layer with a thickness of 7 nm or more but not more than 80 nm, — with a tensile strength of 300 N/cm or more (ASTM D-882), — with a total thickness of 200 µm or more but not more than 350 µm, and — with a width of 600 mm or more but not more than 1 600 mm	0 %	-	31.12.2027
0.3356	ex 3920 62 19	38	Poly(ethylene terephthalate) film, of a thickness of not more than 12 µm, coated on one side with a layer of aluminium oxide of a thickness of not more than 35 nm	0 %	-	31.12.2023
0.3357	ex 3920 62 19	48	Sheets or rolls of poly(ethylene terephthalate): — coated on both sides with a layer of epoxy acrylic resin, — of a total thickness of 37 µm (± 3 µm)	0 %	-	31.12.2025
0.2589	ex 3920 62 19	52	Film of polyethylene terephthalate, polyethylene naphthalate or similar polyester, coated on one side with metal and/or metal oxides, containing by weight less than 0,1 % of aluminium, of a thickness of not more than 300 µm and having a surface resistivity of not more than 10 000 ohms (per square) (as determined by the ASTM D257 method)	0 %	-	31.12.2023
0.4344	ex 3920 62 19	60	Poly(ethylene terephthalate) film: — of a thickness of not more than 20 µm, — coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2µm	0 %	-	31.12.2027
0.8011	ex 3920 62 19 ex 3920 62 90	68 20	Poly(ethylene terephthalate) film in rolls: — with a thickness of 50 µm or more but not more than 350 µm, and — covered with a layer of sputtered precious metal such as gold or palladium with a thickness of 0,02 µm or more but not more than 0,06 µm	0 %	-	31.12.2025
0.4520	ex 3920 62 19	76	Transparent poly(ethylene terephthalate) film: — coated on both sides with layers of organic substances on the basis of acryl of a thickness of 7 nm or more but not more than 80 nm, — with a surface tension of 36 Dyne/cm or more but not more than 39 Dyne/cm, — with a light transmission of more than 93 %, — with a haze value of not more than 1,3 %, — with a total thickness of 10 µm or more but not more than 350 µm, — with a width of 800 mm or more but not more than 1 600 mm	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3328	ex 3920 69 00	20	Film of poly(ethylene naphthalene-2,6-dicarboxylate)	0 %	-	31.12.2023
0.7882	ex 3920 69 00	30	Mono- or multilayer, transverse oriented, shrink film: — composed of more than 85 % by weight of polylactic acid, not more than 5 % by weight of inorganic or organic additives and not more than 10 % by weight of additives based on biodegradable polyesters, — with a thickness of 20 µm or more but not more than 100 µm, — with a length of 2 385 m or more but not more than 9 075 m, — biodegradable and compostable (as determined by the method EN 13432)	0 %	-	31.12.2024
0.6483	ex 3920 69 00	50	Monolayer, biaxially oriented film: — composed of more than 85 % by weight of poly(lactic acid) and not more than 10,50 % by weight of modified poly(lactic acid) based polymer, poly-glycol ester and talc, — having a thickness of 20 µm or more but not more than 120 µm — biodegradable and compostable (as determined by the method EN 13432)	0 %	-	31.12.2024
0.6484	ex 3920 69 00	60	Monolayer, transverse oriented, shrink film: — composed of more than 80 % by weight of poly(lactic acid) and not more than 15,75 % by weight of additives of modified poly(lactic acid), — having a thickness of 45 µm or more but not more than 50 µm, — biodegradable and compostable (as determined by the method EN 13432)	0 %	-	31.12.2024
0.7883	ex 3920 69 00	70	Mono- or multilayer, biaxially oriented film: — composed of more than 85 % by weight of polylactic acid, not more than 5 % by weight of inorganic or organic additives, and not more than 10 % by weight of additives based on biodegradable polyesters, — with a thickness of 9 µm or more but not more than 120 µm, — with a length of 1 395 m or more but not more than 21 560 m, — biodegradable and compostable (as determined by the method EN 13432)	0 %	-	31.12.2024
0.6515	ex 3920 79 10	10	Sheets of painted vulcanised fibre-board with a thickness of not more than 1,5 mm	0 %	p/st	31.12.2024
0.4766	ex 3920 91 00	52	Poly(vinyl butyral) film: — containing by weight 26 % or more but not more than 30 % of triethyleneglycol bis(2-ethyl hexanoate) as a plasticiser, — with a thickness of 0,73 mm or more but not more than 1,50 mm	0 %	-	31.12.2024
0.3329	ex 3920 91 00	91	Poly(vinyl butyral) film having a graduated coloured band	3 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3136	ex 3920 91 00	93	Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: — a visible light transmission of 50 % or more, — coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral), — a total thickness of not more than 0,2 mm without taking the presence of poly(vinyl butyral) into account and a thickness of poly(vinyl butyral) of more than 0,2 mm	0 %	-	31.12.2024
0.4508	ex 3920 91 00	95	Co-extruded trilayer poly(vinyl butyral) film with a graduated colour band containing by weight 29 % or more but not more than 31 % of 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) as a plasticiser	0 %	-	31.12.2023
0.3917	ex 3920 99 28	40	Polymer film containing the following monomers: — poly (tetramethylene ether glycol), — bis (4-isocyanotocyclohexyl) methane, — 1,4-butanediol or 1,3-butanediol, — with a thickness of 0,25 mm or more but not more than 5,0 mm, — embossed with a regular pattern on one surface, — and covered with a release sheet	0 %	-	31.12.2023
0.5938	ex 3920 99 28	45	Transparent polyurethane film metallised on one side: — with a gloss of more than 90 degrees according to ASTM D2457 — covered on the metallised side with a heat bonding adhesive layer consisting of polyethylene/polypropylene copolymer — covered on the other side with a protective poly(ethylene terephthalate) film — with a total thickness of more than 204 µm but not more than 244 µm	0 %	-	31.12.2024
0.8005	ex 3920 99 28	48	Thermoplastic polyurethane foil in rolls, with: — a width of 900 mm or more but not more than 1016 mm, — a matt finish, — a thickness of 0,4 mm (± 8 %), — an elongation at break of 480 % or more (ASTM D412 (Die C)), — a tensile strength in machine direction of 470 (± 10) kg/cm ² (ASTM D412 (Die C)), — a Shore A hardness of 90 (± 3) (ASTM D2240), — a tear strength of 100 (± 10) kg/cm ² (ASTM D624 (Die C)), — a melting point of 165°C (± 10 °C)	0 %	-	31.12.2025
0.4192	ex 3920 99 28	50	Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm, covered on one side with a removable protective film	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6579	ex 3920 99 28	65	Matt, thermoplastic polyurethane foil in rolls with: — a width of 1640 mm (± 10 mm), — a gloss of 3,3 degrees or more but not more than 3,8 (as determined by the method ASTM D2457), — a surface roughness of 1,9 Ra or more but not more than 2,8 Ra (as determined by the method ISO 4287), — a thickness of more than 365 μ m but not more than 760 μ m, — a hardness of 90 (± 4) (as determined by the method: Shore A (ASTM D2240)), — an elongation to break of 470 % (as determined by the method: EN ISO 527)	0 %	m ²	31.12.2024
0.5315	ex 3920 99 28	70	Sheets on rolls, consisting of epoxy resin, with conducting properties, containing: — microspheres with a coating of metal, whether or not alloyed with gold, — an adhesive layer, — with a protective layer of silicone or poly(ethylene terephthalate) on one side, — with a protective layer of poly(ethylene terephthalate) on the other side, and — with a width of 5 cm or more but not more than 100 cm — with a length of not more than 2 000 m	0 %	-	31.12.2026
0.3326	ex 3920 99 59	25	Poly(1-chlorotrifluoroethylene) film	0 %	-	31.12.2023
0.7603	ex 3920 99 59	30	Poly(tetrafluoroethylene) film containing by weight 10 % or more of graphite	0 %	-	31.12.2023
0.2873	ex 3920 99 59	55	Ion-exchange membranes of fluorinated plastic material	0 %	-	31.12.2023
0.3135	ex 3920 99 59	65	Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34 μ m or more but not more than 90 μ m, a tensile strength at break of 20 MPa or more but not more than 55 MPa and an elongation at break of 250 % or more but not more than 900 %	0 %	-	31.12.2023
0.7529	ex 3920 99 59	75	Film of fluorinated ethylene propylene resin (CAS RN 25067-11-2) with: — a thickness of 0,010 mm or more but not more than 0,80 mm, — a width of 1 219 mm or more but not more than 1 575 mm, and — a melting point of 252 °C (measured according ASTM D-3418)	0 %	-	31.12.2023
0.4095	ex 3920 99 90	20	Anisotropic conductive film, in rolls, of a width of 1,2 mm or more but not more than 3,15 mm and a maximum length of 300 m, used for joining electronic components in the production of LCD or plasma displays	0 %	-	31.12.2023
0.3318	ex 3921 13 10	10	Sheet of polyurethane foam, of a thickness of 3 mm (± 15 %) and of a specific gravity of 0,09435 or more but not more than 0,10092	0 %	m ³	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6066	ex 3921 19 00	30	Blocks with cellular structure, containing by weight: — polyamide-6 or poly(epoxy anhydride) — 7 % or more but not more than 9 % of polytetrafluorethylene if present — 10 % or more but not more than 25 % of inorganic fillers	0 %	-	31.12.2023
0.6911	ex 3921 19 00	40	Transparent, microporous, acrylic acid grafted polyethylene film, in the form of rolls, with: — a width of 98 mm or more but not more than 170 mm, — a thickness of 15 µm or more but not more than 36 µm, of a kind used for the manufacture of alkaline battery separators	3.2 %	-	31.12.2023
0.7263	ex 3921 19 00	45	Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with: — zero transversal production direction (TD) shrinkage, — a total thickness of 8 µm or more, but not more than 50 µm, — a width of 15 mm or more, but not more than 900 mm, — a length of more than 200 m, but not more than 8 000 m, — an average pore size between 0,02 µm and 0,1 µm, — laminated or not with a Polypropylene non-woven mat of 50 to 200 µm thickness, — coated or not with surfactant, — coated or not on 1 or 2 sides with a ceramic layer of min 1 µm thickness or more, but not more than 5 µm, — coated or not on 1 or 2 sides with a sticky binder, PVdF type or similar of min 0,5 µm thickness or more, but not more than 5 µm	3.2 %	-	31.12.2023
0.7132	ex 3921 19 00	50	Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded non-woven cloth with — a total thickness of more than 0,05 mm but not more than 0,20 mm, — a water entry pressure between 5 and 200 kPa according to ISO 811, and — an air permeability of 0,08 cm ³ /cm ² /s or more according to ISO 5636-5	0 %	-	31.12.2026
0.7280	ex 3921 19 00	60	Multi-porous multilayer separator foil with: — one microporous polyethylene layer between two microporous polypropylene layers and whether or not containing a coating of aluminium oxide on both sides, — a width of 65 mm or more but not more than 170 mm, — a total thickness of 0,01 mm or more but not more than 0,03 mm, — a porosity of 0,25 or more but not more than 0,65	0 %	m ²	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3314	ex 3921 19 00	93	Strip of microporous polytetrafluoroethylene on a support of a non-woven, for use in the manufacture of filters for kidney dialysis equipment (1)	0 %	-	31.12.2023
0.3002	ex 3921 19 00	95	Film of polyethersulfone, of a thickness of not more than 200 µm	0 %	-	31.12.2023
0.3003	ex 3921 90 10	10	Composite plate of poly(ethylene terephthalate) or of poly(butylene terephthalate), reinforced with glass fibres	0 %	-	31.12.2023
0.4379	ex 3921 90 10	20	Poly(ethylene terephthalate) film, laminated on one side or on both sides with a layer of unidirectional nonwoven poly(ethylene terephthalate) and impregnated with polyurethane or epoxide resin	0 %	-	31.12.2023
0.6156	ex 3921 90 10	30	Multilayer film consisting of: — a poly(ethylene terephthalate) film with a thickness of more than 100 µm but not more than 150 µm, — a primer of phenolic material with a thickness of more than 8 µm but not more than 15 µm, — an adhesive layer of a synthetic rubber with a thickness of more than 20 µm but not more than 30 µm, — and a transparent poly(ethylene terephthalate) liner with a thickness of more than 35 µm but not more than 40 µm	0 %	m ²	31.12.2023
0.4844	ex 3921 90 55	25	Prepreg sheets or rolls containing polyimide resin	0 %	-	31.12.2024
0.7510	ex 3921 90 55	35	Glass fiber impregnated with epoxy resin for use in the manufacture of smart cards (1)	0 %	m ²	31.12.2023
0.6742	ex 3921 90 55	40	Three layered fabric sheet, in rolls, — comprising a core layer of 100 % Nylon Taffeta or Nylon/Polyester blended Taffeta, — coated on both sides with polyamide, — of a total thickness not more than 135 µm, — of a total weight not more than 80 g/m ²	0 %	m ²	31.12.2025
0.8291	ex 3921 90 55	60	Membrane composed of a polyamide layer and a polysulfone layer on a cellulose support layer with: — a total thickness of 0,25 mm or more but not more than 0,40 mm, — a total weight of 109 g/m ² or more but not more than 114 g/m ²	0 %	m ²	31.12.2026
0.3312	ex 3921 90 60	35	Ion-exchange membranes based on a fabric coated on both sides with fluorinated plastic material, for use in chlor-alkali electrolytic cells (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5396	ex 3923 10 90	10	Photomask or wafer compacts: — consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, — having non porous, abrasion resistant or impact resistant surface properties, — fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage and — with or without a gasket seal, of a kind used in the photolithography or other semiconductor production to house photomasks or wafers	0 %	-	31.12.2026
0.7630	ex 3926 30 00	40	Plastic internal door handle used in the manufacture of motor vehicles (1)	0 %	-	31.12.2023
0.7335	ex 3926 30 00 ex 3926 90 97	50 48	Coated interior or exterior decorative parts consisting of: — a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, and — a PVC foil, — not containing layers of copper, nickel or chromium, for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 (1)	0 %	p/st	31.12.2027
0.2764	ex 3926 90 97	10	Microspheres of a polymer of divinylbenzene, of a diameter of 4,5 µm or more but not more than 80 µm	0 %	-	31.12.2023
0.3756	ex 3926 90 97	15	Glass fibre reinforced plastic traverse leaf spring for use in the manufacture of motor vehicle suspension systems (1)	0 %	-	31.12.2023
0.2978	ex 3926 90 97	20	Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chloride) embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material	0 %	-	31.12.2023
0.6717	ex 3926 90 97	23	Plastic cover with clips for the exterior rear-view mirror of motor vehicles	0 %	p/st	31.12.2025
0.7445	ex 3926 90 97	27	Gasket of polyethylene foam, intended to fill-up the space between the body of a motor vehicle and the base of a rear-view mirror	0 %	-	31.12.2023
0.5474	ex 3926 90 97	30	Parts of car radio and car air-conditioner front panels — of acrylonitrile-butadiene-styrene with or without polycarbonate, — coated with a copper, a nickel and a chrome layers, — with a total thickness of coating of 5,54 µm or more but not more than 49,6 µm	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6301	ex 3926 90 97	33	Housings, housing parts, drums, setting wheels, frames, covers, upper part, design plate and other parts of acrylonitrile-butadiene-styrene, polycarbonate, polymethylmethacrylate or thermoplastic polyurethane, of a kind used for the manufacture of remote controls	0 %	p/st	31.12.2024
0.7061	ex 3926 90 97	40	Silicone shell for breast implant	0 %	-	31.12.2026
0.3850	ex 3926 90 97	43	Mixture of water and by weight 19 % or more but not more than 35 % of expanded hollow microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate or other methacrylate, of a diameter of 3 µm or more but not more than 4,95 µm	0 %	-	31.12.2023
0.6166	ex 3926 90 97	50	Knob of car radio front panel, made of Bisphenol A-based polycarbonate, in immediate packings of not less than 300 pieces	0 %	p/st	31.12.2023
0.8118	ex 3926 90 97	58	Plastic ferrules and/or plugs: — supported with or without a stainless steel ring, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, for tubings with: — outer diameter of 0,33 mm or more but not more than 3,3 mm, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, — suitable for all solutions used in chromatography, for use in the production of chromatographic systems (1)	0 %	-	31.12.2026
0.7196	ex 3926 90 97	77	Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 mm, in immediate packings of 2 500 pieces or more, of a kind used in car parking aid sensor systems	0 %	p/st	31.12.2026
0.3046	ex 4007 00 00	10	Siliconated vulcanised rubber thread and cord	0 %	-	31.12.2023
0.6708	ex 4009 42 00	20	Rubber brake hose with: — textile strings, — a wall thickness of 3,2 mm, — a metal hollow terminal pressed on both ends, and — one or more mounting brackets, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2025
0.7042	ex 4010 31 00 ex 4010 33 00 ex 4010 39 00	10 10 10	Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6844	ex 4016 93 00	30	Rectangular ethylene-propylene-diene rubber gasket, with: — a length of 72 mm or more but not more than 825 mm, — a width of 18 mm or more but not more than 155 mm, — a peak temperature of 150°C or more but not more than 240°C, — a permissible material outflow at the place of the mold split of not more than 0,3 mm	0 %	-	31.12.2025
0.7170	ex 4016 99 57	10	Air intake hose for air supply to the combustion part of the engine comprising at least: — one flexible rubber hose, — one plastic hose, and — metal clips, — whether or not a resonator for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2026
0.7357	ex 4016 99 57	30	Pin boot of a brake calliper made of vulcanized rubber with: — an inner diameter of not less than 5 mm and an outer diameter of not more than 35 mm, — a height of 15 mm or more, but not more than 40 mm, and — a ribbed design for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2024
0.5148	ex 4016 99 97	30	Tyre moulding bladder	0 %	-	31.12.2026
0.5842	ex 4104 41 19	10	Buffalo leather, split, chrome tanned synthetic retanned ("crust"), dry	0 %	-	31.12.2024
0.2555	4105 10 00 4105 30 90		Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114	0 %	-	31.12.2023
0.2553	4106 21 00 4106 22 90		Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114	0 %	-	31.12.2023
0.2554	4106 31 00 4106 32 00 4106 40 90 4106 92 00		Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading 4114	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6223	ex 4408 39 30	10	Okoume veneer sheets: — of a length of 1 270 mm or more, but not more than 3 200 mm, — of a width of 150 mm or more, but not more than 2 000 mm, — of a thickness of 0,5 mm or more, but not more than 4 mm, — not sanded and — not planed	0 %	-	31.12.2023
0.8372	ex 4411 12 92	10	Fibreboard: — with a thickness of 2,20 mm or more but not more than 2,80 mm, — with a density of 0,95 g/cm ³ or more, — lacquered or coated with melamine foil on both sides, and — with dimensions of 1 300 mm x 1 100 mm or less, used in the manufacture of printed circuit boards ⁽¹⁾	0 %	-	31.12.2027
0.4217	ex 5004 00 10	10	Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scoured or bleached, entirely of silk	0 %	-	31.12.2026
0.2551	ex 5005 00 10 ex 5005 00 90	10 10	Yarn spun entirely from silk waste (noil), not put up for retail sale	0 %	-	31.12.2023
0.2544	5208 11 10		Fabrics for the manufacture of bandages, dressings and medical gauzes	5.2 %	-	31.12.2023
0.7372	ex 5311 00 90	10	Plain-woven fabric of paper yarns glued on a tissue paper layer: — with a weight of 190 g/m ² or more but not more than 280 g/m ² , and — cut into rectangles with a side length of 40 cm or more but not more than 140 cm	0 %	-	31.12.2027
0.7515	ex 5311 00 90	20	Sisal cloth in rolls with; — a length of 20 metres or more but not more than 30 metres and — a maximum width of 2,5 metres for use in the production of Stainless Steel Kitchenware ⁽¹⁾	0 %	-	31.12.2023
0.7608	ex 5402 44 00	10	Synthetic elastomeric filament yarn: — untwisted or with a twist not exceeding 50 turns per metre, measuring 300 dtex or more but not more than 1000 dtex, — composed of polyurethane ureas based on a copolyether glycol of tetrahydrofuran and 3-methyltetrahydrofuran, for use in the manufacture of disposable hygiene products of heading 9619 ⁽¹⁾	0 %	-	31.12.2023
0.2975	ex 5402 49 00	30	Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures ⁽¹⁾	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3098	ex 5402 49 00	50	Non-textured filament yarn of poly(vinyl alcohol)	0 %	-	31.12.2023
0.3096	ex 5402 49 00	70	Synthetic filament yarn, single, containing by weight 85 % or more of acrylonitrile, in the form of a wick containing 1 000 continuous filaments or more but not more than 25 000 continuous filaments, of a weight per metre of 0,12 g or more but not more than 3,75 g and of a length of 100 m or more, for the manufacture of carbon-fibre yarn (1)	0 %	m	31.12.2023
0.8108	ex 5403 31 00	10	Continuous viscose rayon filament yarn of 105 dtex or more but not more than 117 dtex, and consisting of 36 monofilaments or more but not more than 40 monofilaments	0 %	-	31.12.2025
0.2481	ex 5404 19 00	50	Monofilaments of polyester or poly(butylene terephthalate), with cross-sectional dimension of 0,5 mm or more but not more than 1 mm, for use in the manufacture of zippers (1)	0 %	-	31.12.2023
0.8225	ex 5404 19 00	60	Chemically tapered synthetic filaments of polyester with: — a diameter of 0,1 mm or more but not more than 0,6 mm, — a length of 30 mm or more but not more than 120 mm, for use in the manufacture of paintbrushes (1)	0 %	-	31.12.2026
0.3311	ex 5404 90 90	20	Strip of polyimide	0 %	-	31.12.2023
0.8382	ex 5407 30 00	10	Open mesh fabric made of thermally cross-bonded filaments of a polyolefin, with a density of 0,94 g/cm ³ or more, with: — a weight of 21 g/m ² or more but not more than 24 g/m ² , — a width of 560 mm or more but not more than 1 200 mm, — a thickness of 100 µm or more but not more than 120 µm, — an elongation at break of not more than 20 % (ASTM D5034, machine direction), — an elongation at break of not more than 22 % (ASTM D5034, cross direction), — with a stretch of not more than 100 N /5 cm (ASTM D882, machine direction), and — with a stretch of not more than 130 N /5 cm (ASTM D882, cross direction)	0 %	-	31.12.2027
0.3090	ex 5503 11 00 ex 5601 30 00	10 40	Synthetic staple fibres of a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm	0 %	-	31.12.2023
0.3214	ex 5503 90 00 ex 5506 90 00 ex 5601 30 00	20 10 10	Poly(vinyl alcohol) fibres, whether or not acetalized	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3212	ex 5603 11 10 ex 5603 11 90 ex 5603 12 10 ex 5603 12 90 ex 5603 91 10 ex 5603 91 90 ex 5603 92 10 ex 5603 92 90	10 10 10 10 10 10 10 10	Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: — of a thickness of 200 µm or more but not more than 280 µm and — of a weight of 20 g/m ² or more but not more than 50 g/m ²	0 %	m ²	31.12.2023
0.2552	ex 5603 12 90 ex 5603 13 90 ex 5603 14 90 ex 5603 92 90 ex 5603 93 90 ex 5603 94 90	30 30 10 60 40 30	Non-wovens of aromatic polyamide fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, in the piece or cut into rectangles	0 %	m ²	31.12.2023
0.2548	ex 5603 12 90 ex 5603 13 90	60 60	Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m ² but not more than 80 g/m ² and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)	0 %	m ²	31.12.2023
0.5059	ex 5603 13 10	20	Non-woven of spunbonded polyethylene, with a coating, — of a weight of more than 80 g/m ² but not more than 105 g/m ² and — an air resistance (Gurley) of 8 seconds or more but not more than 75 seconds (as determined by the ISO 5636/5 method)	0 %	m ²	31.12.2025
0.8024	ex 5603 14 10	30	Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media: — of weight of 160 g/m ² or more but not more than 300 g/m ² , — with a filtration efficiency of class M or better (according to DIN 60335-2-69), — pleatable, with at least one of following treatments: — a coating or covering with polytetrafluoroethylene (PTFE), — a coating with aluminium particles, — a coating of phosphorous based flame retardants, — a nano fiber coating of a polyamide, a polyurethane or a fluorine-containing polymer	0 %	m ²	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5987	ex 5603 14 90	60	Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media: — of weight of 160 g/m ² or more but not more than 300 g/m ² , — with a filtration efficiency of class M or better (according to DIN 60335-2-69), — pleatable, — with or without an expanded polytetrafluoroethylene (ePTFE) membrane	0 %	m ²	31.12.2023
0.3041	ex 5603 92 90 ex 5603 93 90	20 20	Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene	0 %	m ²	31.12.2023
0.3042	ex 5603 92 90 ex 5603 94 90	70 40	Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene	0 %	m ²	31.12.2023
0.5197	ex 5603 92 90 ex 5603 93 90	80 50	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: — a weight of 25 g/m ² or more but not more than 150 g/m ² , — in the piece or simply cut into squares or rectangles, — not impregnated, — with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products (1)	0 %	m ²	31.12.2026
0.6135	ex 5603 93 90	60	Nonwovens made of polyester fibres, — with a weight of 85 g/m ² , — with a constant thickness of 95 µm (± 5 µm), — neither coated nor covered, — in 1 m wide rolls of 2 000m to 5 000 m length, suitable for the coating of membranes in the manufacture of osmosis and reverse osmosis filters (1)	0 %	m ²	31.12.2023
0.3210	ex 5603 94 90	20	Acrylic fibre rods, having a length of not more than 50 cm, for the manufacture of pen tips (1)	0 %	m ²	31.12.2023
0.3406	ex 5607 50 90	10	Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copolymers with lactic acid, plaited or braided, with an inner core, for the manufacture of surgical sutures (1)	0 %	-	31.12.2024
0.2415	ex 5803 00 10	91	Gauze of cotton, of a width of less than 1 500 mm	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7081	ex 5903 20 90	20	Two layers' plastic-laminated textile fabric with: — one layer consisting of knitted or crocheted polyester textile fabric, — other layer consisting of polyurethane foam, — a weight of 150 g/m ² or more, but not more than 500 g/m ² , — a thickness of 1 mm or more, but not more than 5 mm for use in the manufacture of the retractable roof of motor vehicles (1)	0 %	-	31.12.2026
0.2417	ex 5906 99 90	10	Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine)	0 %	-	31.12.2023
0.8213	ex 5906 99 90	30	Woven and coated rubberised textile fabric with the following characteristics: — with three layers, — the outer layers consist of a natural rubber, EPDM and chloropen rubber compound, — the middle layer consists of polyester fabric, for use in the manufacture of life rafts (1)	0 %	-	31.12.2026
0.2453	ex 5907 00 00	10	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter of not more than 150 µm	0 %	-	31.12.2026
0.3207	ex 5911 90 99 ex 8421 99 90	30 92	Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more	0 %	-	31.12.2023
0.4638	ex 5911 90 99	40	Multi-layered non-woven polyester polishing pads, impregnated with polyurethane	0 %	-	31.12.2024
0.7340	ex 5911 90 99	50	Loudspeaker vibration damper, made from round, corrugated, flexible and cut-to-size tissue of textile fibres of polyester, cotton or aramid or a combination hereof, of a kind used in car loudspeakers	0 %	-	31.12.2027
0.6469	ex 6804 21 00	20	Discs — of synthetic diamonds which are agglomerated with a metal alloy, ceramic alloy or plastic alloy, — having a self-sharpening effect by constant release of the diamonds, — suitable for abrasive cutting of wafers, — whether or not containing a hole in the centre, — whether or not on a support — with a weight of not more than 377 g per piece and — with an external diameter of not more than 206 mm	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2755	ex 6813 89 00	20	Friction material, of a thickness of less than 20 mm, not mounted, for use in the manufacture of friction components ⁽¹⁾	0 %	-	31.12.2023
0.5931	ex 6814 10 00	10	Agglomerated mica with a thickness of not more than 0,15 mm, on rolls, whether or not calcined, whether or not reinforced with aramid fibres	0 %	-	31.12.2023
0.2546	ex 6903 90 90	40	Silicon carbide reactor tubes and holders having a maximum service temperature of 1370 °C or more	0 %	-	31.12.2023
0.4978	ex 6909 19 00	20	Silicon nitride (Si ₃ N ₄) rollers or balls	0 %	-	31.12.2025
0.6071	ex 6909 19 00	25	Ceramic proppants, containing aluminium oxide, silicon oxide and iron oxide	0 %	-	31.12.2023
0.3403	ex 6909 19 00	30	Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume of not more than 65 l, having, per cm ² of the cross-section, not less than one continuous channel which may be open at both ends or stopped at one end	0 %	-	31.12.2023
0.8028	ex 6909 19 00	40	Ceramic-carbon absorption or adsorption cartridges of fuel motor vehicle systems, with the following characteristics: — extruded fired ceramic bound multicellular cylindrical structure, — 5 % or more by weight but not more than 70 % by weight of activated carbon, — 30 % or more by weight but no more than 90 % by weight of ceramic binder, — with a diameter of 29 mm or more but no more than 41 mm, — a length of not more than 150 mm, — fired at temperature of 800 °C or more	0 %	p/st	31.12.2025
0.2538	ex 6909 19 00 ex 6914 90 00	50 20	Ceramic articles made of continuous filaments of ceramic oxides, containing by weight: — 2 % or more of diboron trioxide, — 28 % or less of silicon dioxide and — 60 % or more of dialuminium trioxide	0 %	-	31.12.2023
0.3766	ex 6909 19 00	60	Supports for catalysts, consisting of porous ceramic pieces, of a blend of silicon carbide and silicon, with a hardness of less than 9 on the Mohs scale, with a total volume of not more than 65 litres, having, per cm ² of the surface of the cross section one or more closed channels at the tail end	0 %	-	31.12.2023
0.4582	ex 6909 19 00	70	Supports for catalysts or filters, consisting of porous ceramics made primarily from oxides of aluminium and titanium; with a total volume of not more than 65 litres and at least one duct (open on one or both ends) per cm ² of cross section	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3404	ex 6914 90 00	30	Ceramic microspheres, transparent, obtained from silicon dioxide and zirconium dioxide, of a diameter of more than 125 µm	0 %	-	31.12.2024
0.6286	ex 7006 00 90	25	Glass wafer made of borosilicate float glass — with a total thickness variation of 1 µm or less, and — laser-engraved	0 %	p/st	31.12.2024
0.7619	ex 7006 00 90	40	Plates of sodalime or borosilicate glass of STN (Super Twisted Nematic) or TN (Twisted Nematic) quality having: — a length of 300 mm or more but not more than 1 500 mm, — a width of 300 mm or more but not more than 1 500 mm, — a thickness of 0,5 mm or more but not more than 1,1 mm, — an indium-tin-oxide coating with a resistance of 80 Ω or more, but not more than 160 Ω on one side, — with or without a passivation layer of silicon dioxide (SiO ₂) between indium-tin-oxide layer and glass surface, — with or without a multi layer anti-reflection-coating on the other side, and — machined (chamfered) edges	0 %	-	31.12.2023
0.8265	ex 7007 11 10	10	Specifically shaped and toughened safety glass: — with a width of 200 mm or more but not more than 600 mm, — with a height of 150 mm or more but not more than 500 mm, for use in the manufacture of motor vehicle window assemblies (1)	0 %	-	31.12.2026
0.6380	ex 7009 10 00	30	Layered glass with mechanical dimming ability by different angles of incident light comprising: — whether or not a layer of chrome, — a break-resistance adhesive tape or hot-melt adhesive, and — a release film on the front side and protective paper at the back side, of a kind used for interior rear-view mirrors of vehicles	0 %	p/st	31.12.2024
0.6870	ex 7009 10 00	40	Electrochromic self-dimming inside rear-view mirror, consisting of: — a mirror support — a plastic casing and — an integrated circuit for use in the manufacture of motor vehicles of Chapter 87 (1)	0 %	-	31.12.2025
0.5789	ex 7009 10 00	50	Unfinished electro-chromic auto-dimming mirror for motor vehicle rear-view mirrors: — whether or not equipped with plastic backing plate, — whether or not equipped with a heating element, — whether or not equipped with Blind Spot Module (BSM) display	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3400	ex 7014 00 00	10	Optical elements of glass (other than those of heading 7015), not optically worked, other than signalling glassware	0 %	-	31.12.2023
0.3161	ex 7019 12 00 ex 7019 12 00	02 22	Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials	0 %	-	31.12.2023
0.5750	ex 7019 12 00 ex 7019 12 00	05 25	Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)	0 %	-	31.12.2027
0.2532	ex 7019 13 00	10	Yarn of 33 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments of a nominal diameter of 3,5 µm or of 4,5 µm, in which filaments of a diameter of 3 µm or more but not more than 5,2 µm predominate, other than those treated so as to improve their adhesion to elastomers	0 %	-	31.12.2023
0.5749	ex 7019 13 00	15	S-glass yarn of 33 tex or a multiple of 33 tex (± 13 %) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)	0 %	-	31.12.2027
0.5021	ex 7019 13 00	20	Yarn of 10,3 tex or more but not more than 11,9 tex, obtained from continuous spun-glass filaments, in which filaments of a diameter of 4,83 µm or more but not more than 5,83 µm predominate	0 %	-	31.12.2025
0.5020	ex 7019 13 00	25	Yarn of 5,1 tex or more but not more than 6,0 tex, obtained from continuous spun-glass filaments, in which filaments of a diameter of 4,83 µm or more but not more than 5,83 µm predominate	0 %	-	31.12.2025
0.2535	ex 7019 13 00	30	Yarn of E-glass of 22 tex (± 1,6 tex), obtained from continuous spun-glass filaments of a nominal diameter of 7 µm, in which filaments of a diameter of 6,35 µm or more but not more than 7,61 µm predominate	0 %	-	31.12.2024
0.4848	ex 7019 13 00	50	Yarn of 11 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments, containing 93 % by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated	0 %	-	31.12.2027
0.2872	ex 7019 13 00	55	Glass cord impregnated with rubber or plastic, obtained from K- or U-glass filaments, made up of: — 9 % or more but not more than 16 % of magnesium oxide, — 19 % or more but not more than 25 % of aluminium oxide, — 0 % or more but not more than 2 % of boron oxide, — without calcium oxide, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulphonated polyethylene	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7056	ex 7019 61 00 ex 7019 63 00	70 30	E-fibre glass fabrics: — having a weight of 20 g/m ² or more, but not more than 214 g/m ² , — impregnated with silane, — in rolls, — having a humidity content by weight of 0,13 % or less, and — having not more than 3 hollow fibres out of 100 000 fibres, for the exclusive use in the manufacture of prepregs and copper clad laminates (1)	0 %	m ²	31.12.2026
0.7647	ex 7019 64 00	40	Epoxy resin coated glass woven fabric containing by weight: — 91 % or more but not more than 93 % of glass fibres, — 7 % or more but not more than 9 % of epoxy resin	0 %	-	31.12.2023
0.4059	ex 7019 71 00 ex 7019 72 00	50 50	Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts (1)	0 %	-	31.12.2026
0.3940	ex 7019 90 00	10	Non-textile glass fibres in which fibres of a diameter of less than 4,6 µm predominate	0 %	-	31.12.2023
0.3153	ex 7019 90 00	20	Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)	0 %	-	31.12.2023
0.4024	ex 7019 90 00	30	High modulus glass cord (K) impregnated with rubber, obtained from twisted high modulus glass filament yarns, coated with a latex comprising a resorcinol-formaldehyde resin with or without vinylpyridine and/or hydrogenated acrylonitrile-butadiene rubber (HNBR)	0 %	-	31.12.2023
0.5348	ex 7020 00 10 ex 7616 99 90	10 77	Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body	0 %	p/st	31.12.2026
0.7266	ex 7020 00 10	20	Raw material for optical elements of fused silicon dioxide with: — a thickness of 10 cm or more but not more than 40 cm and — a weight of 100 kg or more	0 %	p/st	31.12.2027
0.4127	ex 7201 10 11	10	Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm	0 %	-	31.12.2026
0.4128	ex 7201 10 30	10	Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon	0 %	-	31.12.2026
0.3353	7202 50 00		Ferro-silico-chromium	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4853	ex 7202 99 80	10	Ferro-dysprosium, containing by weight: — 78 % or more of dysprosium, and — 18 % or more but not more than 22 % of iron	0 %	-	31.12.2025
0.7502	ex 7318 24 00	40	Tube or pipe restraint joint elements: — of stainless steel according to specification 17-4PH or of steel according to specification tool steel S7, — produced by metal injection moulding, — with a rockwell hardness of 38 HRC (± 1) or 53 HRC (+ 2/- 1), — measuring 7 mm x 4 mm x 5 mm or more, but not more than 40 mm x 20 mm x 10 mm	0 %	-	31.12.2023
0.4548	ex 7320 90 10	91	Flat spiral spring of tempered steel, with: — a thickness of 2,67 mm or more, but not more than 4,11 mm, — a width of 12,57 mm or more, but not more than 16,01 mm, — a torque of 18,05 Nm or more, but not more than 73,5 Nm — an angle between the free position and the nominal position in exercise of 76° or more, but not more than 218° for use in the manufacture of tensioners for power transmission belts, for internal combustion engines (1)	0 %	p/st	31.12.2023
0.4126	ex 7326 20 00	20	Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling	0 %	-	31.12.2026
0.7891	ex 7326 90 94	40	Steel ball neck, drop forged, machined, also heat treated or surface treated, having an angle between the centre of the conical head and the arm of less than 90° or having an angle between the centre of the ball and the arm of less than 90°, for use in the manufacture of trailer hitches for passenger cars (1)	0 %	-	31.12.2024
0.6680	ex 7326 90 98 ex 7907 00 00	40 10	Iron, steel and/or zinc alloy weights: — with a weight of not more than 500 grams and measuring not more than 107 mm x 107 mm x 11 mm, — whether or not with parts of other material, — whether or not with parts of other metals, — whether or not surface treated, — whether or not printed, of a kind used for the production of remote controls	0 %	-	31.12.2025
0.3352	ex 7410 21 00	10	Sheet or plate of polytetrafluoroethylene, containing aluminium oxide or titanium dioxide as filler or reinforced with glass-fibre fabric, covered on both sides with copper foil	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7509	ex 7410 21 00	20	Foils, rolls composed of one layer of glass epoxy of 100 µm colaminated with refined copper foil on one or two sides of 35 µm with a tolerance of 10 % for use in the production of smart cards (1)	0 %	m²	31.12.2023
0.3005	ex 7410 21 00	30	Film of polyimide, whether or not containing epoxide resin and/or glass fibre, covered on one side or on both sides with a copper foil	0 %	-	31.12.2023
0.3926	ex 7410 21 00	40	Sheet or plates: — consisting of at least a central layer of paper or one central sheet of any type of nonwoven fibre, laminated on each side with glass-fibre fabric and impregnated with epoxide resin, or — consisting of multiple layers of paper, impregnated with phenolic resin, coated on one or both sides with a copper film with a maximum thickness of 0,15 mm	0 %	-	31.12.2023
0.4479	ex 7410 21 00	50	Plates: — consisting of at least one layer of fibreglass fabric impregnated with thermosetting resin, — covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, and — with a dielectric constant (DK) of less than 3,9 and a loss factor (Df) of less than 0,015 at a measuring frequency of 10 GHz, as measured according to IPC-TM-650	0 %	-	31.12.2023
0.7341	ex 7413 00 00	20	Loudspeaker centring ring, consisting of one or more vibration dampers and minimum two non-insulated copper cables, therein woven or pressed	0 %	-	31.12.2027
0.2447	ex 7419 80 90 ex 7616 99 90	91 60	Disc (target) with deposition material, consisting of molybdenum silicide: — containing 1mg/kg or less of sodium and — mounted on a copper or aluminium support	0 %	-	31.12.2023
0.7911	ex 7506 20 00	10	Sheets and strips in coils of nickel alloy C276 (EN 2.4819) with — a thickness of 0,5 mm or more but not more than 3 mm, — a width of 770 mm or more but not more than 1 250 mm	0 %	-	31.12.2024
0.7913	ex 7506 20 00	20	Sheets and strips in coils of nickel alloy to standard ASME SB-582/UNS N06030 with: — a thickness of 0,5 mm or more but not more than 3 mm, — a width of 250 mm or more but not more than 1 219 mm	0 %	-	31.12.2025
0.5890	7601 20 30 7601 20 40		Slabs and billets of unwrought aluminium alloys	4 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7752	ex 7604 21 00	10	Hollow profile with: — one closed chamber of aluminum alloy 6063-T5 or 6060-T5, — a wall thickness of not more than 0,7 mm, and — an anodized layer of 10 µm at the surface, for use in the manufacture of board frames of whiteboards, cork boards, easel boards, education boards and display cases (1)	0 %	-	31.12.2024
0.5029	ex 7604 29 10 ex 7606 12 99 ex 7606 12 99	10 21 25	Sheets and bars of aluminium-lithium alloys	0 %	-	31.12.2027
0.6417	ex 7604 29 10	40	Bars and rods of aluminium alloys containing by weight : — 0,25 % or more but not more than 7 % of zinc, and — 1 % or more but not more than 3 % of magnesium, and — 1 % or more but not more than 5 % of copper, and — not more than 1 % of manganese consistent with the material specifications AMS QQ-A-225, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	0 %	-	31.12.2024
0.2410	ex 7605 19 00	10	Not alloyed aluminium wire, of a diameter of 2 mm or more but not more than 6 mm, covered with a layer of copper of a thickness of 0,032 mm or more but not more than 0,117 mm	0 %	-	31.12.2023
0.8344	ex 7605 21 00	10	Aluminium alloy wire with a diameter of 9,50 mm or more but not more than 19,15 mm, in coils, for use in the manufacture of aeronautical fasteners (1)	0 %	-	31.12.2027
0.6418	ex 7605 29 00	10	Wire of aluminium alloys containing by weight: — 0,10 % or more but not more than 5 % of copper, and — 0,2 % or more but not more than 6 % of magnesium, and — 0,10 % or more but not more than 7 % of zinc, and — not more than 1 % of manganese, consistent with the material specifications AMS QQ-A-430, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	0 %	m	31.12.2024
0.7698	ex 7607 20 99	10	Aluminium foil, in rolls: — coated on one side with polypropylene or polypropylene and acid-modified polypropylene and on the other with polyamide and polyethylene terephthalate, with adhesive layers between them, — with a width of 200 mm or more, but not more than 400 mm, — with a thickness of 0,138 mm or more, but not more than 0,168 mm, for use in the manufacture of lithium-ion battery cell covers (1)	3.7 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7746	ex 7608 20 81	20	Seamless aluminium alloyed extruded tubes (Aluminum 6061F according to standard ASTM B241) with: — an outer diameter of 320 mm or more but not more than 400 mm, and — a wall thickness of 8 mm or more but not more than 10 mm, for use in the manufacture of high pressure vessels (1)	0 %	-	31.12.2024
0.6138	ex 7608 20 89	30	Seamless aluminium alloyed extruded tubes with: — an outer diameter of 60 mm or more but not more than 420 mm, and — a wall thickness of 10 mm or more but not more than 80 mm	0 %	-	31.12.2023
0.7747	ex 7608 20 89	40	Seamless flow forming aluminium alloyed tubes (Aluminum 6061A according to standard ISO 7866) with: — an outer diameter of 378 mm or more but not more than 385 mm, and — a wall thickness of 4 mm or more but not more than 7 mm for use in the manufacture of high pressure vessels (1)	0 %	-	31.12.2024
0.8194	ex 7609 00 00 ex 8415 90 00	30 45	Aluminium connecting block for automotive air conditioning systems: — with a T6 hardening, — equipped with round stubs with a circumferential outer groove, — with through or non-through holes, made of profiles with an upper radius of 8 mm or more but not more than 11 mm, and a lower radius of 12 mm or more but not more than 17 mm, — with a distance between holes of 15 mm or more but not more than 22 mm, — with sockets designed for brazing or clamping, — with mounting holes for M6 or M8 mounting screw, threaded or not, — with a width of 5 mm or more but not more than 16 mm, — for connecting a compressor, a condenser, an evaporator, a chiller and other lines	0 %	-	31.12.2026
0.2445	ex 7613 00 00	20	Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10 %) and an unfilled weight of not more than 64 kg	0 %	p/st	31.12.2023
0.3928	ex 7616 99 90	15	Honeycomb aluminium blocks for use in the manufacture of aircraft parts (1)	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6534	ex 7616 99 90	25	Metallised film: — consisting of eight or more layers of aluminium (CAS RN 7429-90-5) of a purity of 99,8 % or more, — with an optical density of each aluminium layer of not more than 3.0, — with each aluminium layer separated by a resin layer, — on a carrier film of PET, and — on rolls of up to 50 000 metres in length	0 %	-	31.12.2024
0.7997	ex 7616 99 90	35	Aluminum plate with: — a length of 36 mm or more but not more than 49 mm, — a width of 29,8 mm or more but not more than 45,2 mm, — a thickness of 0,18 mm or more but not more than 0,66 mm, equipped with a polypropylene tape with: — a length of 6,5 mm or more but not more than 16,5 mm, — a width of 39 mm or more but not more than 56 mm, — characteristic allowing to create solid joint with Pouch external layer by melting process assuring leak and pressure proof sealing of Cell, — resistance to influence of electrolyte, for use in the manufacture of lithium-ion battery cells for motor vehicle batteries (1)	3 %	-	31.12.2023
0.5357	ex 7616 99 90 ex 8482 80 00 ex 8807 30 00	70 10 40	Connecting components for use in the production of helicopter tail rotor shafts (1)	0 %	p/st	31.12.2026
0.6730	ex 8101 96 00	10	Tungsten wire containing by weight 99 % or more of tungsten with: — a maximum cross-sectional dimension of not more than 50 µm — a resistance of 40 Ω or more but not more than 300 Ω at length of 1 metre	0 %	-	31.12.2025
0.7245	ex 8101 96 00	20	Tungsten wire — containing by weight 99,95 % or more of tungsten, and — with a maximum cross-sectional dimension of not more than 1,02 mm	0 %	-	31.12.2027
0.5694	ex 8102 10 00	10	Molybdenum powder with: — a purity by weight of 99 % or more and — a particle size of 1,0 µm or more, but not more than 5,0 µm	0 %	-	31.12.2027
0.5097	ex 8104 30 00	35	Magnesium powder: — of purity by weight of more than 99,5 %, and — with a particle size of not more than 0,8 mm	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3417	ex 8104 90 00	10	Ground and polished magnesium sheets, of dimensions not more than 1500 mm × 2000 mm, coated on one side with an epoxy resin insensitive to light	0 %	-	31.12.2023
0.5838	ex 8105 90 00	10	Bars or wires made of cobalt alloy containing, by weight: — 35 % (± 2 %) cobalt, — 25 % (± 1 %) nickel, — 19 % (± 1 %) chromium and — 7 % (± 2 %) iron, conforming to the material specifications AMS 5842	0 %	-	31.12.2023
0.3416	ex 8108 20 00	10	Titanium sponge	0 %	-	31.12.2023
0.4553	ex 8108 20 00	30	Titanium powder of which 90 % by weight or more passes through a sieve with an aperture of 0,224 mm	0 %	-	31.12.2023
0.3211	ex 8108 30 00	10	Waste and scrap of titanium and titanium alloys, except those containing by weight 1 % or more but not more than 2 % of aluminium	0 %	-	31.12.2023
0.4363	ex 8108 90 30	10	Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65040	0 %	-	31.12.2024
0.7330	ex 8108 90 30	15	Rods and wire of an alloy of titanium with: — a uniform solid cross-section in the form of a cylinder, — with a diameter of 0,8 mm or more, but not more than 5 mm, — an aluminium content by weight of 0,3 % or more, but not more than 0,7 %, — a silicon content by weight of 0,3 % or more, but not more than 0,6 %, — a niobium content by weight of 0,1 or more, but not more than 0,3 %, and — an iron content by weight of not more than 0,2 %	0 %	-	31.12.2027
0.7942	ex 8108 90 30	35	Bars and wires of titanium with a titanium content of 98,8 % or more but not more than 99,9 % of a diameter less than 20 mm	0 %	-	31.12.2025
0.4904	ex 8108 90 30	45	Titanium-aluminium-vanadium alloy (TiAl6V4) wire, of a diameter less than 20 mm and complying with AMS standards 4928, 4965 or 4967	0 %	-	31.12.2025
0.8105	ex 8108 90 30	55	Wires of an alloy of titanium: — with a niobium content by weight of 42 % or more, but not more than 47 %, — with a diameter of 2,36 mm or more, but not more than 7,85 mm, — in coils of 15 kg or more, but not more than 45 kg, — complying with standard AMS 4982	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7077	ex 8108 90 30	60	Forged cylindrical bars of titanium with: — a purity of 99,995 % by weight or more, — a diameter of 140 mm or more but not more than 200 mm, — a weight of 5 kg or more but not more than 300 kg	0 %	p/st	31.12.2026
0.5351	ex 8108 90 30	70	Wire of an titanium alloy containing by weight: — 22 % (± 1 %) of vanadium, and — 4 % ($\pm 0,5$ %) of aluminium or — 15 % (± 1 %) of vanadium, — 3 % ($\pm 0,5$ %) of chromium, — 3 % ($\pm 0,5$ %) of tin and — 3 % ($\pm 0,5$ %) of aluminium	0 %	-	31.12.2026
0.7285	ex 8108 90 50	45	Cold or hot rolled plates, sheets and strips of non-alloyed titanium with: — a thickness of 0,4 mm or more, but not more than 100 mm, — a length of not more than 14 m, and — a width of not more than 4 m	0 %	-	31.12.2027
0.5352	ex 8108 90 50	55	Plates, sheets, strip and foil of an alloy of titanium	0 %	-	31.12.2026
0.6524	ex 8108 90 50	80	Plates, sheets, strips and foil of non-alloyed titanium — of a width of more than 750 mm, — of a thickness of not more than 3 mm	0 %	-	31.12.2024
0.6500	ex 8108 90 50	85	Strip or foil of non-alloyed titanium: — containing more than 0,07 % by weight of oxygen (O_2), — of a thickness of 0,4 mm or more but not more than 2,5 mm — conforming to the Vickers hardness HV1 standard of not more than 170 of a kind used in the manufacture of welded tubes for nuclear power plant condensers	0 %	-	31.12.2024
0.5353	ex 8108 90 90 ex 9003 90 00	30 20	Parts of spectacle frames and mountings, including — temples, — blanks of a kind used for the manufacture of spectacle parts and — bolts of the kind used for spectacle frames and mountings, of a titanium alloy	0 %	p/st	31.12.2026
0.2515	ex 8109 21 00 ex 8109 29 00	10 10	Non-alloy zirconium sponges or ingots, containing by weight more than 0,01 % of hafnium for use in the manufacture of tubes, bars or ingots enlarged by remelting for the chemical industry (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3415	ex 8110 10 00	10	Antimony in the form of ingots	0 %	-	31.12.2023
0.3413	ex 8112 99 50	10	Alloy of niobium (columbium) and titanium, in the form of bars and rods	0 %	-	31.12.2023
0.5354	ex 8113 00 20	10	Cermet blocks containing by weight 60 % or more of aluminium and 5 % or more of boron carbide	0 %	-	31.12.2023
0.4316	ex 8113 00 90	10	Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits	0 %	-	31.12.2027
0.6805	ex 8113 00 90	20	Cuboid spacer made of aluminium silicon carbide (AlSiC) composite used for packaging in IGBT-modules	0 %	-	31.12.2025
0.6416	ex 8207 19 10	10	Inserts for drilling tools with working parts of agglomerated diamonds	0 %	p/st	31.12.2024
0.5570	ex 8207 30 10	10	Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts or body parts of motor vehicles ⁽¹⁾	0 %	p/st	31.12.2027
0.7693	ex 8301 20 00	10	Mechanical or electromechanical steering column lock: — with a height of 10,5 cm (\pm 3 cm), — with a width of 6,5 cm (\pm 3 cm), — in a metal housing, — whether or not with a holder, for use in the manufacture of goods of Chapter 87 ⁽¹⁾	0 %	-	31.12.2023
0.5024	ex 8301 60 00 ex 8419 90 85 ex 8479 90 70 ex 8481 90 00 ex 8485 90 90 ex 8503 00 99 ex 8515 90 80 ex 8537 10 98 ex 8538 90 99 ex 8708 99 10 ex 8708 99 97	30 40 30 50 30 43 40 55 70 55 22	Silicone or plastic keyboards, comprising: — parts of common metal, and — whether or not comprising parts of plastic, — epoxy resin reinforced with fiberglass or wood, — whether or not printed or surface-treated, — with or without electrical conductors, — with or without a membrane bonded to the keyboard, — with or without mono or multilayer protective film	0 %	p/st	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8247	ex 8302 10 00	20	Armrest hinge made of magnesium with: — a length of 255 mm or more but not more than 265 mm, — a width of 155 mm or more but not more than 165 mm, — a height of 115 mm or more but not more than 125 mm, — mounting holes for a lock mechanism	0 %	-	31.12.2026
0.7666	ex 8302 30 00	10	Support bracket for an exhaust system: — with a thickness of 0,7 mm or more but not more than 1,3 mm, — of stainless steel class 1.4310 and 1.4301 according to norm EN 10088, — whether or not with mounting holes, for use in the manufacture of exhaust systems for automobiles ⁽¹⁾	0 %	-	31.12.2023
0.8304	ex 8302 30 00	20	Two cold-formed steel supports: — with a length of 160 mm or more but not more than 180 mm, — with a width of 60 mm or more but not more than 80 mm, — with a height of 60 mm or more but not more than 80 mm, — with a movable riveted connection, — with or without elastomeric bumper, — forming a mechanism for indirect movement of the mechanism of the longitudinal positioner of car seats, interacting with the safety latch, — attached to the mechanism of the longitudinal positioner by means of a detachable screw connection, riveting, welding or spot welding	0 %	-	31.12.2026
0.2602	ex 8309 90 90	10	Aluminium can ends: — with a diameter of 99,00 mm or more but not more than 136,5 mm (± 1 mm), — whether or not with a "ring-pull" aperture	0 %	p/st	31.12.2023
0.3947	ex 8401 30 00	20	Non-irradiated hexagonal fuel modules (elements) for use in nuclear reactors ⁽¹⁾	0 %	-	31.12.2023
0.6319	ex 8401 40 00	10	Stainless steel absorber control rods, filled with neutron absorbing chemical elements	0 %	p/st	31.12.2024
0.8012	ex 8406 82 00	10	Industrial steam turbine with: — an output of 5 MW or more but not more than 40 MW, — designed for a pressure of not more than 140 bar and a temperature of not more than 540 ° C, — equipped with double seat valves on the live steam side which are operated with a hydraulic servo of not more than 12 bar	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3830	ex 8407 33 20 ex 8407 33 80 ex 8407 90 80 ex 8407 90 90	10 10 10 10	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 kW or more but not more than 20,0 kW, for the manufacture of: — lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, — tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, — four stroke mowers with motor of a cylinder capacity of not less than 300 cm ³ of subheading 8433 20 10 or — snowploughs and snow blowers of subheading 8430 20 (1)	0 %	-	31.12.2027
0.8260	ex 8407 34 10	10	Spark-ignition reciprocating or rotary internal combustion piston engines, with: — a cylinder capacity of 1 200 cm ³ or more but not more than 2 000 cm ³ — a power of 95 kW but not more than 135 kW, — a weight of not more than 120 kg, for use in the manufacture of motor vehicles of 8703 (1)	0 %	-	31.12.2026
0.3828	ex 8407 90 10	10	Four-stroke petrol engines of a cylinder capacity of not more than 250 cm ³ for use in the manufacture of garden equipment of heading 8432, 8433, 8436 or 8508 (1)	0 %	-	31.12.2026
0.8403	ex 8407 90 10	40	A power unit with a two-stroke engine with: — an output of 900 W or more, but not more than 1 100 W, — a cylinder displacement of more than 24 cm ³ but not more than 30 cm ³ , — a rotation speed of more than 8 400 rpm but not more than 8 600 rpm at maximum power, — an idling speed of more than 2 800 rpm but not more than 3 200 rpm, and — a fuel tank with a capacity of 0,5 l or more, for use in the manufacture of garden machinery and garden machinery components (1)	0 %	-	31.12.2027
0.4996	ex 8407 90 90	20	Compact Liquid Petroleum Gas (LPG) Engine System, with: — 6 cylinders, — an output of 75 kW or more, but not more than 80 kW, — inlet and exhaust valves modified to operate continuously in heavy duty applications, for use in the manufacture of vehicles of heading 8427 (1)	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2598	ex 8408 90 41	20	Diesel engines of a power of not more than 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems (1)	0 %	-	31.12.2023
0.2595	ex 8408 90 43	20	Diesel engines of a power of not more than 30 kW, with 4 cylinders, for use in the manufacture of vehicle mounted temperature control systems (1)	0 %	-	31.12.2023
0.5544	ex 8408 90 43 ex 8408 90 45 ex 8408 90 47	40 30 50	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having: — a capacity of not more than 3 850 cm ³ , and — a rated output of 15 kW or more but not more than 85 kW, for use in the manufacture of vehicles of heading 8427 (1)	0 %	-	31.12.2024
0.8300	ex 8408 90 65 ex 8408 90 67 ex 8408 90 81	20 20 20	Compression-ignition internal combustion piston engines: — of the inline type, — with a cylinder capacity of 7 100 cm ³ or more but not more than 18 000 cm ³ , — with a power of 205 kW or more but not more than 597 kW, — with an exhaust after-treatment module, — with external width/height/depth dimensions of not more than 1 310/1 300/1 040 mm or 2 005/1 505/1 300 mm or 2 005/1 505/1 800 mm, for use in the manufacture of crushing, screening or separation machines (1)	0 %	-	31.12.2026
0.7670	ex 8409 91 00	25	Air intake module for engine cylinders consisting of: — a suction pipe, — a pressure sensor, — an electric throttle, — hoses, — brackets, for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2023
0.8216	ex 8409 91 00	35	Fuel distribution pipe complete consisting of rail pipe, high pressure sensor and injectors for direct gasoline fuel injection with: — an operating pressure of not more than 22,5 MPa, — solenoid direct injector, — analog pressure sensor for not more than 22,5 MPa	0 %	-	31.12.2026
0.7027	ex 8409 91 00	40	Fuel injector with solenoid valve for optimized atomization in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles (1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7234	ex 8409 91 00 ex 8409 99 00	45 70	Metal alloy intake and exhaust valve, with a Rockwell hardness HRC 20 or more, for use in the manufacture of spark or compression ignition engines of motor vehicles (1)	0 %	-	31.12.2026
0.6752	ex 8409 91 00 ex 8409 99 00	50 55	Exhaust manifold with turbine housing of turbochargers, with a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm	0 %	p/st	31.12.2023
0.7667	ex 8409 91 00 ex 8409 99 00	53 65	The exhaust gas recirculation assembly consisting of: — a control unit, — an air throttle, — an intake pipe, — an outlet hose, for use in the manufacture of spark-ignition or compression-ignition combustion engines of motor vehicles (1)	0 %	-	31.12.2023
0.7961	ex 8409 91 00 ex 8481 90 00	55 60	Nozzle body for the regulation of angle and distribution of fuel injection: — of a cylindrical shape, — made of stainless steel, — with 4 or more, but not more than 16 holes, — with a flow rate of 100 cm ³ /minute or more, but not more than 500 cm ³ /minute	0 %	-	31.12.2025
0.7661	ex 8409 91 00	70	Inlet manifold, exclusively for use in the manufacture of the motor vehicles with: — a width of 40 mm or more but not more than 70 mm, — valves length of 250 mm or more but not more than 350 mm, — air volume of 5,2 litres, and — an electrical flow control system that provides maximum performance at more than 3200 rpm (1)	0 %	-	31.12.2023
0.7965	ex 8409 91 00	75	Housing of fuel injection valve for generating an electromagnetic field to actuate the injection valve with: — an inlet diameter of 2 mm or more, but not more than 10 mm, — an outlet diameter of 2 mm or more, but not more than 10 mm, — an electric coil with a resistance of 10 Ω or more, but not more than 15 Ω, which ends in an electrical connection, — a plastic covering moulded around a stainless steel tube	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7967	ex 8409 91 00 ex 8481 90 00	80 70	Nozzle needle for opening and closing the flow of fuel in the engine, with: — 2 holes, — 4 grooves, — a diameter of 3 mm or more, but not more than 6 mm, — a length of 25 mm or more, but not more than 35 mm, — made of stainless steel with hard-chrome plating	0 %	-	31.12.2025
0.8244	ex 8409 91 00	85	Cylinder head blank for a four cylinder engine with 10 cores, made of aluminium alloy EN AC-45500, with: — no other components, — a hardness of 52 HRB or more, — casting defects size of not more than 0,4 mm and not more than 10 defects per cm ² , — a dendrite arm space in combustion chamber of not more than 25 µm, — a double deck water jacket design and — a weight of 18 kg or more but not more than 19 kg, — a length of 506 mm or more but not more than 510 mm, — a height of 282 mm or more but not more than 286 mm, — a width of 143,7 mm or more but not more than 144,3 mm, in one single consignment of 1 000 pieces or more	0 %	p/st	31.12.2026
0.5199	ex 8409 99 00 ex 8479 90 70	10 85	Injectors with solenoid valve for optimised atomisation in the engine combustion chamber	0 %	p/st	31.12.2026
0.7851	ex 8409 99 00	25	Hoses assembly for fuel return from injectors to engine fuel unit consisting of at least: — three rubber hoses, whether or not with a protective braided sleeving, — three connectors for connecting fuel injectors, — five metal clamps, — one T-shaped plastic joint, for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2024
0.7718	ex 8409 99 00	75	High pressure fuel rail of galvanised ferrite-pearlite steel with: — at least one pressure sensor and one valve, — a length of 314 mm or more but not more than 322 mm, — an operating pressure not more than 225 MPa, — an inlet temperature not more than 95°C, — ambient temperature of -45°C or more but not more than 145°C, for use in the manufacture of compression ignition engines of motor vehicles (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6751	ex 8411 99 00	20	Wheel-shaped gas turbine component with blades, of a kind used in turbochargers: — of a precision-cast nickel based alloy complying with standard DIN G- NiCr13Al6MoNb or DIN G- NiCr13Al16MoNb or DIN G- NiCo10W10Cr9AlTi or DIN G- NiCr12Al6MoNb or AMS AISI:686, — with a heat-resistance of not more than 1 100 °C, — with a diameter of 28 mm or more, but not more than 180 mm, — with a height of 20 mm or more, but not more than 150 mm	0 %	p/st	31.12.2027
0.7225	ex 8411 99 00	30	Turbine housing of turbochargers, with a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm	0 %	p/st	31.12.2026
0.5975	ex 8412 39 00	20	Actuator for a single-stage turbocharger, with: — a pressure inlet pipe and a control rod with a working stroke of 15 mm or more but not more than 40 mm, — a maximum length of the actuator including control rod of not more than 400 mm, — a maximum diameter of the can at the widest point of not more than 140 mm, and — a maximum height of the can without control rod of not more than 140 mm	0 %	p/st	31.12.2023
0.8148	ex 8412 90 80	20	Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with: — a length of 3,5 m or more but not more than 4,5 m, — a width of 2 m or more but not more than 4,2 m, — a height of 1 m or more, but not more than 1,3 m, — a weight of 11 tons or more but not more than 21,5 tons, — mounting bores for yawdrive, — a mounting flange for gearbox support, — drivetrain mount, — different screw sockets	0 %	p/st	31.12.2027
0.8079	ex 8412 90 80	30	Gearbox support used as a support and load-carrying component between the gearbox and the bedplate of a wind turbine, made of solution strengthened ductile iron castings (SSDI), with: — a diameter of 2 m or more, but not more than 5 m, — a weight of 2 tons or more but not more than 7 tons	0 %	p/st	31.12.2025
0.7161	ex 8413 30 20	30	Single-cylinder radial-piston high pressure pump for gasoline direct injection with: — an operating pressure of 200 bar or more, but not more than 350 bar, — a flow control, and — a pressure relief valve, for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7969	ex 8413 30 20	40	High-pressure plunger pump for direct diesel injection, with: — an operating pressure of not more than 275 MPa, — a camshaft, — a fluid discharging of 15 cm ³ per minute or more, but not more than 1 800 cm ³ per minute, — an electric pressure regulating valve	0 %	-	31.12.2025
0.7970	ex 8413 30 20	50	High-pressure plunger pump for direct diesel injection: — with an operating pressure of not more than 275 MPa, — designed to contact the crankshaft, — with an electromagnetic valve	0 %	-	31.12.2025
0.8215	ex 8413 30 20	60	High-pressure plunger pump for direct petrol injection: — with an operating pressure of not more than 90 MPa, — designed to contact the crankshaft, — with an electromagnetic valve	0 %	-	31.12.2026
0.8332	ex 8413 30 80	20	Electric water pump ensuring the functionality of the water circuit also when the motor is temporarily switched off, for operating DC voltage of 9 V or more but not more than 16 V, with: — capacity - pressure 0,075 MPa at 3 800 rpm, — discharge of 12 l/min, — whether or not with connecting cable with connector, and — mounting bracket, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2027
0.8185	ex 8413 70 51	20	Electric brushless direct current motor with single-stage, radial flow pump centrifugal single entry impeller mounted on motor's shaft and volute with integrated heater of nominal power of 1800 W and soldered safety devices, monobloc with the motor, with: — a discharge outlet diameter of 20 mm or more, — 9 slots stator, — 6 pole rotor, — rated power of 95 W, — volute with straight outlet, — rotor chamber without sand filter	0 %	-	31.12.2026
0.8186	ex 8413 70 51	30	Electric brushless direct current motor with single-stage, radial flow pump centrifugal single entry impeller mounted on motor's shaft and volute with integrated heater of nominal power of 1800 W and soldered safety devices, monobloc with the motor, with: — a discharge outlet diameter of 20 mm or more, — 9 slots stator, — 6 pole rotor, — rated power of 95 W, — volute with clamped rubber hose outlet, — rotor chamber without sand filter	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8187	ex 8413 70 51	40	Electric brushless direct current motor with single-stage, radial flow pump centrifugal single entry impeller mounted on motor's shaft, monobloc with the motor, volute with integrated heater, with: <ul style="list-style-type: none"> — a discharge outlet diameter of 20 mm or more, — 9 slots square or chain pole stator, — 6 pole rotor, — ferritic or rare earth magnets, — rated power of 95 W or 80 W, — heater of nominal power of 1800 W and soldered or laser welded safety devices, — volute with or without clamped rubber outlet, — rotor chamber with ultrasonic welded sand filter 	0 %	-	31.12.2026
0.6346	ex 8413 91 00	30	Fuel pump cover: <ul style="list-style-type: none"> — consisting of aluminium alloys, — with a diameter of 38 mm or 50 mm, — with two concentric, annular grooves formed on its surface, — anodized, of a kind used in motor vehicles with petrol engines	0 %	p/st	31.12.2024
0.7669	ex 8414 10 25	30	Tandem pump consisting of: <ul style="list-style-type: none"> — an oil pump with displacement of 21,6 cc/rev (± 2 cc/rev) and working pressure 1,5 bar at 1 000 revolutions per minute, — vacuum pump with displacement of 120 cc/rev (± 12 cc/rev) and performance of -666 mbar in 6 seconds at 750 revolutions per minute for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2023
0.7691	ex 8414 10 89	30	Electric vacuum pump with: <ul style="list-style-type: none"> — Controller Area Network (CAN bus), — whether or not with a rubber hose, — a connecting cable with connector, — a mounting bracket, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2023
0.8111	ex 8414 30 20	20	Hermetic reciprocating refrigeration compressor, for isobutane: <ul style="list-style-type: none"> — with a 3-phase permanent magnet brushless motor, — having left side suction connection and Power Factor Correction (PFC) inverter, — with a maximum cooling capacity of 150 W or more but not more than 240 W, at ASHRAE conditions 	0 %	-	31.12.2025
0.8112	ex 8414 30 20	30	Hermetic reciprocating refrigeration compressor for isobutane as refrigerant: <ul style="list-style-type: none"> — with a 3-phase permanent magnet brushless motor, — having left side suction connection and Power Factor Correction (PFC) inverter feasible to work from 1 300 rpm up to 4 500 rpm, — with a maximum cooling capacity of 150 W or more but not more than 240 W, at ASHRAE conditions 	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8134	ex 8414 30 20	40	Hermetic reciprocating compressor, for isobutane as refrigerant with: — a Resistance Start Capacitor Run (RSCR) single phase motor, — a general coefficient of performance factor not lower than 1,93 at ASHRAE conditions, — a maximum cooling capacity of 150 W or more but not more than 180 W, at ASHRAE conditions	0 %	-	31.12.2025
0.8135	ex 8414 30 20	50	Hermetic reciprocating compressor, for isobutane as refrigerant with: — a Resistance Start Capacitor Run (RSCR) single phase motor, — a general coefficient of performance factor not higher than 1,5 at ASHRAE conditions, — a maximum cooling capacity of 150 W or more but not more than 180 W, at ASHRAE conditions	0 %	-	31.12.2025
0.4727	ex 8414 30 81	50	Hermetic or semi-hermetic variable-speed electric scroll compressors, with a nominal power rating of 0,5 kW or more but not more than 10 kW, with a displacement volume of not more than 35 cm ³ , of the type used in refrigeration equipment	0 %	-	31.12.2024
0.6160	ex 8414 30 81 ex 8414 80 73	60 30	Hermetic rotary compressors for either hydrofluorocarbon (HFC) or hydrocarbon refrigerants: — driven by 'on-off' single phase alternate current (AC) or 'brushless direct current' (BLDC) variable speed motors, — with a nominal power rating of not more than 1,5 kW, — a rated voltage of 100 V or more but not more than 240 V, — with a height of not more than 300 mm, — an external diameter of not more than 150 mm, — with a unit weight of not more than 15 kg, for use in the manufacture of heat pumps for household appliances, including clothes dryers (1)	0 %	-	31.12.2023
0.2593	ex 8414 30 89	20	Vehicle air conditioning system part, consisting of an open shaft reciprocating compressor of a power of more than 0,4 kW but not more than 10 kW	0 %	-	31.12.2023
0.7694	ex 8414 30 89	30	Open shaft, scroll type compressor with clutch assembly, of a power of more than 0,4 kW, for air conditioning in vehicles, for use in the manufacture of motor vehicles of Chapter 87 (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7595	ex 8414 59 35	20	Radial fan, with: — a dimension of 25mm (height) x 85mm (width) x 85mm (depth), — a weight of 120 g, — a rated voltage of 13,6 VDC (direct current voltage), — an operating voltage of 9 VDC or more but not more than 16 VDC (direct current voltage), — a rated current of 1,1 A (TYP), — a rated power of 15 W, — a rotation speed of 500 RPM (revolutions per minute) or more but not more than 4800 RPM (revolutions per minute) (free flow), — an air flow of not more than 17,5 litre/s, — an air pressure of not more than 16 mm H ₂ O ≈ 157 Pa, — an overall sound pressure of not more than 58 dB(A) at 4800 RPM (revolutions per minute), and with a FIN (Fan Interconnect Network) interface for communication with the heating and air-conditioning control unit used in car seat ventilation systems	0 %	-	31.12.2023
0.8207	ex 8414 59 35	30	Electric blower for cooling the high-voltage battery of a hybrid passenger car with: — a control unit, — MOSFET inverter, — a voltage of 9 V or more but not more than 16 V, — ambient temperature of – 40 °C or more, but not more than 80 °C, for use in the manufacture of hybrid passenger cars (1)	0 %	-	31.12.2026
0.7317	ex 8414 80 22	20	Air membrane compressor with: — a flow of 4,5 l/min or more, but not more than 12 l/min, — power input of not more than 14 W, and — a gauge pressure capacity not exceeding 400 hPa (0,4 bar), of a kind used in the production of motor vehicle seats	0 %	-	31.12.2027
0.8133	ex 8414 80 73	50	Hermetic heat pump compressor, for R134A or R450A as refrigerant: — not charged with refrigerant, — pre-charged with the lubricant oil, — with the Single Phase Induction Motor PSC (Permanent Split Capacitor), — having bottom side suction connection and top side discharge connection, — with displacement 8,05 cm ³ or higher, but not higher than 8,25 cm ³ , — running at 2 800 rpm or faster, but not faster than 3 100 rpm, and — with a cooling capacity of 920 W or higher, but not higher than 990 W in ASHRAE conditions	0 %	-	31.12.2025
0.2507	ex 8414 90 00	20	Aluminium pistons, for incorporation into compressors of air conditioning machines of motor vehicles (1)	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3386	ex 8414 90 00	30	Pressure-regulating system, for incorporation into compressors of air conditioning machines of motor vehicles ⁽¹⁾	0 %	p/st	31.12.2023
0.4027	ex 8414 90 00	40	Drive part, for compressors of air conditioning machines of motor vehicles ⁽¹⁾	0 %	p/st	31.12.2023
0.6842	ex 8415 90 00	60	Flame-soldered aluminium block, for connecting tube with condenser in car air-conditioning systems, with: — extruded, bent connector lines of aluminium with an external diameter of 5 mm or more, but not more than 25 mm, — a weight of 0,02 kg or more but not more than 0,25 kg	0 %	p/st	31.12.2025
0.6860	ex 8415 90 00	65	Aluminium arc-welded removable receiver dryer, with polyamide and ceramic elements with: — a length of 143 mm or more but not more than 292 mm, — a diameter of 31 mm or more but not more than 99 mm, — with a weight of not less than 0,12 kg and not more than 0,9 kg, — a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and — a solid particle diameter of not more than 0,06 mm, for use in the manufacture of car air-conditioning systems ⁽¹⁾	0 %	p/st	31.12.2024
0.7996	ex 8418 99 90	20	Aluminium connecting block for connecting to a condenser manifold in welding process: — hardened to T6 or T5 temper, — with a weight of not more than 150 g, — with a length of 20 mm or more but not more than 150 mm, — with a fixing rail in one piece	0 %	p/st	31.12.2025
0.8004	ex 8418 99 90	30	Receiver dryer profile for connecting to a condenser manifold in welding process with: — a braze flatness of not more than 0,2 mm, — a weight of 100 g or more but not more than 600 g, — a fixing rail in one piece	0 %	p/st	31.12.2025
0.6231	ex 8421 21 00	20	Water pre-treatment system comprising one or more of the following elements, whether or not incorporating modules for sterilization and sanitization of these elements: — ultrafiltration system — carbon filtration system — water softener system for use in a biopharmaceutical laboratory	0 %	p/st	31.12.2024
0.3375	ex 8421 99 90	91	Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6193	ex 8431 20 00	40	Aluminium core, plastic tank radiator, with integral steel support structure and an open core square wave design of 9 fins per 2,54 cm of core length for use in the manufacture of vehicles of heading 8427 (1)	0 %	p/st	31.12.2023
0.6821	ex 8436 99 00	10	Part containing: — a single-phase AC motor, — an epicyclic gearing, — a cutter blade, and whether or not containing: — a capacitor, — a part fitted with a threaded bolt, for use in the manufacture of garden shredders (1)	0 %	p/st	31.12.2025
0.3374	ex 8439 99 00	10	Suction-roll shells, produced by centrifugal casting, not drilled, in the form of alloy-steel tubes, of a length of 3 000 mm or more and an external diameter of 550 mm or more	0 %	p/st	31.12.2023
0.2599	ex 8477 80 99	10	Machines for casting or for surface modification of plastic membranes of heading 3921	0 %	p/st	31.12.2023
0.8123	ex 8479 89 97	28	Integrated electric brake unit for immediate generation of the hydraulic pressure during braking, full electronic brake control and enabling regenerative braking of motor vehicles with: — electronic brake assistants, — hydraulic unit driven by brushless electric motor, — brake fluid reservoir, for use in the manufacture of plug-in hybrid passenger cars (1)	0 %	-	31.12.2025
0.7517	ex 8479 89 97	35	Mechanical unit ensuring the movement of the camshaft with: — 6 or 8 oil chambers, — a phasing range of at least 18° but not more than 62°, — a steel and/or steel alloy sprocket, — a steel and/or steel alloy and/or aluminium alloy rotor	0 %	-	31.12.2023
0.8206	ex 8479 89 97 ex 8501 31 00	38 68	Camshaft actuator for controlling the timing of valve opening by using electromotor in a continuous variable valve timing system of an internal combustion piston engine, of: — a length of 110 mm or more but not more than 140 mm, — a width of 90 mm or more but not more than 130 mm, — a height of 80 mm or more but not more than 110 mm for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7979	ex 8479 89 97	55	Integrated automated turnkey machinery line for manufacturing jelly rolls of cylindrical lithium ion battery cells by winding, tab assembly and cutting of cathode, separator and anode	0.8 %	-	31.12.2023
0.6230	ex 8479 89 97	60	Bioreactor for biopharmaceutical cell culture — having interior surfaces of austenitic stainless steel, and — with a process capacity up to 15 000 litres, — whether or not combined with a “clean-in-process” system and/or a dedicated paired media hold vessel	0 %	p/st	31.12.2026
0.7982	ex 8479 89 97	65	Integrated automated turnkey machinery line for the assembly of battery cells to cylindrical lithium ion batteries with a speed of 300 parts per minute and production line	0.8 %	-	31.12.2023
0.6573	ex 8479 89 97	70	Machine to accurately align and attach lenses into a camera assembly in five axis alignment capability and fix them in position with a two part cure epoxy	0 %	p/st	31.12.2024
0.7964	ex 8479 90 70	40	Housing of the rotor part of the mechanical unit ensuring the adjustment of movement of the camshaft compared to the crankshaft: — of a circular shape, — made of steel alloy with sintering process, — with not more than 8 oil chambers, — with a Rockwell hardness of 55 or more, — with a density of 6,5 g/cm ³ , or more, but not more than 6,7 g/cm ³	0 %	-	31.12.2025
0.7962	ex 8479 90 70	50	Rotor part of the mechanical unit ensuring the movement of the camshaft compared to the crankshaft: — with 4 blades that end in grooves, — made of steel alloy with sintering process	0 %	-	31.12.2025
0.7375	ex 8481 10 19 ex 8481 10 99	30 20	Electromagnetic pressure reducing valve — with a plunger, — with an operating pressure of not more than 325 MPa, — with a plastic connector with 2 silver or tin, or silver-plated, or tin-plated, or silver and tin plated pins	0 %	-	31.12.2024
0.7424	ex 8481 10 99	40	Pressure reducing valves in a brass case with: — a length of not more than 30 mm (± 1 mm), — a width of not more than 18 mm (± 1 mm), of a kind used for incorporation in fuel delivery modules of motor vehicles	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7968	ex 8481 30 91 ex 8481 30 99	30 50	Mechanical check (non-return) valve for opening and closing of the flow of fuel: — with an operating pressure of not more than 250 MPa, — with a flow rate of 45 cm ³ /minute or more, but not more than 55 cm ³ /minute, — with 4 input holes, each of them with a diameter of 1,2 mm or more, but not more than 1,6 mm, — made of steel	0 %	-	31.12.2025
0.4668	ex 8481 30 91	91	Steel check (non-return) valves with: — an opening pressure of not more than 800 kPa, — an external diameter not more than 37 mm	0 %	p/st	31.12.2024
0.7850	ex 8481 30 99	30	Brake booster check valve assembly containing at least: — three vulcanized rubber hoses, — one membrane valve, — two metal clamps, — one metal holder, — whether or not connecting metal pipe, for use in the manufacture of motor vehicles (1)	0 %	-	31.12.2024
0.3363	ex 8481 80 59	10	Air control valve, consisting of a stepping motor and a valve pintle, for the regulation of idle air flow in fuel injection engines	0 %	p/st	31.12.2023
0.7155	ex 8481 80 59	20	Pressure regulating valve for incorporation into compressors of motor vehicle air condition units (1)	0 %	p/st	31.12.2026
0.7380	ex 8481 80 59	30	Two-way flow control valve with housing, with: — at least 5, but not more than 16 outlet holes with at least 0,05 mm, but not more than 0,5 mm diameter, — at least 330 cm ³ /minute, but not more than 5 000 cm ³ /minute flow rate, — at least 19, but not more than 300 MPa operating pressure	0 %	-	31.12.2024
0.7377	ex 8481 80 59	40	Flow-control valve: — made of steel, — with an outlet hole with a diameter of 0,05 mm or more, but not more than 0,5 mm, — with an inlet hole with a diameter of 0,1 mm or more, but not more than 1,3 mm, — with chromium nitride coating, — with a surface roughness of Rp 0,4	0 %	-	31.12.2027
0.7381	ex 8481 80 59	50	Electromagnetic valve for quantity control with: — a plunger, — a solenoid with a of coil resistance of at least 1,85 Ohm, but not more than 8,2 Ohm	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7382	ex 8481 80 59	60	Electromagnetic valve for quantity control — with a solenoid with a coil resistance of at least 0,19 Ohm, but not more than 0,66 Ohm, and with an inductance of not more than 1 mH	0 %	-	31.12.2027
0.7960	ex 8481 80 59 ex 8481 90 00	70 80	Flow-control valve — made of steel, — with an outlet hole with a diameter of at least 0,05 mm, but not more than 0,5 mm, — with an inlet hole with a diameter of at least 0,1 mm, but not more than 1,3 mm	0 %	-	31.12.2025
0.5575	ex 8481 80 69	60	Four-way reversing valve for refrigerants, consisting of: — a solenoid pilot valve — a brass valve body including valve slider and copper connections with a working pressure up to 4,5 MPa	0 %	p/st	31.12.2027
0.7519	ex 8481 80 73 ex 8481 80 99	20 70	Pressure- and flow-control valve controlled by external electromagnet: — made of steel and/or steel alloy(s), — without integrated circuit, — of not more than 1000 kPa operating pressure, — with a flow quantity of not more than 5 l/min, — without an electromagnet	0 %	-	31.12.2023
0.7637	ex 8481 80 79 ex 8481 80 99	30 30	Service Valve which suits for R410A or R32 gas while connecting indoor and outdoor units with: — a withstanding pressure of the valve body of 6,3 MPa, — a leakage ratio of less than 1,6 g/a, — an impurity ratio of less than 1,2 mg/PCS, — an airtight pressure of the valve body of 4,2 MPa, for use in the manufacture of air conditioners (1)	0 %	-	31.12.2023
0.7518	ex 8481 90 00	40	Valve armature: — for the opening and closing of the flow of fuel, — consisting of a shaft and a blade, — with at least 3 but not more than 8 holes on the blade, — made of metal and/or metal alloy(s)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6391	ex 8482 10 10 ex 8482 10 90 ex 8482 50 00	10 10 10	Ball and cylindrical bearings: — with an outside diameter of 28 mm or more but not more than 140 mm, — with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants (1)	0 %	p/st	31.12.2024
0.7735	ex 8482 10 10	15	Ball bearings with: — an internal diameter of 4 mm or more but not more than 9 mm, — an external diameter of not more than 26 mm, — a width of not more than 8 mm, for use in the manufacture of electromotors with a range of 40 000 rpm or more but not more than 80 000 rpm (1)	0 %	-	31.12.2024
0.7707	ex 8482 10 10 ex 8482 10 90	25 40	Double row ball bearings / ball bearing cartridges: — with an internal diameter of 3 mm or more, but not more than 9 mm, — with an external diameter of 17 mm or more, but not more than 36 mm, — with a width of 6 mm or more, but not more than 69 mm, — manufactured according to ISO standard 492 - Class 5 or DIN 620 - P5 or ANSI Standard 20 - ABEC 5, — with ceramic balls, for use in turbo compressors (turbochargers) (1)	0 %	-	31.12.2024
0.8098	ex 8482 50 00	20	Axial roller bearing made of steel: — the retainer is made of cold-rolled steel with a carbon content of up to 0,25 percent, complying with standard ASTM A109-98, — the rollers are made of anti-friction steel according to ASTM 295-94, — with an external diameter of 63 mm or more but not more than 66 mm, — with an internal diameter of 44 mm or more but not more than 46 mm, — with a weight of 23 g or more but not more than 27 g, — with 36 rollers or more but not more than 38 rollers	0 %	p/st	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5744	ex 8483 30 32 ex 8483 30 38	30 60	Bearing housing of a kind used in turbochargers: — of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, — with oil chambers, — without bearings, — with a diameter of 50 mm or more, but not more than 250 mm, — with a height of 40 mm or more, but not more than 150 mm, — whether or not with water chambers and connectors	0 %	p/st	31.12.2027
0.8303	ex 8483 40 25	20	Worm gearbox — in an aluminium alloy housing, — with a plastic or steel worm, — with mounting holes, — with a 90 degree reversible drive direction, — with a 4:19 transmission ratio, — equipped with a lead screw with a length of 333 mm and a guide nut incorporated into the assembly bracket, with or without a lead screw support, for indirect connection to the drive motor of a car seat guide system (1)	0 %	-	31.12.2026
0.5202	ex 8483 40 29	50	Gear set of cycloid gear type with: — a rated torque of 50 Nm or more but not more than 9 000 Nm, — standard ratios of 1:50 or more but not more than 1:475, — lost motion of not more than one arc minute, — an efficiency of more than 80 % of a kind used in robot arms	0 %	p/st	31.12.2026
0.5977	ex 8483 40 29	60	Epicyclic gearing, of a kind used in driving hand-held power tools with: — a rated torque of 25 Nm or more, but not more than 70 Nm, — standard gear ratios of 1:12.7 or more, but not more than 1:64.3	0 %	p/st	31.12.2023
0.2503	ex 8483 40 51	20	Gear box, having a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51 (1)	0 %	p/st	31.12.2023
0.7920	ex 8483 40 59	30	Hydrostatic speed changer: — with a hydro pump and a differential with wheel axle, — whether or not with a fan impeller and/or a pulley, for use in the manufacture of lawn mowers of subheadings 8433 11 and 8433 19 or other mowers of subheading 8433 20 (1)	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4997	ex 8483 40 90	80	Transmission gearbox, with: — not more than 3 gears, — an automatic deceleration system, and — a power reversal system, for use in the manufacture of goods of heading 8427 (1)	0 %	p/st	31.12.2025
0.8100	ex 8483 50 80	20	Pulley blocks of non-cast steel: — made of structural carbon steel complying with standard JIS G4051, — with an external diameter of 114 mm or more but not more than 118 mm, — with an internal diameter of 33 mm or more but not more than 37 mm, — with a width of 29 mm or more but not more than 33 mm, — with a weight of 0,6 kg or more but not more than 0,9 kg, — with 6 trapezoidal grooves	0 %	p/st	31.12.2025
0.8209	ex 8483 90 89	20	Sprocket for continuous variable valve timing to optimize the process of filling the cylinders of an internal combustion engine with: — case, — rotor, — at least 4 screws, — spring, — of an external diameter of 80 mm or more but not exceeding 95 mm, — of a thickness of 25 mm or more but not more than 35 mm, for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2026
0.7156	ex 8484 20 00	10	Mechanical shaft seal for incorporation into rotary compressors for use in the manufacture of motor vehicle air condition units (1)	0 %	p/st	31.12.2026
0.7604	ex 8484 20 00	20	Mechanical face sealing device made of two movable rings (one ceramic mating, with a thermal conductivity lower than 80W/mK and the other carbon sliding), one spring and a nitrile sealant on the external side	0 %	-	31.12.2023
0.6854	ex 8501 10 10	20	Synchronous motor for a dishwasher with a water flow control mechanism with — a length without axle of 24 mm ($\pm 0,3$), — a diameter of 49,3 mm ($\pm 0,3$), — a rated voltage of 220 V AC or more but not more than 240 V AC, — a rated frequency of 50 Hz or more but not more than 60 Hz, — an input power of not more than 4 W, — a rotation speed of 4rpm or more but not more than 4,8rpm, — an output torque of not less than 10kgf/cm	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7601	ex 8501 10 10	30	Motors for air pumps, with: — operating voltage of 9 VDC or more but not more than 24 VDC, — operating temperature range of -40°C or more but not more than 80°C, — an output not exceeding 18 W, for use in the manufacture of pneumatic support and ventilation systems for car seats (1)	0 %	-	31.12.2023
0.7857	ex 8501 10 10	40	Synchronous hybrid stepper motor with: — an output not exceeding 18 W, — two phases, — a rated current of not more than 2,5 A/phase, — a rated voltage of not more than 20 V, — with or without a threaded shaft, for use in the manufacture of 3D printers (1)	0 %	-	31.12.2024
0.8390	ex 8501 10 10 ex 8501 10 99	50 30	Linear actuator for automotive electric seat adjustment applications: — consisting of a permanently excited DC motor with an integrated gear mechanism and leadscrew, — whether brushed or brushless, — whether or not with electronic control unit, — whether or not with Hall Effect Sensor, — with a nominal voltage of 8 V or higher but not higher than 16 V, — with a rated output mechanical power not exceeding 20 W, and — with a specified temperature range from -40 °C to 160 °C, for use in the manufacture of automotive components for car's seats (1)	0 %	-	31.12.2027
0.8389	ex 8501 10 10 ex 8501 10 99	60 40	Rotary actuator for automotive electric seat adjustment applications: — consisting of a permanently excited DC motor with an integrated gear mechanism, — whether brushed or brushless, — whether or not with electronic control unit, — whether or not with Hall Effect Sensor, — with a nominal voltage of 8 V or more but not more than 16 V, — with a rated output mechanical power not exceeding 35 W, and — with a specified temperature range from -40 °C to 160 °C, for use in the manufacture of automotive components for car's seats (1)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8394	ex 8501 10 99	20	<p>Worm axis motor for automotive electric seat adjustment applications:</p> <ul style="list-style-type: none"> — consisting of a permanently excited DC motor with a worm wheel, — whether brushed or brushless, — whether or not with electronic control unit, — whether or not with Hall Effect Sensor, — with a nominal voltage of 8 V or more but not more than 16 V, — with a rated output mechanical power not exceeding 35 W, and — with a specified temperature range from -40 °C to 160 °C, <p>for use in the manufacture of automotive components for car's seats (1)</p>	0 %	-	31.12.2027
0.8396	ex 8501 10 99	50	<p>Electric (DC) motor powering height adjusting with:</p> <ul style="list-style-type: none"> — a rated output mechanical power not exceeding 35 W, — frame integration with a length of 156 mm, a height of 59 mm, a thickness of 36 mm and a weight of 500 g, — a stall torque of 45 Nm and ultimate torque of 200 Nm, — a maximum current of 15 A, — no load speed of 7 RPM or more but not more than 10 RPM, — a rotation speed of 4 000 RPM or more but not more than 5 600 RPM, — a maximum noise level of 42 dB(A), — a maximum angular backlash up to 3 degrees, and — a 8 tooth pinion module, <p>for use in the manufacture of automotive components for car's seats (1)</p>	0 %	-	31.12.2027
0.7197	ex 8501 10 99	56	<p>DC Motor :</p> <ul style="list-style-type: none"> — with a speed rotation of not more than 7000 rpm (without load), — with a nominal voltage of 12 V (± 4 V), — with a maximum power of 13,78 W (at 3,09 A), — with a specified temperature range from -40°C to 160°C, — with a gear connection, — with a mechanical attachment interface, — with 2 electrical connections, — with a maximum torque of 100 Nm 	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7198	ex 8501 10 99	58	DC Motor : — with a speed rotation of not more than 6500 rpm (without load), — with a nominal voltage of 12 V (± 4 V), — with a maximal power below than 20 W, — with a specified temperature range from -40°C to 160°C, — with a worm gear drive, — with a mechanical attachment interface, — with 2 electrical connections, — with a maximum torque of 75 Nm	0 %	-	31.12.2026
0.5846	ex 8501 10 99	60	DC motor: — with a rotor speed of 3 500 rpm or more but not more than 5 000 rpm loaded and not more than 6 500 rpm when not loaded — with a power supply voltage of 100 V or more but not more than 240 V for use in the manufacture of electric fryers (1)	0 %	-	31.12.2027
0.6858	ex 8501 10 99	64	DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve: — with Ingress Protection (IP) standard of IP69, — with a rotor speed of not more than 6 500 rpm when not loaded, — with a rated voltage of 12,0 V ($\pm 0,1$), — of a specified temperature range of - 40 °C or more but not more than + 165 °C, — with or without a connecting pinion, — with or without an engine connector, — with or without a flange, — with a diameter of not more than 40 mm (not including the flange), — with an overall height of not more than 90 mm (from the base to the pinion)	0 %	-	31.12.2026
0.6880	ex 8501 10 99	65	Electric turbocharger actuator, with: — a DC motor, — an integrated gear mechanism, — a (pulling)force of 200 N or more at a minimum of 140°C elevated ambient temperature, — a (pulling) force of 250 N or more in each position of its stroke, — an effective stroke of 15 mm or more but not more than 25 mm, — with or without an on-board diagnostics interface	0 %	-	31.12.2025
0.6115	ex 8501 10 99	70	DC stepping motor, with: — a two-phase winding, — a rated voltage of 9 V or more, but not more than 16,0 V, — of a specified temperature range of - 40 °C or more but not more than + 105 °C, — with or without connection pinion, — with or without motor drive connector	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6627	ex 8501 10 99	75	Permanently excited DC motor with — a multiple-phase winding, — an external diameter of 28 mm or more but not more than 35 mm, — a rated speed of not more than 12 000 rpm, — a power supply voltage of 8 V or more but not more than 27 V	0 %	-	31.12.2025
0.2838	ex 8501 10 99	79	DC motor with brushes and an internal rotor with a three-phase winding, whether or not equipped with a worm, of a specified temperature range covering at least - 20 °C to + 70 °C	0 %	-	31.12.2023
0.4555	ex 8501 10 99	80	DC stepping motor, with: — an angle of step of 7,5° (± 0,5°), — a pull-out torque at 25 °C of 25 mNm or more, — a pull-out pulse rate of 1 500 pps or more, — a two-phase winding, and — a rated voltage of 10,5 V or more, but not more than 16,0 V	0 %	-	31.12.2023
0.7250	ex 8501 20 00	40	Universal AC/DC motor with: — a rated output of 50 W but not higher than 1,2 kW, — a supply voltage of 230 V, — whether or not with engine brake, — whether or not assembled to a reduction gear with output shaft, which is contained in a housing, — whether or not fitted with a motor control/motor switch connected by cable, and — whether or not with fan, for use as electric drive of lawnmower blades or domestic appliances (1)	0 %	-	31.12.2024
0.8345	ex 8501 20 00	50	Universal AC/DC motor, rotating: — with a nominal supply voltage of 230 V, — with a power of more than 37,5 W but not more than 2 000 W, — with a stator cross-section of 93 mm or more but not more than 103 mm and a thickness of 15 mm or more but not more than 45 mm, and — with or without a worm gear, gears or a gearbox, for the production of a torque to a transmission shaft for small domestic appliances (1)	0 %	-	31.12.2027
0.8349	ex 8501 20 00	60	Universal AC/DC motor, rotating: — with a nominal supply voltage of 230 V, — with a power of more than 37,5 W but not more than 1 200 W, — with a stator cross-section of 65 mm or more but not more than 75 mm and a thickness of 15 mm or more but not more than 45 mm, and — with or without a worm gear, gears or a gearbox, for the production of a torque to a transmission shaft for small domestic appliances (1)	0 % ⁽¹⁾	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8367	ex 8501 20 00	70	Universal AC/DC motor, rotating: — with a nominal supply voltage of 230 V, — with a power of more than 37,5 W but not more than 700 W, — with a stator cross-section of 49 mm or more but not more than 59 mm and a thickness of 15 mm or more but not more than 45mm, and — with or without a worm gear, gears or a gearbox, for the production of a torque to a transmission shaft for small domestic appliances (1)	0 %	-	31.12.2027
0.5954	ex 8501 31 00	45	DC motors, brushless, with: — an external diameter of 90 mm or more, but not more than 110 mm, — a rated speed of not more than 3 680 rpm, — an output of 600 W or more but not more than 740 W at 2 300 rpm and at 80 °C, — a supply voltage of 12 V, — a torque of not more than 5,67 Nm, — a rotor position sensor, — an electronic star-point relay, and — for use with an electric power steering control module	0 %	-	31.12.2023
0.8395	ex 8501 31 00	47	Motor for automotive electric seat adjustment applications: — with a shaft output on both motor sides, — consisting of a permanently excited DC motor, — whether brushed or brushless, — whether or not with electronic control unit, — whether or not with Hall Effect Sensor, — with a nominal voltage of 8 V or more but not more than 16 V, — with a rated output mechanical power not exceeding 120 W, and — with a specified temperature range from -40 °C to 160 °C, for use in the manufacture of automotive components for car's seats (1)	0 %	-	31.12.2027
0.5577	ex 8501 31 00	50	DC motors, brushless, with: — an external diameter of 80 mm or more, but not more than 200 mm, — a supply voltage of 9 V or more, but not more than 16 V, — an output at 20 °C of 300 W or more, but not more than 750 W, — a torque at 20 °C of 2,00 Nm or more, but not more than 7,00 Nm, — a rated speed at 20 °C of 600 rpm or more, but not more than 3 100 rpm, — with or without a pulley, — with or without an electronic power steering sensor/controller	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5978	ex 8501 31 00 ex 8501 32 00	55 40	DC motor with or without commutator, with — an external diameter of 24,2 mm or more, but not more than 140 mm, — a rated speed of 3300 rpm or more, but not more than 26200 rpm, — a rated supply voltage of 3,6 V or more, but not more than 230 V, — an output power of more than 37,5 W , but not more than 2400 W, — a free load current of not more than 20,1 A, — a maximum efficiency of 50 % or more, for driving hand-held power tools or lawn mowers	0 %	-	31.12.2023
0.4731	ex 8501 31 00	58	Permanently excited DC motor with: — an external diameter of 30 mm or more but not more than 90 mm, including mounting flange, — a rated speed of not more than 15 000 rpm, — an output of 45 W or more but not more than 400 W, and — a supply voltage of 9 V or more but not more than 50 V, — whether or not a multiple-phase winding, — whether or not with a drive disc, — whether or not with a crankcase, — whether or not with a fan, — whether or not with a cap assembly, — whether or not with a sun gear, — whether or not with a speed and rotational direction encoder, — whether or not with or without a speed or rotational direction sensor of resolver type or Hall effect type, — whether or not with a mounting flange	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6809	ex 8501 31 00 ex 8501 32 00	63 65	Ready for installation in vehicles or equipment of headings 8432 and 8433, brushless and permanently excited direct current motor with: — a specified speed of not more than 4 100 rpm, — a minimum output of 400 W, but not more than 1,3 kW (at 12 V), or with a minimum output of 750 W but not more than 1,55 kW (at 36 V), — a flange diameter of 85 mm or more but not more than 200 mm, — a maximum length of 335 mm, measured from the beginning of the shaft to the outer ending, — a housing length of not more than 265 mm, measured from the flange to the outer ending, — a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 11 bore holes) aluminium diecast or sheet steel housing whether or not with a sealing compound (groove with an O-ring and grease), — a stator with single T-tooth design and single coil windings in 9/6 or 12/8 topology, and — surface magnets, — whether or not with electronic power steering controller, — whether or not with pulley, — whether or not with rotor position sensor	0 %	-	31.12.2025
0.4855	ex 8501 33 00 ex 8501 40 80 ex 8501 53 50	30 50 10	Electric drive for motor vehicles, with an output of not more than 315 kW: — with an AC or DC motor with or without transmission, — with or without power electronics	0 %	-	31.12.2026
0.8188	ex 8501 40 20	35	Electric AC motor, single-phase, with: — a rated power of 120 W or more but not more than 150 W, — an input power of 280 W or more but not more than 350 W, — an external diameter without bracket connector and pulley of 145 mm or more but not more than 160 mm, — a rated speed of 2 680 rpm or more but not more than 3 000 rpm, — a weight of 4,2 kg or more but not more than 4,6 kg, — pulleys, a spindle and a tachometer, for use in the manufacture of home appliance products ⁽¹⁾	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8189	ex 8501 40 20	45	Electric AC motor, single-phase, with: — a rated power of 275 W or more, but not more than 325 W, — an input power of 600 W or more but not more than 700 W, — an external diameter without bracket and connector of 150 mm or more but not more than 170 mm, — a rated speed of 15 000 rpm or more but not more than 20 000 rpm, — a weight of 4,2 kg or more, — a pulley and a tachometer, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2026
0.8191	ex 8501 40 20	50	Electric AC motor, single-phase, with: — a rated power of 300 W or more but not more than 370 W, — an input power of 600 W or more but not more than 700 W, — an external diameter without bracket and connector of 150 mm or more but not more than 170 mm, — a rated speed of 15 000 rpm or more but not more than 19 000 rpm, — a weight of 4,8 kg or more, — a pulley, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2026
0.8192	ex 8501 40 20	55	Electric AC motor, single-phase, with: — a rated power of 275 W or more, but not more than 325 W, — an input power of 600 W or more but not more than 700 W, — an external diameter without bracket and connector of 160 mm or more but not more than 180 mm, — a rated speed of 15 000 rpm or more but not more than 19 000 rpm, — a weight of not more than 4,4 kg, — a pulley, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2026
0.8193	ex 8501 40 20	60	Electric AC motor, single-phase, with: — a rated power of 275 W or more but not more than 325 W, — an output power of 550 W or more but not more than 600 W, — an input power of 800 W or more but not more than 1 000 W, — an external diameter of more than 150 mm but not more than 170 mm without the bracket, — a rated speed of more than 16 000 rpm but not more than 18 000 rpm, — a weight of 3,4 kg or more but not more than 3,7 kg, — a pulley, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5329	ex 8501 51 00 ex 8501 52 20	30 50	AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with: — an output of 340 W or more but not more than 7,4 kW, — a flange of dimensions of not more than 180 mm × 180 mm, and — a length from flange to extreme end of resolver of not more than 271 mm	0 %	-	31.12.2026
0.8190	ex 8501 51 00	40	Electric AC motor, three-phase, with: — a rated power of 280 W or more but not more than 320 W, — an output power of 480 W or more but not more than 540 W, — an input power of 800 W or more but not more than 900 W, — an external diameter of 150 mm or more but not more than 170 mm, — a rated speed of 15 000 rpm or more but not more than 20 000 rpm, — a weight of 6 kg or more but not more than 6,4 kg, — a pulley and a tachometer, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2026
0.8404	ex 8501 51 00	50	Three phase AC synchronous brushless permanent magnet motor with: — an output of 500 W or more but not more than 700 W, — an external diameter of 129,7 mm or more but not more than 180,3 mm, — a rated speed of 16 000 rpm or more but not more than 17 000 rpm, — a weight of 2,5 kg or more but not more than 3,1 kg, and — with a pulley, for use in the manufacture of home appliance products (1)	0 %	-	31.12.2027
0.6511	ex 8501 53 50	20	AC traction motor of the Interior Permanent Magnet Synchronous Motor (IPMSM) type with: — a torque output of 200 Nm or more, but not more than 400 Nm, — a power output of 50 kW or more, but not more than 200 kW , — a rotation speed of no more than 15 000 rpm, for use in the manufacture of electric vehicles (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8129	ex 8501 53 50	30	Permanent magnet synchronous traction motor, with: — a continuous power of 110 kW or more but not more than 180 kW, — a liquid cooled system, — a total length of 500 mm or more but not more than 650 mm, — a total width of 600 mm or more but not more than 700 mm, — a total height of 550 mm or more but not more than 650 mm, — weighing of not more than 350 kg, — 3 suspension points	0 %	-	31.12.2025
0.8285	ex 8501 53 50	40	Permanent magnet traction AC motor, with: — a continuous power of 110 kW or more but not more than 150 kW, — a liquid cooled system, — a total length of 460 mm or more but not more than 590 mm, — a total width of 450 mm or more but not more than 580 mm, — a total height of 490 mm or more but not more than 590 mm, — a weight of not more than 310 kg, — 4 mounting points	0 %	-	31.12.2026
0.8130	ex 8501 62 00	40	AC, 3-phase generator, with: — a continuous power of 147 kVA or more but not more than 222 kVA, — a continuous torque of 650 Nm or more but not more than 900 Nm, — a maximum working speed of 2700 revolutions per minute (rpm), — a liquid cooled system, — a length of 100 mm or more but not more than 200 mm, — a width of 550 mm or more but not more than 650 mm, — a height of 550 mm or more but not more than 650 mm, — weighing of not more than 150 kg	0 %	-	31.12.2025
0.2837	ex 8503 00 91 ex 8503 00 99	31 32	Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring or bearing mounted in steel housing	0 %	p/st	31.12.2023
0.2836	ex 8503 00 99	31	Stamped collector of an electric motor, having an external diameter of not more than 16 mm	0 %	p/st	31.12.2023
0.4599	ex 8503 00 99	33	Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm	0 %	p/st	31.12.2026
0.4601	ex 8503 00 99	34	Rotor for brushless motor of electrical power steering with a roundness tolerance of 50 µm	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7496	ex 8503 00 99	37	Rotor for an electric motor, with the rotor cylindrical body made of agglomerated ferrite and plastics and the shaft made of metal with: — diameter of the rotor body of 17 mm or more but not more than 37 mm, — length of the rotor body of 12 mm or more but not more than 36 mm, — shaft length of 52 mm or more but not more than 82 mm	0 %	-	31.12.2023
0.6161	ex 8503 00 99	55	Stator for brushless motor, with: — an internal diameter of 206,6 mm ($\pm 0,5$), — an external diameter of 265,0 mm ($\pm 0,2$), and — a width of 37,2 mm or more but not more than 47,8 mm, of a kind used in the manufacture of washing machine, washer-dryer or dryer equipped with direct drive drums	0 %	p/st	31.12.2025
0.6379	ex 8503 00 99	60	Engine cover for electronic belt drive steering system of galvanized steel with a thickness of not more than 2,5 mm ($\pm 0,25$ mm)	0 %	p/st	31.12.2024
0.7760	ex 8503 00 99	65	Rotor body of stacked electrical sheet having: — a diameter of 18 mm or more but not more than 35 mm, and — a length of 20 mm or more but not more than 65 mm	0 %	-	31.12.2024
0.7761	ex 8503 00 99	75	Stator body of stacked electrical sheet having: — an inner diameter of 18 mm or more but not more than 35 mm, — an outer diameter of 35 mm or more but not more than 65 mm, and — a length of 20 mm or more but not more than 65 mm, — whether or not incorporated in a housing	0 %	-	31.12.2024
0.7758	ex 8503 00 99	80	Steel motor housing having: — an inner diameter of 35 mm or more but not more than 65 mm, — an outer diameter of 35 mm or more but not more than 70 mm, and — a length of 35 mm or more but not more than 150 mm	0 %	-	31.12.2024
0.7549	ex 8504 31 80	15	Electrical Transformer with — a capacity of 192 Watts or 216 Watts — dimensions of not more than 27,1 x 26,6 x 18 mm — an operating temperature range of $- 40^{\circ}\text{C}$ or more, but not more than $+ 125^{\circ}\text{C}$ — three or four inductively coupled copper wire windings and — 9 connection pins at the bottom	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7548	ex 8504 31 80	25	Electrical Transformer with — a capacity of 432 Watts — dimensions of not more than 24 mm x 21 mm x 19 mm — an operating temperature range of – 20 °C or more, but not more than + 85 °C — two windings and — 5 connection pins at the bottom	0 %	-	31.12.2023
0.4450	ex 8504 31 80	30	Switching transformers, having a power handling capacity of not more than 1 kVA for use in the manufacture of static converters (1)	0 %	-	31.12.2023
0.7547	ex 8504 31 80	35	Electrical Transformer with — a capacity of 433 Watts — dimensions of not more than 37,3 x 38,2 x 28,5 mm — an operating temperature range of – 40 °C or more, but not more than + 125 °C — four inductively coupled copper wire windings and — 13 connection pins at the bottom	0 %	-	31.12.2023
0.7551	ex 8504 31 80	45	Electrical Transformer with: — a capacity of 0,2 Watts, — dimensions of not more than 15 mm x 15,5 mm x 14 mm, — an operating temperature range of – 10 °C or more, but not more than + 125 °C, — two inductively coupled copper wire windings, — 5 connection pins at the bottom, and — a copper shielding	0 %	-	31.12.2023
0.7000	ex 8504 31 80	50	Transformers for use in the manufacture of electronic drivers, control devices and LED light sources for lighting industry (1)	0 %	-	31.12.2026
0.7764	ex 8504 31 80	55	Electrical transformer with: — a capacity of 0,22 kVA or more, but not more than 0,24 kVA, — an operating temperature range of + 10°C or more, but not more than + 125°C, — four or five inductively coupled copper wire windings, — 11 or 12 connection pins at the bottom, and — dimensions of not more than 32 mm x 37,8 mm x 25,8 mm	0 %	-	31.12.2024
0.7029	ex 8505 11 00	47	Articles in the form of a triangle, square, rectangle, or trapezoid, whether or not arched, with rounded corners or oblique sides, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions: — a length of 9 mm or more but not more than 105 mm, — a width of 5 mm or more but not more than 105 mm, and — a height of 2 mm or more but not more than 55 mm	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5584	ex 8505 11 10	50	Bars specifically shaped, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions: — a length of 15 mm or more but not more than 52 mm, — a width of 5 mm or more but not more than 42 mm, of a kind to be used in the manufacture of electric servomotors for industrial automation	0 %	p/st	31.12.2027
0.7567	ex 8505 11 10	53	Permanent magnets of a neodymium alloy cylindrical shaped with notch with internal threaded bore on one side, with — a length of 97,5 mm or more, but not more than 225 mm — a diameter of 19 mm or more, but not more than 25 mm	0 %	-	31.12.2023
0.5585	ex 8505 11 10	63	Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with — an external diameter of not more than 45 mm, — a height of not more than 45 mm, of a kind used in the manufacture of permanent magnets after magnetisation	0 %	p/st	31.12.2027
0.3740	ex 8505 11 10	65	Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rectangle, whether or not rounded, with a rectangular or a trapezoidal section having — a length of not more than 140 mm, — a width of not more than 90 mm and — a thickness of not more than 55 mm, or in the shape of curved rectangle (tile type) having — a length of not more than 75 mm, — a width of not more than 40 mm, — a thickness of not more than 7 mm and — a radius of curvature of more than 86 mm but not more than 241 mm or in the shape of a disc with a diameter of not more than 90 mm, whether or not containing a hole in the centre	0 %	p/st	31.12.2023
0.7788	ex 8505 11 10	68	Blocks made of neodymium, iron and boron or an alloy of samarium and cobalt, whether or not covered with zinc, intended to become permanent magnets after magnetisation with: — a length of 13,8 mm or more but not more than 45,2 mm, — a width of 7,8 mm or more but not more than 25,2 mm, — a height of 1,3 mm or more but not more than 4,7 mm	0 %	-	31.12.2024
0.5948	ex 8505 11 10	70	Disc consisting of an alloy of neodymium, iron and boron, covered with nickel or zinc, that after magnetisation is intended to become a permanent magnet — whether or not containing a hole in the centre, — with a diameter of not more than 90 mm, of a kind used in car loudspeakers	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6857	ex 8505 11 10 ex 8505 11 90 ex 8505 19 90	73 73 35	Articles in shape of flat bars, arched bars or quarter sleeves, made of ferrite, or cobalt, or samarium or other rare-earth metals, or their alloy, whether or not overmolded with polymers, intended to become permanent magnets after magnetisation with: — a length of 5 mm or more, but not more than 60 mm, — a width of 5 mm or more, but not more than 40 mm, — a thickness of 3 mm or more, but not more than 15 mm	0 %	p/st	31.12.2024
0.6347	ex 8505 11 10 ex 8505 11 90	75 75	A quarter sleeve intended to become permanent magnet after magnetization, — consisting of at least neodymium, iron and boron, — with a width of 9,1 mm or more but not more than 10,5 mm, — with a length of 20 mm or more but not more than 30,1 mm, of a kind used on rotors for the manufacture of fuel pumps	0 %	p/st	31.12.2024
0.7789	ex 8505 19 10	20	Arc segments of permanent magnets of agglomerated ferrite, with: — a length of 16,8 mm or more, but not more than 110,2 mm, — a width of 14,8 mm or more, but not more than 75,2 mm, — a thickness of 4,8 mm or more, but not more than 13,2 mm, for use in the manufacture of electromotor rotors for ventilation and air-conditioning systems (1)	0 %	-	31.12.2024
0.5937	ex 8505 19 90	30	Articles of agglomerated ferrite in the shape of a disc with a diameter of not more than 120 mm, containing a hole in the centre intended to become permanent magnets after magnetisation with a remanence between 245 mT and 470 mT	0 %	-	31.12.2023
0.7299	ex 8505 19 90	50	Article of agglomerated ferrite in the shape of a rectangular prism to become a permanent magnet after magnetisation — whether or not with bevelled edges — of a length of 27 mm or more but not more than 32 mm ($\pm 0,15$ mm), — of a width of 8,5 mm or more but not more than 9,5 mm (+0,05 mm / -0,09 mm), — of a thickness of 5,5 mm or more but not more than 5,8 mm (+0/-0,2 mm), and — of a weight of 6,1 g or more but not more than 8,3 g	0 %	p/st	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7511	ex 8505 19 90	60	Articles of agglomerated ferrite in the shape of a half-sleeve or a quarter-sleeve, or with rounded corners, to intended to become permanent magnet after magnetisation with the following dimensions: — a length of 10 mm or more but not more than 100 mm (± 1 mm), — a width of 10 mm or more but not more than 100 mm (± 1 mm), — a thickness of 2 mm or more but not more than 15 mm ($\pm 0,15$ mm)	0 %	-	31.12.2023
0.4029	ex 8505 20 00	30	Electromagnetic clutch, for use in the manufacture of compressors of air conditioning machines of motor vehicles ⁽¹⁾	0 %	p/st	31.12.2023
0.8095	ex 8505 90 90	20	Electromagnetic clutch coil in a cylindrical metal housing: — the metal housing is made of hot-rolled steel complying with standard JIS G 3131 - SPHE, — the coil is made of copper wire, — with a weight of 0,4 kg or more but not more than 0,7 kg, — with a width of 22 mm or more but not more than 25 mm, — with a plate reinforced to the coil (coil backplate) with an internal diameter of 44 mm or more but not more than 46 mm, — with an external diameter of 88 mm or more but not more than 96 mm, — without plunger, — with one connector	0 %	p/st	31.12.2025
0.6855	ex 8506 50 10	10	Lithium cylindrical primary cells with: — a diameter of 14,0 mm or more but not more than 26,0 mm, — a length of 2,2 mm or more but not more than 51 mm, — a voltage of 1,5 V or more, but not more than 3,6 V, — a capacity of 0,15 Ah or more, but not more than 5,00 Ah for use in the manufacture of telemetry and medical devices, electronic meters or remote controls ⁽¹⁾	0 %	-	31.12.2023
0.2490	ex 8506 50 90	10	Lithium iodine single cell battery the dimensions of which do not exceed 9 mm \times 23 mm \times 45 mm and a voltage of not more than 2,8 V	0 %	-	31.12.2023
0.2488	ex 8506 50 90	30	Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimensions of not more than 28 mm \times 45 mm \times 15 mm and a capacity of not less than 1,05 Ah	0 %	-	31.12.2023
0.5180	ex 8506 90 00	10	Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries) ⁽¹⁾	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6685	ex 8507 60 00	15	Cylindrical lithium-ion-accumulators or modules with: — a nominal capacity of 8,8 Ah or more, but not more than 18 Ah, — a nominal voltage of 36 V or more, but not more than 48 V, — a power of 300 Wh or more, but not more than 648 Wh, for use in the manufacture of electric bicycles (1)	1.3 %	-	31.12.2023
0.7663	ex 8507 60 00	18	Lithium-ion polymer accumulator equipped with a battery management system and can-bus interface with: — a length of not more than 1600 mm, — a width of not more than 448 mm, — a height of not more than 395 mm, — a nominal voltage of 280 V or more but not more than 400 V, — a nominal capacity of 9,7 Ah or more but not more than 10,35 Ah, — a charging voltage of 110 V or more but not more than 230 V, and — containing 6 modules with 90 cells or more but not more than 96 cells enclosed in a steel casing, for use in the manufacture of vehicle capable of being charged by plugging to external source of electric power of heading 8703 (1)	1.3 %	-	31.12.2023
0.8368	ex 8507 60 00	29	A lithium-ion-rechargeable battery pack in a specific housing suitable for operating in digital cameras, having: — a length of 70 mm or more but not more than 120 mm, — a width of 60 mm or more but not more than 80 mm, — a height of 15 mm or more but not more than 45 mm, — a weight of 0,040 kg or more but not more than 0,085 kg, and — a capacity of not more than 1860 mAh	1.3 %	-	31.12.2023
0.2907	ex 8507 60 00	30	Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17,2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries (1)	1.3 %	-	31.12.2027
0.6703	ex 8507 60 00	33	Lithium-ion accumulator, with: — a length of 150 mm or more, but not more than 1,000 mm, — a width of 100 mm or more, but not more than 1,000 mm, — a height of 200 mm or more, but not more than 1,500 mm, — a weight of 75 kg or more, but not more than 200 kg, — a nominal capacity not less than 150Ah and not more than 500 Ah, — a nominal output voltage of 230V AC (Line to neutral) or a nominal voltage of 64V (±10 %)	1.3 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6702	ex 8507 60 00	37	Lithium-ion accumulator, with: — a length of 1 200 mm or more, but not more than 2 000 mm, — a width of 800 mm or more, but not more than 1 300 mm, — a height of 2 000 mm or more, but not more than 2 800 mm, — a weight of 1 800 kg or more, but not more than 3 000 kg, — a nominal capacity of 2 800 Ah or more but not more than 7 200 Ah	1.3 %	-	31.12.2023
0.8115	ex 8507 60 00	48	Integrated battery system in a metal case with holders, consisting of: — a lithium-ion battery with a voltage of 36 V or more but not more than 50,4 V and a nominal energy of 0,6 kWh, — Battery Management System, — a power relay, — a cooling system, — four connectors, for use in the manufacture of Mild-hybrid (mHEV) motor vehicles (1)	1.3 %	-	31.12.2023
0.5548	ex 8507 60 00	50	Modules for the assembly of batteries of ion lithium electric accumulators with: — a length of 298 mm or more, but not more than 500 mm, — a width of 33,5 mm or more, but not more than 209 mm, — a height of 75 mm or more, but not more than 228 mm, — a weight of 3,6 kg or more, but not more than 17 kg, and — a power of 458 Wh or more, but not more than 2 900 Wh	1.3 %	-	31.12.2023
0.7641	ex 8507 60 00	58	Prismatic lithium-ion electric accumulator with: — a width of 120,0 mm or more but not more than 305,0 mm, — a thickness of 12,0 mm or more but not more than 67,0 mm, — a height of 72,0 mm or more but not more than 126,0 mm, — a nominal voltage of 3,6 V or more but not more than 3,75 V, and — a nominal capacity of 6,9 Ah or more not more than 265 Ah, for use in the manufacture of rechargeable electric vehicle batteries (1)	1.3 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5342	ex 8507 60 00	65	Cylindrical lithium ion cell with — a nominal diameter of 9,8 mm or more, but not more than 14,5 mm, — a nominal voltage of 3,0 VDC or more, but not more than 4,0 VDC, and — a nominal capacity of 200 mAh or more, but not more than 1200 mAh	1.3 %	-	31.12.2023
0.7888	ex 8507 60 00	68	Lithium-ion accumulator in a metal housing, with — a length of 65 mm or more, but not more than 225 mm, — a width of 10 mm or more, but not more than 75 mm, — a height of 60 mm or more, but not more than 285 mm, — a nominal voltage of 2,1 V or more, but not more than 3,8 V, and — a nominal capacity of 2,5 Ah or more, but not more than 325 Ah	1.3 %	-	31.12.2023
0.8259	ex 8507 60 00	73	Lithium-ion Electric accumulators consisting of 3 modules containing 102 cells in total, with: — a nominal capacity of 51 Ah per cell, — a nominal voltage of 285 V or more but not more than 426V, — a weight of 33 kg or more but not more than 36 kg per module, — a length of 1 400 mm or more but not more than 1 600 mm, — a height of 340 mm or more but not more than 395 mm, — a width of 220 mm or more but not more than 420 mm, for use in the manufacture of vehicles of subheadings 8703 60 and 8703 80 (1)	1.3 %	-	31.12.2023
0.6753	ex 8507 60 00	77	Lithium-ion rechargeable batteries, with: — a length of 700 mm or more, but not more than 2 820 mm, — a width of 935 mm or more, but not more than 1 660 mm, — a height of 85 mm or more, but not more than 700 mm, — a weight of 250 kg or more, but not more than 700 kg, — a power of not more than 175 kWh, — a nominal voltage of 400 V	1.3 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8275	ex 8507 60 00	83	Modules for the assembly of ion lithium electric accumulators with: — a length of 570 mm or more, but not more than 610 mm, — a width of 210 mm or more, but not more than 240 mm, — a height of 100 mm or more, but not more than 120 mm, — a weight of 28 kg or more, but not more than 35 kg, and — a capacity of not more than 2500 Ah and a nominal energy of less than 7,5 kW, for use in the manufacture of vehicles of subheadings 8703 60, 8703 70, 8703 80 and 8704 60 (1)	1.3 %	-	31.12.2023
0.8286	ex 8507 60 00	88	A rechargeable lithium-ion battery, with: — a fuse, — a cell-to-pack design, — a length of 1 050 mm or more but not more than 1 070 mm, — a width of 624 mm or more but not more than 636 mm, — a height of 235 mm or more but not more than 245 mm, — a mass of 214,4 kg or more but not more than 227,6 kg, — a capacity of 228 Ah, — an upper outer casing of a composite material, — an IP68 protection rating, — an energy density of 220Wh/l or more, — a specific energy of 159 Wh/kg or more, — without contactors, for the manufacture of batteries for electric buses (1)	1.3 %	-	31.12.2023
0.8419	ex 8507 90 80	20	Top cap made of ferrous alloy or stainless steel: — whether or not including parts made of aluminum and aluminum alloy, — with sealing elements or other elements made of polymer material, — with a “current interrupt device ” and an “evacuation valve”, — with an outer diameter of 17 mm or more, but not more than 18 mm, for use in the manufacture of lithium-ion batteries (1)	1.3 %	-	31.12.2023
0.5014	ex 8508 70 00 ex 8537 10 98	20 98	Electronic circuit cards that: — are connected by wire or radio frequency to each other and the motor controller card, and — regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, — whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full)	0 %	p/st	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6304	ex 8511 30 00	30	Igniter integrated coil assembly with: — an igniter, — a coil on plug assembly with an integrated mounting bracket, — a housing, — a length of 90 mm or more but not more than 200 mm (± 5 mm), — an operating temperature of -40°C or more but not more than 130°C , — a voltage of 10,5 V or more, but not more than 16 V	0 %	p/st	31.12.2024
0.7024	ex 8511 30 00	55	Ignition coil: — with a length of 50 mm or more, but not more than 200 mm, — with an operating temperature of -40°C or more, but not more than 140°C , and — with a voltage of 9 V or more, but not more than 16 V, — with or without connection cable, for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2026
0.6856	ex 8512 20 00	30	Lighting module, containing at least: — two LEDs, — glass or plastic lenses, focusing/scattering the light emitted by the LEDs, — reflectors redirecting the light emitted by the LEDs, in an aluminium housing with a radiator, mounted at a bracket with an actuator	0 %	p/st	31.12.2025
0.6503	ex 8512 20 00	40	Fog lamp with a galvanised inner surface, containing: — a plastic holder with three or more brackets, — one or more 12 V bulbs, — a connector, — a plastic cover, — whether or not with a connection cable for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2024
0.6562	ex 8512 20 00	60	Information screen displaying: — at least time, date and status of safety features in a vehicle, or — safety information on driving in the lane, blind spot, distance from the vehicle in front, current speed, speed limit, with an operating voltage of 12 V or more but not more than 14,4 V, of a kind used in the manufacturing of goods of Chapter 87	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8409	ex 8512 20 00	70	Electrical component with light guide integrated with LED, for motor vehicles with: — two parallel ribs in the front area with a distance between them of 1,4 mm or more but not more than 1,8 mm, — four holes with the dimension of 7,3 mm or more but not more than 7,9 mm in the short direction of the guide, and — a 3 pines connector, for use in the manufacture of automotive components (1)	0 %	-	31.12.2027
0.8410	ex 8512 20 00	80	Grab handle light with integrated LED, for motor vehicles: — a distance between integrated spring clip and surface of 0,85 mm or more but not more than 1,85 mm, — a length of the housing to two front vertical ribs of 26,45 mm or more but not more than 26,75 mm, and — four horizontal ribs where the distance on the lower area over the base radia between the two is 18,5 mm or more but not more than 18,7 mm, for use in the manufacture of automotive components (1)	0 %	-	31.12.2027
0.6504	ex 8512 30 90	10	Horn assembly operating on piezomechanical principle for generating a specific sound signal, with a voltage of 12 V, comprising: — coil, — magnet, — metal membrane, — connector, — holder of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2024
0.6863	ex 8512 30 90	20	Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing: — a printed circuit board, — a connector, — whether or not a metal holder, for use in the manufacture of goods of chapter 87 (1)	0 %	p/st	31.12.2024
0.7361	ex 8512 30 90	30	Sound alarm device for protection against burglary into the vehicle: — with an operating temperature of – 45 °C or more, but not more than + 95 °C, — with a voltage of 9 V or more but not more than 16 V, — in a plastic housing, — whether or not with a metal holder for use in the manufacture of motor vehicles (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.5983	ex 8512 40 00 ex 8516 80 20	10 20	Car door mirror heating foil: — with two electrical contacts, — with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), — with a protective paper film on both sides	0 %	-	31.12.2023
0.6522	ex 8514 20 80 ex 8516 50 00 ex 8516 60 80	10 10 10	Cavity assembly comprising at least: — a transformer with an input of not more than 240 V and an output of not more than 3 000 W — an AC or DC fan motor with an output of not more than 42 watts — a housing made of stainless steel — with or without a magnetron of a microwave output power of not more than 900 W for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080 (1)	0 %	p/st	31.12.2024
0.8391	ex 8516 10 80	10	Tubular Heating Element with mounting flange for washing machines, with: — a nominal output power of 1 700 W at 230 V AC supply voltage, — a weight of 230 g or more but not more than 250 g, — a thickness of the external flange of 2 mm or more, — isolation bushes of steatite or ceramic, and — no flat zones in the design, for use in the manufacture of home appliance products and their components (1)	0 %	p/st	31.12.2027
0.4732	ex 8516 90 00	60	Ventilation sub-assembly of an electric deep-fat fryer: — fitted with a motor having a power rating of 8 W at 4 600 rpm, — governed by an electronic circuit, — operating at ambient temperatures above 110 °C, — fitted with a thermoregulator	0 %	p/st	31.12.2024
0.5845	ex 8516 90 00	70	Inner pot: — containing side and central openings, — of annealed aluminium, — with a ceramic coating, heat resistant to more than 200° C for use in the manufacture of an electric fryer (1)	0 %	p/st	31.12.2027
0.6521	ex 8516 90 00	80	Door assembly incorporating a capacitive sealing element and wavelength choke for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080 (1)	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4733	ex 8521 90 00	20	Digital video recorder: — without a hard disk drive, — with or without a DVD-RW drive, — with either motion detection or capability of motion detection through IP connectivity via LAN connector — with or without a USB serial port, for use in the manufacture of closed-circuit television (CCTV) surveillance systems (1)	0 %	-	31.12.2024
0.7972	ex 8527 29 00	40	Satellite radio receiver module: — with a rectangular shape of dimensions 41,7 x 32,4 x 3,85 mm (± 25 %), — comprising of heat sink and a printed circuit board with resistors, capacitors, transistors, coils, diodes and IC, — being able to process radio frequency signals, — with a medium frequency unit, for use in the manufacture of products falling under heading 8527, 8528, 8529 (1)	0 %	-	31.12.2025
0.6316	ex 8528 59 00	20	Liquid crystal display colour video monitor assembly mounted on a frame, — excluding those combined with other apparatus, — comprising touch screen facilities, a printed circuit board with drive circuitry and power supply, used for permanent incorporation or permanent mounting into entertainment systems for vehicles (1)	0 %	-	31.12.2024
0.6689	ex 8529 90 65	28	Electronic assembly comprising at least: — a printed circuit board with, — one or more FPGAs (Field Programmable Gate Array) and/or processors for multi-media applications and video signal processing, — operating memory, — with or without flash memory, — with or without one or more USB, HDMI, VGA-, RJ-45 and/or other multimedia interfaces, — with or without sockets and plugs for connecting a LCD-display, a LED lighting and a control panel	0 %	p/st	31.12.2027
0.2434	ex 8529 90 65 ex 8548 00 90	30 44	Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing	0 %	p/st	31.12.2023
0.4140	ex 8529 90 65	50	Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8528 (1)	0 %	p/st	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4893	ex 8529 90 65 ex 8529 90 92	65 53	Printed circuit board for distributing supply voltage and control signals directly to a control circuit on a TFT glass panel of a LCD module	0 %	p/st	31.12.2025
0.4305	ex 8529 90 65	75	Modules comprising at least semiconductor chips for: — the generation of driving signals for pixel addressing, or — driving addressing pixels	0 %	p/st	31.12.2027
0.3966	ex 8529 90 92 ex 8548 00 90	15 60	LCD modules, — solely consisting of one or more TFT glass or plastic cells, — not combined with touch screen facilities, — with one or more printed circuits boards with control electronics for pixel addressing only, — with or without backlight unit and — with or without inverters	0 %	p/st	31.12.2023
0.6654	ex 8529 90 92	37	Fastening and covering ledges of aluminium alloy containing: — silicon and magnesium, — with a length of 300 mm or more but not more than 200 mm, specifically shaped for use in the manufacture of TV sets ⁽¹⁾	0 %	-	31.12.2025
0.2425	ex 8529 90 92	42	Aluminium heat sinks and cooling fins, for maintaining the operating temperature of transistors and integrated circuits, for use in the manufacture of products falling within heading 8527 or 8528 ⁽¹⁾	0 %	p/st	31.12.2023
0.3198	ex 8529 90 92	43	Plasma display module incorporating only address and display electrodes, with or without driver and/or control electronics for pixel address only and with or without a power supply	0 %	p/st	31.12.2023
0.4030	ex 8529 90 92	45	Integrated circuit package with TV reception functionality containing a channel decoder die, tuner die, power management die, GSM filters and discrete as well as embedded passive circuit elements for reception of digitally broadcasting videosegments of DVB-T and DVB-H formats	0 %	p/st	31.12.2023
0.4609	ex 8529 90 92	47	Area image sensors ("progressive scan" Interline CCD-Sensor or CMOS-Sensor) for digital video cameras in the form of analogue or digital, monolithic integrated circuit with pixels of not more than 12 µm × 12 µm in monochromatic version with microlenses applied to each individual pixel (microlens array) or in polychromatic version with a colour filter, whether or not with a lenslet (micro lens) array with one lenslet mounted on each individual pixel	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.4616	ex 8529 90 92 ex 8536 69 90	49 83	AC socket with a noise filter, composed of: — AC socket (for power cord connection) of 230 V, — integrated noise filter composed of capacitors and inductors, — cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit, whether or not equipped with a metal support, which joins the AC socket to the PDP TV set	0 %	p/st	31.12.2024
0.5187	ex 8529 90 92	57	Metal holder, metal fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players (1)	0 %	p/st	31.12.2026
0.6629	ex 8529 90 92	63	LCD module — with a diagonal measurement of the screen of 14,5 cm or more but not more than 38,5 cm, — with or without a touch screen, — with an LED backlight, — with a printed circuit board with EEPROM, microcontroller, LVDS receiver and other active and passive components, — with a plug for power supply and CAN and LVDS interfaces, — with or without electronic components for dynamic adjustments of colour, — in a housing, with or without mechanical, touch-sensitive or contactless control functions and with or without active cooling system, suitable for installation in motor vehicles of Chapter 87 (1)	0 %	p/st	31.12.2025
0.5018	ex 8529 90 92	67	Colour LCD display panel for LCD monitors of heading 8528: — with a diagonal measurement of the screen of 14,48 cm or more but not more than 31,24 cm, — with or without a touch screen, — with backlight, micro-controller, — with a CAN (Controller area network)-controller with one or more LVDS (Low-voltage differential signalling) interfaces and one or more CAN/power supply sockets or with an APIX (Automotive Pixel Link) controller with APIX interface, — in a housing with or without a heat sink at the back of the housing, — without a signal-processing module, — whether or not with haptic and acoustical feedback, for use in the manufacture of vehicles of Chapter 87 (1)	0 %	p/st	31.12.2025
0.5788	ex 8529 90 92	70	Rectangular fastening and covering frame: — of an aluminium alloy containing silicon and magnesium, — with a length of 500 mm or more but not more than 2 200 mm, — with a width of 300 mm or more but not more than 1 500 mm, of a kind used for the production of TV sets	0 %	p/st	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8140	ex 8529 90 92	73	CMOS-Image sensor — with a micro lens on every pixel (micro lens coverage at least 99 % of all pixel), — to capture infra-red light reflected from objects, in order to capture depth images in the cameras built for distance measurements (Time-of-Flight)	0 %	-	31.12.2025
0.7489	ex 8529 90 92	78	OLED modules, consisting of one or more TFT glass or plastic cells, — a diagonal measurement of the screen of 121 cm or more, but not more than 224 cm, — with a thickness of not more than 55mm, — containing organic material, — with control electronic for pixel addressing only, — with V-by-One Interface and with or without a plug for power supply, — with back cover, of a kind used in the manufacture of TV sets and monitors	0 %	-	31.12.2023
0.6781	ex 8529 90 92	85	Colour LCD module in a housing: — with a diagonal screen measurement of 14.48 cm or more but not more than 26 cm, — without touch screen, — with a backlight and micro-controller, — with a CAN (Controller Area Network) controller, an LVDS (Low-Voltage Differential Signalling) interface and a CAN/power connector, — without a signal processing module, — with control electronics for pixel addressing only, — with a motorised mechanism for moving the display screen, for permanent installation in vehicles of Chapter 87 (1)	0 %	p/st	31.12.2025
0.7048	ex 8536 41 10	20	Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with a photovoltaic generator and a power MOSFET output switch in a casing with connections for a voltage of 60 volts or less and a current of 2 amps or less	0 %	-	31.12.2026
0.6180	ex 8536 41 90	40	Power relay with: — electromechanical and/or electromagnetical switching function, — a load current of 3 A or more but not more than 16 A, — a coil voltage of 5 V or more but not more than 24 V, and — a distance between the connector pins of the load circuit not more than 15,6 mm	0 %	p/st	31.12.2024
0.7052	ex 8536 49 00	40	Photoelectric (so called photovoltaic) relay consisting of two GaAlAs light-emitting diodes, two galvanically isolated input circuits with photovoltaic generator(s) and four power MOSFET output switches in a casing with connections for a voltage of more than 60 volts	0 %	-	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7796	ex 8536 49 00	50	Relay with: — a contact current carrying capacity of 5 A or more but not more than 15 A, — a nominal voltage of 80 V or more but not more than 270 V, and — outer dimensions of 19 mm x 15,2 mm x 15,5 mm, for use in the manufacture of control boards for household appliances (1)	0 %	-	31.12.2024
0.4614	ex 8536 69 90	82	Modular socket or plug for local area networks, whether or not combined with other sockets, integrating at least: — a pulse transformer, including a wide-band ferrite core, — a common mode coil, — a resistor, — a capacitor, for use in the manufacture of products falling within headings 8521 or 8528 (1)	0 %	p/st	31.12.2024
0.5028	ex 8536 69 90	84	Universal serial bus (USB) socket or plug in a single or multiple form for connecting with other USB devices, for use in the manufacture of goods falling within headings 8521 or 8528 (1)	0 %	p/st	31.12.2025
0.5318	ex 8536 69 90	85	Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528 (1)	0 %	p/st	31.12.2026
0.5316	ex 8536 69 90	86	High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the manufacture of products falling within headings 8521 or 8528 (1)	0 %	p/st	31.12.2026
0.5181	ex 8536 70 00	10	Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528 (1)	0 %	p/st	31.12.2026
0.7873	ex 8537 10 91	20	Electronic assembly containing: — a microprocessor, — a programmable memory and other electronic components mounted on a printed circuit, — with or without light-emitting diode (LED) or liquid crystal display (LCD) indicators, for use in the manufacture of products of subheadings 8418 21, 8418 29, 8421 12, 8422 11, 8450 11, 8450 12, 8450 19, 8451 21, 8451 29 and 8516 60 (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8405	ex 8537 10 91	25	A control unit being a printed circuit board with at least: — a microprocessor, — a programmable memory, — a single connector, — a PPE housing, — a supply of voltage of 220 V or more but not more than 240 V, — a length of 200 mm or more but not more than 210 mm, — a width of 70 mm or more but not more than 100 mm, and — a height of 20 mm or more but not more than 30 mm, for use in the manufacture of dishwashers (1)	0 %	-	31.12.2027
0.8392	ex 8537 10 91	35	A control unit being a printed circuit board with at least: — a microprocessor, — a programmable memory, — two or more connectors, but not more than twelve, — with or without LCD display, — with or without WiFi module, and — with or without an integrated speaker, for use in the manufacture of built-in ovens (1)	0 %	-	31.12.2027
0.8085	ex 8537 10 91	45	Main hybrid system controller, diagnosing and controlling the elements of the hybrid propulsion system, with: — a programmable memory, — a microprocessor, — at least one composite connector, — a voltage of 24 V, — with a length of 350 mm or more but not more than 400 mm, — with a width of 200 mm or more but not more than 250 mm, — with a height of 80 mm or more but not more than 120 mm, — in a metal housing	0 %	-	31.12.2025
0.6864	ex 8537 10 91	50	Fuse control module in a plastic housing with mounting brackets comprising: — sockets with or without fuses, — connecting ports, — a printed circuit board with embedded microprocessor, micro switch and relay, of a kind used in the manufacture of goods of chapter 87	0 %	p/st	31.12.2025
0.7627	ex 8537 10 91	57	Programmable memory control board with: — 4 or more stepper motor drivers, — 4 or more outputs with MOSFET transistors, — a main processor, — 3 or more inputs for temperature sensors, — for a voltage of 10 V or more but not more than 30 V, for use in the manufacture of 3D printers (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7609	ex 8537 10 91	59	Electronic control units for controlling inter axle torque transferring in all-wheel drive vehicles including: — a printed circuit board with programmable memory controller, — one single connector, and — working at 12 V	0 %	-	31.12.2023
0.6163	ex 8537 10 91 ex 8537 10 98	60 45	Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least: — an AC power input of 208 V or more but not more than 400 V, — a logic power input of 24 V DC, — an automatic circuit breaker, — a main power switch, — internal or external electrical connectors and cables, — in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm x 230 mm, of a kind used for manufacturing recycling or sorting machines	0 %	p/st	31.12.2023
0.7610	ex 8537 10 91	63	Electronic control units able to control automatic continuous variable transmission for passenger vehicles including: — a printed circuit board with programmable memory controller, — a metallic housing, — one single connector, — working at 12V	0 %	-	31.12.2023
0.7660	ex 8537 10 91	67	Electronic Engine Control Unit (ECU) with: — a printed circuit board (PCB), — 12 Volts voltage, — reprogrammable, — a micro-processor that can control, evaluate and manage support service functions in cars (injection and ignition advance values of fuel, fuel and air flow rate), for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2023
0.7251	ex 8537 10 91	70	Programmable motor memory controller for a voltage not exceeding 1 000 V, comprising at least: — a printed circuit with active and passive components, — an aluminium housing, and — multiple connectors	0 %	p/st	31.12.2027
0.6140	ex 8537 10 98	30	Motor bridge ICs without programmable memory consisting of: — one or more integrated circuits, not interconnected, on separate lead frames, — also with discrete Metal Oxide Field Effect Transistors (MOSFET) for controlling DC motors in cars — mounted in a plastic housing	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7194	ex 8537 10 98	33	Lever for control module under the steering wheel: — with several single or multi-positional electrical switches (push-button, rotary or other), — equipped with printed circuit boards and/or electrical cables, — for a voltage of 9 V or more but not more than 16 V, of a kind used in the manufacture of motor vehicles of Chapter 87	0 %	p/st	31.12.2026
0.6889	ex 8537 10 98	35	Electronic control unit without memory, for a voltage of 12 V, for information exchange systems in vehicles (for connection of audio, telephony, navigation, camera and wireless car service) containing: — 2 rotary knobs — 27 or more pushbuttons — LED lights — 2 integrated circuits for receiving and sending of control signals via the LIN-bus	0 %	p/st	31.12.2025
0.8401	ex 8537 10 98	38	Control panel with switches for mirror, windows and other functions in vehicles, with: — a total length of 144 mm or more but not more than 150 mm, — a distance between intended screwing interface center points of 31 mm or more but not more than 31,50 mm, and — electric components inside the panel with integrated LEDs, for use in the manufacture of automotive components ⁽¹⁾	0 %	-	31.12.2027
0.6508	ex 8537 10 98	40	Electronic control unit for monitoring car vehicle tyre pressure comprising plastic box with printed circuit board inside and with or without metal holder, of: — a length of 50 mm or more, but not more than 120 mm, — a width of 20 mm or more but not more than 40 mm, — a height of 30 mm or more, but not more than 120 mm, of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2024
0.8408	ex 8537 10 98	43	Switch for motor vehicle seat regulation with a memory function, with: — three single switches, — a five-pin connector, — for a voltage of 9 VDC or more but not more than 16 VDC, and — electric components inside the panel with integrated LED, for use in the manufacture of automotive components ⁽¹⁾	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8400	ex 8537 10 98	48	Memory switch control panel for seat and lock switch for vehicles with: — a width of 70,2 mm or more but not more than 70,5 mm, — parallel ribs with a distance between them of 2,6 mm or more but not more than 2,8 mm on the rear side, — a 5 pines connector, and — electric components inside the panel with integrated LED, for use in the manufacture of automotive components (1)	0 %	-	31.12.2027
0.6507	ex 8537 10 98	50	Electronic control unit BCM (Body Control Module) comprising — plastic box with printed circuit board and metal holder, — with voltage of 9V or more, but not more than 16V, — able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing, window heating, interior lighting, seat belt reminder of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2024
0.8407	ex 8537 10 98	53	A control unit being a printed circuit board with at least: — a microprocessor, — two or more connectors but not more than four, — modified resins, — a length of 180 mm or more but not more than 250 mm, — a width of 130 mm or more but not more than 200 mm, and — a height of 40 mm or more but not more than 60 mm, for use in the manufacture of washing machines (1)	0 %	-	31.12.2027
0.8393	ex 8537 10 98	57	A control unit being a printed circuit board with at least: — a microprocessor, — eight connectors or more but not more than eleven, — a supply voltage of 215 V or more but not more than 245 V, — a housing of PA6-MR30, — with or without a transformer, — with or without a high power relay, — with or without insulated-gate bipolar transistor, — a length of 280 mm or more but not more than 345 mm, — a width of 400 mm or more but not more than 470 mm, — a height of 28 mm or more but not more than 45 mm, for use in the manufacture of induction stoves (1)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6520	ex 8537 10 98	60	Electronic assembly consisting of: — a microprocessor, — light-emitting diode (LED) or liquid crystal display (LCD) indicators, — electronic components mounted on a printed circuit, for use in the manufacture of built-in products of headings 8514 20 80, 8516 50 00 and 8516 60 80 (1)	0 %	p/st	31.12.2024
0.8406	ex 8537 10 98	63	A control unit being a printed circuit board with at least: — a microprocessor, — two connectors, — a supply voltage of 215 V or more but not more than 245 V, — no housing, — a length of 100 mm or more but not more than 120 mm, — a width of 40 mm or more but not more than 50 mm, and — a height of 20 mm or more but not more than 30 mm, for use in the manufacture of refrigerators (1)	0 %	-	31.12.2027
0.7171	ex 8537 10 98	75	Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with: — an antenna, — a connector, — a metal holder, for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2023
0.8132	ex 8537 10 98	80	Propulsion Control System with at least: — a DC/AC inverter, — a power of 190 kW or more but not more than 220 kW, — a high voltage circuits with AC and DC interfaces for connecting a traction motor, generator and energy storage system, — an integral control of all drive motor and generator traction system functions, — a CAN communications interface with System Control Unit, — a liquid cooled system, — a length of 300 mm or more but not more than 950 mm, — a width of 350 mm or more but not more than 600 mm, — a height of 200 mm or more but not more than 350 mm, — a weight of 40 kg or more but not more than 90 kg	0 %	p/st	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8124	ex 8537 10 98	88	Control panel for car radio and/or navigation control with: — electronic passive components, — at least two switches, — LEDs, — at least one connector, — whether or not warning triangle switch, — for a voltage not exceeding 16 V, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2025
0.3663	ex 8537 10 98	93	Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems (1)	0 %	p/st	31.12.2023
0.6866	ex 8538 90 91 ex 8538 90 99	20 50	Interior antenna for a car door locking system, comprising: — an antenna module in a plastic housing, — a connection cable with a plug, — at least two mounting brackets, whether or not PCB including integrated circuits, diodes and transistors, for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2025
0.6397	ex 8538 90 99 ex 8547 20 00	30 10	Polycarbonate or acrylonitrile butadiene styrene covers and cases for steering pad switches whether or not coated on the outside with a scratch resistant paint	0 %	p/st	31.12.2024
0.6399	ex 8538 90 99	40	Polycarbonate control interface buttons for steering pad switches coated on the outside with scratch resistant paint, in immediate packages of 500 pieces or more	0 %	p/st	31.12.2024
0.7195	ex 8538 90 99	60	Front control panel, in the form of a plastic box, with light guides, rotary switches, pressure switches and buttons switches, or other type of switches, without any electrical component, of a kind used in the dashboard of motor vehicles of Chapter 87	0 %	p/st	31.12.2026
0.2580	ex 8540 20 80	91	Photomultiplier	0 %	-	31.12.2026
0.3959	ex 8540 71 00	20	Continuous wave magnetron with: — a fixed frequency of 2 460 MHz, — a packaged magnet, — a probe output, — an output power of 960 or more but not more than 1500 W	0 %	-	31.12.2023
0.3445	ex 8540 89 00	91	Displays in the form of a tube consisting of a glass housing mounted on a board the dimensions of which do not exceed 300 mm × 350 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallised base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3443	ex 8540 89 00	92	Vacuum fluorescent display tube	0 %	-	31.12.2023
0.7409	ex 8540 91 00	20	Thermionic electron source (emitter point) of lanthanum hexaboride (CAS RN 12008-21-8) or cerium hexaboride (CAS RN 12008-02-5), in a metal housing with electric connectors having <ul style="list-style-type: none"> — a graphite carbon shield mounted in a mini-Vogel type system — separate pyrolytic carbon blocks used as heating elements and — a cathode temperature of less than 1800 K at a filament current of 1,26 A 	0 %	-	31.12.2027
0.7130	ex 8543 70 90	15	Laminated electrochromic film consisting of: <ul style="list-style-type: none"> — two outer layers of polyester, — a middle layer of acrylic polymer and silicone, and — two electric connection terminals 	0 %	-	31.12.2026
0.8333	ex 8543 70 90	27	Electronic control unit of the 360-degree vehicle situation display system with: <ul style="list-style-type: none"> — an operating DC voltage of 9 V or more but not more than 16 V, — a videoprocessor, — a signal processor, — one or more connectors, and — whether or not with a metal mounting bracket, for use in the manufacture of goods of Chapter 87 ⁽¹⁾	0 %	-	31.12.2027
0.2826	ex 8543 70 90	30	Amplifier, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0 %	p/st	31.12.2023
0.7055	ex 8543 70 90	33	High-frequency amplifier comprising one or more integrated circuits and one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing	0 %	-	31.12.2026
0.2822	ex 8543 70 90	35	Radio frequency (RF) modulator, operating with a frequency range of 43 MHz or more but not more than 870 MHz, capable of switching VHF and UHF signals, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0 %	p/st	31.12.2023
0.2590	ex 8543 70 90	45	Piezo-electric crystal oscillator with a fixed frequency, within a frequency range of 1,8 MHz to 67 MHz, contained in a housing	0 %	p/st	31.12.2023
0.3131	ex 8543 70 90	55	Opto-electronic circuit comprising one or more light-emitting diodes (LEDs), whether or not equipped with an integrated driving circuit, and one photodiode with amplifier circuit, whether or not with an integrated logic gate arrays circuit or one or more light-emitting diodes and at least 2 photodiodes with an amplifier circuit, whether or not with an integrated logic gate arrays circuit or other integrated circuits, contained in a housing	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2820	ex 8543 70 90	80	Temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable capacitor, contained in a housing	0 %	p/st	31.12.2023
0.2816	ex 8543 70 90	85	Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0 %	p/st	31.12.2023
0.4464	ex 8544 20 00 ex 8544 42 90 ex 8544 49 93	10 20 20	PET/PVC insulated flexible cable with: — a voltage of not more than 60 V, — a current of not more than 1 A, — a heat resistance of not more than 105 °C, — individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), — a distance between conductors of not more than 0,5 mm and — a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm	0 %	-	31.12.2023
0.6709	ex 8544 20 00	30	Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing: — a coaxial cable, — two or more connectors, and — 3 or more plastic clips for attachment to the dashboard of a kind used in the manufacture of goods of Chapter 87	0 %	-	31.12.2026
0.6194	ex 8544 30 00	30	Multi-measurement wire harness of a voltage of 5V or more but not more than 90 V capable of measuring some or all of the following; — a travel speed of not more than 24 km/h — a motor speed of not more than 4 500 rpm — hydraulic pressure of not more than 25 Mpa — mass of not more than 50 metric tonnes for use in the manufacture of vehicles of heading 8427 (1)	0 %	p/st	31.12.2023
0.6377	ex 8544 30 00 ex 8544 42 90	40 40	Wire harness or cable for steering system: — for an operating voltage of 12 V, — with connectors on both sides, — whether or not with anchor clamps of plastic for mounting on a motor vehicle steering box	0 %	p/st	31.12.2024
0.7848	ex 8544 30 00	45	Linking seven-core cable for connecting sensor for pressure measure in intake manifold (Boost Pressure Sensor - BPS) and sockets for glow plugs with common connector, containing four sockets and two connectors for use in the manufacture of compression-ignition internal combustion piston engines for passenger car (1)	0 %	-	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7847	ex 8544 30 00	55	Connecting five-core cable with connectors for coupling the temperature sensor and the exhaust manifold pressure difference sensor to the common connector for use in the manufacture of compression-ignition internal combustion piston engines of passenger cars (1)	0 %	-	31.12.2024
0.6710	ex 8544 30 00 ex 8544 42 90	60 50	Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2025
0.8331	ex 8544 30 00	65	Six core cable connecting the oil pressure sensor and the differential controller of vehicles: — with PVC-coating, — with three multiple connectors, and — with or without plastic clip, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2027
0.6323	ex 8544 30 00	70	Multi-measurement wire harness: — of a voltage of 5 V or more but not more than 90 V, — capable of transmitting information for use in the manufacture of vehicles of heading 8711 (1)	0 %	p/st	31.12.2024
0.6867	ex 8544 30 00	85	Extension two-core cable with two connectors, containing at least: — a rubber grommet, — a metal attachment bracket, of a kind used to connect vehicle speed sensors in the manufacture of vehicles of Chapter 87	0 %	p/st	31.12.2025
0.4980	ex 8544 42 90	10	Data transmission cable capable of a bit rate transmission of 600 Mbit/s or more, with: — a voltage of 1,25 V ($\pm 0,25$ V) — connectors fitted at one or both ends, at least one of which contains pins with a pitch of 1 mm, — outer screening shielding, used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits	0 %	p/st	31.12.2023
0.7545	ex 8544 42 90	15	PVC isolated flexible eight wire cable with: — a length of not more than 2100 mm — an operating voltage of 5V or more, but not more than 35V — a temperature resistance of not more than 80°C — either an over-moulded 7 pin round 270° DIN male connector, a 6 pin A1101 male connector or a 8 pin A1001 male connector on one end and — at least two stripped and tinned wires on the other end — whether or not with mounted rubber pad with integrated strain relief	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7538	ex 8544 42 90	25	PVC isolated flexible cable with: — a length of not more than 1800 mm — an operating voltage of 5V or more, but not more than 35V — a heat resistance of not more than 80°C — an over-moulded 8 pin MiniFit male connector on one end — either a 6 pin MiniFit socket or two over-moulded AMP connectors on the other end — a over-moulded resistor inside the connector and — a moulded strain relief on the cable — whether or not with a over-moulded diode inside a connector	0 %	-	31.12.2023
0.7544	ex 8544 42 90	35	PVC isolated flexible six or eight wire cable with: — a length of not more than 1300 mm — an operating voltage of 5V or more, but not more than 35V — a heat resistance of not more than 80°C — either an over-moulded 8 pin MiniFit male connector or an over-moulded 6-pin DIN male connector on one end and — either an over-moulded 8 pin MiniFit socket or an 8 pin MicroFit male connector on the other end	0 %	-	31.12.2023
0.6853	ex 8544 42 90	70	Electric conductors: — of a voltage of not more than 80 V, — with a length of not more than 120 cm, — fitted with connectors, for use in the manufacture of hearing aids, accessory kits and speech processors (1)	0 %	p/st	31.12.2025
0.7173	ex 8544 42 90	80	12-wire connecting cable containing two connectors — of a voltage of 5 V, — with a length of not more than 300 mm for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2023
0.2424	ex 8544 49 93	10	Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements	0 %	p/st	31.12.2023
0.6861	ex 8544 49 93	30	Electric conductors: — of a voltage of not more than 80 V, — of a platinum-iridium-alloy, — coated with poly(tetrafluoroethylene), — without connectors, for use in the manufacture of hearing aids, implants and speech processors (1)	0 %	m	31.12.2025
0.3144	ex 8548 00 90	41	Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not more than 40 MHz and a capacitor, contained in a housing	0 %	p/st	31.12.2023
0.3193	ex 8548 00 90	43	Contact image sensor	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.3763	ex 8548 00 90	48	Optical unit, containing at least — a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm — an optical lens — a "Recording Photodetector Integrated Circuit" (PDIC) — a focussing and tracking actuator	0 %	p/st	31.12.2026
0.5183	ex 8549 13 20 ex 8549 14 20	10 10	Spent lithium-ion or nickel metal hydride electric accumulators	0 %	-	31.12.2023
0.7165	ex 8708 10 10 ex 8708 10 90	10 10	Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2026
0.6513	ex 8708 30 10 ex 8708 30 91 ex 8708 30 99	20 60 10	Motor powered brake actuation unit — with a rating of 13.5 V ($\pm 0.5V$) and — a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles (1)	0 %	p/st	31.12.2024
0.6590	ex 8708 30 10 ex 8708 30 91	40 30	Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking Brake") or with hydraulic function only, containing functional and mounting openings and guide grooves, of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2024
0.6502	ex 8708 30 10 ex 8708 30 91	60 20	Non-asbestos organic brake pads with friction material mounted to the band steel back plate for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2024
0.6707	ex 8708 30 10 ex 8708 30 91	70 40	Ductile cast iron brake caliper jaw, of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2025
0.6869	ex 8708 40 20 ex 8708 40 50	20 10	Automatic hydrodynamic gearbox — with a hydraulic torque converter, — without transfer box and cardan shaft, — whether or not with front differential, for use in the manufacture of motor vehicles of Chapter 87 (1)	0 %	p/st	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7383	ex 8708 40 20 ex 8708 40 50	50 40	Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting: — cast aluminium body, — differential gear, — 2 electrical motors and gears, with the dimensions of: — a width of 280 mm or more but not more than 470 mm, — a height of 350 mm or more but not more than 595 mm, — a length of 410 mm or more but not more than 690 mm, for use in the manufacture of motor vehicles of Chapter 87 (1)	0 %	-	31.12.2024
0.7655	ex 8708 40 20 ex 8708 40 50	60 50	Automatic transmission assembly with rotary gear shifter with: — aluminium casting housing, — differential gear, — 9 Speed automatic, — electronic range select gear selection system, with dimensions of: — a width of 330 mm or more but not more than 420 mm, — a height of 380 mm or more but not more than 450 mm, — a length of 580 mm or more but not more than 690 mm, for use in the manufacture of the vehicles in heading 87 (1)	0 %	-	31.12.2023
0.7856	ex 8708 40 20 ex 8708 40 50	70 60	Manual gearbox in cast aluminium housing for transverse installation with: — a width of not more than 480 mm, — a height of not more than 400 mm, — a length of not more than 550 mm, — five or six gears, — a differential gear, — an engine torque of 400 Nm or less, for use in the manufacture of motor vehicles of Heading 8703 (1)	0 %	-	31.12.2024
0.8279	ex 8708 40 20	80	Transmission gearbox without torque converter, with: — dual clutch, — 7 or more forward gears, — 1 reverse gear, — a maximum torque of 390 Nm, — whether or not with electric motor integrated, — a height of 480 mm or more but not more than 600 mm, — a width of 350 mm or more but not more than 450 mm, and — a weight of 80kg or more but not more than 110 kg, for use in the manufacture of motor vehicles of Heading 8703 (1)	0 %	p/st	31.12.2026

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8377	ex 8708 40 50	70	Automatic transmission equipped with double clutch system with: — at least 8 gears, — an engine torque of 800 Nm or more, — an electronic differential, — a P-lock safety system, and — a TCU transmission control unit, for use in the manufacture of motor vehicles of heading 8703 ⁽¹⁾	0 %	-	31.12.2027
0.7987	ex 8708 50 20 ex 8708 50 55	15 50	Spherical outboard constant velocity joint ball bearing cage, part of the vehicle's drive system, made of material suitable to be carburized with a carbon content of 0,14 % or more but not more than 0,57 %, forged, turned, punched, milled and hardened	0 %	-	31.12.2025
0.6648	ex 8708 50 20 ex 8708 50 99	20 10	Transmission shaft in carbon fibre reinforced plastics consisting of a unique piece without any joint in the middle — of a length of 1 m or more but not more than 2 m, — of a weight of 6 kg or more but not more than 9 kg	0 %	p/st	31.12.2025
0.7988	ex 8708 50 20 ex 8708 50 99	25 45	Ball-type outboard constant velocity joint housing for transmitting a torque from the engine and transmission to the wheels of motor vehicles, in a form of an outer race, with: — 6 ball tracks or more but not more than 8, with — a thread, — an external involute spline with 21 or more but not more than 38 teeth, — for running with bearing balls made of steel with a carbon content of 0,48 % or more but not more than 0,57 %, — forged, turned, milled and hardened	0 %	-	31.12.2025
0.7989	ex 8708 50 20 ex 8708 50 99	35 50	Inboard constant velocity joint tripod housing, with: — an outer diameter of 67,0 mm or more but not more than 99,0 mm, — 3 cold calibrated roller tracks with a diameter of 29,95 mm or more but not more than 49,2 mm, — an external spline with 21 teeth or more but not more than 41, — forged, turned, rolled and hardened	0 %	-	31.12.2025
0.7990	ex 8708 50 20 ex 8708 50 99	45 55	Outboard constant velocity joint inner race, part of the vehicle's drive system, with: — 6 or more but not more than 8 ball tracks, suitable for bearing balls with a diameter of 12,0 mm or more but not more than 24,0 mm, — forged, turned, milled, broached and hardened	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7359	ex 8708 50 20 ex 8708 50 55 ex 8708 50 91 ex 8708 50 99	50 20 10 40	Double flange bearing of 3rd generation, for motor vehicles, — with double-row ball bearing, — whether or not with impulse (encoder) ring, — whether or not with antilock brake system (ABS) sensor, — whether or not with mounted screws, for use in the manufacture of goods of chapter 87 (1)	0 %	-	31.12.2027
0.7991	ex 8708 50 20 ex 8708 50 99	55 60	Inboard constant velocity joint tripod spider, part of the vehicle's drive system, with: — 3 trunnions with a diameter of 17,128 mm or more but not more than 25,468 mm, — forged, turned, broached and hardened	0 %	-	31.12.2025
0.7581	ex 8708 50 20 ex 8708 50 99	60 15	Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 × 570 × 510 mm, comprising: — at least an actuator, — whether or not an interior distribution by chain	0 %	-	31.12.2024
0.7692	ex 8708 50 20 ex 8708 50 99	65 20	Intermediate steel shaft connecting the gearbox with semi-axle with: — a length of 300 mm or more but not more than 650 mm, — a spline end on both sides, — whether or not with a pressed bearing in the case, — whether or not with a holder, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2023
0.7593	ex 8708 50 20 ex 8708 50 99	70 25	Housing of tripod type half shaft inboard joint for transmitting a torque from engine and transmission to wheels of motor vehicles with: — an outer diameter of 67,0 mm or more but not more than 84,5 mm, — 3 cold calibrated roller tracks with a diameter of 29,90 mm or more but not more than 36,60 mm, — sealing diameter 34,0 mm or more but not more than 41,0 mm, without lead angle, — spline with 21 teeth or more but not more than 35, — bearing seat diameter of 25,0 mm or more but not more than 30,0 mm, with or without oil grooves	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7640	ex 8708 50 20 ex 8708 50 99	75 35	Outboard joint assembly for transmitting a torque from engine and transmission to wheels of motor vehicles, consisting of: — an inner race with 6 ball tracks for running with the bearing balls with a diameter 15,0 mm or more but not more than 20,0 mm, — an outer race with 6 ball tracks for running with 6 bearing balls, made of steel with carbon content of 0,45 % or more but not more than 0,58 %, with thread and with a spline with 26 teeth or more but not more than 38, — a spherical cage keeping bearing balls in the ball tracks of outer race and inner race in proper angular position, made of material suitable for carburizing with carbon content of 0,14 % or more but not more than 0,25 %, and — with a grease compartment, capable of working at constant speed at variable articulation angle not higher than 50 degrees	0 %	-	31.12.2023
0.6711	ex 8708 80 20 ex 8708 80 35	10 10	Upper strut insulator containing: — a metal holder with three mounting screws, and — a rubber bump, for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2025
0.7607	ex 8708 80 99	20	Aluminium suspension link arm, with dimensions of: — a height of 50 mm or more but not more than 150 mm, — a width of 10 mm or more but not more than 100 mm, — a length of 100 mm or more but not more than 600 mm, — a mass of 1000 g or more but not more than 3000 g, equipped with at least two bushed holes made of aluminium alloy with the following characteristics: — a tensile strength of 200 MPa or more, — a strength of 19 kN or more, — a stiffness of 5 kN/mm or more but not more than 9 kN/mm, — a frequency of 400 Hz or more but not more than 600 Hz	0 %	p/st	31.12.2023
0.7365	ex 8708 80 99	30	Surface-hardened, steel piston rod for a hydraulic or hydropneumatic shock absorber of motor vehicles: — with a chrome coating, — of a diameter of 11 mm or more, but not more than 28 mm, — of a length of 80 mm or more, but not more than 600 mm, with a threaded end or a mandrel for resistance welding	0 %	-	31.12.2027
0.6509	ex 8708 91 20 ex 8708 91 35	20 10	Aluminium cooler using compressed air with a ribbed design of a kind used in the manufacture of goods of Chapter 87	0 %	p/st	31.12.2024

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6859	ex 8708 91 20 ex 8708 91 99	30 30	Aluminium alloy inlet or outlet air tank of heat exchangers for car cooling systems, manufactured to standard EN AC 42100 or EN AC 43000 T6 with: — an insulating area flatness of not more than 0,1 mm, — a permissible particle quantity of 0,3 mg per tank, — a distance between pores of 2 mm or more, — pore sizes of not more than 0,4 mm, and — not more than 3 pores larger than 0,2mm, — with a weight of 0,2 kg or more but not more than 3 kg	0 %	p/st	31.12.2025
0.7716	ex 8708 91 35	20	Turbocharger cooling duct containing: — an aluminum alloy duct with at least one metal holder and at least two mounting holes, — a rubber pipe with clips, — a stainless steel flange highly resistant to corrosion [SUS430JIL], for use in the manufacture of compression ignition engines of motor vehicles (1)	0 %	-	31.12.2024
0.7231	ex 8708 91 99 ex 8708 99 97	40 55	Assembly for supplying compressed air, whether or not with a resonator, comprising at least: — one solid aluminium tube whether or not with mounting bracket, — one flexible rubber hose, and — one metal clip for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2024
0.7665	ex 8708 92 99	10	Exhaust system inner liner: — with a wall thickness of 0,7 mm or more but not more than 1,3 mm, — made of stainless steel sheets or coil class 1.4310 and 1.4301 according to norm EN 10088, — whether or not with mounting holes, for use in the manufacture of exhaust systems for automobiles (1)	0 %	-	31.12.2023
0.7664	ex 8708 92 99	20	Pipe for guiding exhaust gases from the combustion engine: — with a diameter of 40 mm or more but not more than 100 mm, — with a length of 90 mm or more but not more than 410 mm, — with a wall thickness of 0,7 mm or more but not more than 1,3 mm, — of stainless steel, for use in the manufacture of exhaust systems for automobiles (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7696	ex 8708 92 99	30	Exhaust system end cover: — with a wall thickness of 0,7 mm or more but not more than 1,3 mm, — made of stainless steel class 1.4310 and 1.4301 according to norm EN 10088, — whether or not with inner liner, — whether or not with surface treatment, for use in the manufacture of exhaust systems for automobiles (1)	0 %	-	31.12.2023
0.7849	ex 8708 93 10 ex 8708 93 90	40 40	Clutch pedal with electronic parking brake connection (EPB), whether or not with sending signal function for: — cruise control reset, — electronic parking brake release, — start and stop engine management under Idle Stop and Go system (ISG), for use in the manufacture of passenger vehicles (1)	0 %	-	31.12.2024
0.6526	ex 8708 94 20 ex 8708 94 35	10 20	Rack steering gear in aluminium housing with inner tie rod joints (axial joints) or with tie rods for use in the manufacture of goods of Chapter 87 (1)	0 %	p/st	31.12.2024
0.6688	ex 8708 95 10 ex 8708 95 99	20 30	Inflatable safety cushion of high strength polyamide fibre: — sewn, — folded, — with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing, — suitable for cool inflator technology	0 %	p/st	31.12.2025
0.6687	ex 8708 95 10 ex 8708 95 99	30 40	Inflatable sewn safety cushion of high strength polyamide fibre: — folded into three-dimensional packing form, fixed by thermal forming, dedicated fixation seams, fabric cover or plastic staples, or — flat safety cushion with or without thermal folding	0 %	p/st	31.12.2025
0.8292	ex 8708 95 99	50	Airbag inflator containing both pyrotechnics and cold gas as propellant for safety airbags of vehicles, in each individual consignment of 1 000 pieces or more	0 %	p/st	31.12.2026
0.7444	ex 8708 99 10 ex 8708 99 97	25 45	Plastic air guide for directing air flow to the surface of intercooler for use in the production of motor vehicles (1)	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6583	ex 8708 99 10 ex 8708 99 97	60 50	Aluminium engine bracket, with dimensions of: — height of more than 10 mm but not more than 200 mm, — width of more than 10 mm but not more than 250 mm, — length of more than 10 mm but not more than 200 mm, equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: — internal porosity not more than 1 mm, — outer porosity not more than 2 mm, — rockwell hardness HRB 10 or more, of a kind used in the production of suspensions systems for engines in motor vehicles	0 %	p/st	31.12.2024
0.7921	ex 8708 99 97	18	Hydrostatic speed changer: — with a hydro pump and a differential with wheel axle, — whether or not with a fan impeller and/or a pulley, for use in the manufacture of tractors of subheadings 8701 91 90 and 8701 92 90, whose main function is that of a lawn mower (1)	0 %	p/st	31.12.2023
0.8127	ex 8708 99 97	28	A set of Type 4 H2 cylinders, in accordance with the EC 79 standard, consisting of two to eight cylinders on aluminum frames: — cylinders made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, — with an operating pressure of not less than 35 MPa, — with a durability declared by the manufacturer of not less than 20 years, — with a cylinder capacity of 180 liters or more but not more than 375 liters, — equipped with a set of solenoid, manual and safety PRD valves, — with a total width of 1 800 mm or more but not more than 2 300 mm, — with a total height of 400 mm or more but not more than 500 mm, — with a total length of 1 200 mm or more but not more than 3 600 mm	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.8128	ex 8708 99 97	38	A set of Compressed Natural Gas (CNG) cylinders type CNG-4, in accordance with the ECE R110 standard, consisting of four or five cylinders on aluminum frames: — made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, — with an operating pressure of not less than 20 MPa, — with a shelf life declared by the manufacturer of not less than 20 years, — with a cylinder capacity of 315 liters or more but not more than 375 liters, — equipped with a set of solenoid, manual and safety PRD valves, — with a total width of 2 200 mm or more but not more than 2 300 mm, — with a total height of 450 mm or more but not more than 460 mm, — with a total length of 3500 mm or more but not more than 3 600 mm	0 %	-	31.12.2025
0.6686	ex 8714 10 90	10	Motorcycle fork rod inner tubes: — of SAE1541 carbon steel, — with a hard chromium layer of 20 µm (+ 15 µm/ – 5 µm), — having a wall thickness of 1,3 mm or more, but not more than 1,6 mm, — having an elongation at break of 15 %, — perforated	0 %	p/st	31.12.2025
0.6848	ex 8714 10 90	70	Motor bikes radiators in consignment of 100 pieces or more	0 %	p/st	31.12.2027
0.6172	ex 8714 91 30 ex 8714 91 30 ex 8714 91 30	25 35 72	Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	-	31.12.2023
0.6879	ex 8714 96 10	10	Pedals, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	-	31.12.2025
0.7421	ex 8714 99 10 ex 8714 99 10	20 89	Bicycle handlebars: — with or without an integrated stem, — either made out of carbon fibres and synthetic resin or made of aluminium, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	-	31.12.2027

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7710	ex 8714 99 50 ex 8714 99 50	11 91	Derailleur gears, consisting of: — rear derailleur and mounting articles, — with or without front derailleur, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	-	31.12.2024
0.6878	ex 8714 99 90	30	Seat posts, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	p/st	31.12.2025
0.7708	ex 8714 99 90	40	Stem for bicycle handlebars, for use in the manufacture of bicycles (including electric bicycles) (1)	0 %	-	31.12.2024
0.3191	ex 9001 10 90	10	Image reverser made up from an assembly of optical fibres	0 %	-	31.12.2023
0.6402	ex 9001 50 41 ex 9001 50 49	40 40	Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses (1)	0 %	-	31.12.2027
0.6401	ex 9001 50 80	30	Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side, of a kind used for the manufacture of finished eyeglass lenses	0 %	-	31.12.2026
0.7590	ex 9002 11 00	18	Lens assembly consisting of a cylinder-shaped cover made of metal or plastic and optical elements with: — a horizontal field of view range to a maximum of 120 deg, — a diagonal field of view range to a maximum of 105 deg, — a focal length to a maximum of 7,50 mm, — a relative aperture of a maximum of F/2,90, — a maximum diameter of 22 mm	0 %	-	31.12.2023
0.5692	ex 9002 11 00	20	Lenses: — measuring not more than 95 mm × 55 mm × 50 mm, — with a resolution of 160 lines/mm or better, and — with a zoom ratio of 3 or more times	0 %	-	31.12.2027
0.7973	ex 9002 11 00	23	Lenses with: — motorized focus, zoom, aperture, — electronically switchable infrared cut filter, — an adjustable focal length not less than 2,7 mm and not more than 55 mm, — a weight of not more than 100 g, — a length of less than 70 mm, — a diameter of not more than 60 mm	0 %	-	31.12.2025

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.7103	ex 9002 11 00	45	Infrared optical unit — with lenses of silicon, germanium or chalcogenide glass of a diameter not more than 62 mm (\pm 0,05 mm), — whether or not mounted on a machined aluminium alloy support of a kind used for thermal cameras or IP network cameras (1)	0 %	-	31.12.2026
0.3177	ex 9002 11 00	50	Lens unit: — having a focal length of 25 mm or more but not more than 150 mm, — consisting of glass or plastic lenses, with a diameter of 60 mm or more but not more than 190 mm	0 %	-	31.12.2023
0.6572	ex 9002 11 00	85	Lens assembly with: — a horizontal field of view range of 20 deg or more, but not more than 200 deg, — a focal length of 1,16 mm or more, but not more than 20 mm, — a relative aperture of F/1,2 or more, but not more than F/4, and — a diameter of 5 mm or more, but not more than 40 mm, for use in the manufacture of CMOS automotive cameras or in IP network cameras production (1)	0 %	-	31.12.2024
0.3140	ex 9002 90 00	30	Optical unit, comprising 1 or 2 rows of optical glass fibres in the form of lenses and with a diameter of 0,85 mm or more but not more than 1,15 mm, embedded between 2 plastic plates	0 %	p/st	31.12.2023
0.5955	ex 9025 80 40	30	Electronic barometric semiconductor pressure sensor in a housing, mainly consisting of — a combination of one or more monolithic application-specific integrated circuits (ASIC) and — at least one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material	0 %	p/st	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.6288	ex 9025 80 40	50	Electronic semiconductor sensor for measuring at least two of the following quantities: — Atmospheric pressure, temperature, (also for temperature compensation), humidity, or volatile organic compounds, — in a housing suitable for the automatic printing of conductor boards or Bare Die technology, containing: — one or more monolithic application-specific integrated circuits (ASIC), — one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products of Chapters 84-90 and 95	0 %	p/st	31.12.2024
0.3292	ex 9032 89 00	30	Electronic controller of electric power steering (EPS controller)	0 %	p/st	31.12.2023
0.4253	ex 9032 89 00	40	Digital valve controller for controlling liquids and gases	0 %	p/st	31.12.2027
0.7004	ex 9032 89 00	50	Gas panel for regulating and controlling of the gas flow rate, working with plasma technology, comprising — an electronic mass flow regulator, suitable for receiving and sending of analogue and digital signals — four pressure transducers, — two or more pressure valves, — electric interfaces and — several connectors for gas lines — suitable for in-situ plasma bonding processes or for multi frequency bond activating processes	0 %	-	31.12.2026
0.5025	ex 9401 99 90	10	Ratchet disk for use in the manufacture of reclining car seats (1)	0 %	p/st	31.12.2025
0.4846	ex 9503 00 75 ex 9503 00 95	10 10	Plastic cable car scale models, whether or not with a motor, for printing (1)	0 %	p/st	31.12.2025
0.6950	ex 9607 20 10	10	Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of zippers (1)	0 %	-	31.12.2024
0.6949	ex 9607 20 90	10	Narrow strips mounted with plastic chain scoops for use in the manufacture of zippers (1)	0 %	-	31.12.2025
0.3286	ex 9608 91 00	10	Non-fibrous plastic pen-tips with an internal canal	0 %	-	31.12.2023
0.3289	ex 9608 91 00	20	Felt tips and other porous-tips for markers, without internal canal	0 %	-	31.12.2023

Serial Number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date envisaged for mandatory review
0.2737	ex 9612 10 10	10	Ribbons of plastic with segments of different colours, providing the penetration of dyes by heat into a support (so called dye-sublimation)	0 %	-	31.12.2023

-
- (1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013.
- (2) However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.
- (3) Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.
- (4) A surveillance of imports of goods covered by this tariff suspension shall be established in accordance with the procedure laid down in Articles 55 and 56 of Commission Implementing Regulation (EU) 2015/2447 of 24 November 2015 laying down detailed rules for implementing certain provisions of Regulation (EU) No 952/2013 of the European Parliament and of the Council laying down the Union Customs Code (OJ L 343, 29.12.2015, p. 558).
- (5) CUS (Customs Union and Statistics Number) is assigned to each ECICS record (product). ECICS (European Customs Inventory of Chemical Substances) is an information tool managed by the European Commission, General Directorate for Taxation and Customs Union. More information can be found via the following link: http://ec.europa.eu/taxation_customs/common/databases/ecics/index_en.htm
-