



Council of the
European Union

Brussels, 24 April 2020
(OR. en)

Interinstitutional File:
2020/0063(NLE)

7551/20
ADD 1

UD 65

PROPOSAL

From:	Secretary-General of the European Commission, signed by Mr Jordi AYET PUIGARNAU, Director
date of receipt:	24 April 2020
To:	Mr Jeppe TRANHOLM-MIKKELSEN, Secretary-General of the Council of the European Union
No. Cion doc.:	COM(2020) 157 final
Subject:	ANNEX to the Proposal for a Council Regulation amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

Delegations will find attached document COM(2020) 157 final.

Encl.: COM(2020) 157 final



Brussels, 24.4.2020
COM(2020) 157 final

ANNEX

ANNEX

to the

Proposal for a Council Regulation

amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

‘ANNEX

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2637	ex 0710 40 00 ex 2005 80 00	20 30	Corn cobs (<i>Zea mays</i> var. <i>saccharata</i>) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking (1)(2)(3)	1.1.- 31.12.	550 tonnes	0 % ⁽³⁾
09.2849	ex 0710 80 69	10	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals (1)(2)	1.1.- 31.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products (2)	1.1.- 31.12.	1 000 tonnes	10 %
09.2740	ex 2309 90 31	87	Soya bean protein concentrate containing by weight: — 60 % (± 10 %) of crude protein, — 5 % (± 3 %) of crude fibre, — 5 % (± 3 %) of crude ash, and — 3 % or more but not more than 6,9 % of starch, for use in the manufacture of animal feed products (2)	1.1.- 31.12.	30 000 tonnes	0 %
09.2913	ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95	91 10 11 21 91 91 10 11 21 91	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 (2)	1.1.- 31.12.	6 000 tonnes	0 %
09.2587	ex 2710 19 81 ex 2710 19 99	20 40	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — 90 % or more by weight of saturates, and — not more than 0,03 % by weight of sulphur, and with — a viscosity index of 80 or more, but less than 120, and a kinematic viscosity of 5,0 cSt at 100°C or more, but not more than 13,0 cSt at 100°C	1.7.- 31.12.	200 000 tonnes	0 %
09.2828	2712 20 90		Paraffin wax containing by weight less than 0,75 % of oil	1.4.- 31.10.	60 000 tonnes	0 %
09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.1.- 31.12.	100 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.1.- 31.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or	1.1.-	12 000	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
			CAS RN 39318-18-8)	31.12.	tonnes	
09.2872	ex 2833 29 80	40	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of caesium sulphate	1.1.- 31.12.	200 tonnes	0 %
09.2837	ex 2903 79 30	20	Bromochloromethane (CAS RN 74-97-5)	1.1.- 31.12.	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3-Dichlorobenzene (CAS RN 541-73-1)	1.1.- 31.12.	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	1.1.- 31.12.	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanol (CAS RN 2516-33-8)	1.1.- 31.12.	20 tonnes	0 %
09.2851	ex 2907 12 00	10	o-cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	1.1.- 31.12.	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.1.- 31.12.	500 tonnes	0 %
09.2624	2912 42 00		Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)	1.1.- 31.12.	1 950 tonnes	0 %
09.2683	ex 2914 19 90	50	Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form ⁽²⁾	1.1.- 31.12.	200 tonnes	0 %
09.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.1.- 31.12.	300 tonnes	0 %
09.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.1.- 31.12.	1 000 000 tonnes	0 %
09.2972	2915 24 00		Acetic anhydride (CAS RN 108-24-7)	1.1.- 31.12.	50 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.1.- 31.12.	400 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroacetate (CAS RN 383-63-1)	1.1.- 31.12.	400 tonnes	0 %
09.2665	ex 2916 19 95	30	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.1.- 31.12.	8 250 tonnes	0 %
09.2684	ex 2916 39 90	28	2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.1.- 31.12.	400 tonnes	0 %
09.2599	ex 2917 11 00	40	Diethyl oxalate (CAS RN 95-92-1)	1.1.- 31.12.	500 tonnes	0 %
09.2769	ex 2917 13 90	10	Dimethyl sebacate (CAS RN 106-79-6)	1.1.-	1 000	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
				31.12.	tonnes	
09.2634	ex 2917 19 80	40	Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 %	1.7.- 31.12.	4 000 tonnes	0 %
09.2808	ex 2918 22 00	10	O-acetylsalicylic acid (CAS RN 50-78-2)	1.1.- 31.12.	120 tonnes	0 %
09.2646	ex 2918 29 00	75	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2)	1.1.- 31.12.	380 tonnes	0 %
09.2647	ex 2918 29 00	80	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2)	1.1.- 31.12.	140 tonnes	0 %
09.2975	ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	1.1.- 31.12.	1 000 tonnes	0 %
09.2688	ex 2920 29 00	70	Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)	1.1.- 31.12.	6 000 tonnes	0 %
09.2648	ex 2920 90 10	75	Dimethyl Sulphate (CAS RN 77-78-1) with a purity of 99 % or more	1.7.- 31.12.	9 000 tonnes	2 %
09.2598	ex 2921 19 99	75	Octadecylamine (CAS RN 124-30-1)	1.1.- 31.12.	400 tonnes	0 %
09.2649	ex 2921 29 00	60	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	1.1.- 31.12.	1 700 tonnes	0 %
09.2682	ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.1.- 31.12.	150 000 tonnes	0 %
09.2617	ex 2921 42 00	89	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	1.1.- 31.12.	500 tonnes	0 %
09.2582	ex 2921 43 00	80	2-Methylaniline (CAS RN 95-53-4) with a purity by weight of 99 % or more	1.7.- 31.12.	1 999 tonnes	2 %
09.2602	ex 2921 51 19	10	O-phenylenediamine (CAS RN 95-54-5)	1.1.- 31.12.	1 800 tonnes	0 %
09.2730	ex 2921 59 90	85	4,4'-Methanedioldianiline (CAS RN 101-77-9) with a purity by weight of 97 % or more, in form of granules, for use in the manufacture of prepolymers (2)	1.7.- 31.12.	100 tonnes	2 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2591	ex 2922 41 00	10	L-Lysine hydrochloride (CAS RN 657-27-2)	1.1.- 31.12.	445 000 tonnes	0 %
09.2592	ex 2922 50 00	25	L-Threonine (CAS RN 72-19-5)	1.1.- 31.12.	166 000 tonnes	0 %
09.2854	ex 2924 19 00	85	3-iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)	1.1.- 31.12.	250 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.1.- 31.12.	20 000 tonnes	0 %
09.2583	ex 2926 10 00	20	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3906 and 4002 ⁽²⁾	1.7.- 31.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 ⁽²⁾	1.1.- 31.12.	60 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9)	1.1.- 31.12.	900 tonnes	0 %
09.2708	ex 2928 00 90	15	Monomethylhydrazine (CAS 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 (± 5) %	1.1.- 31.12.	900 tonnes	0 %
09.2581	ex 2929 10 00	25	1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of 90 % or more	1.7.- 31.12.	205 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidine (CAS RN 556-88-7)	1.1.- 31.12.	6 500 tonnes	0 %
09.2597	ex 2930 90 98	94	Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)	1.1.- 31.12.	6 000 tonnes	0 %
09.2596	ex 2930 90 98	96	2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8)	1.1.- 31.12.	300 tonnes	0 %
09.2580	ex 2931 90 00	75	Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of 95 % or more, for use in the manufacture of polyethylene ⁽²⁾	1.7.- 31.12.	83 tonnes	0 %
09.2842	2932 12 00		2-Furaldehyde (furfuraldehyde)	1.1.- 31.12.	10 000 tonnes	0 %
09.2955	ex 2932 19 00	60	Flurtamone (ISO) (CAS RN 96525-23-4)	1.1.- 31.12.	300 tonnes	0 %
09.2696	ex 2932 20 90	25	Decan-5-olide (CAS RN 705-86-2)	1.1.- 31.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5-olide (CAS RN 713-95-1)	1.1.- 31.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6-olide (CAS RN 502-44-3)	1.1.- 31.12.	4 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2858	2932 93 00		Piperonal (CAS RN 120-57-0)	1.1.- 31.12.	220 tonnes	0 %
09.2673	ex 2933 39 99	43	2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)	1.1.- 31.12.	1 000 tonnes	0 %
09.2674	ex 2933 39 99	44	Chlorpyrifos (ISO) (CAS RN 2921-88-2)	1.1.- 31.12.	9 000 tonnes	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1)	1.1.- 31.12.	5 tonnes	0 %
09.2860	ex 2933 69 80	30	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	1.1.- 31.12.	600 tonnes	0 %
09.2595	ex 2933 99 80	49	1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6)	1.1.- 31.12.	40 tonnes	0 %
09.2658	ex 2933 99 80	73	5-(Acetoacetylamino)benzimidazolone (CAS RN 26576-46-5)	1.1.- 31.12.	400 tonnes	0 %
09.2593	ex 2934 99 90	67	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	1.1.- 31.12.	45 000 kilograms	0 %
09.2675	ex 2935 90 90	79	4-[[2-(Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	1.1.- 31.12.	1 000 tonnes	0 %
09.2710	ex 2935 90 90	91	2,4,4-trimethylpentan-2-aminium (3R,5S,6E)-7-{2-[(ethylsulfonyl)amino]-4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl}-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7)	1.1.- 31.12.	5 000 kilograms	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.1.- 31.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.1.- 31.12.	250 tonnes	0 %
09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.1.- 31.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.1.- 31.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceous earth	1.1.- 31.12.	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphonate (CAS RN 8061-51-6)	1.1.- 31.12.	40 000 tonnes	0 %
09.2889	3805 10 90		Sulphate turpentine	1.1.- 31.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.1.- 31.12.	280 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrrhione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.1.-31.12.	500 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: — 28 % or more, but not more than 55 % of 4-mononyldiphenylamine, — 45 % or more but not more than 65 % of 4,4'-dinonyldiphenylamine, and — not more than 5 % of 2, 4-dinonyldiphenylamine and 2, 4'-dinonyldiphenylamine, used for the manufacture of lubricating oils (2)	1.1.-31.12.	900 tonnes	0 %
09.2814	ex 3815 90 90	76	Catalyst consisting of titanium dioxide and tungsten trioxide	1.1.-31.12.	3 000 tonnes	0 %
09.2820	ex 3824 79 00	10	Mixtures containing by weight: — 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2), — 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8), — 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6), — not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and — not more than 1 % of ethyl chloride (CAS RN 75-00-3)	1.1.-31.12.	6 000 tonnes	0 %
09.2644	ex 3824 99 92	77	Preparation containing by weight: — 55 % or more but not more than 78 % of dimethyl glutarate (CAS RN 1119-40-0), — 10 % or more but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and — not more than 35 % of dimethyl succinate (CAS RN 106-65-0)	1.1.-31.12.	10 000 tonnes	0 %
09.2681	ex 3824 99 92	85	Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	1.1.-31.12.	9 000 tonnes	0 %
09.2650	ex 3824 99 92	87	Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %	1.1.-31.12.	2 000 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyl dimethyl amines containing by weight: — 60 % or more but not more than 80 % of dodecyldimethylamine (CAS RN 112-18-5), and — 20 % or more but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4)	1.1.-31.12.	25 000 tonnes	0 %
09.2829	ex 3824 99 93	43	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics: — a resin acid content not exceeding 30 % by weight, — an acid number not exceeding 110, and — a melting point of 100° C or more	1.1.-31.12.	1 600 tonnes	0 %
09.2907	ex 3824 99 93	67	Mixture of phytosterols, in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters (2)	1.1.-31.12.	2 500 tonnes	0 %
09.2639	3905 30 00		Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups	1.1.-31.12.	15 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm	1.1.- 31.12.	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)	1.1.- 31.12.	2 000 tonnes	0 %
09.2723	ex 3911 90 19	10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)	1.1.- 31.12.	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.1.- 31.12.	75 000 tonnes	0 %
09.2864	ex 3913 10 00	10	Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)	1.1.- 31.12.	10 000 tonnes	0 %
09.2641	ex 3913 90 00	87	Sodium hyaluronate, non sterile, with: — a weight average molecular weight (M_w) of not more than 900 000, — an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg, — an ethanol content of not more than 1 % by weight, — an isopropanol content of not more than 0,5 % by weight	1.1.- 31.12.	200 kilograms	0 %
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards: — EN 4364 (MIL-P-5425E) and DTD5592A, or — EN 4365 (MIL-P-8184) and DTD5592A	1.1.- 31.12.	100 tonnes	0 %
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (\pm 10 cm) x 100 cm (\pm 10 cm) x 40 cm (\pm 5 cm)	1.1.- 31.12.	1 700 tonnes	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.1.- 31.12.	10 000 tonnes	0 %
09.2721	ex 5906 99 90	20	Woven and laminated rubberised textile fabric with the following characteristics: — with three layers, — one outer layer consists of acrylic fabric, — the other outer layer consists of polyester fabric, — the middle layer consists of chlorobutyl rubber, — the middle layer has a weight of 452 g/m ² or more but not more than 569 g/m ² , — the textile fabric has a total weight of 952 g/m ² or more but not more than 1159 g/m ² , and — the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm, used for the manufacture of the retractable roof of motor vehicles (2)	1.1.- 31.12.	375 000 square meters	0 %
09.2594	ex 6909 19 00	55	Ceramic-carbon absorption cartridge with the following characteristics: — extruded fired ceramic bound multicellular cylindrical structure — 10 or more % by weight but not more than 30 % by weight of activated carbon, — 70 or more % by weight but not more than 90 % by weight of ceramic binder, — with a diameter of 29 mm or more but not more than 41mm,	1.1.- 31.12.	1 000 000 pieces	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
			<ul style="list-style-type: none"> — a length of not more than 150 mm, — fired at temperature of 800°C or more, and — for vapours adsorption of a kind used for assembly in fuel vapours absorbers in fuel systems of motor vehicles			
09.2866	ex 7019 12 00 ex 7019 12 00	06 26	S glass stratifils (rovings): <ul style="list-style-type: none"> — composed of continuous glass filaments of 9 µm (±0,5 µm), — measuring 200 tex or more but not more than 680 tex, — not containing any calcium oxide, and — with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09, for use in the manufacture of aeronautics (²)	1.1.- 31.12.	1 000 tonnes	0 %
09.2628	ex 7019 52 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m ² (± 10 g/m ²), of a type used in rolling insect screens with fixed frames	1.1.- 31.12.	3 000 000 square meters	0 %
09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium	1.1.- 31.12.	50 000 tonnes	0 %
09.2652	ex 7409 11 00 ex 7410 11 00	30 40	Refined copper foil and strips, electrolytically manufactured, with a thickness of 0,015 mm or more	1.1.- 31.12.	1 020 tonnes	0 %
09.2734	ex 7409 19 00	20	Plates or sheets consisting of: <ul style="list-style-type: none"> — a layer of a silicon nitride ceramic with a thickness of 0,32 mm (± 0,1 mm) or more but not more than 1,0 mm (± 0,1 mm), — covered on both sides with a foil of refined copper with a thickness of 0,8 mm (± 0,1 mm), and — on one side partially covered with a coating of silver 	1.1.- 31.12.	7 000 000 pieces	0 %
09.2662	ex 7410 21 00	55	Plates: <ul style="list-style-type: none"> — consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, — covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, — with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a comparative tracking index (CTI) of 600 or more 	1.1.- 31.12.	80 000 square meters	0 %
09.2834	ex 7604 29 10	20	Aluminium alloy rods with a diameter of 200 mm or more, but not exceeding 300 mm	1.1.- 31.12.	2 000 tonnes	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm	1.1.- 31.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90	83	Aluminium and magnesium alloy strip or foil: <ul style="list-style-type: none"> — of an alloy conforming to standards 5182-H19 or 5052-H19, — in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm, — of a thickness (tolerance - 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm, — of a width (tolerance ± 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm, — having a camber tolerance of not more than 0,4 mm/750 mm, — of a flatness measurement: I-unit ±4, 	1.1.- 31.12.	600 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
			<ul style="list-style-type: none"> — having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and — of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %, for use in the manufacture of slats for blinds (2)			
09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.1.- 31.12.	120 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder: <ul style="list-style-type: none"> — of purity by weight of 98 % or more, but not more than 99,5 %, and — with a particle size of 0,2 mm or more but not more than 0,8 mm 	1.1.- 31.12.	2 000 tonnes	0 %
09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage (2)	1.1.- 31.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	Pump head for two cylinder high pressure pump made of forged steel, with: <ul style="list-style-type: none"> — milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and — drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm, of a kind used in diesel injection systems	1.1.- 31.12.	65 000 pieces	0 %
09.2738	ex 8482 99 00	30	Brass cages with the following characteristics: <ul style="list-style-type: none"> — continuously or centrifugally cast, — turned, — containing by weight 35 % or more, but not more than 38 % of zinc, — containing by weight 0,75 % or more, but not more than 1,25 % of lead, — containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and — with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings	1.1.- 31.12.	50 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	40 30	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ($\pm 0,2$ mm) but not more than 135 mm ($\pm 0,2$ mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners (2)	1.1.- 31.12.	2 000 000 pieces	0 %
09.2588	ex 8529 90 92	56	LCD display with: <ul style="list-style-type: none"> — a touch panel, — at least one printed circuit board for simple slave device pixel addressing (Timing Controller function) and touch control, with EEPROM (Electrically Erasable Programmable Read-Only Memory) for display settings, — a diagonal screen measurement of 15 cm or more but not more than 21 cm, — a backlight, — a LVDS (Low Voltage Differential Signalling) and a power supply connector, — a viewing angle of 70 degree, or more, and — a luminance of 715 cd/m², or more, for use in the manufacture of motor vehicles of Chapter 87 (2)	1.7.- 31.12.	450 000 pieces	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2672	ex 8529 90 92 ex 9405 40 39	75 70	Printed circuit board with LED diodes: — whether or not equipped with prisms/lens, and — whether or not fitted with connector(s) for the manufacture of backlight units for goods of heading 8528 (2)	1.1.- 31.12.	115 000 0 00 pieces	0 %
09.2003	ex 8543 70 90	63	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm	1.1.- 31.12.	1 400 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 (2)	1.1.- 31.12.	200 000 pieces	0 %
09.2694	ex 8714 10 90	30	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes	1.1.- 31.12.	1 000 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	21 31 75	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) (2)	1.7.- 31.12.	250 000 pieces	0 %
09.2589	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	23 33 70	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including electric bicycles) (2)	1.1.- 31.12.	8 000 000 pieces	0 %
09.2631	ex 9001 90 00	80	Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015 (2)	1.1.- 31.12.	5 000 000 pieces	0 %

(1) However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

(2) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

(3) Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.⁷