



Council of the
European Union

197297/EU XXVII. GP
Eingelangt am 24/09/24

Brussels, 24 September 2024
(OR. en)

13730/24
ADD 1

ENV 934
WTO 117

COVER NOTE

From:	European Commission
date of receipt:	20 September 2024
To:	General Secretariat of the Council
No. Cion doc.:	D099286/02 - Annexes 1 to 2
Subject:	ANNEXES to the COMMISSION REGULATION (EU) .../... of XXX amending Regulation (EC) No 865/2006 as regards developments in the framework of the Convention on International Trade in Endangered Species of Wild Fauna and Flora and the possibility to issue retrospective permits

Delegations will find attached document D099286/02 - Annexes 1 to 2.

Encl.: D099286/02 - Annexes 1 to 2



EUROPEAN
COMMISSION

Brussels, XXX
D099286/02
[...] (2024) XXX draft

ANNEXES 1 to 2

ANNEXES

to the

COMMISSION REGULATION (EU) .../... of XXX

amending Regulation (EC) No 865/2006 as regards developments in the framework of the Convention on International Trade in Endangered Species of Wild Fauna and Flora and the possibility to issue retrospective permits

ANNEX 1

‘ANNEX VII

Codes to be included in the description of specimens and units of measure to be used in permits and certificates pursuant to Article 5(1) and (2)

Description	Trade term code	Preferred unit	Alternative unit	Explanation
baleen	BAL	kg	no.	elastic sheets of keratin that hang from the upper jaw of baleen whales (Mysticeti) and allow them to feed
bark	BAR	kg		tree bark (raw, dried or powdered; unprocessed)
body	BOD	no.	kg	substantially whole dead animals, including whole fish, stuffed turtles, preserved butterflies, reptiles in alcohol, whole stuffed hunting trophies, etc. If referring to specimens of sharks and rays (Elasmobranchii spp.), the preferred unit is kg.
bone	BON	kg	no.	bones, including jaws
calipee	CAL	kg		calipee or calipash (turtle cartilage for soup)
carapace	CAP	no.	kg	raw or unworked whole shells of Testudines species.
carving	CAR	kg	no.	carved products other than ivory, bone or horn – for example coral and wood (including handicrafts). N.B: Ivory carvings should be specified as such (see below – “IVC”). Also, for species from which more than one type of product may be carved (e.g. horn and bone), the trade term code should indicate the type of product in trade (e.g. bone carving “BOC” or horn carving – “HOC”), where possible.
carving - bone	BOC	kg	no.	bone carving
carving - horn	HOC	kg	no.	horn carving
carving – ivory (worked ivory)	IVC	kg	no.	ivory carvings, including e.g. smaller worked pieces of ivory (knife handles, chess sets, mahjong sets etc). N.B. Whole carved tusk should be reported as carving – ivory (IVC) not as tusks (see “TUS” below). Jewellery made from carved ivory

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				should be reported as 'jewellery – ivory' (see IJW below).
caviar	CAV	kg		unfertilized dead processed eggs from all species of Acipenseriformes; also known as roe.
chips (woodchips)	CHP	kg		chips of timber, especially <i>Aquilaria</i> spp., <i>Gyrinops</i> spp. and <i>Pterocarpus santalinus</i>
claw	CLA	no.	kg	claws – e.g. of Felidae, Ursidae or Crocodylia (NB: 'turtle claws' are usually scales and not real claws)
cloth	CLO	m ²	kg	cloth – if the cloth is not made entirely from the hair of a CITES species, the weight of hair of the species concerned should instead, if possible, be recorded under 'HAI'
coral (raw)	COR	no.	kg	raw or unworked coral and coral rock (also live rock and substrate) [as defined in Resolution Conf. 11.10 (Rev. CoP15)]. Coral rock should be recorded as '<i>Scleractinia</i> spp.' NB: the trade should be recorded by number of pieces only if the coral specimens are transported in water. Live rock (transported moist in boxes) should be reported in kg; coral substrate should be reported as number of pieces (since these are transported in water as the substrate to which non-CITES corals are attached).
cosmetics	COS	g	ml	Any product or mixture of products which is applied to an external part of the body only (e.g. skin, hair, nails, genitals, lips or teeth or the mucous membranes of the oral cavity) with the intent to clean, odourise, change the appearance or protect. Cosmetics may include the following: make-up, perfume, skin cream, nail polish, hair colourants, soap, shampoo, shaving cream, deodorant, sunscreens, toothpaste. Cosmetics which include extracts of

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				CITES-listed species. The quantity should reflect the amount of CITES-listed species present.
culture	CUL	no. of flasks, etc.		cultures of artificially propagated plants
derivatives	DER	kg/l		derivatives (other than those included elsewhere in this table)
dried plant	DPL	no.		dried plants – e.g. herbarium specimens
ear	EAR	no.		ears – usually elephant
egg	EGG	no.	kg	whole dead or blown eggs (see also 'caviar')
egg (live)	EGL	no.	kg	live fertilized eggs – usually birds and reptiles but includes fish and invertebrates
eggshell	ESH	g/kg		raw or unworked eggshell except whole eggs
extract	EXT	kg	l	extract – usually plant extracts
feather	FEA	kg/ no. of wings	no.	feathers – in the case of objects (e.g. pictures) made of feathers, record the number of objects
fibre	FIB	kg	m	natural fibre: generic term for several types of material of natural (i.e. plant or animal) origin. Animal fibre can usually be spun and woven and is usually very fine and has good flexibility. – e.g. fibre coming from the shearing of live vicunas. It also includes fibres from animal intestines used to make strings for tennis rackets
fin (dried)	DFN	kg		dried fins and parts of fins (including flippers)
fin (wet)	FFN	kg		fresh, chilled or frozen fins and parts of fins (including flippers)
fingerlings	FIG	kg	no.	live juvenile fish for the aquarium trade, aquaculture, hatcheries, consumption or for release, including live European eels (<i>Anguilla anguilla</i>) up to 12cm in length
flower	FLO	kg		flowers
flower pot	FPT	no.		flower pots made from parts of a plant – e.g. treefern fibres (NB: live plants traded in so-called 'community pots' should be

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				recorded as 'live plants', not as flower pots)
frog legs	LEG	kg		frog legs
fruit	FRU	kg		fruit
foot	FOO	no.		feet – e.g. of elephant, rhinoceros, hippopotamus, lion, crocodile, etc.
fur products (large)	FPL	no.		large manufactured products of fur – e.g. bear or lynx fur blankets or other fur products of a substantial size.
fur product (small)	FPS	no.		small manufactured products of fur– including handbags, key fobs, purses, pillows, trim, etc.
gall	GAL	kg		gall
gall bladder	GAB	no.	kg	gall bladder
garment	GAR	no.		garments – including gloves and hats but not shoes. Includes trimming or decoration on garments
genitalia	GEN	kg	no.	castrates and dried penes
gill plates	GIL	kg	no.	gill plates (e.g. for sharks)
graft rootstock	GRS	no.		graft rootstocks (without the grafts)
hair	HAI	kg	g	includes all unprocessed animal hair, e.g. of elephant, yak, guanaco, wolf, bear, panther, etc.
hair products	HAP	no.	g	products made of hair (e.g. elephant hair bracelets)
horn	HOR	no.	kg	horns – includes antlers
jewellery	JWL	no.	g	jewellery – including bracelets, necklaces, and other items of jewellery from products other than ivory (e.g. wood, coral, etc.)
jewellery – ivory (worked ivory)	IJW	no.	g	jewellery made of ivory – includes ekipas
kernel	KNL	kg		also known as 'endosperm', 'pulp' or 'copra'
leather product (large)	LPL	no.		large manufactured products of leather – e.g. briefcases, furniture, suitcases, travel trunks
leather product (small)	LPS	no.		small manufactured products of leather – e.g. belts, braces, bicycle saddles, cheque book or credit card holders, handbags, key

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				fobs, notebooks, purses, shoes, tobacco pouches, wallets, watch-straps and trim
live	LIV	no.	kg	live animals and plants, excluding live fingerling fish – see FIG
leaf	LVS	kg	no.	leaves
logs	LOG	m ³		all wood in the rough, whether or not stripped of bark or sapwood, or roughly squared, for processing notably into sawn wood, pulpwood or veneer sheets. NB: trade in logs of special purpose timbers traded by weight (e.g. <i>lignum vitae</i> , <i>Guaiacum</i> spp.) should be recorded in kg
meat	MEA	kg		meat, including flesh of fish if not whole (see ‘body’), fresh or unprocessed meat as well as processed meat (e.g. smoked, raw, dried, frozen or tinned) The code for meat (MEA) should be used in preference for trade in eels for human consumption.
medicine	MED	kg/l		medicine
musk	MUS	g		musk
oil	OIL	kg	l	oil – e.g. from turtles, seals, whales, fish, various plants
pearl	PRL	no.		pearl (e.g. for <i>Strombus gigas</i>)
piano keys (worked ivory)	KEY	no.		ivory piano keys (e.g. one standard piano would be 52 ivory piano keys)
piece – bone	BOP	kg		pieces of bone, not manufactured
piece – horn	HOP	kg		pieces of horn, not manufactured – includes scrap
piece – ivory (raw ivory)	IVP	kg		ivory pieces, not manufactured – includes scrap
plate	PLA	m ²		plates of multiple skins – includes rugs if made of several skins
plywood	PLY	m ²	m ³	material consisting of three or more sheets of wood glued and pressed one on the other and generally disposed so that the grains of successive layers are at an angle

Description	Trade term code	Preferred unit	Alternative unit	Explanation
powder	POW	kg		a dry, solid substance in the form of fine or coarse particles
pupae	PUP	no.		butterfly pupae
root	ROO	no.	kg	roots, bulbs, corms or tubers NB: For the agarwood-producing taxa <i>Aquilaria</i> spp. and <i>Gyrinops</i> spp., the preferred unit is 'kilograms'. The alternative unit is 'number'.
rug	RUG	no.		rugs
sawfish rostrum	ROS	no.	kg	sawfish rostrum
sawn wood	SAW	m ³		wood simply sawn lengthwise or produced by a profile-chipping process; normally exceeds 6mm in thickness. NB: trade in sawn wood of special purpose timbers traded by weight (e.g. <i>lignum vitae</i> , <i>Guaiacum</i> spp.) should be recorded in kg
scale	SCA	kg		scales – e.g. of turtle, other reptiles, fish, pangolin
seed	SEE	kg		seeds
shell	SHE	no.	kg	raw or unworked shell of molluscs
side	SID	no.		sides or flanks of skins; does not include crocodilian Tinga frames (see under 'skin')
skeleton	SKE	no.		substantially whole skeletons
skin	SKI	no.		substantially whole skins, raw or tanned, including hides, crocodilian Tinga frames, external body lining, with or without scales
skin piece	SKP	kg	<u>no.</u>	skin pieces – including scraps, raw or tanned
skull	SKU	no.		skulls
soup	SOU	kg	l	soup – e.g. of turtle
specimen (scientific)	SPE	kg/l/ml/ no.		scientific specimens – includes blood, tissue (e.g. kidney, spleen, etc.), histological preparations, preserved museum specimens, etc.
stem	STE	no.	kg	plant stems NB: For the agarwood-producing taxa <i>Aquilaria</i> spp. and <i>Gyrinops</i> spp., the preferred unit is 'kilograms'. The

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				alternative unit is 'number'.
swim bladder	SWI	kg		hydrostatic organ, including isinglass / sturgeon glue
tail	TAI	no.	kg	tails – e.g. of caiman (for leather) or fox (for garment trimming, collars, boas, etc.), also includes flukes of cetaceans.
thread	THD	kg		thread – a processed long strand of multiple hairs or fibres of natural (e.g. plant or animal) origin, e.g. vicuna, guanaco
tooth	TEE	no.	kg	teeth – e.g. of whale, lion, hippopotamus, crocodile, etc.
timber	TIM	m ³	kg	raw timber except saw-logs, sawn wood and transformed wood
transformed wood	TRW	m ³	kg	defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.
trophy	TRO	no.		trophy – all the trophy parts of one animal if they are exported together: e.g. horns (2), skull, cape, backskin, tail and feet (i.e. ten specimens) constitute one trophy. But if, for example, the skull and horns are the only specimens of an animal that are exported, then these items together should be recorded as one trophy. Otherwise the items should be recorded separately. A whole stuffed body is recorded under ‘BOD’. A skin alone is recorded under ‘SKI’. Trade in ‘full mount’, ‘shoulder mount’ and ‘half mount’, along with any corresponding parts of the same animal exported together on the same permit, should be reported as ‘1 TRO’
trunk	TRU	no.	kg	elephant trunk. N.B.: An elephant trunk exported with other trophy items from the same animal on the same permit as part of a hunting trophy should be reported as

Description	Trade term code	Preferred unit	Alternative unit	Explanation
				‘TRO’.
tusk (raw ivory)	TUS	no.	kg	substantially whole tusks, not worked. Includes tusks of elephant, hippopotamus, walrus, narwhal, but not other teeth - N.B. Whole carved tusks should be reported as carving – ivory (see “IVC” above).
veneer sheets – rotary veneer – sliced veneer	VEN VEN	m ³ m ²	kg kg	thin layers or sheets of wood of uniform thickness, usually 6mm or less in thickness, usually peeled (rotary veneer) or sliced (sliced veneer), for use in making plywood, for veneering furniture, veneer containers, etc.
wax	WAX	kg		wax
wood product	WPR	no.	kg	manufactured wood products, including finished wood products such as furniture and musical instruments.

Key to units of measure

Unit of measure	Unit code
grams	g
kilograms	kg
liters	l
cubic centimeters	cm ³
milliliters	ml
meters	m
square meters	m ²
cubic meters	m ³
number of specimens	no.

NB. If no unit of measure is specified, the unit will be assumed to be number (e.g. of live animals).

ANNEX VIII

Standard references for nomenclature to be used pursuant to Article 5(4) to indicate scientific names of species in permits and certificates

FAUNA

		Taxon concerned	Taxonomic reference
MAMMALIA			
		All MAMMALIA taxa - with the exception of the recognition of the following names for wild forms of species (in preference to names for domestic forms): <i>Bos gaurus</i>, <i>Bos mutus</i>, <i>Bubalus arnee</i>, <i>Equus africanus</i>, <i>Equus przewalskii</i>, and - with the exception of the taxa noted under the different Mammalia orders below	WILSON, D. E. & REEDER, D. M. (ed.) (2005). <i>Mammal Species of the World. A Taxonomic and Geographic Reference</i>. Third edition, Vol. 1-2, xxxv + 2142 pp. Baltimore (John Hopkins University Press).
ARTIODACTYLA	Bovidae	<i>Ovis</i> spp.	VALDEZ, R. & WEINBERG, P.J. (2011). Species accounts 188-207 for <i>Ovis</i> spp., pp. 727-739 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), <i>Handbook of the Mammals of the World. Vol.2. Hoofed Mammals</i>. Lynx Edicions, Barcelona. ISBN 978-84-96553-77-4.
	Camelidae	<i>Lama guanicoe</i>	WILSON, D. E. & REEDER, D. M. (1993): <i>Mammal Species of the World: a Taxonomic and Geographic Reference</i>. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).

		Taxon concerned	Taxonomic reference
CARNIVORA	Felidae	Felidae spp.,	KITCHENER A. C., BREITENMOSER-WÜRSTEN CH., EIZIRIK E., GENTRY A., WERDELIN L., WILTING A., YAMAGUCHI N., ABRAMOV A. V., CHRISTIANSEN P., DRISCOLL C., DUCKWORTH J. W., JOHNSON W., LUO S.-J., MEJJAARD E., O'DONOGHUE P., SANDERSON J., SEYMOUR K., BRUFORD M., GROVES C., HOFFMANN M., NOWELL K., TIMMONS Z. & TOBE S. (2017). A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN/SSC Cat Specialist Group. <i>Cat News</i> Special Issue 11, 80 pp.
	Mustelidae: Lutrinae	<i>Aonyx cinereus</i>	LARIVIÈRE, S., & JENNINGS, A.P. 2009. Species account 37 for Asian Small-clawed Otter <i>Aonyx cinereus</i> , p. 647 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), <i>Handbook of the Mammals of the World. Vol.1. Carnivores</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-49-1.
CETACEA	Balaenopteridae	<i>Balaenoptera omurai</i>	WADA, S., OISHI, M. & YAMADA, T. K. (2003). A newly discovered species of living baleen whales. – <i>Nature</i> , 426 : 278-281.
	Delphinidae	<i>Orcaella heinsohni</i>	BEASLY, I., ROBERTSON, K. M. & ARNOLD, P. W. (2005). Description of a new dolphin, the Australian Snubfin Dolphin, <i>Orcaella heinsohni</i> sp. n. (Cetacea, Delphinidae). -- <i>Marine Mammal Science</i> , 21 (3): 365-400.
	Delphinidae	<i>Sotalia fluviatilis</i> <i>Sotalia guianensis</i>	CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R. & BAKER, C. S. (2007). Taxonomic status of the genus <i>Sotalia</i> : species level ranking for "tucuxi" (<i>Sotalia fluviatilis</i>) and "costero" (<i>Sotalia guianensis</i>) dolphins. - <i>Marine Mammal Science</i> , 23 : 358-386.
	Delphinidae	<i>Sousa plumbea</i> <i>Sousa sahulensis</i>	JEFFERSON, T. A. & ROSENBAUM, H. C. (2014). Taxonomic revision of the humpback dolphins (<i>Sousa</i> spp.), and description of a new species from Australia. <i>Marine Mammal Science</i> , 30 (4): 1494-1541.
	Delphinidae	<i>Tursiops australis</i>	CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. & MCKECHNIE, S. (2011). A new dolphin species, the Burrnan Dolphin <i>Tursiops australis</i> sp. nov., endemic to southern Australian coastal waters. <i>PLoS ONE</i> , 6 (9): e24047.
	Iniidae	<i>Inia araguaiaensis</i>	HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. & FARIAS, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. <i>PLoS ONE</i> 83623 : 1-12.

		Taxon concerned	Taxonomic reference
	Phocoenidae	<i>Neophocaena asiaeorientalis</i>	JEFFERSON, T. A. & WANG, J. Y. (2011). Revision of the taxonomy of finless porpoises (genus <i>Neophocaena</i>): The existence of two species. <i>Journal of Marine Animals and their Ecology</i> , 4 (1): 3-16.
	Physeteridae	<i>Physeter macrocephalus</i>	RICE, D. W. (1998). Marine Mammals of the World: Systematics and Distribution - <i>Society of Marine Mammalogy</i> Special Publication Number 4 , The Society for Marine Mammalogy, Lawrence, Kansas.
	Platanistidae	<i>Platanista gangetica</i>	RICE, D. W. (1998). Marine Mammals of the World: Systematics and Distribution - <i>Society of Marine Mammalogy</i> Special Publication Number 4 , The Society for Marine Mammalogy, Lawrence, Kansas.
	Ziphiidae	<i>Mesoplodon hotaula</i>	DALEBOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. & YAMADA, T. K. (2014). Resurrection of <i>Mesoplodon hotaula</i> Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. <i>Marine Mammal Science</i> , 30 (3): 1081-1108.
PRIMATES	Aotidae	<i>Aotus jorgehernandezi</i>	DEFLER, T. R. & BUENO, M. L. (2007). <i>Aotus</i> diversity and the species problem. – <i>Primate Conservation</i> , 22 : 55-70.
	Aotidae	<i>Aotus lemurinus</i> (incl. <i>A. herskovitzi</i>)	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Atelidae	<i>Alouatta palliata</i> (incl. <i>A. coibensis</i>)	RUIZ-GARCÍA, M., CERRÓN, Á., SÁNCHEZ-CASTILLO, S., RUEDA-ZOZAYA, P., PINEDO-CASTRO, M., GUTIERREZ-ESPELETA, G. & SHOSTELL, J.M. (2017): Phylogeography of the Mantled Howler Monkey (<i>Alouatta palliata</i> ; Atelidae, Primates) across its geographical range by means of mitochondrial genetic analyses and new insights about the phylogeny of <i>Alouatta</i> . <i>Folia Primatologica</i> 88: 421-454
	Atelidae	<i>Ateles geoffroyi</i>	RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. & HINES, J. J. (2006). Taxonomy and distributions of Mesoamerican primates. In: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (eds), <i>New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation</i> , pp. 29–79. Springer, New York, USA.

		Taxon concerned	Taxonomic reference
	Cebidae	<i>Callithrix manicorensis</i>	GARBINO, T. & SINICIATO, G. (2014). The taxonomic status of <i>Mico marcai</i> (Alperin 1993) and <i>Mico manicorensis</i> (van Roosmalen <i>et al.</i> 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , 35 (2): 529-546. (for <i>Mico marcai</i> lumped with <i>Mico manicorensis</i> treated as <i>Callithrix manicorensis</i> under CITES]
	Cebidae	<i>Cebus flavius</i>	OLIVEIRA, M. M. DE & LANGGUTH, A. (2006). Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for <i>Simia flava</i> Schreber, 1774 (Primates, Cebidae). – Boletim do Museu Nacional do Rio de Janeiro, N.S., <i>Zoologia</i> , 523 : 1-16.
	Cebidae	<i>Mico rondoni</i>	FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. & JÚNIOR, J. S. S. (2010). Rondon's Marmoset, <i>Mico rondoni</i> sp. n., from southwestern Brazilian Amazonia. <i>International Journal of Primatology</i> , 31 : 693-714.
	Cebidae	<i>Saguinus ursulus</i>	GREGORIN, R. & DE VIVO, M. (2013). Revalidation of <i>Saguinus ursula</i> Hoffmannsegg (Primates: Cebidae: Callitrichinae). <i>Zootaxa</i> , 3721 (2): 172-182.
	Cebidae	<i>Saimiri collinsi</i>	MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. & JÚNIOR, J. S. S. (2015). Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: <i>Saimiri sciureus</i> and <i>S. collinsi</i> . <i>Molecular Phylogenetics and Evolution</i> , 82 : 426-435.
	Cercopithecidae	<i>Allochrocebus lhoesti</i> <i>Allochrocebus preussi</i> <i>Allochrocebus solatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Cercopithecidae	<i>Cercopithecus lomamiensis</i>	HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. & TOSI, A.J. (2012). Lesula: A new species of <i>Cercopithecus</i> monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. <i>PLoS ONE</i> , 7 (9): e44271.
	Cercopithecidae	<i>Macaca leucogenys</i>	LI, C., ZHAO, C., & FAN, P.F. (2015). White-cheeked macaque (<i>Macaca leucogenys</i>): A new macaque species from Modog, southeastern Tibet. <i>American Journal of Primatology</i> , 77 : 753-766.

		Taxon concerned	Taxonomic reference
	Cercopithecidae	<i>Macaca munzala</i>	SINHA, A., DATTA, A., MADHUSUDAN, M. D. & MISHRA, C. (2005). <i>Macaca munzala</i> : A new species from western Arunachal Pradesh, northeastern India. <i>International Journal of Primatology</i> , 26 (4): 977-989: doi:10.1007/s10764-005-5333-3.
	Cercopithecidae	<i>Ptilocolobus bouvieri</i> <i>Ptilocolobus epieni</i> <i>Ptilocolobus temminckii</i> <i>Ptilocolobus waldronae</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Cercopithecidae	<i>Rhinopithecus strykeri</i>	GEISMANN, T., LWIN, N., AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. & MOMBERG, F. (2011). A new species of snub-nosed monkey, genus <i>Rhinopithecus</i> Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. – <i>American Journal of Primatology</i> , 73 : 96-107.
	Cercopithecidae	<i>Rungwecebus kipunji</i>	DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. & OLSON, L. E. (2006). A new genus of African monkey, <i>Rungwecebus</i> : Morphology, ecology, and molecular phylogenetics. <i>Science</i> , 312 : 1378-1381.
	Cercopithecidae	<i>Trachypithecus villosus</i>	BRANDON- JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. & STEWARD, C.-B. (2004). Asian primate classification. <i>International Journal of Primatology</i> , 25 : 97-163.
	Cercopithecidae	<i>Cheirogaleus andysabini</i>	LEI, R., McLAIN, A.T., FRASIER, C.L., TAYLOR, J.M., BAILEY, C.A., ENBERG, S.E., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A., & LOUIS, JR., E.E. (2015): A new species in the genus <i>Cheirogaleus</i> (Cheirogaleidae). <i>Primate Conservation</i> 29 (2): 1–12
	Cercopithecidae	<i>Cheirogaleus lavasoensis</i>	THIELE, D., RAZAFIMAHATRATRA, E. & HAPKE, A. (2013). Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs – biological reality or taxonomic bias? <i>Molecular Phylogenetics and Evolution</i> , 69 : 593-609.

		Taxon concerned	Taxonomic reference
	Cercopithecidae	<i>Cheirogaleus chethi</i>	FRASIER, C.L., LEI, R., McLAIN, A.T., TAYLOR, J.M., BAILEY, C.A., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A. & LOUIS, JR., E.E. (2016). A New Species of Dwarf Lemur (Cheirogaleidae: <i>Cheirogaleus medius</i> Group) from the Ankarana and Andrafiarana- Andavakoera Massifs, Madagascar. <i>Primate Conservation</i> (30): 59–72.
	Cheirogaleidae	<i>Microcebus ganzhorni</i> <i>Microcebus manitatra</i>	HOTALING, S., FOLEY, M.E., LAWRENCE, N.M., BOCANEGRA, J., BLANCO, M.B., RASOLOARISON, R. KAPPELER, P.M., BARRETT, M.A., YODER, A.D. & WEISROCK, D.W. (2016). Species discovery and validation in a cryptic radiation of endangered primates: coalescent-based species delimitation in Madagascar's mouse lemurs". <i>Molecular Ecology</i> . 25 (9): 2029–2045. doi:10.1111/mec.13604
	Cercopithecidae	<i>Microcebus gerpi</i>	RADESPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. & RANDRIANAMBININA, B. (2012). First indications of a highland specialist among mouse lemurs (<i>Microcebus</i> spp.) and evidence for a new mouse lemur species from eastern Madagascar. <i>Primates</i> , 53 : 157-170.
	Cercopithecidae	<i>Microcebus marohita</i> <i>Microcebus tanosi</i>	RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. & KAPPELER, P. M. [2013]. Two new species of mouse lemurs (Cheirogaleidae: <i>Microcebus</i>) from Eastern Madagascar. - <i>International Journal of Primatology</i> , 34 : 455-469.
	Galagidae	<i>Paragalago cocos</i> <i>Paragalago granti</i> <i>Paragalago orinus</i> <i>Paragalago rondoensis</i> <i>Paragalago zanzibaricus</i>	MASTERS, J.C., GÉNIN, F., COUETTE, S., GROVES, C.P., NASH, S.D., DELPERO, M. & POZZI, L. (2017). A new genus for the eastern dwarf galagos (Primates: Galagidae). - <i>Zoological Journal of the Linnean Society</i> 181 (1): 229–241. https://doi.org/10.1093/zoolinnean/zlw028
	Galagidae	<i>Galagoides kumbirensis</i>	SVENSSON, M.S., BERSACOLA, E., MILLS, M.S.L., MUNDS, R.A., NJUMAN, V., PERKIN, A., MASTERS, J.C., COUETTE, S., NEKARIS, K.A. & BEARDER, S.K. (2017): A giant among dwarfs: a new species of galago (Primates: S., Galagidae) from Angola. <i>Am. J. Phys. Anthropol.</i> 163 (1): 30-43. doi: 10.1002/ajpa.23175

		Taxon concerned	Taxonomic reference
	Hominidae	<i>Pongo tapanuliensis</i>	NATER, A. GREMINGER, M.P., NURCAHYO, A., NOWAK, M.G., DE MANUEL MONTERO, M., DESAI, T., GROVES, C.P., PYBUS, M., SONAY, T.B., ROOS, C., LAMEIRA, A.R., WICH, S.A., ASKEW, J., DAVILA-ROSS, M., FREDRIKSSON, G.M., DE VALLES, G., CASALS, F., PRADO-MARTINEZ, J., GOOSSENS, B., VERSCHOOR, E.J., WARREN, K.S., SINGLETON, I., MARQUES, D.A., PAMUNGKAS, J., PERWITASARI-FARAJALLAH, D., RIANTI, P., TUUGA, A., GUT, I.G., GUT, M., OROZCO-TER WENGEL, P., VAN SCHAIK, C.P., BERTRANPETIT, J., ANISIMOVA, M., SCALLY, A., MARQUES-BONET, T., MEIJAARD, E & KRUTZEN, M. (2017): Morphometric, behavioural, and genomic evidence for a new orangutan species. <i>Current Biology</i> 27: DOI: 10.1016/j.cub.2017.09.047
	Hylobatidae	<i>Hylobates abbotti</i> <i>Hylobates funereus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Hylobatidae	<i>Nomascus annamensis</i>	VAN NGOC THINH, MOOTNICK, A. R., VU NGOC THANH, NADLER, T. & ROOS, C. (2010). A new species of crested gibbon from the central Annamite mountain range. <i>Vietnamese Journal of Primatology</i> , 4: 1-12.
	Indriidae	<i>Propithecus candidus</i> <i>Propithecus coronatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Lemuriidae	<i>Eulemur flavifrons</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Lorisidae	<i>Nycticebus javanicus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.
	Lorisidae	<i>Nycticebus kayan</i>	MUNDS, R.A., NEKARIS, K.A.I. & FORD, S.M. (2013). Taxonomy of the bornean slow loris, with new species <i>Nycticebus kayan</i> (Primates, Lorisidae). <i>American Journal of Primatology</i> , 75: 46-56.
	Pitheciidae	<i>Cacajao melanocephalus</i> <i>Cacajao oukary</i>	FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. & BARNETT, A. A. (2014). Reconsidering the taxonomy of the Black-faced Uacaris, <i>Cacajao melanocephalus</i> group (Mammalia: Pitheciidae), from the northern Amazon Basin. <i>Zootaxa</i> , 3866 (3): 353-370.

		Taxon concerned	Taxonomic reference
	Pitheciidae	<i>Cheracebus</i> spp. <i>Plecturocebus</i> spp.	BYRNE, H, RYLANDS, A.B., CAMEIRO, J.C., ALFARO, J.W.L., BERTUOL, F., DA SILVA, M.N.F., MESSIAS, M., GROVES, C.P., MITTERMEIER, R.A., FARIAS, I., HRBEK, T., SCHNEIDER, H., SAMPAIO, I. & BOUBLI, J.P. (2016). Phylogenetic relationships of the New World titi monkeys (<i>Callicebus</i>): first appraisal of taxonomy based on molecular evidence. <i>Frontiers in Zoology</i> 13 (10): 1-25. https://doi.org/10.1186/s12983-016-0142-4
	Pitheciidae	<i>Pithecia cazuzai</i> <i>Pithecia chrysocephala</i> <i>Pithecia hirsuta</i> <i>Pithecia inusta</i> <i>Pithecia isabela</i> <i>Pithecia milleri</i> <i>Pithecia mittermeieri</i> <i>Pithecia napensis</i> <i>Pithecia pissinattii</i> <i>Pithecia rylandsi</i> <i>Pithecia vanzolinii</i>	MARSH, L.K. (2014). A taxonomic revision of the saki monkeys, <i>Pithecia</i> Desmarest, 1804. <i>Neotropical Primates</i> , 21: 1-163.
	Pitheciidae	<i>Plecturocebus grovesi</i>	BOUBLI, J.P., BYRNE, H., DA SILVA, M.N.F., SILVA-JUNIOR, J., ARAUJO, R.C., BERTUOL, F., GONCALVES, J., DE MELO, F.R., RYLANDS, A.B., MITTERMEIER, R.A., SILVA, F.E., NASH, S.D., CANALE, G., ALENCAR, R DE M., ROSSI, R.V., CARNEIRO, J., SAMPAIO, I., FARIAS, I.P., SCHNEIDER, H & HRBEK, T. (2018). On a new species of titi monkey (Primates: <i>Plecturocebus</i> Byrne et al., 2016), from Alta Floresta, southern Amazon, Brazil. <i>Molecular Phylogenetics and Evolution</i> 132: 117-137.
	Tarsiidae	<i>Tarsius lariang</i>	MERKER, S. & GROVES, C.P. (2006). <i>Tarsius lariang</i> : A new primate species from Western Central Sulawesi. <i>International Journal of Primatology</i> , 27 (2): 465-485.

		Taxon concerned	Taxonomic reference
	Tarsiidae	<i>Tarsius spectrumgurskyae</i> <i>Tarsius supriatnai</i>	SHEKELLE, M., GROVES, C.P., MARYANTO, I. & MITTERMEIER, R.A. (2017). Two new tarsier species (Tarsiidae, Primates) and the biogeography of Sulawesi, Indonesia. <i>Primate Conservation</i> 31: 61-70.
	Tarsiidae	<i>Tarsius tumpara</i>	SHEKELLE, M., GROVES, C., MERKER, S. & SUPRIATNA, J. (2010). <i>Tarsius tumpara</i> : A new tarsier species from Siau Island, North Sulawesi. <i>Primate Conservation</i> , 23 : 55-64.
PROBOSCIDEA	Elephantidae	<i>Loxodonta africana</i>	WILSON, D. E. & REEDER, D. M. (1993). <i>Mammal Species of the World: a Taxonomic and Geographic Reference</i> . Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).
SCANDENTIA	Tupaiidae	<i>Tupaia everetti</i>	ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. & OLSON, L. E. (2011). Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. <i>Molecular Phylogenetics and Evolution</i> , 60 (3): 358-372.
	Tupaiidae	<i>Tupaia palawanensis</i>	SARGIS, E. J., CAMPBELL, K. K. & OLSON, L. E. (2014). Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaiidae) from the Palawan faunal region. <i>Journal of Mammalian Evolution</i> , 21 (1): 111-123.
AVES			
		Order- and family-level names for birds	MORONY, J. J., BOCK, W. J. & FARRAND, J., Jr. (1975). <i>Reference List of the Birds of the World</i> . American Museum of Natural History. 207 pp.
		All bird species – with the exception of the taxa mentioned below	DICKINSON, E.C. (ed.) (2003). The Howard and Moore Complete Checklist of the Birds of the World. Revised and enlarged 3rd Edition. 1039 pp. London (Christopher Helm). in combination with DICKINSON, E.C. (2005). Corrigenda 4 (02.06.2005) to Howard & Moore Edition 3 (2003).
APODIFORMES	Trochilidae	<i>Amazilia hoffmanni</i> <i>Amazilia saucerrottei</i>	JIMÉNEZ, R.A. & ORNELAS, J.F. (2016). Historical and current introgression in a Mesoamerican hummingbird species complex: a biogeographic perspective. <i>PeerJ</i> . 2016; 4: e1556. doi:10.7717/peerj.1556.

		Taxon concerned	Taxonomic reference
	Trochilidae	<i>Anthracothonax nigricollis iridescentis</i> <i>Phaethornis longirostris</i> <i>Phaethornis mexicanus</i> <i>Selasphorus calliope</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Trochilidae	<i>Hylocharis leucotis</i> <i>Hylocharis xantusii</i> <i>Campylopterus curvipennis</i> <i>Campylopterus excellens</i> <i>Phaeochroa cuvierii</i>	DICKINSON, E.C. & REMSEN, J.V. (EDS.) (2013). <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Trochilidae	<i>Chlorostilbon lucidus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006). Mandatory changes to the scientific names of three Neotropical birds <i>Bull. Brit. Orn. Club</i> , 126 : 242-244.
	Trochilidae	<i>Eriocnemis isabellae</i>	CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. & WELLER, A.-A. (2007) A new species of <i>Eriocnemis</i> (Trochilidae) from southwest Colombia. <i>Ornitologia Neotropical</i> , 18 :161-170.
	Trochilidae	<i>Oreotrochilus cyanolaemus</i>	SORNOZA-MOLINA, F., FREILE, J.F., NILSSON, J., KRABBE, N. & BONACCORSO, E. (2018). A striking, critically endangered, new species of hillstar (Trochilidae: <i>Oreotrochilus</i>) from the southwestern Andes of Ecuador. <i>The Auk: Ornithological Advances</i> , 135(4), 1146-1171. https://doi.org/10.1642/AUK-18-58.1
	Trochilidae	<i>Phaethornis aethopyga</i>	PIACENTINI, V. Q., ALEIXO, A. & SILVEIRA, L. F. (2009). Hybrid, subspecies or species? The validity and taxonomic status of <i>Phaethornis longuemareus aethopyga</i> Zimmer, 1950 (Trochilidae). <i>Auk</i> , 126 : 604-612.
CICONIIFORMES	Phoenicopteridae	<i>Phoenicopiterus roseus</i> <i>Phoenicopiterus ruber</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.

		Taxon concerned	Taxonomic reference
FALCONIFORMES	Accipitridae	<i>Accipiter hiogaster</i> <i>Accipiter novaehollandiae</i> <i>Buteo nitidus</i> <i>Buteo plagiatus</i> <i>Buteogallus anthracinus</i> <i>Buteogallus gundlachii</i> <i>Buteogallus solitarius</i> <i>Chondrohierax uncinatus</i> <i>Chondrohierax wilsonii</i> <i>Circus cyaneus</i> <i>Circus hudsonius</i> <i>Leptodon cayanensis</i> <i>Leptodon forbesi</i> <i>Pseudastur albicollis</i> <i>Rupornis magnirostris</i> <i>Spizaetus melanoleucus</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Accipitridae	<i>Aquila hastata</i>	PARRY, S. J., CLARK, W. S. & PRAKASH, V. (2002). On the taxonomic status of the Indian Spotted Eagle <i>Aquila hastata</i> . <i>Ibis</i> , 144 : 665-675.
	Accipitridae	<i>Buteo socotraensis</i>	PORTER, R. F. & KIRWAN, G. M. (2010). Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. <i>Bulletin of the British Ornithologists' Club</i> , 130 (2): 116–131.
	Accipitridae	<i>Geranoaetus albicaudatus</i>	DICKINSON, E.C. & REMSEN, J.V. (EDS.) (2013). <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0- 8.

		Taxon concerned	Taxonomic reference
	Falconidae	<i>Falco peregrinus</i> (incl. <i>Falco pelegrinoides</i>)	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Falconidae	<i>Micrastur mintoni</i>	WHITTAKER, A. (2002). A new species of forest-falcon (Falconidae: <i>Micrastur</i>) from southeastern Amazonia and the Atlantic rainforests of Brazil. <i>Wilson Bulletin</i> , 114 : 421-445.
GRUIFORMES	Gruidae	<i>Antigone antigone</i> <i>Antigone canadensis</i> <i>Antigone rubicunda</i> <i>Antigone vipio</i> <i>Leucogeranus leucogeranus</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Rallidae	<i>Hypotaenidia sylvestris</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
PASSERIFORMES	Muscicapidae	<i>Garrulax taewanus</i>	COLLAR, N. J. (2006). A partial revision of the Asian babblers (Timaliidae). <i>Forktail</i> , 22 : 85-112.
	Paradisaeidae	<i>Lophorina niedda</i> <i>Lophorina minor</i> <i>Lophorina superba</i>	SCHOLES, E. & LAMAN, T.G. (2018). Distinctive courtship phenotype of the Vogelkop Superb Bird-of-Paradise <i>Lophorina niedda</i> Mayr, 1930 confirms new species status. <i>PeerJ</i> 6:e4621 https://doi.org/10.7717/peerj.4621 .
PSITTACIFORMES	Cacatuidae	<i>Cacatua goffiniana</i>	ROSELAAR, C. S. & MICHELS, J. P. (2004). Nomenclatural chaos untangled, resulting in the naming of the formally undescribed <i>Cacatua</i> species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). <i>Zoologische Verhandelingen</i> , 350 : 183-196.
	Cacatuidae	<i>Zanda baudinii</i> <i>Zanda latirostris</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.

		Taxon concerned	Taxonomic reference
	Loriidae	<i>Trichoglossus haematodus</i>	COLLAR, N. J. (1997). Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World</i> , 4 (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Aratinga maculata</i>	NEMESIO, A. & RASMUSSEN, C. (2009). The rediscovery of Buffon's "Guarouba" or "Perriche jaune": two senior synonyms of <i>Aratinga pinto</i> SILVEIRA, LIMA & HÖFLING, 2005 (Aves: Psittaciformes). <i>Zootaxa</i> , 2013 : 1-16.
	Psittacidae	<i>Eupsittula canicularis</i> <i>Eupsittula nana</i> <i>Myiopsitta luchi</i> <i>Myiopsitta monachus</i> <i>Psephotellus chrysoterygius</i> <i>Psephotellus dissimilis</i> <i>Psephotellus pulcherrimus</i> <i>Psephotellus varius</i> <i>Psittacara holochlorus</i> <i>Pyrilia haematotis</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Psittacidae	<i>Forpus modestus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006). Mandatory changes to the scientific names of three Neotropical birds. <i>Bulletin of the British Ornithologists' Club</i> , 126 : 242-244.
	Psittacidae	<i>Pionopsitta aurantiocephala</i>	GABAN-LIMA, R., RAPOSO, M. A. & HOFLING, E. (2002). Description of a new species of <i>Pionopsitta</i> (Aves: Psittacidae) endemic to Brazil. <i>Auk</i> , 119 : 815-819.
	Psittacidae	<i>Poicephalus robustus</i> <i>Poicephalus fuscicollis</i>	COETZER, W.G., DOWNS, C.T., PERRIN, M.R. & WILLOWS-MUNRO, S. (2015). Molecular Systematics of the Cape Parrot (<i>Poicephalus robustus</i>). Implications for Taxonomy and Conservation. <i>PLoS ONE</i> , 10(8): e0133376. doi: 10.1371/journal.pone.0133376.

		Taxon concerned	Taxonomic reference
	Psittacidae	<i>Psittacara strenuus</i> <i>Pezoporus flaviventris</i> <i>Pezoporus wallicus</i>	DICKINSON, E.C. & REMSEN, J.V. (EDS.) (2013). <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0- 8.
	Psittacidae	<i>Psittacula intermedia</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World, 4</i> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Pyrrhura griseipectus</i>	OLMOS, F., SILVA, W. A. G. & ALBANO, C. (2005). Grey-breasted Conure <i>Pyrrhura griseipectus</i> , an overlooked endangered species. <i>Cotinga</i> , 24 : 77-83.
	Psittacidae	<i>Pyrrhura parvifrons</i>	ARNDT, T. (2008). Anmerkungen zu einigen <i>Pyrrhura</i> -Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. <i>Papageien</i> , 8 : 278-286.
STRIGIFORMES	Strigidae	<i>Ciccaba virgata</i> <i>Megascops asio</i> <i>Megascops barbarus</i> <i>Megascops guatemalae</i> <i>Megascops kennicottii</i> <i>Megascops seductus</i> <i>Megascops trichopsis</i> <i>Psiloscoops flammeolus</i>	DEL HOYO, J. & COLLAR, N.J. (2014). <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Strigidae	<i>Glaucidium mooreorum</i>	DA SILVA, J. M. C., COELHO, G. & GONZAGA, P. (2002). Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: Glaucidium) from Atlantic forest of northeastern Brazil. <i>Ararajuba</i> , 10 (2): 123-130.
	Strigidae	<i>Megascops gilesi</i>	KRABBE, N.K. (2017). A new species of <i>Megascops</i> (Strigidae) from the Sierra Nevada de Santa Marta, Colombia, with notes on voices of New World screech-owls. <i>Ornitología Colombiana</i> 16 : 1–27.

		Taxon concerned	Taxonomic reference
	Strigidae	<i>Ninox burhani</i>	INDRAWAN, M. & SOMADIKARTA, S. (2004). A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. <i>Bulletin of the British Ornithologists' Club</i> , 124 : 160-171.
	Strigidae	<i>Otus thilohoffmanni</i>	WARAKAGODA, D. H. & RASMUSSEN, P. C. (2004). A new species of scops-owl from Sri Lanka. <i>Bulletin of the British Ornithologists' Club</i> , 124 (2): 85-105.
	Strigidae	<i>Strix butleri</i> <i>Strix hadorami</i>	KIRWAN, G.M., SCHWEIZER, M. & COPETE, J.L. (2015). Multiple lines of evidence confirm that Hume's Owl <i>Strix butleri</i> (A. O. Hume, 1878) is two species, with description of an unnamed species (Aves: Non- Passeriformes: Strigidae). <i>Zootaxa</i> . 3904 (1): 28–50.
REPTILIA			
CROCODYLIA & RHYNCHOCEPHALIA		Crocodylia & Rhynchocephalia except for the taxa listed below	WERMUTH, H. & MERTENS, R. (1996) (reprint). <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).
	Crocodylidae	<i>Crocodylus johnstoni</i>	TUCKER, A. D. (2010). The correct name to be applied to the Australian freshwater crocodile, <i>Crocodylus johnstoni</i> [Kreffft, 1873]. <i>Australian Zoologist</i> , 35 (2): 432-434.
	Sphenodontidae	<i>Sphenodon</i> spp.	HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. & DAUGHERTY, C. H. (2010). Genetic diversity and taxonomy: a reassessment of species designation in tuatara (<i>Sphenodon</i> : Reptilia). <i>Conservation Genetics</i> , 11 (93): 1063-1081.
SAURIA		For delimitation of families within the Sauria	POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. & WELLS, K. D. (1998). <i>Herpetology</i> . Upper Saddle River/New Jersey (Prentice Hall).
	Agamidae	<i>Ceratophora</i> spp. <i>Cophotis</i> spp. <i>Lyriocephalus</i> spp.	UETZ, P., FREED, P., AGUILAR, R. & HOSEK, J. (EDS.) (eds.) (2022). Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020, accessed 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf

		Taxon concerned	Taxonomic reference
	Agamidae	<i>Saara</i> spp. <i>Uromastyx</i> spp.	WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. & SCHMITZ, A. (2009). On the phylogeny and taxonomy of the genus <i>Uromastyx</i> Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) – resurrection of the genus <i>Saara</i> Gray, 1845. <i>Bonner zool. Beiträge</i> , 56 (1-2): 55-99.
	Anguidae	<i>Abronia</i> spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016). Taxonomic checklist of the species of the genus <i>Abronia</i> . Species information extracted from “The Reptile Database”, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35. at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Anguidae	<i>Abronia morenica</i>	CLAUDE, A.G., LUNA-REYES, R. & NIETO-MONTES DE OCA, A. (2020): A New Species of <i>Abronia</i> (Squamata: Anguidae) from a Protected Area in Chiapas, Mexico. <i>Herpetologica</i> 76(3): 330-343. https://doi.org/10.1655/Herpetologica-D-19-00047
	Chamaeleonidae	Chamaeleonidae spp. except the taxa mentioned below	GLAW, F. (2015). Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). <i>Vertebrate Zoology</i> , 65 (2): 167-246. http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/01_vertrebrate_zoology_65-2_glaw_167-246.pdf
	Chamaeleonidae	<i>Brookesia antakarana</i> (incl. <i>B. ambreensis</i>)	SCHERZ, M. D., GLAW, F., RAKOTOARISON, A., WAGLER, M. & VENCES, M. (2018): Polymorphism and synonymy of <i>Brookesia antakarana</i> and <i>B. ambreensis</i> , leaf chameleons from Montagne d’Ambre in north Madagascar. <i>Salamandra</i> 54 (4): 259-268
	Chamaeleonidae	<i>Calumma gehringi</i>	PRÖTZEL, D., VENCES, M., SCHERZ, M. D., VIEITES, D. R. & GLAW, F. (2017): Splitting and lumping: An integrative taxonomic assessment of Malagasy chameleons in the <i>Calumma guibei</i> complex results in the new species <i>C. gehringi</i> sp. nov. - <i>Vertebrate Zoology</i> 67 (2): 231–249.
	Chamaeleonidae	<i>Calumma juliae</i> <i>Calumma lefona</i> <i>Calumma uetzi</i>	PRÖTZEL, D., HAWLITSCHKE, O., SCHERZ, M. D., RATSOAVINA, F. M. & GLAW, F. (2018): Endangered beauties: micro-CT cranial osteology, molecular genetics and external morphology reveal three new species of chameleons in the <i>Calumma boettgeri</i> complex (Squamata: Chamaeleonidae). <i>Zoological Journal of the Linnean Society</i> zlx112, DOI: 10.1093/zoolinnea/zlx112

		Taxon concerned	Taxonomic reference
	Chamaeleonidae	<i>Calumma roaloko</i>	PRÖTZEL, D., LAMBERT, S. M., ANDRIANOSOLO, G. T., HUTTER, C. R., COBB, K. A., SCHERZ, M. D. & GLAW, F. (2018): The smallest 'true chameleon' from Madagascar: a new, distinctly colored species of the <i>Calumma boettgeri</i> complex (Squamata, Chamaeleonidae). - <i>Zoosystematics and Evolution</i> 94 (2): 409-423
	Chamaeleonidae	<i>Kinyongia itombwensis</i> <i>Kinyongia rugegensis</i> <i>Kinyongia tolleyae</i>	HUGHES, D. F., KUSAMBA, C., BEHANGANA, M. & GREENBAUM, E. (2017): Integrative taxonomy of the Central African forest chameleon, <i>Kinyongia adolfifridgerici</i> (Sauria: Chamaeleonidae), reveals underestimated species diversity in the Albertine Rift. - <i>Zoological Journal of the Linnean Society</i> 181 (2): 400–438.
	Chamaeleonidae	<i>Kinyongia msuyae</i>	MENEGON, M., LOADER, S. P., DAVENPORT, T. R. B., HOWELL, K. M., TILBURY, C. R., MACHAGA, S. & TOLLEY, K.A. (2015): A new species of chameleon (Sauria: Chamaeleonidae: <i>Kinyongia</i>) highlights the biological affinities between the Southern Highlands and Eastern Arc Mountains of Tanzania. - <i>Acta Herpetologica</i> 10 (2): 111-120.
	Cordylidae	Cordylidae spp. except the taxa mentioned below	STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. & P. LE F. N. (2011). Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). <i>Molecular Phylogenetics and Evolution</i> , 58 (1): 53-70.
	Cordylidae	<i>Cordylus marunguensis</i>	GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. & CHA (2012). A new species of <i>Cordylus</i> (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. <i>African Journal of Herpetology</i> , 61 (1): 14-39.
	Cordylidae	<i>Cordylus namakuiyus</i>	STANLEY, E. L., CERÍACO, L. M. P., BANDEIRA, S., VALERIO, H., BATES, M. F. & BRANCH, W. R. (2016): A review of <i>Cordylus machadoi</i> (Squamata: Cordylidae) in southwestern Angola, with the description of a new species from the Pro-Namib desert. - <i>Zootaxa</i> 4061 (3): 201–226.
	Eublepharidae	<i>Goniurosaurus</i> spp.	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 20 March 2022, accessed 5 May 2022 for species in the Family Eublepharidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf

		Taxon concerned	Taxonomic reference
	Gekkonidae	<i>Cnemaspis psychedelica</i>	GRISMER, L. L., NGO, V. T. & GRISMER, J. L. (2010). A colorful new species of insular rock gecko (<i>Cnemaspis</i> Strauch 1887) from southern Vietnam. <i>Zootaxa</i> , 58 : 46–58.
	Gekkonidae	<i>Dactylonemis</i> spp. <i>Hoplodactylus</i> spp. <i>Mokopirirakau</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Gekko gekko</i> (incl. <i>Gekko reevesii</i>)	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020 accessed 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf
	Gekkonidae	<i>Gonatodes daudini</i>	POWELL, R., & R.W. HENDERSON. 2005. A new species of <i>Gonatodes</i> (Squamata: Gekkonidae) from the West Indies. <i>Carib. J. Sci.</i> 41 (4): 709-715
	Gekkonidae	<i>Lygodactylus williamsi</i>	Species information extracted from UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016). The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Gekkonidae	<i>Nactus serpensinsula</i>	KLUGE, A.G. (1983). Cladistic relationships among gekkonid lizards. <i>Copeia</i> , 2 : 465-475.
	Gekkonidae	<i>Naultinus</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.

		Taxon concerned	Taxonomic reference
	Gekkonidae	<i>Paroedura androyensis</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020 accessed 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf
	Gekkonidae	<i>Paroedura masobe</i>	NUSSBAUM, R.A. & RAXWORTHY, C.J. (1994). A new rainforest gecko of the genus <i>Paroedura</i> GÜNTHER from Madagascar. <i>Herpetological Natural History</i> , 2 (1): 43-49.
	Gekkonidae	<i>Phelsuma</i> spp. <i>Rhoptropella</i> spp.	GLAW, F. & RÖSLER, H. (2015). Taxonomic checklist of the day geckos of the genera <i>Phelsuma</i> Gray, 1825 and <i>Rhoptropella</i> Hewitt, 1937 (Squamata: Gekkonidae). <i>Vertebrate Zoology</i> , 65 (2): 167-246.
	Gekkonidae	<i>Toropuku</i> spp. <i>Tukutuku</i> spp. <i>Woodworthia</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011). New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Uroplatus</i> spp. except for the taxa mentioned below	RAXWORTHY, C.J. (2003). Introduction to the reptiles. In: Goodman, S.M. & Bernstead, J.P. (eds.), <i>The natural history of Madagascar</i> : 934-949. Chicago.
	Gekkonidae	<i>Uroplatus fiera</i>	RATSOAVINA, F. M., RANJANAHARISOA, F. A., GLAW, F., RASELIMANANA, A. P., MIRALLES, A. & VENCES, M. (2015): A new leaf-tailed gecko of the <i>Uroplatus ebenai</i> group (Squamata: Gekkonidae) from Madagascar's central eastern rainforests. – <i>Zootaxa</i> 4006 (1): 143-160.
	Gekkonidae	<i>Uroplatus fotsivava</i> <i>Uroplatus kelirambo</i>	RATSOAVINA, F. M., GEHRING, P.-S., SCHERZ, M. D., VIEITES, D. R., GLAW, F. & VENCES, M. (2017): Two new species of leaf-tailed geckos (<i>Uroplatus</i>) from the Tsaratanana mountain massif in northern Madagascar. <i>Zootaxa</i> 4347 (3): 446-464.
	Gekkonidae	<i>Uroplatus finivana</i>	RATSOAVINA, F. M., LOUIS JR., E. E., CROTTINI, A., RANDRIANIAINA, R. -D., GLAW, F. & VENCES, M. (2011). A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the <i>Uroplatus ebenai</i> group. <i>Zootaxa</i> , 3022 : 39-57.

		Taxon concerned	Taxonomic reference
	Gekkonidae	<i>Uroplatus giganteus</i>	GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. & BÖHME, W. (2006). Genetic and morphological variation of the leaf-tailed gecko <i>Uroplatus fimbriatus</i> from Madagascar, with description of a new giant species. <i>Salamandra</i> , 42 : 129-144.
	Gekkonidae	<i>Uroplatus pietschmanni</i>	BÖHLE, A. & SCHÖNECKER, P. (2003). Eine neue Art der Gattung <i>Uroplatus</i> Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). <i>Salamandra</i> , 39 (3/4): 129-138.
	Gekkonidae	<i>Uroplatus sameiti</i>	RAXWORTHY, C. J., PEARSON, R. G., ZIMKUS, B. M., REDDY, S., DEO, A. J., NUSSBAUM, R. A. & INGRAM, C. M. (2008). Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. <i>Journal of Zoology</i> , 275 : 423–440.
	Iguanidae	Iguanidae spp. except for the taxa mentioned below	HOLLINGSWORTH, B. D. (2004). The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. In: <i>Iguanas: Biology and Conservation</i> (Alberts, A. C., Carter, R. L., Hayes, W. K. & Martins, E. P., Eds): 19-44.. Berkeley (University of California Press).
	Iguanidae	<i>Brachylophus bulabula</i>	KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. & HARLOW, P. S. (2008). Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. <i>Philosophical Transactions of the Royal Society B</i> , 363 (1508): 3413-3426.
	Iguanidae	<i>Brachylophus gau</i>	FISHER, R. N., NIUKULA, J., WATLING, D. & HARLOW, P. S. (2017): A new species of iguana <i>Brachylophus</i> Cuvier 1829 (Sauria: Iguania: Iguanidae) from Gau Island, Fiji Islands. <i>Zootaxa</i> 4273(3): 407–422.
	Iguanidae	<i>Conolophus marthae</i>	GENTILE, G. & SNELL, H. (2009). <i>Conolophus marthae</i> sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. <i>Zootaxa</i> , 2201 : 1-10.
	Iguanidae	<i>Ctenosaura</i> spp.	Iguana Taxonomy Working Group (2016). A checklist of the iguanas of the world (Iguanidae; Iguaninae). In: <i>Iguanas: Biology, Systematics, and Conservation</i> (J. B. IVERSON, T.D. GRANT, C .R. KNAPP, and S. A. PASACHNIK, Eds.): 4–46. Herpetological Conservation and Biology 11(Monograph 6).
	Iguanidae	<i>Cyclura lewisi</i>	BURTON, F. J. (2004). Revision to Species <i>Cyclura nubila lewisi</i> , the Grand Cayman Blue Iguana. <i>Caribbean Journal of Science</i> , 40 (2): 198-203.

		Taxon concerned	Taxonomic reference
	Iguanidae	<i>Phrynosoma blainvillii</i> <i>Phrynosoma cerroense</i> <i>Phrynosoma wigginsi</i>	MONTANUCCI, R.R. (2004). Geographic variation in <i>Phrynosoma coronatum</i> (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. <i>Herpetologica</i> , 60 : 117.
	Lanthanotidae	Lanthanotidae spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016). Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference; and species information extracted from <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Teiidae	Teiidae spp. except for the taxa mentioned below	HARVEY, M. B., UGUETO, G. N. & GUTBERLET, R. L. JR. (2012). Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). <i>Zootaxa</i> , 3459 : 1–156.
	Teiidae	<i>Tupinambis cryptus</i> <i>Tupinambis cuzcoensis</i> <i>Tupinambis zuliensis</i>	MURPHY, J.C., JOWERS, M.J., LEHTINEN, R.M., CHARLES, S.P., COLLI, G.R., PERES, A.K. JR, HENDRY, C.R. & PYRON, R.A. (2016): Cryptic, sympatric diversity in tegu lizards of the <i>Tupinambis teguixin</i> group (Squamata, Sauria, Teiidae) and the description of three new species. - PLoS ONE 11(8): e0158542.doi:10.1371/journal.pone.0158542.
	Varanidae	Varanidae spp. except for the taxa mentioned below	BÖHME, W. (2003). Checklist of the living monitor lizards of the world (family Varanidae) <i>Zoologische Verhandelingen, Leiden</i> , 341 : 1-43. in combination with KOCH, A., AULIYA, M. & ZIEGLER, T. (2010.: Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). - Bonn zoological Bulletin, 57 (2): 127-136.
	Varanidae	<i>Varanus bangonorum</i> <i>Varanus dalubhasa</i> <i>Varanus samarensis</i>	WELTON, L. J., TRAVERS, S. L., SILER, C. D. & BROWN, R. M. (2014). Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (<i>Varanus salvator</i> complex) with descriptions of two new cryptic species. <i>Zootaxa</i> , 3881 (3): 201–227.

		Taxon concerned	Taxonomic reference
	Varanidae	<i>Varanus douarrha</i> <i>Varanus indicus</i>	WEIJOLA, V., KRAUS, F., VAHTERA, V., LINDQVIST, C. & DONNELLAN, S.C. (2017): Reinstatement of <i>Varanus douarrha</i> Lesson, 1830 as a valid species with comments on the zoogeography of monitor lizards (Squamata: Varanidae) in the Bismarck Archipelago, Papua New Guinea. - Australian Journal of Zoology, doi: 10.1071/ZO16038.
	Varanidae	<i>Varanus semotus</i>	WEIJOLA, V., DONNELLAN, S.C. & LINDQVIST, C. (2016): A new blue-tailed monitor lizard (Reptilia, Squamata, <i>Varanus</i>) of the <i>Varanus indicus</i> group from Mussau Island, Papua New Guinea. - ZooKeys 568 : 129- 154, doi: 10.3897/zookeys.568.6872.
	Varanidae	<i>Varanus hamersleyensis</i>	MARYAN, B., OLIVER, P. M., FITCH, A. J. & O'CONNELL, M. (2014). Molecular and morphological assessment of <i>Varanus pilbarensis</i> (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. <i>Zootaxa</i> , 3768 (2): 139–158.
	Varanidae	<i>Varanus nesterovi</i>	BÖHME, W., EHRLICH, K., MILTO, K. D., ORLOV, N. & SCHOLZ, S. (2015). A new species of desert monitor lizard (Varanidae: <i>Varanus: Psammosaurus</i>) from the western Zagros region (Iraq, Iran). <i>Russian Journal of Herpetology</i> , 22 (1): 41-52.
	Varanidae	<i>Varanus sparnus</i>	DOUGHTY, P., KEALLEY, L., FITCH, A. & DONNELLAN, S. C. (2014). A new diminutive species of <i>Varanus</i> from the Dampier Peninsula, western Kimberley region, Western Australia. <i>Records of the Western Australian Museum</i> , 29 : 128–140.

		Taxon concerned	Taxonomic reference
SERPENTES		Loxocemidae spp. Pythonidae spp. Boidae spp. Bolyeriidae spp. Tropidophiidae spp. Viperidae spp. except for the retention of the genera <i>Acrantophis</i>, <i>Sanzinia</i>, <i>Calabaria</i>, <i>Lichanura</i>, and except for the species mentioned below	MCDIARMID, R. W., CAMPBELL, J. A. & TOURÉ, T. A. (1999). <i>Snake Species of the World. A Taxonomic and Geographic Reference. Volume 1</i>, Washington, D.C. (The Herpetologists' League).
	Boidae	<i>Candoia paulsoni</i> <i>Candoia superciliosa</i>	SMITH, H. M., CHISZAR, D., TEPEDELEN, K. & VAN BREUKELLEN, F. (2001). A revision of the bevelnosed boas (<i>Candoia carinata</i> complex) (Reptilia: Serpentes). <i>Hamadryad</i>, 26 (2): 283-315.
	Boidae	<i>Corallus batesii</i>	HENDERSON, R. W., PASSOS, P. & FEITOSA, D. (2009). Geographic variation in the Emerald Treeboa, <i>Corallus caninus</i> (Squamata: Boidae). <i>Copeia</i>, 2009 (3): 572-582.
	Boidae	<i>Epicrates crassus</i> <i>Epicrates assisi</i> <i>Epicrates alvarezi</i>	PASSOS, P. & FERNANDES, R. (2008). Revision of the <i>Epicrates cenchria</i> complex (Serpentes: Boidae). <i>Herpetological Monographs</i>, 22: 1-30.
	Boidae	<i>Epicrates cenchria</i> <i>Epicrates maurus</i> <i>Chilabothrus</i> spp.	REYNOLDS, R.G., NIEMILLER, M.L., HEDGES, S.B., DORNBURG, A., PUENTE-ROLÓN, A.R., & REVELL, L.J. (2013): Molecular phylogeny and historical biogeography of West Indian boid snakes (<i>Chilabothrus</i>). <i>Molecular Phylogenetics and Evolution</i> 68(3):461-470. doi:10.1016/j.ympev.2013.04.02

		Taxon concerned	Taxonomic reference
	Boidae	<i>Eryx borrii</i>	LANZA, B. & NISTRI, A. (2005). Somali Boidae (genus <i>Eryx</i> Daudin 1803) and Pythonidae (genus <i>Python</i> Daudin 1803) (Reptilia Serpentes). <i>Tropical Zoology</i> , 18 (1): 67-136.
	Boidae	<i>Eunectes beniensis</i>	DIRKSEN, L. (2002). <i>Anakondas</i> . NTV Wissenschaft.
	Colubridae	<i>Xenochrophis piscator</i> <i>Xenochrophis schnurrenbergeri</i> <i>Xenochrophis tytleri</i>	VOGEL, G. & DAVID, P. (2012). A revision of the species group of <i>Xenochrophis piscator</i> (Schneider, 1799) (Squamata: Natricidae). <i>Zootaxa</i> , 3473 : 1-60.
	Elapidae	<i>Micrurus ruatanus</i>	MCCRANIE, J. R. (2015). A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. <i>Zootaxa</i> , 3931 (3): 352–386.
	Elapidae	<i>Naja atra</i> <i>Naja kaouthia</i>	WÜSTER, W. (1996). Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex). <i>Toxicon</i> , 34 : 339-406.
	Elapidae	<i>Naja mandalayensis</i>	SLOWINSKI, J. B. & WÜSTER, W. (2000). A new cobra (Elapidae: <i>Naja</i>) from Myanmar (Burma). <i>Herpetologica</i> , 56 : 257-270.
	Elapidae	<i>Naja oxiana</i> <i>Naja philippinensis</i> <i>Naja sagittifera</i> <i>Naja samarensis</i> <i>Naja siamensis</i> <i>Naja sputatrix</i> <i>Naja sumatrana</i>	WÜSTER, W. (1996). Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex). <i>Toxicon</i> , 34 : 339-406.

		Taxon concerned	Taxonomic reference
	Pythonidae	<i>Leiopython bennettorum</i> <i>Leiopython biakensis</i> <i>Leiopython fredparkeri</i> <i>Leiopython huonensis</i> <i>Leiopython hoserae</i>	SCHLEIP, W. D. (2008). Revision of the genus <i>Leiopython</i> Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. <i>Journal of Herpetology</i> , 42 (4): 645–667.
	Pythonidae	<i>Malayopython reticulatus</i> <i>Malayopython timoriensis</i>	REYNOLDS, R.G., NIEMILLER, M.L. AND REVELL, L.J. (2014): Toward a Tree-of-Life for the boas and pythons: Multilocus species-level phylogeny with unprecedented taxon sampling. <i>Molecular Phylogenetics and Evolution</i> 71: 201–213.
	Pythonidae	<i>Morelia clastolepis</i> <i>Morelia kinghorni</i> <i>Morelia nauta</i> <i>Morelia tracyae</i>	HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. & CHIPPINDALE, P. T. (2000). Systematics of pythons of the <i>Morelia amethystina</i> complex (Serpentes: Boidae) with the description of three new species. <i>Herpetological Monographs</i> , 14 : 139-185.
	Pythonidae	<i>Python bivittatus</i> <i>Python molurus</i>	JACOBS, H. J., AULIYA, M. & BÖHME, W. (2009). Zur Taxonomie des Dunklen Tigerpythons, <i>Python molurus bivittatus</i> KUHL, 1820, speziell der Population von Sulawesi. <i>Sauria</i> , 31 : 5-16.
	Pythonidae	<i>Python breitensteini</i> <i>Python brongersmai</i>	KEOGH, J. S., BARKER, D. G. & SHINE, R. (2001). Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons (<i>Python curtus</i> group) in Southeast Asia. <i>Biological Journal of the Linnean Society</i> , 73 : 113-129.
	Pythonidae	<i>Python kyaiktiyo</i>	ZUG, G.R., GROTE, S. W. & JACOBS, J. F. (2011). Pythons in Burma: Short-tailed python (Reptilia: Squamata). <i>Proceedings of the biological Society of Washington</i> , 124 (2): 112-136.
	Pythonidae	<i>Python natalensis</i>	BROADLEY, D. G. (1999). The southern African python, <i>Python natalensis</i> A. Smith 1840, is a valid species. <i>African Herp News</i> , 29 : 31-32.

		Taxon concerned	Taxonomic reference
	Tropidophiidae	<i>Tropidophis</i> spp. except for the taxa mentioned below	HEDGES, S.B. (2002). Morphological variation and the definition of species in the snake genus <i>Tropidophis</i> (Serpentes, Tropidophiidae). <i>Bulletin of the Natural History Museum, London (Zoology)</i> , 68 (2): 83-90.
	Tropidophiidae	<i>Tropidophis celiae</i>	HEDGES, B. S., ESTRADA, A. R. & DIAZ, L. M. (1999): New snake (<i>Tropidophis</i>) from western Cuba. <i>Copeia</i> , 1999 (2): 376-381.
	Tropidophiidae	<i>Tropidophis grapiuna</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012). Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , 26 (1): 80-121.
	Tropidophiidae	<i>Tropidophis hendersoni</i>	HEDGES, B. S. & GARRIDO, O. (2002). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from Eastern Cuba <i>Journal of Herpetology</i> , 36 :157-161.
	Tropidophiidae	<i>Tropidophis morenoi</i>	HEDGES, B. S., GARRIDO, O. & DIAZ, L. M. (2001). A new banded snake of the genus <i>Tropidophis</i> (Tropidophiidae) from north-central Cuba. <i>Journal of Herpetology</i> , 35 : 615-617.
	Tropidophiidae	<i>Tropidophis preciosus</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012). Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , 26 (1): 80-121.
	Tropidophiidae	<i>Tropidophis spiritus</i>	HEDGES, B. S. & GARRIDO, O. (1999). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from central Cuba. <i>Journal of Herpetology</i> , 33 : 436-441.
	Tropidophiidae	<i>Tropidophis xanthogaster</i>	DOMÍNGUEZ, M., MORENO, L. V. & HEDGES, S. B. (2006). A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. <i>Amphibia-Reptilia</i> , 27 (3): 427-432.
	Viperidae	<i>Atheris desaixi</i> <i>Bitis worthingtoni</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016). Species information extracted from <i>The Reptile Database</i> , version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf

		Taxon concerned	Taxonomic reference
	Viperidae	<i>Montivipera wagneri</i>	GARRIGUES, T., DAUGA, C., FERQUEL, E., VALÉRIE CHOUMET, V., & FAILLOUX, A-B. (2005): Molecular phylogeny of <i>Vipera</i> Laurenti, 1768 and the related genera <i>Macrovipera</i> (Reuss, 1927) and <i>Daboia</i> (Gray, 1842), with comments about neurotoxic <i>Vipera aspis aspis</i> populations. <i>Molecular Phylogenetics and Evolution</i> 35(1): 35-47.
	Viperidae	<i>Protobothrops mangshanensis</i>	SNETKOV, P.B. & ORLOV, N.L. (2017) Phylogenetic Analysis of Old World Viperid Snakes (Serpentes, Viperidae) Based on Skeletal Morphology. <i>Russian Journal of Herpetology</i> , 24(1):22-34.
	Viperidae	<i>Pseudocerastes urarachnoides</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITE_S.pdf
TESTUDINES		Testudines order names	WERMUTH, H. & MERTENS, R. (1996) (reprint). <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).
		Species and family names – with the exception of the retention of the following names <i>Mauremys iversoni</i> , <i>Mauremys pritchardi</i> , <i>Ocadia glyphistoma</i> , <i>Ocadia philippeni</i> , <i>Sacalia pseudocellata</i> , and except for the taxa mentioned below	FRITZ, U. & HAVAŠ, P. (2007): Checklist of Chelonians of the World. <i>Vertebrate Zoology</i> , 57 (2): 149-368. Dresden. ISSN 1864-5755 [without its appendix]
	Emydidae	<i>Graptemys pearlensis</i>	ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. & QUALLS, C. P. (2010). Genetic and morphological variation between populations of the Pascagoula Map Turtle (<i>Graptemys gibbonsi</i>) in the Pearl and Pascagoula Rivers with description of a new species. <i>Chelonian Conservation and Biology</i> , 9 (1): 98-113.

		Taxon concerned	Taxonomic reference
	Geoemydidae	<i>Batagur affinis</i>	PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. & FRITZ, U. (2008). Naming one of the world's rarest chelonians, the southern Batagur. <i>Zootaxa</i> , 1758 : 61-68.
	Geoemydidae	<i>Batagur borneoensis</i> <i>Batagur dhongoka</i> <i>Batagur kachuga</i> <i>Batagur trivittata</i>	PRASCHAG, P., HUNSDÖRFER, A. K. & FRITZ, U. (2007). Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Kachuga</i> , <i>Pangshura</i>). <i>Zoologica Scripta</i> , 36 : 429-442.
	Geoemydidae	<i>Cuora bourreti</i> <i>Cuora picturata</i>	SPINKS, P. Q., THOMSON, R. C., ZHANG, Y.P., CHE, J., WU, Y. & SHAFFER, H. B. (2012). Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus <i>Cuora</i> . <i>Molecular Phylogenetics and Evolution</i> , 63 : 656–667. doi:10.1016/j.ympev.2012.02.014.
	Geoemydidae	<i>Cyclemys enigmatica</i> <i>Cyclemys fusca</i> <i>Cyclemys gemeli</i> <i>Cyclemys oldhamii</i>	FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. & HUNSDÖRFER, A. K. (2008). Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life? <i>Zoologica Scripta</i> , 37 : 367-390.
	Geoemydidae	<i>Malayemys khoratensis</i>	IHLOW, F., VAMBERGER, M., FLECKS, M., HARTMANN, T., COTA, M., MAKCHAI, S., MEEWATTANA, P., DAWSON, J.E., KHENG, L., RÖDDER, D., & FRITZ, U. (2016). Integrative taxonomy of Southeast Asian snail-eating turtles (Geoemydidae: <i>Malayemys</i>) reveals a new species and mitochondrial introgression. <i>PLoS ONE</i> 11(4): e0153108:1-26.
	Geoemydidae	<i>Mauremys reevesii</i>	BARTH, D., BERNHARD, D., FRITZSCH, G. & U. FRITZ (2004). The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) – a textbook example of an east-west disjunction or a taxonomic misconception? <i>Zoologica Scripta</i> , 33 : 213-221.
	Testudinidae	<i>Centrochelys sulcata</i>	Turtle Taxonomy Working Group [van DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. & BOUR, R.]. (2014): Turtles of the world, 7 TH edition: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. <i>Chelonian Research Monographs</i> , 5 doi: 10.3854/crm.5.000.checklist.v7.2014.

		Taxon concerned	Taxonomic reference
	Testudinidae	<i>Chelonoidis carbonarius</i> <i>Chelonoidis denticulatus</i> <i>Chelonoidis niger</i>	OLSON, S .L. & DAVID, N. (2014). The gender of the tortoise genus <i>Chelonoidis</i> Fitzinger, 1835 (Testudines: Testudinidae). - Proceedings of the Biological Society of Washington, 126 (4): 393-394.
	Testudinidae	<i>Chersobius</i> spp.	HOFMEYR, M.D., & BRANCH, W.R. (2018). The padloper's tortuous path (Chelonia: Testudinidae): Two genera, not one. <i>African Journal of Herpetology</i> , 2018:1-15. https://doi.org/10.1080/21564574.2017.1398187
	Testudinidae	<i>Gopherus evgoodei</i> <i>Gopherus morafkai</i>	MURPHY, R. W., BERRY, K. H., EDWARDS, T., LEVITON, A. E., LATHROP, A. & RIEDLE, J. D. (2011). The dazed and confused identity of Agassiz's land tortoise, <i>Gopherus agassizii</i> (Testudines, Testudinidae) with the description of a new species, and its consequences for conservation. <i>Zookeys</i> , 113 : 39-71.
	Testudinidae	<i>Kinixys nogueyi</i> <i>Kinixys zombensis</i>	KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. & FRITZ, U. (2012). Molecular phylogeny of African hinge-back tortoises (<i>Kinixys</i>): implications for phylogeography and taxonomy (Testudines: Testudinidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 50 : 192–201.
	Trionychidae	<i>Lissemys ceylonensis</i>	PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. & FRITZ, U. (2011). Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles (<i>Lissemys</i> Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). <i>Vertebrate Zoology</i> , 61 (1): 147-160.
	Trionychidae	<i>Nilssonia gangeticus</i> <i>Nilssonia hurum</i> <i>Nilssonia leithii</i> <i>Nilssonia nigricans</i>	PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. & FRITZ, U. (2007). Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: <i>Aspideretes</i> , <i>Nilssonia</i>). <i>Zoologica Scripta</i> , 36 :301-310.
AMPHIBIA			

		Taxon concerned	Taxonomic reference
		Amphibia spp. except for the taxa listed below	FROST, D. R. (ed.) (2015). Taxonomic Checklist of Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Species information extracted from <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , an online reference, version 6.0 as of May 2015 with additional comments by the Nomenclature Specialist of the CITES Animals Committee. See Annex 5 of CoP17 Doc. 81.1 at https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf
		Anura: Microhylidae: <i>Dyscophus</i> spp. and <i>Scaphiophryne</i> spp.; Telmatobiidae: <i>Telmatobius culeus</i>	FROST, D. R. (ed.) (2017). Species information extracted from <i>Amphibian Species of the World: a taxonomic and geographic reference</i> , an online reference, version 6.0, accessed 12 May 2017. See Annex 3 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf
	Bufonidae	<i>Sclerophrys channingi</i> <i>Sclerophrys superciliaris</i>	OHLER, A., & DUBOIS, A. (2016): The identity of the South African toad <i>Sclerophrys capensis</i> Tschudi, 1838 (Amphibia, Anura). <i>PeerJ</i> 4(e1553): 1–13.
	Dendrobatidae	<i>Ameerega munduruku</i>	NEVES, M.DE O., DA SILVA, L.A., AKIEDA, P.S., CABRERA, R., KOROIVA, R., & SANTANA, D.J. (2017): A new species of poison frog, genus <i>Ameerega</i> (Anura: Dendrobatidae), from the southern Amazonian rain forest. <i>Salamandra</i> 53(4): 485–493.
	Dendrobatidae	<i>Ameerega shihuemoy</i>	SERRANO-ROJAS, S.J., WHITWORTH, A., VILLACAMPA-ORTEGA, J., VON MAY, R., GUTIÉRREZ, R.C., PADIAL, J.M., & CHAPARRO, J.C. (2017): A new species of poison-dart frog (Anura: Dendrobatidae) from Manu province, Amazon region of southeastern Peru, with notes on its natural history, bioacoustics, phylogenetics, and recommended conservation status. <i>Zootaxa</i> 4221(1): 71–94.
	Dendrobatidae	<i>Andinobates victimatus</i>	MÁRQUEZ, R., MEJÍA-VARGAS, D., PALACIOS-RODRÍGUEZ, P., RAMÍREZ-CASTAÑEDA, V., & AMÉZQUITA, A. (2017): A new species of <i>Andinobates</i> (Anura: Dendrobatidae) from the Urabá region of Colombia. <i>Zootaxa</i> 4290(3): 531–546.

		Taxon concerned	Taxonomic reference
	Dendrobatidae	<i>Epipedobates maculatus</i> <i>Paruwrobates andinus</i> <i>Paruwrobates erythromos</i>	GRANT, T., RADA, M., ANGANOY-CRIOLLO, M. A., BATISTA, A., DOS S. DIAS, P.H., JECKEL, A.M., MACHADO, D.J., & RUEDA-ALMONACID, J.V. (2017): Phylogenetic systematics of dart-poison frogs and their relatives revisited (Anura: Dendrobatoidea). <i>South American Journal of Herpetology</i> 12 (Special Issue): 1–90
	Dendrobatidae	<i>Oophaga anchicayensis</i> <i>Oophaga andresi</i> <i>Oophaga solanensis</i>	POSSO-TERRANOVA, A. & ANDRÉS, J. (2018): Multivariate species boundaries and conservation of harlequin poison frogs. <i>Molecular Ecology</i> 27: 3432–3451. DOI: 10.1111/mec.14803.
	Hylidae	<i>Agalychnis lemur</i>	FROST, D.R. (2021): Amphibian Species of the World: an Online Reference. Version 6.1. doi.org/10.5531/db.vz.0001
	Hylidae	<i>Agalychnis terranova</i>	RIVERA-CORREA, M., DUARTE-CUBIDES, F., RUEDA-ALMONACID, J.V., & DAZA-R., J.M. (2013): A new red-eyed treefrog of <i>Agalychnis</i> (Anura: Hylidae: Phyllomedusinae) from middle Magdalena River valley of Colombia with comments on its phylogenetic position. <i>Zootaxa</i> 3636 (1): 85–100.
CAUDATA	Salamandridae	<i>Echinotriton</i> spp. <i>Paramesotriton</i> spp. <i>Tylototriton</i> spp.	FROST, D. R. (ed.) (2022). Taxonomic Checklist of Amphibian taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from Amphibian Species of the World: an online Reference, Version 6.1, accessed 5 May 2020 for species of the genera <i>Echinotriton</i> and 5 May 2022 for species of the genus <i>Tylototriton</i> . https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Amphibian_Added_CoP18_CITE_S.pdf



		Taxon concerned	Taxonomic reference
ELASMOBRANCHII, ACTINOPTERI, COELACANTHI, and DIPNEUSTI			
		All fish species, except the taxa listed below	ESCHMEYER, W.N. & FRICKE, R. (eds.) (2015). Taxonomic Checklist of Fish species listed in the CITES Appendices and the Annexes of EC Regulation 338/97 (Elasmobranchii, Actinopteri, Coelacanthi, and Dipneusti, except the genus <i>Hippocampus</i>). Information extracted from <i>Catalog of Fishes</i> , an online reference, version update from 3 February 2015. See Annex 6 of CoP17 Doc. 81.1 at https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf
		Elasmobranchii: Carcharhiniformes: Carcharhinidae: <i>Carcharhinus falciformis</i> ; Lamniformes: <i>Alopiidae</i> : <i>Alopias</i> spp.; Myliobatiformes: Myliobatidae: <i>Mobula</i> spp. except the taxa mentioned below; Potamotrygonidae: <i>Potamotrygon</i> spp.; Actinopteri: Perciformes: Pomacanthidae: <i>Holacanthus clarionensis</i>	ESCHMEYER, W. N., FRICKE, R., & VAN DER LAAN, R. (eds.) (2017). Information extracted from <i>Catalog of Fishes: Genera, Species, References</i> , an online reference, version of 28 April 2017, accessed 12 May 2017. See Annex 4 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf

		Taxon concerned	Taxonomic reference
		Elasmobranchii: Lamniformes: Lamnidae: <i>Isurus</i> spp.; Rhinopristiformes: Glaucostegidae: <i>Glaucostegus</i> spp.; Rhinidae spp.	ESCHMEYER, W.N., R. FRICKE, & R. VAN DER LAAN (eds.) (2019) Taxonomic Checklist of Fish taxa included in the Appendices at the 18th Meeting of the Conference of the Parties. Species information extracted from Catalog of Fishes: Genera, Species, References, an online reference, version of 4 May 2020, accessed 5 May 2020. See Annex 3 of AC31 Doc. 37 at https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A3.pdf
	Mobulidae	<i>Mobula alfredi</i> <i>Mobula birostris</i> <i>Mobula hypostoma</i> (incl. <i>M. rochebrunei</i>)	WHITE, W. T. & P. R. LAST. (2016). DEVIL RAYS, FAMILY MOBULIDAE. PP. 741-749 IN LAST, P. R., W. T. WHITE, M. R. DE CARVALHO, B. SÉRET, M. F. W. STEHMANN & G. J. P. NAYLOR (EDS.). <i>Rays of the World</i> . CSIRO Publishing, Comstock Publishing Associates. i-ix + 1-790
	Rhinobatidae	Rhinobatidae spp.	LAST, P. R., SERET, B., & NAYLOR, G. J. (2016a): A new species of guitarfish, <i>Rhinobatos borneensis</i> sp. nov. with a redefinition of the family-level classification in the order Rhinopristiformes (Chondrichthyes: Batoidea). <i>Zootaxa</i> , 4117(4), 451-475. DOI 10.11646/zootaxa.4117.4.1
	Rhinobatidae	<i>Acroteriobatus andysabini</i> <i>Acroteropbatus stehmanni</i>	WEIGMANN, S., EBERT, D. A., & SÉRET, B. (2021): Resolution of the <i>Acroteriobatus leucospilus</i> species complex, with a redescription of <i>A. leucospilus</i> (Norman, 1926) and descriptions of two new western Indian Ocean species of <i>Acroteriobatus</i> (Rhinopristiformes, Rhinobatidae). <i>Mar. Biodivers.</i> , 51(4), 1-30.
	Rhinobatidae	<i>Acroteriobatus omanensis</i>	LAST, P. R., HENDERSON, A. C., & NAYLOR, G. J. (2016b): <i>Acroteriobatus omanensis</i> (Batoidea: Rhinobatidae), a new guitarfish from the Gulf of Oman. <i>Zootaxa</i> , 4144(2): 276-286.
	Rhinobatidae	<i>Pseudobatos buthi</i>	RUTLEDGE, K. M. (2019): A new guitarfish of the genus <i>Pseudobatos</i> (Batoidea: Rhinobatidae) with key to the guitarfishes of the Gulf of California. <i>Copeia</i> , 107(3): 451-463.
	Rhinobatidae	<i>Rhinobatos austini</i>	EBERT, D. A., & GON, O. (2017): <i>Rhinobatos austini</i> n. sp., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from the southwestern Indian Ocean. <i>Zootaxa</i> , 4276(2), 204-214.

		Taxon concerned	Taxonomic reference
	Rhinobatidae	<i>Rhinobatos manai</i>	WHITE, W. T., LAST, P. R., & NAYLOR, G. J. (2016): <i>Rhinobatos manai</i> sp. nov., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from New Ireland, Papua New Guinea. <i>Zootaxa</i> , 4175(6), 588-600.
	Rhinobatidae	<i>Rhinobatos ranongensis</i>	LAST, P.R., SERET, B., & NAYLOR, G.J. (2019): Description of <i>Rhinobatos ranongensis</i> sp. nov. (Rhinopristiformes: Rhinobatidae) from the Andaman Sea and Bay of Bengal with a review of its northern Indian Ocean congeners. <i>Zootaxa</i> , 4576(2), 257–287.
SYNGNATHIFORMES	Syngnathidae	<i>Hippocampus</i> spp. except the taxa listed below	LOURIE, S. A., POLLOM, R. A. and FOSTER, S. J. (2016). A global revision of the Seahorses <i>Hippocampus</i> Rafinesque 1810 (Actinopterygii: Syngnathiformes): Taxonomy and biogeography with recommendations for further research. <i>Zootaxa</i> , 4146 (1): 1-066.
	Syngnathidae	<i>Hippocampus cassio</i>	ZHANG, Y-H., QIN, G., WANG, X., & LIN, Q. (2016): A new species of seahorse (Teleostei: Syngnathidae) from the South China Sea. <i>Zootaxa</i> 4170 (2): 384–392. http://doi.org/10.11646/zootaxa.4170.2.11
	Syngnathidae	<i>Hippocampus haema</i>	HAN, S-Y., KIM, J-K., KAI, Y., & SENOU, H. (2017): Seahorses of the <i>Hippocampus coronatus</i> complex: taxonomic revision, and description of <i>Hippocampus haema</i> , a new species from Korea and Japan (Teleostei, Syngnathidae). <i>ZooKeys</i> 712: 113–139. doi: 10.3897/zookeys.712.14955
	Syngnathidae	<i>Hippocampus japapigu</i>	SHORT, G., SMITH, R., MOTOMURA, H., HARASTI, D., & HAMILTON, H. (2018): <i>Hippocampus japapigu</i> , a new species of pygmy seahorse from Japan, with a redescription of <i>H. pontohi</i> (Teleostei, Syngnathidae). <i>ZooKeys</i> 779: 27–49. doi: 10.3897/zookeys.779.24799
ARACHNIDA			
ARANEAE	Theraphosidae	<i>Aphonopelma pallidum</i> <i>Brachypelma</i> spp. except for the taxa mentioned below	PLATNICK, N. (2006). Taxonomic Checklist of CITES listed Spider Species. Information extracted from <i>The World Spider Catalog</i> , an online reference, Version 6.5 as of 7 April 2006. [available at http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf]

		Taxon concerned	Taxonomic reference
	Theraphosidae	<i>Brachypelma albiceps</i> <i>Brachypelma smithi</i> <i>Tiltocatl albopilosum</i> <i>Tiltocatl epicureanum</i> <i>Tiltocatl kahlenbergi</i> <i>Tiltocatl sabulosum</i> <i>Tiltocatl schroederi</i> <i>Tiltocatl vagans</i> <i>Tiltocatl verdezi</i>	MENDOZA, J. & FRANCKE, O. (2019): Systematic revision of Mexican threatened tarantulas <i>Brachypelma</i> (Araneae: Theraphosidae: Theraphosinae), with a description of a new genus, and implications on the conservation. <i>Zoological Journal of the Linnean Society</i> , 2019, XX; 1–66. http://zoobank.org/urn:lsid:zoobank.org/pub:E4D09A17-444F-45A0-95DB-059ECA175569
	Theraphosidae	<i>Poecilotheria</i> spp., except the taxa mentioned below	WORLD SPIDER CATALOG. (2020). Taxonomic Checklist of Spider taxa included in the Appendices at the 18 th Meeting of the Conference of the Parties. Species information extracted from the World Spider Catalog (2020). Version 21.0. Natural History Museum Bern, online at http://wsc.nmbe.ch , accessed on 5 May 2020. doi: 10.24436/2. See Annex 4 of AC31 Doc. 37 at https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A4.pdf
	Theraphosidae	<i>Poecilotheria srilankensis</i>	NANAYAKKARA, R. P., GANEHIARACHI, G. A. S. M., KUSUMINDA, T., VISHVANATH, N., KARUNARATNE, M. K. & KIRK, P. (2019): A new species of tiger spider in the genus <i>Poecilotheria</i> Pocock, 1899 (Araneae: Theraphosidae) from Belihuloya, Sri Lanka. <i>Journal of the British Tarantula Society</i> 34(3): 3-17
	Theraphosidae	<i>Poecilotheria tigrinawesseli</i>	SHERWOOD, D. (2019): Revised taxonomical placement of <i>Poecilotheria chaojii</i> Mirza, Sanap & Bhosale, 2014 (Araneae: Theraphosidae). <i>Arachnology</i> 18(1): 19-21. doi:10.13156/arac.2018.18.1.19
	Theraphosidae	<i>Sericopelma angustum</i> <i>Sericopelma embrithes</i>	GABRIEL, R., & LONGHORN, S.J. 2015. Revised generic placement of <i>Brachypelma embrithes</i> (Chamberlin & Ivie, 1936) and <i>Brachypelma angustum</i> Valerio, 1980, with definition of the taxonomic features for identification of female <i>Sericopelma</i> Ausserer, 1875 (Araneae, Theraphosidae). <i>ZooKeys</i> 526: 75–104.

		Taxon concerned	Taxonomic reference
SCORPIONES	Scorpionidae	<i>Pandinus</i> spp. except for the taxa mentioned below	LOURENÇO, W. R. & CLOUDSLEY-THOMPSON, J. C. (1996). Recognition and distribution of the scorpions of the genus <i>Pandinus</i> Thorell, 1876 accorded protection by the Washington Convention. <i>Biogeographica</i> , 72 (3): 133-143.
	Scorpionidae	<i>Pandinus camerounensis</i> <i>Pandinus roeseli</i>	LOURENÇO, W. R. (2014). Further considerations on the identity and distribution of <i>Pandinus imperator</i> (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). <i>Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg</i> , 17 (192): 139-151.
INSECTA			
COLEOPTERA	Lucanidae	<i>Colophon</i> spp. except the taxa mentioned below	BARTOLOZZI, L. (2005). Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). <i>African Entomology</i> , 13 (2): 347-352.
	Lucanidae	<i>Colophon deschodti</i> <i>Colophon eastmani</i> <i>Colophon nagaii</i> <i>Colophon switalae</i> <i>Colophon struempheri</i>	JACOBS, C.T., SCHOLTZ, C.H., & STRÜMPHER, W.P. 2015. Taxonomy of <i>Colophon</i> Gray (Coleoptera: Lucanidae): new species and a status change. <i>Zootaxa</i> 4057(1): 135–142. Doi 10.11646/zootaxa.4057.1.9
LEPIDOPTERA	Papilionidae	<i>Achillides</i> spp. [only the species of the Philippines]	PAGE, M. G. P. & TREADAWAY, C. G. (2004). Papilionidae of the Philippine Island. In: E. BAUER, and T. FRANKENBACH, Eds.). <i>Butterflies of the world, Supplement 8</i> . Goecke & Evers, Keltern. 58 pp.
	Papilionidae	<i>Ornithoptera</i> spp. <i>Trogonoptera</i> spp. <i>Troides</i> spp.	MATSUKA, H. (2001). <i>Natural History of Birdwing Butterflies</i> . 367 pp. Tokyo (Matsuka Shuppan).(ISBN 4-9900697-0-6).

		Taxon concerned	Taxonomic reference
HIRUDINOIDEA			
ARHYNCHOBDELLIDA	Hirudinidae	<i>Hirudo medicinalis</i> <i>Hirudo verbana</i>	NESEMANN, H. & NEUBERT, E. (1999). Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudine.. <i>Süßwasserfauna von Mitteleuropa</i> , 6 (2), 178 pp., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6.
BIVALVIA			
VENEROIDA	Tridacnidae	<i>Tridacna lorenzi</i> <i>Tridacna mbalavuana</i> (incl. <i>T. tevoroa</i>) <i>Tridacna noae</i> (incl. <i>T. ningaloo</i>) <i>Tridacna squamosina</i>	WoRMS Editorial Board. 2018. Genus <i>Tridacna</i> .
CEPHALOPODA			
	Nautilidae	Nautilidae spp.	Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference. See Annex 5 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf
ANTHOZOA & HYDROZOA		All CITES listed species	Taxonomic Checklist of all CITES listed Coral Species, based on information compiled by UNEP-WCMC 2012.

FLORA

		Taxon concerned	Taxonomic reference
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). <i>Strelitzia</i> 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
CACTACEAE		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at “ goo.gl/M26yL8 ”.
CACTACEAE		<i>Aztekium valdezii</i>	Marcía, C.G.V., Vázquez, M.A.A. & Montes, S.A. (2013). A new species of <i>Aztekium</i> (Cactaceae) from Nuevo León, Mexico. <i>Xerophilia</i> , Special Issue 2: 3–25. Accessible at: https://cites.org/sites/default/files/eng/com/nc/flora/Aztekium-valdezii_Xerophilia-Special-Issue-No.-2-2013.pdf
CYCADACEAE, STANGERIACEAE and ZAMIACEAE		All <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .	The World List of Cycads: CITES and Cycads: Checklist 2013 (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg and Dennis Wm. Stevenson) in <i>CITES and Cycads a user's guide</i> (Rutherford, C. <i>et al.</i> , Royal Botanic Gardens, Kew. UK 2013), as a guideline when making reference to names of species of <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .

		Taxon concerned	Taxonomic reference
DICKSONIACEAE		<i>Dicksonia</i> species of the Americas.	<i>Dicksonia species of the Americas</i> (2003, compiled by Bonn Botanic Garden and the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of <i>Dicksonia</i> .
DROSERACEAE, NEPENTHACEAE, SARRACENIACEAE		<i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .	<i>CITES Carnivorous Plant Checklist</i> (B. von Arx <i>et al.</i> , 2001, Royal Botanic Gardens, Kew, UK) as a guideline when making reference to names of species of <i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .
EBENACEAE		<i>Diospyros</i> spp. – populations of Madagascar. (large tree species)	Lowry <i>et al.</i> 2022. <i>Large tree species of Diospyros from Madagascar</i> . Catalogue of Plants of Madagascar. http://legacy.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros_LT&projectid=17 . Accessible at: https://cites.org/sites/default/files/eng/prog/timber/Ebenaceae_Diospyros_spp_populations_of_Madagascar_052022.pdf
EUPHORBIACEAE		Succulent species of <i>Euphorbia</i> .	<i>The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae)</i> , Second edition (S. Carter and U. Eggli, 2003, published by the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of succulent euphorbias.
LEGUMINOSAE		<i>Dalbergia</i> spp.	Cowell C., Williams E., Bullough L.-A., Grey J., Klitgaard B., Govaerts R., Andriambololonera S., Cervantes A., Cramer S., Lima, H.C., Lachenaud O., Li S.-J., Linares J.L., Phillipson P., Rakotonirina N., Wilding N., van der Burgt X., Vatanparast M., Barker A., Barstow M., Beentje H., and Plummer J. 2022. <i>CITES Dalbergia Checklist</i> . Commissioned by the CITES Secretariat. Royal Botanic Gardens, Kew, Surrey. Accessible in English, French and Spanish at: https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources
LEGUMINOSAE		<i>Dipteryx</i> spp.	Carvalho, C.S., de Fraga, N.C., Cardoso, D.B.O.S. and Lima, H.C. 2020. Tonka, baru and cumaru: Nomenclatural overview, typification and updated checklist of <i>Dipteryx</i> (Leguminosae). <i>Taxon</i> . 69(3), pp.582-592

		Taxon concerned	Taxonomic reference
LEGUMINOSAE		<i>Guibourtia pellegriniana</i>	Leonard, J. (1949). Notulae Systematicae IV (Caesalpiniaceae-Amherstieae africanae americanaeque). <i>Bulletin du Jardin Botanique de l'État a Bruxelles</i> 19(4): 383–408. [<i>Guibourtia pellegriniana</i> treated on p. 405]. https://doi.org/10.2307/3666831
LEGUMINOSAE		<i>Paubrasilia echinata</i>	Gagnon, E., Bruneau, A., Hughes, C.E., de Queiroz, L. P. & Lewis, G.P. (2016). <i>A new generic system for the pantropical Caesalpinia group (Leguminosae)</i> as a guideline making reference to the name of this taxon. This reference can be found on “ https://phytokeys.pensoft.net/articles.php?id=9203 ”, with free access, and additional information on the taxon can be found at “ http://floradobrasil.jbrj.gov.br/reflora/listaBrasil ”
LEGUMINOSAE		<i>Platymiscium pleiostachyum</i>	Bente B. Klitgaard (2005). <i>Platymiscium (Leguminosae: Dalbergieae)</i> ; biogeography, systematics, morphology, taxonomy and uses. <i>Kew Bulletin</i> . Vol. 60, No. 3 (2005), pp. 321 – 400 be used as a guideline when making reference to the name of this taxon. This reference is available online at “ https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents “. Free access is possible to this reference.
LEGUMINOSAE		<i>Pterocarpus</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022) Accessible at: https://cites.org/sites/default/files/common/docs/Res/12_11/Pterocarpus_POWO_19-1-2023.pdf
LILIACEAE		<i>Aloe</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulenten-Sammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
LILIACEAE		<i>Aloe</i> spp. — supplement to existing standard reference	Klopper, R.R. 2021. <i>Supplement of aloe spp. names and synonyms</i> . Compiled by Dr. Ronell R Klopper, with input from the PC25 Nomenclature Working Group, 10 June 2021. PC25 Com. 5, Annex. Accessible at: https://cites.org/sites/default/files/eng/com/pc/25/com/E-PC25-Com-005.pdf

		Taxon concerned	Taxonomic reference
MELIACEAE		<i>Khaya</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022) Accessible at: https://cites.org/sites/default/files/common/docs/Res/12_11/Khaya_POWO_19-1-2023.pdf
ORCHIDACEAE		Orchidaceae - Appendix I listed orchids: <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> and <i>Renanthera imschootiana</i>	Govaerts, R., Caromel, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P., & Vaglica, V. (2019). <i>CITES Appendix I Orchid Checklist</i> . Second Version, Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge. This reference should be used as a guideline when making reference to the names of <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> and <i>Renanthera imschootiana</i> . This reference can be found on the website of the Royal Botanic Gardens, Kew, UK at “ goo.gl/M26yL8 ”.
ORCHIDACEAE		Orchidaceae — Appendix II listed orchids: genera <i>Aerangis</i> (not <i>A. ellisii</i>), <i>Aerides</i> , <i>Angraecum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Bulbophyllum</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Cattleya</i> (not <i>C. jongheana</i> or <i>C. lobata</i>), <i>Coelogyne</i> , <i>Comparettia</i> , <i>Cymbidium</i> , <i>Cypripedium</i> , <i>Dendrobium</i> (not <i>D. cruentum</i>), <i>Disa</i> , <i>Dracula</i> , <i>Encyclia</i> , <i>Laelia</i> , <i>Masdevallia</i> , <i>Miltonia</i> , <i>Miltoniopsis</i> , <i>Phalaenopsis</i> , <i>Pleione</i> , <i>Renanthera</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> , and <i>Vandopsis</i>	Dhanda, S., Caromel A., Govaerts R., Pavitt A., Bullough, L.-A. & Hartley, H. 2022. <i>CITES Appendix II Orchid Checklist</i> . Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge. Accessible at: https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources

		Taxon concerned	Taxonomic reference
PALMAE		<i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> .	Proposed Standard Reference for two CITES-listed palms endemic to Madagascar (CVPM 2016) based on the Catalogue of the Vascular Plants of Madagascar can be found as a pdf on the US Fish & Wildlife Service website. This is to be used as a guideline when making reference to <i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> . See: http://www.fws.gov/international/
TAXACEAE		<i>Taxus</i> spp.	<i>World Checklist and Bibliography of Conifers</i> (A. Farjon, 2001) as a guideline when making reference to the names of species of <i>Taxus</i> .
ZYGOPHYLLACEAE		<i>Guaiacum</i> spp.	<i>Lista de especies, nomenclatura y distribución en el genero Guaiacum</i> . Davila Aranda. P. & Schippmann, U. (2006): Medicinal Plant Conservation 12:50 as a guideline when making reference to the names of species of <i>Guaiacum</i> .

Annex IX

1. Codes for the indication in permits and certificates of the purpose of a transaction, referred to in Article 5(5)

- B Breeding in captivity or artificial propagation
- E Educational. Where the transaction is for the purpose of use in educational and training programs or for display in an institution with a primarily educational remit.
- G Botanical gardens
- H Hunting trophies
- L Law enforcement/judicial/forensic. Where the transaction is for the purpose of transfer of specimens between, or in support of, government agencies for law enforcement, judicial or forensic purposes.
- M Medical (including bio-medical research). Where the transaction is for the purpose of medical or veterinary testing, diagnosis, treatment or research, including biomedical research.
- N Reintroduction or introduction into the wild. Where the transaction is for the purpose of reinforcement and reintroduction within a species' natural and historical range, and for conservation introductions, comprising assisted colonization and ecological replacement, outside the species' natural and historical range.
- P Personal
- Q Travelling exhibitions (sample collection, circus, menagerie, plant exhibition, orchestra or museums exhibition that is used for commercial display for the public).
- S Scientific
- T Commercial
- Z Zoos. Where the transaction is for the purpose of movement of a specimen to a zoo and/or aquarium or by a zoo and/or aquarium for public display, care, reproduction, public education and awareness, scientific research, rescue, rehabilitation, or conservation.

2. Codes for the indication in permits and certificates of the source of specimens, referred to in Article 5(6)

- W Specimens taken from the wild
- R Specimens of animals reared in a controlled environment, taken as eggs or juveniles from the wild, where they would otherwise have had a very low probability of surviving to adulthood
- D Specimens of animal species listed in Appendix I to the Convention that are bred in captivity for commercial purposes in operations included in the register of operations that breed Appendix I animal species for commercial purposes, which is maintained by the Secretariat of the Convention, as well as parts and derivatives thereof, and specimens of plant species listed in Appendix I to the Convention that are artificially propagated for commercial purposes in accordance with Chapter XIII of Regulation (EC) No 865/2006, as well as parts and derivatives thereof
- A Plants artificially propagated in accordance with Chapter XIII of Regulation (EC) No 865/2006, as well as parts and derivatives thereof
- C Animals bred in captivity in accordance with Chapter XIII of Regulation (EC) No 865/2006, as well as parts and derivatives thereof
- F Animals born in captivity, but for which the criteria of Chapter XIII of Regulation (EC) No 865/2006 are not met, as well as parts and derivatives thereof
- I Confiscated or seized specimens¹
- O Pre-Convention¹
- U Source unknown (must be justified)

¹ To be used only in conjunction with another source code.

- X Specimens taken in the marine environment not under the jurisdiction of any State
- Y Plant specimens obtained from assisted production, which are considered not to be ‘artificially propagated’ as set out in Article 56, and also not considered to be taken from the wild because they are propagated or planted in an environment with some level of human intervention for the purpose of plant production’

ANNEX 2

‘ANNEX XIV

Information to be submitted by an operation to apply for registration by the Secretariat of the Convention pursuant to Article 54a

- (1) Name and address of the owner and manager of the operation.
- (2) Date of establishment of the operation.
- (3) Appendix-I animal species bred in the operation proposed for registration.
- (4) Numbers and ages (if known or appropriate) of males and females that comprise the breeding stock.
- (5) Evidence that the breeding stock has been obtained in accordance with Article 54(2).
- (6) Current stock (numbers, by sex and age, held in addition to the breeding stock referred to in point 4 above).
- (7) Information on the percentage mortalities, if possible reported by age and sex.
- (8) Documentation showing that the operation meets the requirements set out in Article 54(4).
- (9) Past, current and expected annual production of offspring and, where possible, information on:
 - (a) the number of females producing offspring each year;
 - (b) unusual fluctuations in the annual production of offspring (including an explanation of the probable cause).
- (10) An assessment of the anticipated need for, and source of, additional specimens to augment the breeding stock to increase the genetic pool of the captive population in order to avoid any deleterious inbreeding.
- (11) Type of product exported (e.g. live specimens, skins, hides, other body parts, etc.).
- (12) Detailed description of the marking methods (e.g. bands, tags, transponders, branding, etc.) used for the breeding stock and offspring and for the types of specimens (e.g. skins, meat, live animals, etc.) that will be exported.
- (13) Description of the facilities to house the current and expected captive stock, including security measures to prevent escapes and thefts. Detailed information should be provided on the number and size of breeding and rearing enclosures, tanks, ponds, egg incubation capacity, food production or supply, availability of veterinary services and record-keeping.
- (14) Description of the strategies used or activities conducted by the breeding operation to contribute to the conservation of wild populations of the species.
- (15) Assurance that the operation shall be carried out at all stages in a humane (non-cruel) manner.’